

MONGODB TEST- HARSHINI PRASANNA

4\11\2026

1. Import the Student Performance dataset into MongoDB. Display all the documents from the collection using find().



2. Display only the first 10 student records using limit().




3. Find all students who studied for more than 5 hours. Display their complete records using find().

```
>_MONGOSH
    'Performance Index': 74
  }
  Type "it" for more
> db["students"].find({'Hours studied':{$gte:5}})
<
> db["students"].find({'Hours Studied':{$gte:5}})
< {
    _id: ObjectId('6aea392553fc985afdf25f36'),
    'Hours Studied': 7,
    'Previous Scores': 99,
    'Extracurricular Activities': 'Yes',
    'Sleep Hours': 9,
    'Sample Question Papers Practiced': 1,
    'Performance Index': 91
  }
  {
    _id: ObjectId('6aea392553fc985afdf25f38'),
    'Hours Studied': 8,
    'Previous Scores': 51,
    'Extracurricular Activities': 'Yes',
    'Sleep Hours': 7,
    'Sample Question Papers Practiced': 2,
    'Performance Index': 45
  }
```


4. Find all students who participated in extracurricular activities (Yes). Display their records.

```
>_MONGOSH
    'Performance Index': 74
  }
  Type "it" for more
> db["students"].find({'Hours studied':{$gte:5}})
<
> db["students"].find({'Hours Studied':{$gte:5}})
< {
    _id: ObjectId('6aea392553fc985afdf25f36'),
    'Hours Studied': 7,
    'Previous Scores': 99,
    'Extracurricular Activities': 'Yes',
    'Sleep Hours': 9,
    'Sample Question Papers Practiced': 1,
    'Performance Index': 91
  }
  {
    _id: ObjectId('6aea392553fc985afdf25f38'),
    'Hours Studied': 8,
    'Previous Scores': 51,
    'Extracurricular Activities': 'Yes',
    'Sleep Hours': 7,
    'Sample Question Papers Practiced': 2,
    'Performance Index': 45
  }
```


5. Find all students whose previous scores are greater than or equal to 80. Display their records.




6. Find all students who studied for more than 5 hours AND slept for at least 7 hours. Display their records using $and.



7. Find all students who either participated in extracurricular activities OR practiced more than 5 sample question papers. Use $or.



8. Find all students whose Performance Index is between 50 and 80 using $gte and $lte.



9. Sort all student records based on the Performance Index in descending order and display the top 10 students.

```
>_MONGOSH
> db["students"].find().sort({'Performance Index':-1}).limit(10)
< {
    _id: ObjectId('6aea392553fc985afdf25fc7'),
    'Hours Studied': 9,
    'Previous Scores': 98,
    'Extracurricular Activities': 'Yes',
    'Sleep Hours': 7,
    'Sample Question Papers Practiced': 7,
    'Performance Index': 100
  }
  {
    _id: ObjectId('6aea392653fc985afdf269db'),
    'Hours Studied': 9,
    'Previous Scores': 99,
    'Extracurricular Activities': 'Yes',
    'Sleep Hours': 8,
    'Sample Question Papers Practiced': 8,
    'Performance Index': 100
  }
  {
    _id: ObjectId('6aea392653fc985afdf2674c'),
    'Hours Studied': 9,
    'Previous Scores': 98,
    'Extracurricular Activities': 'Yes',
```

Activat
Go to Set

10. Find all students who did not participate in extracurricular activities. Update their records by changing Extracurricular Activities to No using updateMany().

