

Oasis® ELEVATORS Possibilities Unlimited

OASIS ELEVATORS

POSSIBILITIES UNLIMITED

www.oasiselevators.in · connect@oasiselevators.in

BUREAU OF INDIAN STANDARD

BIS STANDARD DIMENSIONS

Official Bureau of Indian Standard car and shaft sizes for manual-gate and automatic-gate elevators, reproduced here for quick reference. All dimensions in mm.

Type	Pers.	Kg	Speed (m/s)	A	B	C	D	E	K	L	Pit	O.H.
Manual - Passenger	4	272	0.63	910	810	1350	1275	700	3000	3500	1600	4200
Manual - Passenger	5	340	0.63	1170	810	1600	1275	760	3000	4000	1600	4200
Manual - Passenger	6	408	0.63	1170	960	1600	1450	760	3100	4500	1600	4200
Manual - Passenger	8	544	0.63	1300	1100	1800	1600	760	3300	4500	1600	4200
Manual - Hospital	15	1020	0.315	980	2460	2000	2800	950	3700	5500	1600	4200
Manual - Hospital	20	1360	0.315	1300	2460	2300	2800	1150	4200	5500	1600	4200
Manual - Hospital	26	1768	0.315	1600	2460	2600	2800	1200	4350	5500	1600	4200
Goods	—	800	0.315	1550	1500	2000	2000	1200	2500	4500	—	—
Goods	—	1000	0.315	1400	1800	2300	2100	1400	2500	4600	—	—
Goods	—	1500	0.315	1700	2000	2600	2300	1700	2600	4800	—	—
Goods	—	2000	0.315	1700	2500	2600	2800	1700	2600	5300	—	—
Goods	—	3000	0.315	2000	3000	2900	3300	2000	2900	5800	—	—
Goods	—	4000	0.315	2500	3000	3400	3300	2500	3400	5800	—	—
Goods	—	5000	0.315	2500	3600	3400	3900	2500	3400	6400	—	—
Auto - Passenger	6	408	0.70	1200	910	1600	1525	700	1600	3550	—	4200
Auto - Passenger	8	544	1.00	1300	1100	1800	1800	800	2250	4100	1600	4300
Auto - Passenger	8	544	1.5	1300	1100	1800	1800	800	3300	4300	1600	4300
Auto - Passenger	10	680	1.0 & 1.5	1350	1300	1800	2000	800	3300	4500	—	4400
Auto - Passenger	13	884	1.0 & 1.5	2000	1100	2500	1800	900	4000	4300	—	—
Auto - Passenger	13	884	2.5	2000	1100	2500	1900	900	4000	4400	2500	5400
Auto - Passenger	16	1088	1.5	2000	1300	2500	2100	1000	4000	4600	1600	4400
Auto - Passenger	16	1088	2.5	2000	1300	2500	2100	1000	4000	4600	2500	5400
Auto - Passenger	20	1360	1.5	2000	1550	2500	2400	1000	4000	4900	1600	4400
Auto - Passenger	20	1360	2.5	2000	1550	2500	2400	1000	4000	4900	2500	5400

A = Car width · **B** = Car depth · **C** = Wall width · **D** = Wall depth · **E** = Entrance
K = Machine room width · **L** = Machine room depth · **Pit** = Pit depth · **O.H.** = Over head
A dash (—) means no value is specified for that combination. All dimensions in mm.

Source: Bureau of Indian Standard reference table, transcribed from a printed copy.
Verify critical figures against the source document before quoting.

WHO WE ARE

ABOUT US







"**OASIS ELEVATORS**" is one of the most prominent and trusted names as a complete elevator solution since 2013.

"**OASIS ELEVATORS**" is a leading company for New Installation, Service and Modernization in Kolkata.

OASIS ELEVATORS has always put its best effort into making elevators safe and hassle free.

When you think about OASIS ELEVATORS, you think of quality, our promise and commitment.We provide end-to-end elevator solutions to our clients, from design, manufacture and installation through to maintenance and modernization.

To each of our valued clients, Oasis is a trusted partner throughout the life cycle.

Our elevators come with a wide range of doors and interior options, both in contemporary and classic style.At the heart of every OASIS ELEVATORS is our cutting-edge engineering and our unwavering commitment to safety and security. That is our promise.


Thanking You
OASIS ELEVATORS

- **New Installation / Erection**
- **Maintenance / Repair Service**
- **Modernization / Renovation**

WHAT WE DO

OUR SERVICES





New Installation / Erection

We are ready for installation of a new elevator at your project. We supply the best quality material for erection, and our qualified engineers are always there to guide, to make the elevators smooth, safe and comfortable riding. We always follows safety rules and regulations.



Modernization / Renovation

We have also done modernization jobs at an affordable price, making your old elevator into a new modern elevator with new features — Relay Logic to Microprocessor Controller, Single speed to Variable speed, 7-segment to LCD display, Wooden cabin to M.S./S.S. cabin, Round cable to flat cable, ARD system, overload safety arrangement, non-stop function clock with temperature system and many more features. So, without any hesitation, change your elevator with modern facilities.

Maintenance / Repair Service

We maintain various types of elevators like OTIS, Adams, MITSUBISHI and many more companies at a genuine and reliable cost. Our experienced ex-OTIS engineers will service your elevator for safe riding, hassle free.

Types of Elevators

- Home & Bungalows Elevator
- Passenger Elevator
- Hospital Elevator

Range of Doors

- Collapsible Doors
- M.S. Telescopic Door
- S.S. Auto Door

Type of Machines

- Bottom Traction
- Machine Roomless (MRL)
- Drum weight machine



MANUAL DOORS

PASSENGER ELEVATOR

The passenger elevators detailed here are designed to handle promptly and efficiently the transportation requirements of any type of building, which means any traffic condition.

- They are renowned for fine quality and robust performance.
- Delivers maximum lifting power with a minimum of effort.
- It gives benefits of jerk-less travelling, economically low power consumption and excellent design.
- Features: 100% safety, easy to use and maintain.

TECHNICAL SPECIFICATIONS

CAPACITY
272 - 544 kg (4 - 8 persons)

SPEED
0.63 m/s


PIT DEPTH
1600 mm

OVER HEAD
4200 mm

MACHINE ROOM
3000 - 3300 (W) x 3500 - 4500 (D) mm

DOOR TYPE
Manual collapsible gate

CABIN & DOOR FINISHES



POWDER-COATED STEEL



DECORATIVE GRILLE



BRUSHED STAINLESS



AUTO DOORS

PASSENGER ELEVATOR

Oasis Elevators has been engineered with full automatic doors.

Fabricated with the most advanced lift controls, appreciated for their high speed, smooth travel and perfect levelling. Different types of doors: centre open.

TECHNICAL SPECIFICATIONS

CAPACITY
408 - 1360 kg (6 - 20 persons)

SPEED
0.70 - 2.5 m/s

PIT DEPTH
1600 - 2500 mm

OVER HEAD
4200 - 5400 mm

MACHINE ROOM
1600 - 4000 (W) x 3550 - 4900 (D) mm

DOOR TYPE
Automatic centre-opening

CABIN & DOOR FINISHES



CONVENTIONAL PANEL



GLASSD CAR INTERIOR



STAINLESS CAR INTERIOR

MACHINE ROOM LESS

MRL ELEVATOR



- Gearless permanent-magnet traction machine sits inside the shaft – no separate machine room required.
- Saves building space and civil cost; ideal for modernising existing shafts.
- Permanent-magnet synchronous drive lowers power consumption.
- Suited to low- and mid-rise buildings, serving 2 to 25 floors.
- Features: jerkless travel, accurate levelling, quiet and low maintenance.

TECHNICAL SPECIFICATIONS

CAPACITY
408 - 1360 kg (6 - 20 persons)

SPEED
1.0 - 1.75 m/s

PIT DEPTH
1400 - 2000 mm

OVER HEAD
4500-4800 mm

MACHINE ROOM
Not required

DOOR TYPE
Automatic centre-opening


MRL MACHINE & DRIVE



SHAFT & LANDING INTEGRATION



SHAFT-MOUNTED DRIVE UNIT



COMPACT MACHINE & DRIVE SYSTEM

RESIDENTIAL

HOME ELEVATOR



- Compact lifts designed for villas, duplexes and triplexes with limited space.
- Fits shafts as small as 900 × 900 mm; installs in corners, stairwells or unused shafts.
- Low pit and low headroom options suit retrofit into existing homes.
- Quiet, energy-efficient operation with smooth, comfortable ride quality.
- Manual or automatic doors with a wide choice of cabin finishes.

TECHNICAL SPECIFICATIONS

CAPACITY
204 – 400 kg (3 – 5 persons)

SPEED
0.15 – 0.40 m/s


PIT DEPTH
150 mm (minimum)

OVER HEAD
2800–3200 mm

SHAFT SIZE
900 × 900 – 1200 × 1200 mm

DOOR TYPE
Manual swing or automatic

TYPICAL INSTALLATION



Glass cabin home lift installed in a stairwell

HEALTHCARE

HOSPITAL ELEVATOR



- Oasis Elevator provides all solutions for hospital elevators and is renowned for fine quality and robust performance.
- A wide range of car dimensions is available for the varying requirements of a modern hospital.
- The entire system is safe and reliable, operating steadily.
- Features: accurate open and shut control, stable and smooth.
- It gives benefits of jerkless travelling, economically low power consumption and excellent design.

TECHNICAL SPECIFICATIONS

CAPACITY
1020 – 1768 kg (15 – 26 persons)

SPEED
0.315 m/s

PIT DEPTH
1600 mm

OVER HEAD
4400 mm

MACHINE ROOM
3700 – 4350 (W) x 5500 (D) mm

CAR DEPTH
2450 – 2600 mm

HOSPITAL CABIN CONFIGURATIONS



STRETCHER & WHEELCHAIR ACCESS



WIDE-OPENING AUTOMATIC DOORS



HYDRAULIC TECHNOLOGY

HYDRAULIC ELEVATOR

Oasis Elevators offers reliable and smooth hydraulic elevators ideal for low-rise buildings. Built with robust hydraulic systems, these elevators deliver safety, comfort and efficiency with minimum maintenance.

- Compact design that requires less space and minimal overhead.
- Smooth and quiet operation with high riding comfort.
- Energy efficient with low power consumption.
- Easy installation and low maintenance cost.
- Safe, durable and ideal for residential and commercial buildings.

TECHNICAL SPECIFICATIONS

CAPACITY
204 – 1020 kg (3 – 15 persons)

SPEED
0.15 – 0.63 m/s

PIT DEPTH
1400 – 1600 mm

OVER HEAD
2800 – 3600 mm

MACHINE ROOM
Not required / Optional small space

DOOR TYPE
Automatic centre-opening & Manual collapsible gate

HYDRAULIC ELEVATOR FEATURES



RELIABLE HYDRAULIC CYLINDER FOR SMOOTH MOVEMENT



POWER UNIT WITH OIL TANK ENSURES EFFICIENT PERFORMANCE



COMFORTABLE AND SAFE RIDE WITH OPTIMAL LEVELING

INDUSTRIAL & FREIGHT

GOODS ELEVATORS



- Heavy-duty construction for warehouses, factories and cold storage.
- Reinforced platform with chequered-plate flooring and robust guide rails.
- One-sided or through-car loading; a forklift can drive straight through.
- Collapsible/semi-collapsible or heavy-duty automatic doors.
- Traction or hydraulic drive to suit load, travel and site conditions.

TECHNICAL SPECIFICATIONS

CAPACITY 500 - 5000 kg	**OVER HEAD** 4200 - 4800 mm
SPEED 0.25 - 0.63 m/s	**DRIVE** Geared traction / hydraulic
PIT DEPTH 1600 - 2200 mm	**DOOR TYPE** Collapsible, shutter or autosliding

PLATFORM & DOOR OPTIONS



CAGED LIFT WITH SWING GATE



SCISSOR GATE OPTION



LOADING BAY LIFT

CAR • CAPSULE

OTHERS ELEVATOR

Oasis Elevators has been engineered with full automatic doors.

Fabricated with the most advanced lift controls, appreciated for their high speed, smooth travel and perfect leveling. Different types of doors: centre opening, telescopic opening.

Our proficiency allows us to design and develop elevators of various sizes and capabilities.

In high-density requirements, we can provide grouping of multiple elevators of various sizes and capabilities.

It gives benefits of jerkless travelling, economically low power consumption and excellent design.



CAR




CAPSULE

We never negotiate on the safety of humans.

DIFFERENT TYPES OF
CABIN

Oasis Elevators offers a wide range of stylish and durable cabin options, designed to suit every building interior and customer preference.

- **Premium aesthetics and modern designs.**
- **High durability and corrosion resistance.**
- **Easy to clean and maintain.**
- **Multiple finishes and customization options.**
- **Comfortable and luxurious experience.**



POWDER COATED CABIN

Durable powder coated finish with a smooth texture, available in multiple color options to match your interiors.




S.S HAIRLINE FINISH CABIN

Elegant hairline finish that offers a modern look with excellent durability and resistance to scratches and stains.



SS MIRROR FINISH CABIN

High-gloss mirror finish for a luxurious and spacious feel, perfect for premium interiors.



SS GOLD FINISH CABIN

Luxurious gold finish that adds a touch of elegance and prestige to your elevator.



SS PRINTED DESIGN CABIN

Stylish printed designs on stainless steel for a unique and contemporary look that stands out.

WHY CHOOSE OUR CABINS?

SAFE & RELIABLE
Built with high-grade materials to ensure maximum safety.

SUPERIOR QUALITY
Precision-crafted cabins using premium grade materials and finishes.

CUSTOMIZATION
Wide range of finishes, colors and designs to suit your requirements.

LONG LASTING
Engineered for long life and excellent performance.

AESTHETIC APPEAL
Enhances the look and feel of your building interiors.

DIFFERENT TYPES OF
DOORS

Oasis Elevators offers a variety of door solutions designed for safety, reliability and aesthetics to suit different building requirements.

- **High safety and smooth operation.**
- **Durable and long lasting.**
- **Space saving designs.**
- **Enhanced aesthetics and visibility.**
- **Customizable to suit your requirements.**



MS COLLAPSIBLE GATE

Economical and space-saving door solution, ideal for residential and low-rise buildings.



MS TELESCOPY DOOR

Telescopic doors offer smooth side sliding operation with maximum opening width.



SS CENTRE OPENING DOOR

Traditional centre opening doors ensure quiet, durable and easy accessibility.



SS FULL VISION GLASS DOOR

Full glass doors provide maximum visibility and a modern, elegant look to elevate your interiors.



SS HALF VISION GLASS DOOR

Half glass doors combine visibility and privacy, offering a perfect blend of style and safety.

OUR DOORS – BUILT FOR PERFORMANCE

SAFE & RELIABLE
Engineered for safety and smooth operation in every condition.

PREMIUM QUALITY
Made from high-grade materials for superior strength and durability.

SMOOTH OPERATION
Advanced mechanism ensures quiet, reliable and effortless movement.

STYLISH DESIGNS
Wide range of designs and finishes to match your interiors.


EASY MAINTENANCE
Low maintenance and long-lasting performance.

DIFFERENT TYPES OF
CONTROLLERS

Oasis Elevators uses advanced and intelligent control systems that ensure smooth operation, maximum safety, energy efficiency and reliability for every type of elevator.

- **Advanced microprocessor technology.**
- **Maximum safety and protection.**
- **Energy efficient and high performance.**
- **Easy installation and maintenance.**
- **Reliable, durable and long lasting.**

GEARED MICROPROCESSOR CONTROLLER



Specially designed for geared traction elevators. Provides precise control, smooth starts & stops, accurate leveling and enhanced ride comfort.

GEARLESS CONTROLLER



Optimized for geared traction machines. Ensures high efficiency, low noise operation and superior ride quality.

HYDRAULIC CONTROLLER



Designed for hydraulic elevators. Ensures smooth operation, soft stops, overload protection and high reliability.

ARD CONTROLLER (AUTOMATIC RESCUE DEVICE)



Automatic Rescue Device that ensures the safe evacuation of passengers during power failure by moving the elevator to the nearest floor.

WHY CHOOSE OUR CONTROLLERS?

HIGH SAFETY
Multiple protection features for passengers and equipment.

PRECISE CONTROL
Accurate leveling and smooth ride for maximum comfort.

ENERGY EFFICIENT
Optimized performance to reduce power consumption.

EASY MAINTENANCE
User-friendly design for quick troubleshooting and service.

RELIABLE PERFORMANCE
Built with quality components for long life and consistent operation.

DIFFERENT TYPES OF

COP & LOP

Oasis Elevators offers a wide range of COP & LOP solutions that combine functionality, safety and aesthetics to enhance user experience and complement every elevator design.

- User friendly and easy to operate.
- High durability and reliability.
- Modern designs to suit your interiors.
- Advanced technology for enhanced safety.
- Easy installation and low maintenance.

BOX TYPE COP & LOP



Classic and robust design with box type enclosures. Easy to install and highly durable for long term performance.

WALL MOUNTING COP & LOP



Sleek and space-saving wall mounting design. Provides a modern look with easy accessibility and convenience.

SCREEN TOUCH COP & LOP



Advanced touch screen interface with vibrant display and smooth operation for a premium experience.

SMART CARD COP & LOP



Secure and intelligent access control with smart card technology for enhanced safety and building security.

WHY CHOOSE OUR COP & LOP?

SAFE & SECURE
Designed with highest safety standards to ensure passenger protection.

PREMIUM FINISH
High quality materials and finish for a sleek and elegant look.

MULTIPLE OPTIONS
Wide range of designs and technologies to match every requirement.

EASY TO USE
Ergonomic design for comfortable and hassle-free operation.

LONG LASTING
Built to last with robust construction and reliable performance.

DIFFERENT TYPES OF
MACHINE

Oasis Elevators uses advanced and high-performance elevator machines that deliver smooth rides, energy efficiency and long-lasting reliability.

- **High efficiency and energy saving.**
- **Low noise and vibration operation.**
- **Reliable performance and long life.**
- **Compact design and easy installation.**
- **Low maintenance and cost effective.**
- **Environment friendly and green technology.**



MACHINE FEATURES

HIGH EFFICIENCY
Designed for maximum efficiency with minimal power consumption.

SAFETY & RELIABILITY
Tested for safety and reliability to ensure passenger protection.

ADVANCED TECHNOLOGY
Built with advanced technology for smooth and precise operation.

LOW NOISE
Engineered for quiet and comfortable rides.

PREMIUM COMPONENTS
High quality components for enhanced durability.

EASY MAINTENANCE
Simple design for easy inspection and maintenance.

EFFICIENT COOLING
Optimized cooling system for better performance.

ENERGY EFFICIENT
Energy efficient design that reduces operating cost.


TYPES OF ELEVATOR MACHINES

GEARED TRACTION MACHINE



- High starting torque and smooth operation.
- Suitable for low to mid-rise buildings.
- Cost effective and
- highly reliable.

GEARLESS TRACTION MACHINE



- High efficiency and energy saving.
- Ideal for mid to high-risk buildings.
- Smooth, quiet and maintenance friendly.

HYDRAULIC MACHINE



- Powerful and reliable hydraulic system.
- Ideal for low-rise buildings and heavy loads.
- Smooth leveling and stable operation.

OUR COMMITMENT

QUALITY YOU CAN TRUST

An Elevator is a lifetime investment. It is a highly technical product incorporating sophisticated electronic circuitry. The job of installing an elevator is a specialized work, which is performed by our trained and skilled Oasis engineers.

Our Engineers

- Qualified engineers and experienced technicians
- Based in Kolkata, West Bengal
- Best-quality materials supplied for erection
- On-site guidance for a smooth, safe ride

For Mutual Benefit

- Customer guidelines protect the installation
- A safe working environment for technicians
- Prevents avoidable damages on site
- Controls cost and saves time for both parties

Quality Checking Process

01 Quality team verifies lift efficiency after the technician's complete work.

02 Government-appointed supervisor issues certification.

03 Re-examination by Oasis engineers before the handover certificate.

04 Seven-day trial period before full and final payment.


05 Installed and handed over on time, defect-free.

06 One year of complimentary maintenance service.


FOR YOUR ARCHITECT

TECHNICAL REFERENCE


TRACTION ELEVATOR




TRACTION MACHINE



HYDRAULIC ELEVATOR



CENTRE OPENING DOOR



SMOOTH RIDE EXPERIENCE

OASIS ELEVATORS

Possibilities Unlimited — An **ISO 9001 : 2015** Certified Company

CORPORATE OFFICE

Uttaran Regency,
19 No. Nabadiganta
Kolkata,
West Bengal
700094

REGISTERED OFFICE

Shibpur, Kodalia,
Falta
(Economic Zone),
Dist 24 Pgs (S)
743 368

BRANCH OFFICE

Sonari,
Kagalnagar,
Jamshedpur -
831011

Feel Free to Call Us on

West Bengal	+91-9002343706
BWN- DGP-ASNL	+91-9775666687
JSR / Odissa	+91-9431186893

WEB | www.oasiselevators.in

EMAIL | connect@oasiselevators.in

SOCIAL | Instagram Twitter Facebook LinkedIn