outmate: the general workflow

What the user does, and what happens inside

outmate
12 Nov 2026

WHAT THE USER DOES		WHAT HAPPENS INSIDE
Signs up email + invite code	1 · JOIN	**Makes a token** shown once · only a hash is kept
Pastes one line into their agent	2 · CONNECT	**Sets up every agent on the Mac** Claude Code · Cursor · Codex · more
Adds their own keys optional · once	3 · KEYS	**Nango keeps them** linked to the user's token
Asks a question e.g. leaders at vercel.com	4 · ASK	**Router picks tools** only ones this user has keys for
Reads the answer short, with sources	5 · ANSWER	**Providers answer** results are data, never instructions
Says yes to a list "add them to HubSpot"	6 · SAVE	**Writes exactly that list** nothing is sent before the yes


THE IDEA

One tool in the agent. Everything else is behind it.

the agent sees outmate_search · 30 tools behind it · each user's own keys

The system map


Who talks to whom



SERVICES THE SERVER LEANS ON


One search, step by step

Example: "Find engineering leaders at vercel.com"



Whose key is used

Per-user keys, with a safe fallback



PROVIDERS THAT NEED MORE THAN A KEY


Two values	Token swap	Own address
saved as first:second	key traded for a short token	host from the connection

WHAT FOLLOWS FROM IT

- **THE AGENT'S DESCRIPTION** — Lists only what Jo can use
- **EVERY ANSWER** — Her keys are blanked out

HubSpot, both ways

Read freely. Write only after a yes.




GUARD RAILS

Separate write connection	Only the owner can apply	Never overwrites a value
Writes are not retried	Approved list = written list	The server states "nothing written yet"


Adding a tool

One file. No restart. No code.



What the user goes through

Five moments, in their own words



What the user sees

The two places that matter

THE CONNECTIONS PAGE

YOUR PROVIDER KEYS

WEB SEARCH, CRAWLING & RESEARCH

Tavily	Shared key
Exa	Your key · Replace

PEOPLE & CONTACT DATA

Hunter	Your key · Replace
Findymail	Not connected · Connect

BUYING SIGNALS

PredictLeads	Not connected · Connect

CRM

HubSpot	Your key · Replace
HubSpot (write access)	Not connected · Connect

The key is pasted on Nango's screen, never in chat.

IN THE AGENT: SAVING TO HUBSPOT

JO
Add Mike Curtis, VP Engineering at Vercel, to HubSpot.

OUTMATE
HubSpot changes proposed (id `p_3f9a1c07be`).
NOTHING HAS BEEN WRITTEN YET.
1. CREATE contact Mike Curtis — job title: VP Engineering · company: Vercel
Existing values are never overwritten. A note is added to each record.

JO
Yes, apply it.

OUTMATE
Applied `p_3f9a1c07be`: 1 created, 0 filled, 0 unchanged, 0 not done.

Jo sees the exact change first. The server writes only that.