Day 3 – Participant environment setup

Complete this once before Lab 3.1. Keep these resources until the end of Day 3.

1. Resource naming

Replace `user01` with your assigned participant ID.


Resource	Name
Storage Account	`stuser01ordersd3`
Function App	`fn-user01-orders-d3`
Application Insights	`appi-user01-orders-d3`
Blob container	`raw`
Blob container	`processed`
Queue	`orders`

Storage Account names must be globally unique, lowercase, and 3–24 characters. If the suggested name is unavailable, append a short numeric suffix and use that exact name throughout the labs.

2. Create the Day 3 Storage Account

Sign in to Azure Portal and open the shared Resource Group.


1. Select Create a resource → Storage account.
2. Select your shared Resource Group.
3. Configure:
    - Performance: Standard
    - Redundancy: Locally-redundant storage (LRS)
    - Account kind: StorageV2 (general-purpose v2)
    - Storage Account name: `stuser01ordersd3`
4. Keep the remaining settings at their training defaults.
5. Select Review + create → Create.



3. Create the Blob containers and Queue

Open the new Storage Account.

1. Under Data storage → Containers, create:
    - `raw`
    - `processed`



2. Under Data storage → Queues, create:
    - `Orders`



These names are used consistently by the Day 3 exercises.

4. Verify participant permissions

The labs use Microsoft Entra authentication rather than relying on Storage Account keys.

You need the following data-plane roles:


Scope	Role	Used for

Storage Account	Storage Blob Data Contributor	Create, upload, read and manage blobs
Storage Account	Storage Queue Data Contributor	Send, receive, update and delete queue messages

In Azure Portal:

1. Open the Storage Account.
2. Select Access control (IAM) → Add role assignment.
3. Assign the relevant role to your own signed-in user.
4. Wait for role propagation before testing.


Important permission check: Creating resources in the shared Resource Group does not automatically give you permission to assign RBAC roles. Self-assignment requires an appropriate role-assignment permission, such as Owner, User Access Administrator or Role Based Access Control Administrator at the relevant scope. If you only have Contributor and cannot assign the data roles, request the required permission before starting the labs. Do not substitute account keys without authorization.



5. Verify Azure CLI access

Open PowerShell or the VS Code terminal:

```
az login
az account show --output table
```



Set your resource variables:

```
$RG = "<your-shared-resource-group>"
$ST = "stuser01ordersd3"
```

Verify that the account exists:

```
az storage account show `
  --resource-group $RG `
  --name $ST `
  --query "{name:name,kind:kind,sku:sku.name}" `
  --output table
```



Verify Blob access:

```
az storage container list `
  --account-name $ST `
  --auth-mode login `
  --output table
```

```
PS C:\Users\LabsKraft> az storage container list `
>>    --account-name $ST `
>>    --auth-mode login `
>>    --output table
>>
Name                                    Lease Status    Last Modified
--------------------------------------  --------------  -------------------------
app-package-fn-user01-orders-d3-b41c6be                 2026-11-05T11:09:53+00:00
azure-webjobs-hosts                                     2026-11-05T11:10:37+00:00
azure-webjobs-secrets                                   2026-11-05T11:11:02+00:00
processed                                               2026-11-05T10:35:08+00:00
raw                                                     2026-11-05T10:34:54+00:00
PS C:\Users\LabsKraft>
```

Verify Queue access:

```
az storage queue list `
  --account-name $ST `
  --auth-mode login `
  --output table
```

```
PS C:\Users\LabsKraft> az storage queue list `
>>    --account-name $ST `
>>    --auth-mode login `
>>    --output table
Command group 'storage queue' is in preview and under development. Reference and
tatus
Name
-------------
orders
```


Expected: the `raw`, `processed` and `orders` resources are visible. If access is denied, check the assigned data roles and allow time for propagation.

6. Create the Day 3 Function App

Lab 3.3 and the team challenge use Azure Functions, so create a separate Day 3 Function App. Do not reuse the Day 2 app.

1. In Azure Portal, select Create a resource → Function App.
2. Select your shared Resource Group.
3. Configure:
    - Function App name: `fn-user01-orders-d3`
    - Publish: Code
    - Runtime stack: .NET
    - Version: .NET 10 isolated
    - Operating system: Linux
    - Hosting plan: Flex Consumption
    - Storage Account: select `stuser01ordersd3`
    - Application Insights: enabled
4. Review and create the Function App.

Verify that the Function App is running and that its storage configuration points to the Day 3 Storage Account. The local Azurite connection used during development must not be deployed as the Azure Function App's storage configuration.



7. Local development prerequisites

Verify the following on your workstation:

```
dotnet --version
func --version
az –version
```

```
PS C:\Users\LabsKraft> dotnet --version
>> func --version
>> az --version
>>
10.0.403
4.16.0
azure-cli                         2.92.0

core                              2.92.0
telemetry                          1.1.0

Dependencies:
msal                              1.39.0
azure-mgmt-resource               24.0.0

Python location 'C:\Program Files (x86)\Microsoft SDKs\Azure\CLI2\python.exe'
Config directory 'C:\Users\LabsKraft\.azure'
Extensions directory 'C:\Users\LabsKraft\.azure\cliextensions'

Python (Windows) 3.14.9 (tags/v3.14.9:ead82c0, Oct 21 2026, 06:14:24) [MSC v.1944 32 bit (Intel)]

Legal docs and information: aka.ms/AzureCliLegal


Your CLI is up-to-date.
PS C:\Users\LabsKraft>
```

Required tools:

- .NET 10 SDK
- Azure Functions Core Tools v4
- Azure CLI
- VS Code with C# and Azure Functions extensions
- Azure Storage Explorer

Use your existing `contoso-fn` project where the lab instructions specify it. Keep local settings and credentials out of source control and do not publish `local.settings.json`.

Environment readiness: You should now have one fresh Day 3 Storage Account, two Blob containers, one Queue, and one Day 3 Function App. These resources are shared by your own Day 3 exercises, not by other participants.