

Communities A Social Media Platform(SM02)

Test Plan

Harshit Pant CS21BTECH11021

Satpute Aniket Tukaram CS21BTECH11056

Mahin Bansal CS21BTECH11034

Burra Vishal Mathews CS21BTECH11010

Table of Contents

| | |
|-----------------------------------|--|
| Test Overview | |
| Test Details | |
| Unit Tests | |
| Integration Testing | |
| System Testing | |
| Performance Testing | |
| Test Analysis | |
| Test Statistics | |
| Functional Test Report | |
| Performance Test Report | |

Test Overview

Communities is an online social media platform that allows users to create and join communities based on their interests. Users can create communities, post content, comment on posts, and interact with other users. The platform also includes other features such as chat, search, and recommendations and certain level of moderation.

This document outlines the test plan for Communities, including the modules to be tested, the types of tests to be conducted, and the test analysis.

The test plan includes the following operations/modules that will be tested:

- Authentication Modules
 - Login Module
 - Signup Module
 - Token Authentication Module
 - E2EE Module
- User Modules
 - Guest User Module
 - Registered User Module
 - Admin User Module
 - Moderator User Module
 - Superuser Module
- System Modules
 - Cache Manager Module
 - Recommender System Module
 - Job Scheduler Module
 - Services Module
 - * Feed Service
 - * Comments Service
 - * Post Service

- * Search Service
- * Votes Service
- * Chat Service
- * Connections Service
- * Scoring Service
- DB Access Modules
 - User Module
 - Post Module
 - Comment Module
 - Vote Module
 - Chat Module
 - Community Module
- UI Modules
 - Listing Module
- Other Modules
 - Notification Module
 - Reporting Module
 - Moderation Module

The test plan includes the following sections:

- Test Overview: A brief overview of the test plan which also lists the operations/modules that will be tested.
- Test Details: Detailed information about the unit tests, integration testing, system testing, and performance testing.
- Test Analysis: A summary of the test statistics, functional test report, and performance test report.
 - Test Statistics: The number of classes, methods, modules tested, test cases, and test cases failed.
 - Functional Test Report: A summary of the functional test cases for each module, including the type of testing method used.
 - Performance Test Report: A summary of the performance test plan and report.

Test Details

Integrating testing

The order in which you will integrate your modules and test cases for integrated modules.

System testing

Performance testing

Unit Tests

Authentication Module

Table 1: Authentication Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Inputs | Expected Output | Status |
|----------|--------------|-----------------------------------|-------------------------|--|-----------------------------|--------|
| UT-1.1.a | Login Module | Login user using Interanl sign-in | Incorrect Credentials | user: unknown-username or wrong-password, DB-status: user-not-found or wrong-password (from User Module) | return: invalid-credentials | F |

Continued on next page

Table 1: Authentication Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Inputs | Expected Output | Status |
|----------|---------------|-------------------------------|-------------------------------|---|--|--------|
| UT-1.1.b | Login Module | Login User using Google OAuth | Incorrect Credentials (OAuth) | user: incorrect-email or wrong-password, OAuth-status: user-not-registered or wrong-password (from OAuth) | return: invalid-credentials | F |
| UT-1.1.c | Login Module | Login User | Correct Credentials | user: registered-username and correct-password, DB-status: OK (from User Module or OAuth) | return: OK and JSON Web-token | P |
| UT-1.2.a | Token Module | Validate JWT | Invalid Token | cookie: invalid-token | The module extracts the header and the payload from the request and recalculates the signature and matches it with the token, in this case it does not match and hence returns returns: invalid-token | F |
| UT-1.3.a | Signup Module | Signup User | Username already taken | user: already-taken-username and password and email-id, DB-status: username-taken | return: username-taken | F |
| UT-1.3.b | Signup Module | Signup User | Unverified email id | user: username and password and unverified-email-id, email-service-status: email-verification-timeout | return: email-unverified | F |
| UT-1.3.c | Signup Module | Signup User | Passwords Don't Match | user: username and invalid-password and email-id | return: password-mismatch | F |
| UT-1.3.d | Signup Module | Signup User | Valid Credentials | user: username and password and email-id, DB-status: user-created | return: user-created and JWT and redirects user to home page | P |
| UT-1.3.a | E2EE Module | TO-BE-FILLED | Invalid Key | | | F |

User Module

| S.No | Module Name | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|-------------------------|-----------|-----------------|--------|
| UT-2.1.a | | | | | |

System Module

| S.No | Module Name | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|-------------------------|-----------|-----------------|--------|
| UT-3.1.a | | | | | |

Database Access Module

User Record Module

Table 4: User Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|------------|--|---|--------------------------------------|--------|
| UT-4.1.a | User Module | getUser | Invalid Username | user: invalid-user-name | return: invalid-user-name | F |
| UT-4.1.b | User Module | getUser | No User by this Username | user: unknown-user, DB-status: no-such-user | return: no-such-user | F |
| UT-4.1.c | User Module | getUser | Exisiting username | user: username, DB-status: OK | return: OK and user-record | P |
| UT-4.1.d | User Module | updateUser | Invalid Username | user: invalid-user-name | return: invalid-user-name | F |
| UT-4.1.e | User Module | updateUser | No User by this Username | user: username, DB-status: OK | return: OK | F |
| UT-4.1.f | User Module | updateUser | Edit User Settings (User setting is a 6-tuple) - Invalid Tuple - Invalid Profile Visibility | user: new-user-record (invalid integer for profile visibility) | return: invalid-profile-visibility | F |
| UT-4.1.g | User Module | updateUser | Edit User Settings (User setting is a 6-tuple) - Invalid Tuple - Invalid Chat Request Setting | user: new-user-record (invalid integer for chat request) | return: invalid-chat-request-setting | F |
| UT-4.1.h | User Module | updateUser | Edit User Settings (User setting is a 6-tuple) - Invalid Tuple - Invalid Notification Setting - remaining 4 values | user: new-user-record (invalid 4-tuple for notification) | return: invalid-notification-setting | F |
| UT-4.1.i | User Module | updateUser | Edit User Settings (User setting is a 6-tuple) - Valid Tuple | user: username | return: OK | P |

Continued on next page

Table 4: User Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|------------|----------------------------------|---|---------------------------|--------|
| UT-4.1.j | User Module | updateUser | Edit email-id - Invalid email-id | user: new-user-record (email-id: invalid) | return: invalid-email | F |
| UT-4.1.k | User Module | updateUser | Edit email-id - Valid email-id | user: valid-new-user-record | return: OK | P |
| UT-4.1.l | User Module | updateUser | Edit user bio | user: username, DB-status: OK | return: OK | P |
| UT-4.1.m | User Module | deleteUser | Invalid Username | user: invalid-user, DB-status: user-not-found | return: invalid-user-name | F |
| UT-4.1.n | User Module | deleteUser | No User by this Username | user: username, DB-status: no-such-user | return: no-such-user | F |
| UT-4.1.o | User Module | deleteUser | Exisiting username | user: username, DB-status: OK | return: user-deleted | P |

Post Record Module

Table 5: Post Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|-----------------------|--|---|-----------------------------|--------|
| UT-4.2.a | Post Module | get Post | Invalid PostID/Deleted PostID | post: unknown-post-id, DB-status: post-id-not-found | return: post-not-found | F |
| UT-4.2.b | Post Module | get Post By Community | Invalid CommunityID/ Deleted Community | community: unknown-community-id and sort: sort-by and filter: filter-by, DB-status: community-not-found | return: community-not-found | F |
| UT-4.2.c | Post Module | get Post By Community | Invalid Sort-By | community: community-id and sort: invalid-sort-by and filter: filter-by | return: invalid-sort | F |

Continued on next page

Table 5: Post Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|----------------------------|--|---|------------------------------------|--------|
| UT-4.2.d | Post Module | get Post By Community | Invalid Filter-by | community: community-id and sort: sort-by and filter: invalid-filter-by | return: invalid-filter-by | F |
| UT-4.2.e | Post Module | get Post By Community | Valid Request | community: community-id and sort: sort-by and filter: filter-by, DB-status: OK | return: OK and post-list | F |
| UT-4.2.f | Post Module | get Post By User | Invalid UserID | post: unknown-user-id and sort: sort-by and filter: filter-by, DB-status: user-not-found | return: user-not-found | F |
| UT-4.2.g | Post Module | get Post By User | Valid Request | post: user-id and sort: sort-by and filter: filter-by, DB-status: OK | return: OK and post-list | P |
| UT-4.2.h | Post Module | get Post By User | Invalid Sort-By | post: user-id and sort: invalid-sort-by and filter: filter-by | return: invalid-sort | F |
| UT-4.2.i | Post Module | get Post By User | Invalid Filter-by | post: user-id and sort: sort-by and filter: invalid-filter-by | return: invalid-filter-by | F |
| UT-4.2.j | Post Module | get Post By Score User | Invalid UserID (Used for user-feed generation) | post: unknown-user-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.2.k | Post Module | get Post By Score Trending | Valid Request | no-input | return: post-list | P |
| UT-4.2.l | Post Module | get Post By Tag | Invalid TagID | tag: unknown-tag-id and sort: sort-by and filter: filter-by, DB-status: tag-not-found | return: tag-not-found | F |

Continued on next page

Table 5: Post Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|--------------------------|-------------------------|--|---------------------------------|--------|
| UT-4.2.m | Post Module | get Post By Tag | Invalid Sort-By | tag: tag-id and sort: invalid-sort-by and filter: filter-by | return: invalid-sort | F |
| UT-4.2.n | Post Module | get Post By Tag | Invalid Filter-By | tag: tag-id and sort: sort-by and filter: invalid-filter-by | return: invalid-filter-by | F |
| UT-4.2.o | Post Module | get Post By Tag | Valid Request | tag: tag-id and sort: sort-by and filter: filter-by, DB-status: OK | return: OK and post-list | P |
| UT-4.2.p | Post Module | get Post By Query String | Invalid Sort-By | query-string: search-string and sort: invalid-sort-by and filter: filter-by | return: invalid-sort-by | F |
| UT-4.2.q | Post Module | get Post By Query String | Invalid Filter-By | query-string: search-string and sort: sort-by and filter: invalid-filter-by | return: invalid-filter-by | F |
| UT-4.2.r | Post Module | get Post By Query String | Valid Request | query-string: search-string and sort: sort-by and filter: filter-by, DB-status: OK | return: OK and post-list | P |
| UT-4.2.s | Post Module | update Post | Invalid PostID | post: unknown-post-id, DB-status: post-not-found | return: post-not-found | F |
| UT-4.2.t | Post Module | delete Post | Invalid PostID | post: post-id, DB-status: post-not-found | return: post-not-found | F |
| UT-4.2.u | Post Module | delete Post By User | invalid UserID | post: user-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.2.v | Post Module | delete Post By User | valid UserID | post: user-id, DB-status: OK | return: OK | P |
| UT-4.2.w | Post Module | delete Post By Community | invalid CommunityID | post: community-id, DB-status : community-not-found | return: community-not-found | F |

Continued on next page

Table 5: Post Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|--------------------------|-------------------------|---|-----------------|--------|
| UT-4.2.x | Post Module | delete Post By Community | valid CommunityID | post: community-id, DB-status: OK | return: OK | P |

Comment Record Module

Table 6: Comment Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|----------------|--------------------------|----------------------------|--|------------------------------|--------|
| UT-4.3.a | Comment Module | get Comment | Invalid CommentID | comment: unknown-comment-id, DB-status: comment-not-found | return: comment-not-found | F |
| UT-4.3.b | Comment Module | get Comment | Valid Comment | comment: known-comment, DB-status: OK | return: OK and comment | P |
| UT-4.3.c | Comment Module | get Comment By Post | Invalid PostID | post: unknown-post-id, DB-status: post-not-found | return: post-not-found | F |
| UT-4.3.d | Comment Module | get Comment By Parent | Invalid Parent CommentID | comment: unknown-comment-id, DB-status: comment-not-found | return: comment-not-found | F |
| UT-4.3.e | Comment Module | get Comment By Parent | Valid Comment | comment: known-comment, status: OK | return: OK and comment | P |
| UT-4.3.f | Comment Module | get Comments By Ancestor | Invalid Ancestor CommentID | comment: unknown-comment-id, DB-status: comment-not-found | return: comment-not-found | F |
| UT-4.3.g | Comment Module | get Comments By Ancestor | Valid Ancestor CommentID | comment: known-comment, status: OK | return: OK and comment | P |

Continued on next page

Table 6: Comment Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|----------------|------------------------|-------------------------|--|---------------------------|--------|
| UT-4.3.h | Comment Module | update Comment | Invalid CommentID | comment: unknown-comment-id, DB-status: comment-not-found | return: comment-not-found | F |
| UT-4.3.i | Comment Module | update Comment | Valid Comment | comment: known-comment, status: OK | return: OK | P |
| UT-4.3.j | Comment Module | delete Comment | Invalid CommentID | comment: unknown-comment-id, DB-status: comment-not-found | return: comment-not-found | F |
| UT-4.3.k | Comment Module | delete Comment | Valid Comment | comment: known-comment, status: OK | return: OK | P |
| UT-4.3.l | Comment Module | delete Comment By Post | Invalid PostID | post: unknown-post-id, DB-status: post-not-found | return: post-not-found | F |
| UT-4.3.m | Comment Module | delete Comment By Post | Valid PostID | post: known-post-id, DB-status: OK | return: OK | P |

Vote Record Module

Table 7: Vote Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|------------------|-------------------------|---|----------------------------|--------|
| UT-4.4.a | Vote Module | get Vote | Invalid VoteID | vote: unknown-vote-id, DB-status: vote-not-found | return: vote-not-found | F |
| UT-4.4.b | Vote Module | get Vote | Valid Vote | vote: known-vote, DB-status: OK | return: OK and vote | P |
| UT-4.4.c | Vote Module | get Vote By Post | Invalid PostID | post: unknown-post-id, DB-status: post-not-found | return: post-not-found | F |

Continued on next page

Table 7: Vote Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|------------------------|-------------------------|--|---------------------------|--------|
| UT-4.4.d | Vote Module | get Vote-count By Post | Invalid PostID | post: unknown-post-id, DB-status: post-not-found | return: vote-not-found | F |
| UT-4.4.e | Vote Module | get Vote-count By Post | Valid PostID | post: known-post-id, DB-status: OK | return: OK and vote-count | P |
| UT-4.4.f | Vote Module | get Vote By Post | Valid PostID | post: known-post-id, DB-status: OK | return: OK and vote-list | P |
| UT-4.4.g | Vote Module | get Vote By Post-User | Invalid PostID | post: unknown-post-id and user: user-id, DB-status: post-not-found | return: post-not-found | F |
| UT-4.4.h | Vote Module | get Vote By Post-User | Invalid UserID | post: post-id and user: unknown-user-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.4.i | Vote Module | get Vote By Post-User | Valid Request | post: post-id and user: user-id, DB-status: OK | return: OK and vote | P |
| UT-4.4.j | Vote Module | update Vote | Invalid VoteID | vote: unknown-vote-id, DB-status: vote-not-found | return: vote-not-found | F |
| UT-4.4.k | Vote Module | update Vote | Valid Vote | vote: known-vote, DB-status: OK | return: OK | P |
| UT-4.4.l | Vote Module | delete Vote | Invalid VoteID | vote: unknown-vote-id, DB-status: vote-not-found | return: vote-not-found | F |
| UT-4.4.m | Vote Module | delete Vote | Valid Vote | vote: known-vote, DB-status: OK | return: OK | P |
| UT-4.4.n | Vote Module | delete Vote By Post | Invalid PostID | post: unknown-post-id, DB-status: post-not-found | return: post-not-found | F |
| UT-4.4.o | Vote Module | delete Vote By Post | Valid PostID | post: known-post-id, DB-status: OK | return: OK | P |

Continued on next page

Table 7: Vote Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|--------------------------|-------------------------|---|------------------------|--------|
| UT-4.4.p | Vote Module | delete Vote By Post-User | Invalid PostID | post: unknown-post-id and user: user-id, DB-status: post-not-found | return: post-not-found | F |
| UT-4.4.q | Vote Module | delete Vote By Post-User | Invalid UserID | post: post-id and user: unknown-user-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.4.r | Vote Module | update Vote By Post-User | Invalid PostID | post: unknown-post-id and user: user-id, DB-status: post-not-found | return: post-not-found | F |
| UT-4.4.s | Vote Module | update Vote By Post-User | Invalid UserID | post: post-id and user: unknown-user-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.4.t | Vote Module | update Vote By Post-User | Valid Request | post: post-id and user: user-id, DB-status: OK | return: OK | P |

Chat(Private Messages) Record Module

Table 8: Chat Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|-------------|-------------------------|---|------------------------|--------|
| UT-4.5.a | Chat Module | get Chat | Invalid ChatID | chat: unknown-chat-id, DB-status: chat-not-found | return: chat-not-found | F |
| UT-4.5.b | Chat Module | get Chat | Valid Chat | chat: known-chat, DB-status: OK | return: OK | P |
| UT-4.5.c | Chat Module | delete Chat | Invalid ChatID | chat: unknown-chat-id, DB-status: chat-not-found | return: chat-not-found | F |
| UT-4.5.d | Chat Module | delete Chat | Valid Chat | chat: known-chat, DB-status: OK | return: OK | P |

Continued on next page

Table 8: Chat Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------|---------------------|-------------------------|--|---------------------------|--------|
| UT-4.5.e | Chat Module | delete Message-Chat | Invalid MessageID | message: unknown-message-id and chat: chat-id, DB-status: message-not-found | return: message-not-found | F |
| UT-4.5.f | Chat Module | delete Message-Chat | Invalid ChatID | message: message-id and chat: invalid-chat-id, DB-status: OK | return: invalid-chat-id | F |
| UT-4.5.f | Chat Module | delete Message-Chat | Valid Message | message: message-id and chat: chat-id, DB-status: OK | return: OK | P |

Message(Group and Private) Record Module

Table 9: Message Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|----------------|-----------------------|-------------------------|--|------------------------------------|--------|
| UT-4.6.a | Message Module | get Message | Invalid MessageID | message: unknown-message, DB-status: message-not-found | return: message-not-found | F |
| UT-4.6.b | Message Module | get Message | Valid Message | message: known-message, DB-status: OK | return: OK and message | P |
| UT-4.6.c | Message Module | get Messages By Chat | Invalid ChatID | chat: unknown-chat-id, DB-status: chat-not-found | return: chat-not-found | F |
| UT-4.6.d | Message Module | get Messages By Chat | Valid Chat | chat: known-chat-id, DB-status: OK | return: OK and message-list | P |
| UT-4.6.e | Message Module | get Messages By Group | Invalid GroupID | group: unknown-group-id, DB-status: group-not-found | return: group-not-found | F |
| UT-4.6.f | Message Module | get Messages By Group | Valid Group | group: known-group-id, DB-status: OK | return: OK and message-list | P |

Continued on next page

Table 9: Message Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|----------------|--------------------------|-------------------------|---|---------------------------|--------|
| UT-4.6.g | Message Module | update Message | Invalid MessageID | message: unknown-message, DB-status: message-not-found | return: message-not-found | F |
| UT-4.6.h | Message Module | update Message | Valid Message | message: known-message, DB-status: OK | return: OK | P |
| UT-4.6.i | Message Module | delete Message | Invalid MessageID | message: unknown-message, DB-status: message-not-found | return: message-not-found | F |
| UT-4.6.j | Message Module | delete Message | Valid Message | message: known-message, DB-status: OK | return: OK | P |
| UT-4.6.k | Message Module | delete Messages By Chat | Invalid ChatID | chat: unknown-chat, DB-status: chat-not-found | return: chat-not-found | F |
| UT-4.6.l | Message Module | delete Messages By Chat | Valid Chat | chat: known-chat, DB-status: OK | return: OK | P |
| UT-4.6.m | Message Module | delete Messages By Group | Invalid GroupID | group: unknown-group, DB-status: group-not-found | return: group-not-found | F |
| UT-4.6.n | Message Module | delete Messages By Group | Valid Group | group: known-group, DB-status: OK | return: OK | P |

Group Record Module

Table 10: Group Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|--------------|-----------|-------------------------|---|-------------------------|--------|
| UT-4.7.a | Group Module | get Group | Invalid GroupID | group: unknown-group, DB-status: group-not-found | return: group-not-found | F |
| UT-4.7.b | Group Module | get Group | Valid Group | group: known-group, DB-status: OK | return: OK and group | P |

Continued on next page

Table 10: Group Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|--------------|--------------|-------------------------|---|-------------------------|--------|
| UT-4.7.c | Group Module | delete Group | Invalid GroupID | group: unknown-group, DB-status: group-not-found | return: group-not-found | F |
| UT-4.7.d | Group Module | delete Group | Valid Group | group: known-group, DB-status: OK | return: OK | P |

User_chat Record Module

Table 11: User-Chat Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|------------------|----------------------|---------------------------------|--|--------------------------|--------|
| UT-4.8.a | User-Chat Module | get User and Chat | Invalid UserID | user: unknown-user and chat-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.8.b | User-Chat Module | get User and Chat | Invalid ChatID | user: user-id and chat: unknown-chat, DB-status: chat-not-found | return: chat-not-found | F |
| UT-4.8.c | User-Chat Module | get User and Chat | Invalid UserID and ChatID tuple | user: known-user, chat: known-chat, DB-status: unknown-user-chat-tuple | return: user-not-in-chat | F |
| UT-4.8.d | User-Chat Module | get User and Chat | Valid Request | user: known-user, chat: known-chat, status: OK | return: OK | P |
| UT-4.8.e | User-Chat Module | delete User and Chat | Invalid UserID | user: unknown-user and chat-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.8.f | User-Chat Module | delete User and Chat | Invalid ChatID | user: user-id and chat: unknown-chat, DB-status: chat-not-found | return: chat-not-found | F |

Continued on next page

Table 11: User-Chat Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|------------------|----------------------|---------------------------------|--|--------------------------|--------|
| UT-4.8.g | User-Chat Module | delete User and Chat | Invalid UserID and ChatID tuple | user: known-user, chat: known-chat, DB-status: unknown-user-chat-tuple | return: user-not-in-chat | F |
| UT-4.8.h | User-Chat Module | delete User and Chat | Valid Request | user: known-user, chat: known-chat, status: OK | return: OK | P |

User_group Record Module

Table 12: User-Group Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------------|-----------------------|----------------------------------|---|---------------------------|--------|
| UT-4.9.a | User-Group Module | get User and Group | Invalid UserID | user: unknown-user and group-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.9.b | User-Group Module | get User and Group | Invalid GroupID | user: user-id and group: unknown-group, DB-status: group-not-found | return: group-not-found | F |
| UT-4.9.c | User-Group Module | get User and Group | Invalid UserID and GroupID tuple | user: known-user, group: known-group, DB-status: unknown-user-group-tuple | return: user-not-in-group | F |
| UT-4.9.d | User-Group Module | get User and Group | Valid Request | user: known-user, group: known-group, status: OK | return: OK | P |
| UT-4.9.e | User-Group Module | delete User and Group | Invalid UserID | user: unknown-user and group-id, DB-status: user-not-found | return: user-not-found | F |

Continued on next page

Table 12: User-Group Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|----------|-------------------|-----------------------|----------------------------------|---|---------------------------|--------|
| UT-4.9.f | User-Group Module | delete User and Group | Invalid GroupID | user: user-id and group: unknown-group, DB-status: group-not-found | return: group-not-found | F |
| UT-4.9.g | User-Group Module | delete User and Group | Invalid UserID and GroupID tuple | user: known-user, group: known-group, DB-status: unknown-user-group-tuple | return: user-not-in-group | F |
| UT-4.9.h | User-Group Module | delete User and Group | Valid Request | user: known-user, group: known-group, status: OK | return: OK | P |

Community Record Module

Table 13: Community Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|------------------|------------------|-------------------------|--|-----------------------------|--------|
| UT-4.10.a | Community Module | get Community | Invalid CommunityID | community: unknown-community, DB-status: community-not-found | return: community-not-found | F |
| UT-4.10.b | Community Module | get Community | Valid Community | community: known-community, DB-status: OK | return: OK | P |
| UT-4.10.c | Community Module | delete Community | Invalid CommunityID | community: unknown-community, DB-status: community-not-found | return: community-not-found | F |
| UT-4.10.d | Community Module | delete Community | Valid Community | community: known-community, DB-status: OK | return: OK | P |

Continued on next page

Table 13: Community Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|------------------|---------------------------|---|---|-------------------------------|--------|
| UT-4.10.e | Community Module | update Community Bio | Invalid CommunityID | community: unknown-community and bio: community-bio, DB-status: community-not-found | return: community-not-found | F |
| UT-4.10.f | Community Module | update Community Bio | Valid Community | community: known-community and bio: community-bio, DB-status: OK | return: OK | P |
| UT-4.10.g | Community Module | update Community Settings | Invalid CommunityID | community: unknown-community and settings: setting-tuple, DB-status: community-not-found | return: community-not-found | F |
| UT-4.10.h | Community Module | update Community Settings | Invalid SettingTuple (Community type, post type, member privileges) | community: known-community and settings: invalid-setting-tuple | return: Invalid-setting-tuple | F |
| UT-4.10.i | Community Module | update Community Settings | Valid Community | community: known-community and settings: setting-tuple, DB-status: OK | return: OK | P |
| UT-4.10.j | Community Module | update Community Image | Invalid CommunityID | community: unknown-community and image: community-image, DB-status: community-not-found | return: community-not-found | F |
| UT-4.10.k | Community Module | update Community Image | Valid Community | community: known-community and image: community-image, DB-status: OK | return: OK | P |

Table 14: Joined Community Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|-------------------------|---|--------------------------------------|---|-------------------------------|--------|
| UT-4.11.a | Joined Community Module | get User-Community | Invalid UserID | user: unknown-user and community: community-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.11.b | Joined Community Module | get User-Community | Invalid CommunityID | user: user-id and community: unknown-community, DB-status: community-not-found | return: community-not-found | F |
| UT-4.11.c | Joined Community Module | get User-Community | Invalid UserID and CommunityID tuple | user: known-user, community: known-community, DB-status: unknown-user-community-tuple | return: user-not-in-community | F |
| UT-4.11.d | Joined Community Module | get User-Community | Valid Request | user: known-user, community: known-community, status: OK | return: OK | P |
| UT-4.11.e | Joined Community Module | get User-Community Status (requested, invited, joined, blocked) | Invalid UserID | user: unknown-user and community: community-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.11.f | Joined Community Module | get User-Community Status (requested, invited, joined, blocked) | Invalid CommunityID | user: user-id and community: unknown-community, DB-status: community-not-found | return: community-not-found | F |
| UT-4.11.g | Joined Community Module | get User-Community Status (requested, invited, joined) | Invalid UserID and CommunityID tuple | user: known-user, community: known-community, DB-status: unknown-user-community-tuple | return: user-not-in-community | F |

Continued on next page

Table 14: Joined Community Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|-------------------------|--|--------------------------------------|---|-----------------------------------|--------|
| UT-4.11.h | Joined Community Module | get User-Community Status (requested, invited, joined, blocked) | Valid Request | user: known-user, community: known-community, status: OK | return: OK and user-status | P |
| UT-4.11.i | Joined Community Module | delete User-Community | Invalid UserID | user: unknown-user and community: community-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.11.j | Joined Community Module | delete User-Community | Invalid CommunityID | user: user-id and community: unknown-community, DB-status: community-not-found | return: community-not-found | F |
| UT-4.11.k | Joined Community Module | delete User-Community | Invalid UserID and CommunityID tuple | user: known-user, community: known-community, DB-status: unknown-user-community-tuple | return: user-not-in-community | F |
| UT-4.11.l | Joined Community Module | delete User-Community | Valid Request | user: known-user, community: known-community, status: OK | return: OK | P |
| UT-4.11.m | Joined Community Module | update User-Community Status (requested, invited, joined, blocked) | Invalid UserID | user: unknown-user and community: community-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.11.n | Joined Community Module | update User-Community Status (requested, invited, joined, blocked) | Invalid CommunityID | user: user-id and community: unknown-community, DB-status: community-not-found | return: community-not-found | F |

Continued on next page

Table 14: Joined Community Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|-------------------------|--|--------------------------------------|---|-------------------------------|--------|
| UT-4.11.o | Joined Community Module | update User-Community Status (requested, invited, joined, blocked) | Invalid UserID and CommunityID tuple | user: known-user, community: known-community, DB-status: unknown-user-community-tuple | return: user-not-in-community | F |
| UT-4.11.p | Joined Community Module | update User-Community Status (requested, invited, joined, blocked) | Valid Request | user: known-user, community: known-community, status: (joined / invited/ requested) | return: OK | P |
| UT-4.11.q | Joined Community Module | update User-Community Status (requested, invited, joined, blocked) | Invalid Status | user: known-user, community: known-community, status: invalid-status | return: invalid-status | F |
| UT-4.11.r | Joined Community Module | update User-Community privileges | Invalid UserID | user: unknown-user and community: community-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.11.s | Joined Community Module | update User-Community privileges | Invalid CommunityID | user: user-id and community: unknown-community, DB-status: community-not-found | return: community-not-found | F |
| UT-4.11.t | Joined Community Module | update User-Community privileges | Invalid UserID and CommunityID tuple | user: known-user, community: known-community, DB-status: unknown-user-community-tuple | return: user-not-in-community | F |
| UT-4.11.u | Joined Community Module | update User-Community privileges | Invalid Privileges | user: known-user, community: known-community, privileges: invalid-privileges | return: invalid-privileges | F |

Continued on next page

Table 14: Joined Community Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|-------------------------|----------------------------------|-------------------------|--|-----------------|--------|
| UT-4.11.v | Joined Community Module | update User-Community privileges | Valid Request | user: known-user, community: known-community, privileges: valid-privileges | return: OK | P |
| UT-4.11.w | Joined Community Module | update User-Community privileges | Valid Request | user: known-user, community: known-community, privileges: valid-privileges | return: OK | P |
| UT-4.11.x | Joined Community Module | update User-Community privileges | Valid Request | user: known-user, community: known-community, privileges: valid-privileges | return: OK | P |

Blocked User Record Module

Table 15: Blocked User Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|----------------|-------------------------------------|-------------------------|--|------------------------------------|--------|
| UT-4.12.a | Blocked Module | get Blocked Users(1) By UserID(2) | Invalid UserID | user: unknown-user, DB-status: user-not-found | return: user-not-found | F |
| UT-4.12.b | Blocked Module | get Blocked Users(1) By UserID(2) | Valid Request | user: known-user, DB-status: OK | return: OK and blocked-list | P |
| UT-4.12.c | Blocked Module | delete Blocked User(1) By UserID(2) | Invalid UserID | user1: unknown-user and user2: user-id, DB-status: user-not-found | return: user-not-found | F |
| UT-4.12.d | Blocked Module | delete Blocked User(1) By UserID(2) | Invalid UserID | user1: user-id and user2: unknown-user, DB-status: user-not-found | return: user-not-found | F |
| UT-4.12.e | Blocked Module | delete Blocked User(1) By UserID(2) | Tuple Not Present | user1: user-id and user2: known-user, DB-status: tuple-not-found | return: tuple-not-found | F |

Continued on next page

Table 15: Blocked User Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|----------------|-------------------------------------|-------------------------|---|-----------------|--------|
| UT-4.12.f | Blocked Module | delete Blocked User(1) By UserID(2) | Valid Request | user1: known-user and user2: known-user, DB-status: OK | return: OK | P |

Reported User Record Module

Table 16: Reported User Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|-----------------|--------------------|-------------------------|--|-----------------------------------|--------|
| UT-4.13.a | Reported Module | get By UserID | Invalid UserID | user: unknown-user, DB-status: user-not-found | return: user-not-found | F |
| UT-4.13.b | Reported Module | get By UserID | Valid Request | user: known-user, DB-status: OK | return: OK and report-list | P |
| UT-4.13.c | Reported Module | get By ReportID | Invalid ReportID | report: unknown-report, DB-status: report-not-found | return: report-not-found | F |
| UT-4.13.d | Reported Module | get By ReportID | Valid Request | report: known-report, DB-status: OK | return: OK and report | P |
| UT-4.13.e | Reported Module | delete By UserID | Invalid UserID | user: unknown-user, DB-status: user-not-found | return: user-not-found | F |
| UT-4.13.f | Reported Module | delete By UserID | Valid Request | user: known-user, DB-status: OK | return: OK | P |
| UT-4.13.g | Reported Module | delete By ReportID | Invalid ReportID | report: unknown-report, DB-status: report-not-found | return: report-not-found | F |
| UT-4.13.h | Reported Module | delete By ReportID | Valid Request | report: known-report, DB-status: OK | return: OK | P |

Continued on next page

Table 16: Reported User Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|-----------------|----------------------------------|-------------------------|--|--------------------------|--------|
| UT-4.13.i | Reported Module | update Report Status By ReportID | Invalid ReportID | report: unknown-report, status: report-status, DB-status: report-not-found | return: report-not-found | F |
| UT-4.13.j | Reported Module | update Report Status By ReportID | Invalid Report Status | report: known-report, status: invalid-status, DB-status: OK | return: invalid-status | F |
| UT-4.13.k | Reported Module | update Report Status By ReportID | Valid Request | report: known-report, status: report-status, DB-status: OK | return: OK | P |

Roles Record Module

Table 17: Roles Record Module Unit Test

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|--------------|----------------------------|--------------------------------------|---|-------------------------------|--------|
| UT-4.14.a | Roles Module | get Role By User-Community | Invalid UserID | user: unknown-user, community: community-id | return: user-not-found | F |
| UT-4.14.b | Roles Module | get Role By User-Community | Invalid CommunityID | user: user-id, community: unknown-community | return: community-not-found | F |
| UT-4.14.c | Roles Module | get Role By User-Community | Invalid UserID and CommunityID tuple | user: known-user, community: known-community, DB-status: unknown-user-community-tuple | return: user-not-in-community | F |
| UT-4.14.d | Roles Module | get Role By User-Community | Valid Request | user: known-user, community: known-community, DB-status: OK | return: OK and role | P |

Continued on next page

Table 17: Roles Record Module Unit Test (Continued)

| S.No | Module Name | Function | Conditions to be tested | Test Data | Expected Output | Status |
|-----------|--------------|-------------------------------|--------------------------------------|---|-------------------------------|--------|
| UT-4.14.e | Roles Module | update Role By User-Community | Invalid UserID | user: unknown-user, community: community-id | return: user-not-found | F |
| UT-4.14.f | Roles Module | update Role By User-Community | Invalid CommunityID | user: user-id, community: unknown-community | return: community-not-found | F |
| UT-4.14.g | Roles Module | update Role By User-Community | Invalid UserID and CommunityID tuple | user: known-user, community: known-community, DB-status: unknown-user-community-tuple | return: user-not-in-community | F |
| UT-4.14.h | Roles Module | update Role By User-Community | Invalid Role | user: known-user, community: known-community, role: invalid-role | return: invalid-role | F |
| UT-4.14.i | Roles Module | update Role By User-Community | Valid Request | user: known-user, community: known-community, role: valid-role | return: OK | P |
| UT-4.14.j | Roles Module | delete Role By User-Community | Invalid UserID | user: unknown-user, community: community-id | return: user-not-found | F |
| UT-4.14.k | Roles Module | delete Role By User-Community | Invalid CommunityID | user: user-id, community: unknown-community | return: community-not-found | F |
| UT-4.14.l | Roles Module | delete Role By User-Community | Invalid UserID and CommunityID tuple | user: known-user, community: known-community, DB-status: unknown-user-community-tuple | return: user-not-in-community | F |
| UT-4.14.m | Roles Module | delete Role By User-Community | Valid Request | user: known-user, community: known-community, DB-status: OK | return: OK | P |

UI Module

- One of the UI Module that will be tested is the Listing Service Module which is a module which is present at the client side of the application. This module is responsible for listing the communities, posts, comments and users. The module will be tested for the following functionalities:

- List Community (Search Results and Feed)
- List Posts (Search Results and Community and Feed)
- List Comments
- List Users (Search Results and Feed)
- List Reports (Admin, Moderator, Superuser(platform related), User(All reports on a User))
- List Community Requests (Admin, Moderator)
- List Notifications
- List User-Community (Admin, Moderator)
- List Followers
- List Following
- List Blocked Users (Admin, Moderator, User(One User bloked by other), Superuser(blocked-from-platform))

Table 18: Listing Service Module Unit Test

| S.No | Module Name | Functionality | Conditions to be tested | Test Data | Expected Output | Status |
|----------|------------------------|----------------|---|--|----------------------|--------|
| UT-5.1.a | Listing Service Module | List Community | Some Community Record in the List of Records is Invalid | list: list of community records in JSON | return: invalid-list | F |
| UT-5.1.b | Listing Service Module | List Community | Valid List of Community Records | list: list of community records in JSON | return: returns HTML | P |
| UT-5.1.c | Listing Service Module | List Posts | Some Post Record in the List of Records is Invalid | list: list of post records in JSON | return: invalid-list | F |
| UT-5.1.d | Listing Service Module | List Posts | Valid List of Post Records | list: list of post records in JSON | return: returns HTML | P |
| UT-5.1.e | Listing Service Module | List Comments | Some Comment Record in the List of Records is Invalid | list: list of comment-tree records in JSON | return: invalid-list | F |
| UT-5.1.f | Listing Service Module | List Comments | Valid List of Comment Records | list: list of comment-tree records in JSON | return: returns HTML | P |
| UT-5.1.g | Listing Service Module | List Users | Some User Record in the List of Records is Invalid | list: list of user records in JSON | return: invalid-list | F |
| UT-5.1.h | Listing Service Module | List Users | Valid List of User Records | list: list of user records in JSON | return: returns HTML | P |
| UT-5.1.i | Listing Service Module | List Reports | Some Report Record in the List of Records is Invalid | list: list of report records in JSON | return: invalid-list | F |
| UT-5.1.j | Listing Service Module | List Reports | Valid List of Report Records | list: list of report records in JSON | return: returns HTML | P |

Continued on next page

Table 18: Listing Service Module Unit Test (Continued)

| S.No | Module Name | Functionality | Conditions to be tested | Test Data | Expected Output | Status |
|----------|------------------------|---------------------|--|--|----------------------|--------|
| UT-5.1.k | Listing Service Module | List Requests | Some Request Record in the List of Records is Invalid | list: list of request records in JSON | return: invalid-list | F |
| UT-5.1.l | Listing Service Module | List Requests | Valid List of Request Records | list: list of request records in JSON | return: returns HTML | P |
| UT-5.1.m | Listing Service Module | List Notifications | Some Notification Record in the List of Records is Invalid | list: list of notification records in JSON | return: invalid-list | F |
| UT-5.1.n | Listing Service Module | List Notifications | Valid List of Notification Records | list: list of notification records in JSON | return: returns HTML | P |
| UT-5.1.o | Listing Service Module | List User-Community | Some User-Community Record in the List of Records is Invalid | list: list of user-community records in JSON | return: invalid-list | F |
| UT-5.1.p | Listing Service Module | List User-Community | Valid List of User-Community Records | list: list of user-community records in JSON | return: returns HTML | P |
| UT-5.1.q | Listing Service Module | List Followers | Some Follower Record in the List of Records is Invalid | list: list of follower records in JSON | return: invalid-list | F |
| UT-5.1.r | Listing Service Module | List Followers | Valid List of Follower Records | list: list of follower records in JSON | return: returns HTML | P |
| UT-5.1.s | Listing Service Module | List Following | Some Following Record in the List of Records is Invalid | list: list of following records in JSON | return: invalid-list | F |
| UT-5.1.t | Listing Service Module | List Following | Valid List of Following Records | list: list of following records in JSON | return: returns HTML | P |
| UT-5.1.u | Listing Service Module | List Blocked Users | Some Blocked User Record in the List of Records is Invalid | list: list of blocked user records in JSON | return: invalid-list | F |
| UT-5.1.v | Listing Service Module | List Blocked Users | Valid List of Blocked User Records | list: list of blocked user records in JSON | return: returns HTML | P |

Integration Testing

Integrating different modules and testing

Unit tested submodules combined and tested

Use bottom-up approach for integration of modules

| S.No | Modules Integrated | Condition to be tested | Test Data | Expected Output | Status |
|------|--------------------|------------------------|-----------|-----------------|--------|
| 1.1 | | | | | |

System Testing

Testing of system as a whole

Performance Testing

Performance testing plan

Test Analysis

We discussed the following seven types of black box testing in the class: equivalence class partitioning, boundary value analysis, error guessing, state based testing, cause-effect graphing, pair-wise testing, and special cases.

Performance test plan/report

Test Statistics

- Number of classes:
- Number of methods:
- Number of modules tested:
- Number of test cases:
- Number of test cases failed:

Functional Test Report

Functional test summary in the form of a table

Test case count for each module

Type of testing method used

equivalence class partitioning

boundary value analysis

cause-effect graphing

pair-wise testing

special cases

error guessing

state based testing

| S.No | Module Name | Test Case Count | Testing Method |
|------|-------------|-----------------|----------------|
|------|-------------|-----------------|----------------|

Performance Test Report