

USER API

POST USER

API Call: <http://localhost:5000/api/user>

Request Type: POST

Request Body:

- **name** - String - Name of the user
- **email** - String - Email Id of the user
- **password** - String - Password of the user
- **contact** - Number - Contact phone number of the user
- **latitude** - Number - Latitude of location of the user
- **longitude** - Number - Longitude of location of the user
- **preferred_time** - String - Preferred date of user for event
- **budget** - Number - Preferred budget of user for event

Request Parameters: none

Response: The user will be added to the database and success message will be received

Example:

API Call: <http://localhost:5000/api/user>

Request Type: POST

Request Body:

```
{  
  "name": "Harshita Agarwal",  
  "email": "harshitaagarwal998@gmail.com",  
  "password": "123456",  
  "contact": 9560722361,  
  "latitude": 9.3089,  
  "longitude": 78.9144,  
  "budget": 500,  
  "preferred_time": "2020-05-12"  
}
```

Request Parameters: none

Response: {

```
  "msg": "User saved",
```

```
"document": {
  "_id": "5f48da19f4f9e022888a3cf9",
  "name": "Harshita Agarwal",
  "email": "harshitaagarwal998@gmail.com",
  "password": "123456",
  "contact": 9560722361,
  "location": {
    "coordinates": [
      9.3089,
      78.9144
    ],
    "_id": "5f48da19f4f9e022888a3cfa",
    "type": "Point"
  },
  "budget": 500,
  "preferred_time": "2020-05-12T00:00:00.000Z",
  "createdOn": "2020-08-28T10:19:05.392Z",
  "__v": 0
},
"success": true
}
```

GET USER

API Call: <http://localhost:5000/api/user/:id>

Request Type: GET

Request Body: none

Request Parameters:

- **user_id** - Object Id – user id of the user we want details

Response: The user details and success message will be received

Example:

API Call: <http://localhost:5000/api/user/5f48da19f4f9e022888a3cf9>

Request Type: GET

Request Body : none

Request Parameters: 5f48da19f4f9e022888a3cf9 – user id

Response:

```
{
  "user": {
    "_id": "5f48da19f4f9e022888a3cf9",
    "name": "Harshita Agarwal",
    "email": "harshitaagarwal1998@gmail.com",
    "password": "123456",
    "contact": 9560722361,
    "location": {
      "coordinates": [
        9.3089,
        78.9144
      ],
      "_id": "5f48da19f4f9e022888a3cfa", a
      "type": "Point"
    },
    "budget": 500,
    "preferred_time": "2020-05-12T00:00:00.000Z",
    "createdOn": "2020-08-28T10:19:05.392Z",
    "__v": 0
  },
  "success": true
}
```

DELETE USER

API Call: <http://localhost:5000/api/user/:id>

Request Type: DELETE

Request Body: none

Request Parameters:

- **user_id** - Object Id – user id of the user we want details

Response: The user details and success message will be received

Example:

API Call: <http://localhost:5000/api/user/5f48da19f4f9e022888a3cf9>

Request Type: DELETE

Request Body : none

Request Parameters: 5f48da19f4f9e022888a3cf9 – user id

Response:

```
{  
  "msg": "User deleted",  
  "success": true  
}
```

EVENT API

POST EVENT

API Call: <http://localhost:5000/api/event>

Request Type: POST

Request Body:

- **title** - String - Title of the event
- **description** - String - Description of the event (Optional)
- **type** - String - Type of the event (Optional)
- **entry_fee** - Number – Entry fee of the event
- **latitude** - Number - Latitude of location of the event
- **longitude** - Number - Longitude of location of the event
- **user_id** – Object Id or String – user id of the user who is organiser
- **contact** - Number - Contact phone number of the user who is organiser
- **start_time** - String – Starting time of the event – daily starting time
- **end_time** - String – Ending time of the event – daily ending time
- **start_date** - String – Starting date of the event
- **end_date** - String – Ending data of the event
- **prize** – String – Prize regarding the event

Request Parameters: none

Response: The event will be added to the database and success message will be received

Example:

API Call: <http://localhost:5000/api/event>

Request Type: POST

Request Body:

```
{  
  "title" : "Fantastic Event",  
  "description" : "this event is for everyone",  
  "type" : "Concert",  
  "user_id" : "5f48e169f4f9e022888a3d01",  
  "contact" : 9560722361,  
  "start_date": "2020-06-06",  
  "end_date": "2020-11-09",  
  "start_time" : "11:10",  
}
```

```
        "end_time" : "20:30",
        "prize": "gift",
        "entry_fee":100,
        "latitude": 9.299,
        "longitude": 78.022
    }
}
```

Request Parameters: none

Response:

```
{
  "msg": "Event saved",
  "document": {
    "_id": "5f48e1e4f4f9e022888a3d08",
    "title": "Fantastic Event",
    "description": "this event is for everyone",
    "type": "Concert",
    "entry_fee": 100,
    "organiser_id": "5f48e169f4f9e022888a3d01",
    "organiser_contact": "9560722361",
    "daily_start_time": 1230,
    "daily_end_time": 1230,
    "prize": "gift",
    "start_timestamp": "2020-06-06T05:40:00.000Z",
    "end_timestamp": "2020-11-09T15:00:00.000Z",
    "location": {
      "coordinates": [
        9.299,
        78.022
      ],
      "_id": "5f48e1e4f4f9e022888a3d09",
      "type": "Point"
    },
    "interested_users": [],
    "createdOn": "2020-08-28T10:52:20.866Z",
    "forum_id": "5f48e1e4f4f9e022888a3d0a",
    "__v": 0
  },
  "status": true
}
```

GET ALL EVENTS

API Call: <http://localhost:5000/api/event/all>

Request Type: GET

Request Body: none

Request Parameters: none

Response: All events will be received

Example:

API Call: <http://localhost:5000/api/event/all>

Request Type: GET

Request Body : none

Request Parameters: none

Response:

```
{
  "events": [
    {
      "_id": "5f48e1e4f4f9e022888a3d08",
      "title": "Fantastic Event",
      "description": "this event is for everyone",
      "type": "Concert",
      "entry_fee": 100,
      "organiser_id": "5f48e169f4f9e022888a3d01",
      "organiser_contact": "9560722361",
      "daily_start_time": 1230,
      "daily_end_time": 1230,
      "prize": "gift",
      "start_timestamp": "2020-06-06T05:40:00.000Z",
      "end_timestamp": "2020-11-09T15:00:00.000Z",
      "location": {
        "coordinates": [
          9.299,
          78.022
        ],
        "_id": "5f48e1e4f4f9e022888a3d09",
        "type": "Point"
      }
    },
  ],
}
```

```
      "interested_users": [],
      "createdOn": "2020-08-28T10:52:20.866Z",
      "forum_id": "5f48e1e4f4f9e022888a3d0a",
      "__v": 0
    }
  ],
  "success": true
}
```


GET Filtered EVENTS according to user

API Call: <http://localhost:5000/api/event/filter>

Request Type: GET

Request Body:

- **user_id** – ObjectId or String – User id of which we want to filter the events to be shown in user feed

Request Parameters: none

Response: All events will be received which is according to user preferences, budget, time and location under 10,000 meters.

Example:

API Call: <http://localhost:5000/api/event/filter>

Request Type: GET

Request Body :

```
{  
  "user_id" : "5f48e169f4f9e022888a3d01"  
}
```

Request Parameters: none

Response:

```
{  
  "events": [  
    {  
      "_id": "5f48e1e4f4f9e022888a3d08",  
      "title": "Fantastic Event",  
      "description": "this event is for everyone",  
      "type": "Concert",  
      "entry_fee": 100,  
      "organiser_id": "5f48e169f4f9e022888a3d01",  
      "organiser_contact": "9560722361",  
      "daily_start_time": 1230,  
      "daily_end_time": 1230,  
      "prize": "gift",  
      "start_timestamp": "2020-06-06T05:40:00.000Z",  
      "end_timestamp": "2020-11-09T15:00:00.000Z",  
    }  
  ]  
}
```

```
    "location": {
      "coordinates": [
        9.299,
        78.022
      ],
      "_id": "5f48e1e4f4f9e022888a3d09",
      "type": "Point"
    },
    "interested_users": [],
    "createdOn": "2020-08-28T10:52:20.866Z",
    "forum_id": "5f48e1e4f4f9e022888a3d0a",
    "__v": 0,
    "distance": 9341.1812375592
  }
],
"success": true
}
```

GET EVENT by ID

API Call: <http://localhost:5000/api/event/:id>

Request Type: GET

Request Body: none

Request Parameters:

- **user_id** - Object Id – user id of the user we want details

Response: The user details and success message will be received

Example:

API Call: <http://localhost:5000/api/event/5f48e1e4f4f9e022888a3d08>

Request Type: GET

Request Body : none

Request Parameters: 5f48e1e4f4f9e022888a3d08 – event id

Response:

```
{
  "event": {
    "_id": "5f48e1e4f4f9e022888a3d08",
    "title": "Fantastic Event",
    "description": "this event is for everyone",
    "type": "Concert",
    "entry_fee": 100,
    "organiser_id": "5f48e169f4f9e022888a3d01",
    "organiser_contact": "9560722361",
    "daily_start_time": 1230,
    "daily_end_time": 1230,
    "prize": "gift",
    "start_timestamp": "2020-06-06T05:40:00.000Z",
    "end_timestamp": "2020-11-09T15:00:00.000Z",
    "location": {
      "coordinates": [
        9.299,
        78.022
      ],
      "_id": "5f48e1e4f4f9e022888a3d09",
      "type": "Point"
    }
  },
}
```

```
    "interested_users": [],  
    "createdOn": "2020-08-28T10:52:20.866Z",  
    "forum_id": "5f48e1e4f4f9e022888a3d0a",  
    "__v": 0  
  },  
  "success": true  
}
```

DELETE EVENT

API Call: <http://localhost:5000/api/event/:id>

Request Type: DELETE

Request Body: none

Request Parameters: none

Response: The event will be deleted

Example:

API Call: <http://localhost:5000/api/user/5f48e1e4f4f9e022888a3d08>

Request Type: DELETE

Request Body : none

Request Parameters: 5f48e1e4f4f9e022888a3d08– event id

Response:

```
{  
  "msg": "Event deleted",  
  "success": true  
}
```

COMMENT API

POST Comment

API Call: <http://localhost:5000/api/event/forum/comment>

Request Type: POST

Request Body:

- **user_id** – Object ID in String – user id of the user who commented
- **forum_id** – Object ID in String - forum Id of which comment belong to (forum_id can be get form event)
- **content** - String - content of the comment

Request Parameters: none

Response: The cooment will be added to the database and success message will be received

Example:

API Call: <http://localhost:5000/api/event/forum/comment>

Request Type: POST

Request Body:

```
{  
  "user_id" : "5f48e169f4f9e022888a3d01",  
  "forum_id": "5f48e1e4f4f9e022888a3d0a",  
  "content": "This is a comment !!"  
}
```

Request Parameters: none

Response:

```
{  
  "msg": "Comment saved",  
  "success": true  
}
```

GET Comment

API Call: <http://localhost:5000/api/event/forum/comment/:id>

Request Type: GET

Request Body: none

Request Parameters:

- **comment_id** - Object Id – comment id of the user we want details

Response: The comment details and success message will be received

Example:

API Call: <http://localhost:5000/api/event/forum/comment/5f48e93ba16a90304cbd7ef4>

Request Type: GET

Request Body : none

Request Parameters: 5f48e93ba16a90304cbd7ef4 – comment id

Response:

```
{
  "comment": {
    "_id": "5f48e93ba16a90304cbd7ef4",
    "forum_id": "5f48e1e4f4f9e022888a3d0a",
    "user_id": "5f48e169f4f9e022888a3d01",
    "content": "This is a comment !!",
    "createdOn": "2020-08-28T11:23:39.956Z",
    "__v": 0
  },
  "success": true
}
```

DELETE COMMENT

API Call: <http://localhost:5000/api/event/forum/comment/:id>

Request Type: DELETE

Request Body: none

Request Parameters: none

Response: The comment will be deleted

Example:

API Call: <http://localhost:5000/api/event/forum/comment/5f48e93ba16a90304cbd7ef4>

Request Type: DELETE

Request Body : none

Request Parameters: 5f48e93ba16a90304cbd7ef4 – comment id

Response:

```
{  
  "msg": "comment deleted",  
  "success": true  
}
```


FORUM API

GET all Comments in a Particular forum

API Call: <http://localhost:5000/api/event/forum/:id>

Request Type: GET

Request Body: none

Request Parameters:

- **forum_id** - Object Id – comment id of the user we want details

Response: The comment details and success message will be received

Example:

API Call: <http://localhost:5000/api/event/forum/5f48e1e4f4f9e022888a3d0a>

Request Type: GET

Request Body : none

Request Parameters: 5f48e1e4f4f9e022888a3d0a– forum id

Response:

```
[
  {
    "_id": "5f48eb3ea606eb174860eb15",
    "forum_id": "5f48e1e4f4f9e022888a3d0a",
    "user_id": "5f48e169f4f9e022888a3d01",
    "content": "This is a comment !!",
    "createdOn": "2020-08-28T11:32:14.011Z",
    "__v": 0
  },
  {
    "_id": "5f48eb4da606eb174860eb16",
    "forum_id": "5f48e1e4f4f9e022888a3d0a",
    "user_id": "5f48e169f4f9e022888a3d01",
    "content": "SO excited for the event!!",
    "createdOn": "2020-08-28T11:32:29.355Z",
    "__v": 0
  },
  {
    "_id": "5f48eb62a606eb174860eb17",
    "forum_id": "5f48e1e4f4f9e022888a3d0a",
```

```
    "user_id": "5f48e169f4f9e022888a3d01",  
    "content": "Hurrayyy!!",  
    "createdOn": "2020-08-28T11:32:50.348Z",  
    "__v": 0  
  }  
]
```

INTERESTED USERS API

POST Interested USER

API Call: <http://localhost:5000/api/event/interesteduser>

Request Type: POST

Request Body:

- **event_id** – Object ID in String – event id of event
- **user_id** - Object ID in String – user id of event

Request Parameters: none

Response: The interested user will be added to the database and success message will be received

Example:

API Call: <http://localhost:5000/api/event/interesteduser>

Request Type: POST

Request Body:

```
{  
  "user_id" : "5f48e169f4f9e022888a3d01",  
  "event_id": "5f48e1e4f4f9e022888a3d08"  
}
```

Request Parameters: none

Response:

```
{  
  "msg": " user added to list!",  
  "success": false  
}
```

GET Interested USER

API Call: <http://localhost:5000/api/event/interesteduser>

Request Type: GET

Request Body:

- **event_id** – Object ID in String – event id of event

Request Parameters: none

Response: The interested users and success message will be received

Example:

API Call: <http://localhost:5000/api/event/interesteduser>

Request Type: GET

Request Body:

```
{  
  "event_id": "5f48e1e4f4f9e022888a3d08"  
}
```

Request Parameters: none

Response:

```
{  
  "msg": "user added to list!",  
  "document": [  
    {  
      "user_id": "5f48e169f4f9e022888a3d01",  
      "name": "Harshita Agarwal",  
      "email": "harshitaagarwal998@gmail.com",  
      "contact": 9560722361  
    }  
  ],  
  "success": true  
}
```