PocketSmart AI: Your Smart Budget & Recommendation Assistant

Project Description:

Managing budgets across different life needs—like home decor, event planning, or jewelry shopping—can be overwhelming due to the wide variety of products, platforms, and price ranges. **PocketSmart AI** addresses this challenge through a **GenAI-powered, cross-platform recommendation system** that delivers personalized, budget-based suggestions for products and services.Using Gemini-2.5-Flash, PocketSmart AI analyzes user preferences, budgets, and contextual needs to generate curated recommendations from popular platforms such as **Amazon, Flipkart, IKEA, Swiggy, Zomato, OYO**, and more. The platform helps users plan interior designs, parties, and even select matching jewelry for special occasions—all within their defined budgets.PocketSmart AI transforms budgeting into an intelligent, user-friendly experience through its smart planners, adaptive forms, and recommendation engine that bridges multiple categories and e-commerce ecosystems.

Scenario 1: Home Interior Planning with Smart Budget Allocation

Users begin by selecting the **Home Budget Planner**. After entering their budget, they specify room types (e.g., Living Room, Kitchen, Bedroom) and quantities for lights, ceiling fans, dining tables, etc. Gemini-2.5-Flash processes this data and recommends cost-effective options for each category across platforms like IKEA and Amazon.Recommendations are balanced across functionality, style, and price, ensuring users can decorate their spaces beautifully without overspending.

Scenario 2: AI-Based Party Budget Planning

In the **Party Planner**, users input their total budget, guest count, event type, and venue details. Based on these inputs, the AI allocates the budget proportionally across **catering, decoration, and entertainment**, sourcing options from vendors listed on Swiggy, Zomato, and even accommodation services like OYO.The system tailors suggestions based on event type (e.g., birthday, corporate, wedding), helping users organize a successful event without financial guesswork.

Scenario 3: Jewelry Recommendations for Occasions

The **Jewelry Budget Planner** allows users to enter a budget, select the occasion, and define style preferences. Users can optionally upload an outfit image for the AI to consider color coordination and aesthetics. Gemini-2.5-Flash analyzes the data and offers jewelry options from platforms like Amazon and Flipkart, tailored to occasion and style.This ensures that users receive elegant, matching jewelry suggestions that fit both their personal style and financial plan.

Technical Architecture



Pre-requisites:

1. FastAPI Framework Knowledge: FastAPI Documentation

2. Multi-AI Integration: API Keys from 10+ providers

3. Python Async Programming: Python Asyncio Documentation

4. Template Engine: Jinja2 Documentation

5. HTTP Client Libraries:HTTPX Documentation

Project WorkFlow:

Epic 1: Gemini AI Setup & Initialization

Set up Google Cloud access (or platform) with Gemini-2.5-Flash API access. Configure API keys, usage limits, and test integration for multimodal support (text + image). Fine-tune prompts for budget interpretation and product recommendation generation.

Epic 2: Core Functionality Development

Design Flask-based backend structure for routing, session control, and planner modules. Create endpoints for Home Planner, Party Planner, and Jewelry Planner. Integrate Gemini prompts and templates for each planner with support for text + optional image inputs.

Epic 3: Backend Implementation (app.py)

Define Flask routes like /generate-home, /generate-party, /generate-jewelry.

Organize backend using modular structure:Setup CORS headers for frontend communication and implement basic session management.

Include mock API calls or simulated scraping from Amazon, IKEA, Zomato, etc.

Epic 4: UI Development

Build responsive HTML forms for:

Home Interior Planner (room details, quantities)

Party Planner (event type, budget, guests)

Jewelry Planner (budget, occasion, outfit image upload)

Add dynamic result display and formatting for recommendations using JavaScript.

Epic 5: Testing & Optimization

Perform testing with real-world use cases across all three planners. Evaluate Gemini response quality, budget adherence, and platform accuracy. Optimize prompts and add validations to prevent input edge-case failures. Add fallback/default recommendations when AI returns insufficient results.

Epic 1: Set up Google Cloud account and enable Gemini API

- Sign in or create a Google Cloud account via console.cloud.google.com.



- Accept all terms and conditions and click on Get API key



- You will get trending models here you can select the model here or you can set the model by go to the API Documentation.



Configure access and permissions

- You will get interface like this and now click on Create API key



- Once click on API key you will the api key and make sure to copy the API key



Validate Gemini API connectivity

- Make a sample prompt call using Python to confirm integration.

```python
from google import genai
from google.genai import types
from dotenv import load_dotenv
from PIL import Image
import os

load_dotenv()
api_key = os.getenv("GEMINI_API_KEY")
client = genai.Client(api_key=api_key)

# ✅ Test 1: Text-only
print("--- Text Test ---")
response = client.models.generate_content(
    model="gemini-2.5-flash",
    contents="Say hello and introduce yourself briefly."
)
print(response.text)
```

- Test both text-only and image + text prompts to ensure multimodal compatibility.

```python
# ✅ Test 2: Image + Text
print("\n--- Multimodal Test ---")
image = Image.open("test_image.jpg")
response2 = client.models.generate_content(
    model="gemini-2.5-flash",
    contents=["What do you see in this image? Describe it briefly.", image]
)
print(response2.text)
```

Epic 2: Core Functionalities Development

This focuses on building the core backend intelligence of PocketSmart AI using the Flask framework and Google's Gemini 1.5 Flash Pro foundation model. The primary goal is to develop a robust and modular system capable of accepting user budgets (and optional image inputs), intelligently interpreting the context, and returning domain-specific, platform-aware recommendations.The backend handles prompt generation, API communication with Gemini, modular planning logic (for Home, Party, and Jewelry), and optional fallback strategies when product matches are limited. All core logic is abstracted into a utility service file that handles prompt orchestration, budget formatting, domain segmentation, and image analysis for multimodal tasks.

File Explorer Structure



- Import all required libraries for the project

```
app.py
app.py > ...
import os
import io
import uuid
import asyncio
from fastapi import FastAPI, HTTPException, Depends, File, UploadFile, Form, Request, status
from fastapi.responses import JSONResponse, HTMLResponse, RedirectResponse
from fastapi.security import OAuth2PasswordBearer, OAuth2PasswordRequestForm
from fastapi.middleware.cors import CORSMiddleware
from fastapi.staticfiles import StaticFiles
from fastapi.templating import Jinja2Templates
from typing import List, Optional, Dict, Any
from passlib.context import CryptContext
from jose import JWTError, jwt
from datetime import datetime, timedelta
from PIL import Image
from google import genai
from dotenv import load_dotenv
```

- Fast API Initialization

```python
# FastAPI app initialization
app = FastAPI(title="PocketSmart: AI Budget Planner")

SECRET_KEY = os.getenv("SECRET_KEY", "your_secret_key")
ALGORITHM = "HS256"
ACCESS_TOKEN_EXPIRE_MINUTES = 30
```

Main Functionality code routings

/routers/home.py

```python
@router.get("/home-planner")
async def home_planner_page(request: Request):
    return templates.TemplateResponse("home_planner.html", {"request": request})
```

- get home_recommendations by using the function

home.py

routers > home.py > ...

```python
def get_home_recommendations(budget, rooms, style, room_types, platforms, preferences):
    room_list     = ", ".join(room_types) if room_types else "Living Room, Bedroom"
    platform_list = ", ".join(platforms)  if platforms  else "Amazon, Flipkart, IKEA"

    prompt = f"""
You are an expert home interior designer and budget planner for India.

Generate a home interior budget plan for:
- Total Budget: Rs.{budget}
- Rooms: {rooms}
- Style: {style}
- Rooms to furnish: {room_list}
- Platforms: {platform_list}
- Preferences: {preferences or 'None'}

Return ONLY a valid JSON object in this exact format (no markdown, no explanation):
{{
  "categories": [
    {{
      "name": "Lighting",
      "icon": "💡",
      "allocation": 5000,
      "items": [
        {{
```

- linking the websites like amazon,flipkar,ikea ect…. to get the products

```
home_planner.html ×
templates > home_planner.html > ...
<html lang="en">
<body>
<script>

  function shopLinks(name, platforms) {
    const q = encodeURIComponent(name);
    return platforms.map(p => {
      const c = SHOP_CFG[p] || { lbl: p, cls: 's-other', q: '#' };
      return `<a href="${c.q}${q}" target="_blank" class="sbtn ${c.cls}">${c.lbl}</a>`;
    }).join('');
  }
```

/routers/party.py

```
@router.get("/party-planner")
async def party_planner_page(request: Request):
    return templates.TemplateResponse("party_planner.html", {"request": request})
```

- get party_recommendations by using the function

```
party.py ×
routers > party.py > ...

def get_party_recommendations(budget, event_type, guests, location, food_preference, includes, notes)
    includes_str = ", ".join(includes) if includes else "Catering, Decoration"
    prompt = f"""
You are an expert party and event budget planner for India.

Generate a detailed party budget plan for:
- Total Budget: Rs.{budget}
- Event Type: {event_type}
- Number of Guests: {guests}
- Venue Type: {location}
- Food Preference: {food_preference or 'No preference'}
- Party Needs: {includes_str}
- Special Requests: {notes or 'None'}

Return ONLY a valid JSON object in this exact format (no markdown, no explanation outside JSON):
{{
  "categories": [
    {{
      "name": "Venue",
      "icon": "📍",
      "allocation": 0,
      "items": [
        {{
```

- linking the websites like amazon,flipkar,ikea ect…. to get the products

```
const SHOP = {
  'Swiggy':   { lbl: '\uD83D\uDECD Swiggy',   cls: 's-swiggy',   u: 'https://www.swiggy.com/search?
  'Zomato':   { lbl: '\uD83C\uDF7D Zomato',   cls: 's-zomato',   u: 'https://www.zomato.com/search?
  'Amazon':   { lbl: '\uD83D\uDECD Amazon',   cls: 's-amazon',   u: 'https://www.amazon.in/s?k=' },
  'Flipkart': { lbl: '\uD83D\uDED2 Flipkart', cls: 's-flipkart', u: 'https://www.flipkart.com/searc
  'OYO':      { lbl: '\uD83C\uDFE8 OYO',      cls: 's-oyo',      u: 'https://www.oyorooms.com/searc
  'Booking':  { lbl: '\uD83C\uDFE8 Booking',  cls: 's-booking',  u: 'https://www.booking.com/search
};

function shopBtns(name, platforms) {
  const q = encodeURIComponent(name);
  return platforms.map(p => {
    const s = SHOP[p] || { lbl: p, cls: 's-other', u: '#' };
    return `<a href="${s.u}${q}" target="_blank" class="sbtn ${s.cls}">${s.lbl}</a>`;
  }).join('');
}
```

- get jewelry_recommendations by using the function

```
jewelry.py ×
routers > jewelry.py > ...

def get_jewelry_recommendations(budget, occasion, jewelry_types, metal_preference, platforms, style_
    types_str    = ", ".join(jewelry_types) if jewelry_types else "Earrings, Necklace, Ring"
    platform_str = ", ".join(platforms)     if platforms     else "Amazon, Flipkart, Bluestone"

    image_note = ""
    if image_b64:
        image_note = "An outfit image has been provided. Analyze the colors, style and formality of

    prompt = f"""
You are an expert jewelry stylist and budget advisor for India.

Generate personalized jewelry recommendations for:
- Total Budget: Rs.{budget}
- Occasion: {occasion}
- Jewelry Types Wanted: {types_str}
- Metal Preference: {metal_preference or 'No preference'}
- Preferred Platforms: {platform_str}
- Style Preferences: {style_preferences or 'None'}
{image_note}

Return ONLY a valid JSON object in this exact format (no markdown, no extra text):
{{
  "outfit_analysis": {{
    "colors": "blue, white",
```

- linking the websites like amazon,flipkar,ikea ect…. to get the products

```
const SHOP = {
  'Amazon':    { lbl: 'Amazon',    cls: 's-amazon',    u: 'https://www.amazon.in/s?k=' },
  'Flipkart':  { lbl: 'Flipkart',  cls: 's-flipkart',  u: 'https://www.flipkart.com/search?q=' },
  'Bluestone': { lbl: 'Bluestone', cls: 's-bluestone',  u: 'https://www.bluestone.com/search.html#
  'Tanishq':   { lbl: 'Tanishq',   cls: 's-tanishq',   u: 'https://www.tanishq.co.in/search?q=' },
  'Caratlane': { lbl: 'CaratLane', cls: 's-caratlane',  u: 'https://www.caratlane.com/catalogsearch
  'Melorra':   { lbl: 'Melorra',   cls: 's-melorra',   u: 'https://www.melorra.com/search?q=' },
  'Malabar':   { lbl: 'Malabar',   cls: 's-malabar',   u: 'https://www.malabargoldanddiamonds.com/
};

function shopBtns(name, platforms) {
  const q = encodeURIComponent(name);
  return platforms.map(p => {
    const s = SHOP[p] || { lbl: p, cls: 's-other', u: '#' };
    return `<a href="${s.u}${q}" target="_blank" class="sbtn ${s.cls}">${s.lbl}</a>`;
  }).join('');
}
```

Login and Register page routings

Login page

/login: Authenticates user credentials and initiates a session upon successful login.

```
@router.get("/login")
async def login_page(request: Request):
    return templates.TemplateResponse("login.html", {"request": request})
```

```
login.html ×
templates > login.html > ...
  2   <html lang="en">
 57   <body>
 94     <script>
 95       document.getElementById('loginForm').addEventListener('submit', async (e) => {
 96         e.preventDefault();
 97         const eb = document.getElementById('errBox'), btn = document.getElementById('submitBtn');
 98         btn.textContent = 'Signing in...'; btn.disabled = true; eb.style.display = 'none';
 99         try {
100           const fd = new FormData();
101           fd.append('username', document.getElementById('username').value);
102           fd.append('password', document.getElementById('password').value);
103           const res = await fetch('/token', {method:'POST', body:fd});
104           const data = await res.json();
105           if (res.ok) {
106             localStorage.setItem('token', data.access_token);
107             localStorage.setItem('username', document.getElementById('username').value);
108             window.location.href = '/dashboard';
109           } else {
110             eb.textContent = data.detail || 'Invalid username or password';
111             eb.style.display = 'block';
112             btn.textContent = 'Sign In →'; btn.disabled = false;
113           }
114         } catch { eb.textContent = 'Connection error. Please try again.'; eb.style.display = 'block'; btn.textCont
115       });
116     </script>
```

Register Page

/register: Handles new user registration by accepting and securely storing user credentials.

```python
@router.get("/register")
async def register_page(request: Request):
    return templates.TemplateResponse("register.html", {"request": request})
```

```html
<script>
  document.getElementById('regForm').addEventListener('submit', async (e) => {
    e.preventDefault();
    const err = document.getElementById('errMsg'), ok = document.getElementById('okMsg'), btn = document.getElement
    err.style.display = 'none'; ok.style.display = 'none';
    const pw = document.getElementById('password').value, cf = document.getElementById('confirm').value;
    if (pw !== cf) { err.textContent = 'Passwords do not match!'; err.style.display = 'block'; return; }
    btn.textContent = 'Creating...'; btn.disabled = true;
    try {
      const res = await fetch('/register', {method:'POST', headers:{'Content-Type':'application/json'}, body:JSON.s
      const data = await res.json();
      if (res.ok) { ok.textContent = '✅ Account created! Redirecting to login...'; ok.style.display = 'block'; se
      else { err.textContent = data.detail || 'Registration failed.'; err.style.display = 'block'; btn.textContent
    } catch { err.textContent = 'Connection error.'; err.style.display = 'block'; btn.textContent = 'Create Account
  });
</script>
```

Logout Page

/logout: Terminates the current user session and redirects to the login page.

```python
@router.get("/logout")
async def logout():
    response = RedirectResponse(url="/login")
    response.delete_cookie("access_token")
    return response
```

Ensure modular code structure

/auth.py: Issues a secure JWT token after successful authentication, enabling authorized access to protected API routes.

```python
@router.post("/token", response_model=Token)
async def login_for_access_token(form_data: OAuth2PasswordRequestForm = Depends()):
    user = authenticate_user(fake_users_db, form_data.username, form_data.password)
    if not user:
        raise HTTPException(
            status_code=status.HTTP_401_UNAUTHORIZED,
            detail="Incorrect username or password",
            headers={"WWW-Authenticate": "Bearer"},
        )
    access_token = create_access_token(
        data={"sub": user.username},
        expires_delta=timedelta(minutes=ACCESS_TOKEN_EXPIRE_MINUTES)
    )
    return {"access_token": access_token, "token_type": "bearer"}
```

Epic 3: Backend – FastAPI Integration

Define FastAPI Routes

Home Planner

```python
home.py
outers > home.py > ...
@router.get("/home-planner")
async def home_planner_page(request: Request):
    return templates.TemplateResponse("home_planner.html", {"request": request})

@router.post("/generate-home")
async def generate_home(data: HomeRequest):
    try:
        recommendations = get_home_recommendations(
            data.budget, data.rooms, data.style,
            data.room_types, data.platforms, data.preferences
        )
        recommendation_history.append({
            "id": str(uuid.uuid4()),
            "category": "home",
            "budget": data.budget,
            "preferences": {
                "rooms": data.rooms, "style": data.style,
                "room_types": data.room_types, "platforms": data.platforms
            },
            "result": recommendations,
            "timestamp": datetime.utcnow().isoformat()
        })
        return {"recommendations": recommendations, "budget": data.budget}
    except Exception as e:
        return {"detail": f"AI generation failed: {str(e)}"}
```

Party Planner

```python
party.py
outers > party.py > ...

@router.get("/party-planner")
async def party_planner_page(request: Request):
    return templates.TemplateResponse("party_planner.html", {"request": request})

@router.post("/generate-party")
async def generate_party(data: PartyRequest):
    try:
        recommendations = get_party_recommendations(
            data.budget, data.event_type, data.guests,
            data.location, data.food_preference, data.includes, data.notes
        )
        recommendation_history.append({
            "id": str(uuid.uuid4()),
            "category": "party",
            "budget": data.budget,
            "preferences": {
                "event_type": data.event_type,
                "guests": data.guests,
                "location": data.location,
                "includes": data.includes
            },
            "result": recommendations,
            "timestamp": datetime.utcnow().isoformat()
        })
```

Jewelry Planner

```python
jewelry.py
routers > jewelry.py > ...

@router.get("/jewelry-planner")
async def jewelry_planner_page(request: Request):
    return templates.TemplateResponse("jewelry_planner.html", {"request": request})

@router.post("/generate-jewelry")
async def generate_jewelry(data: JewelryRequest):
    try:
        recommendations = get_jewelry_recommendations(
            data.budget, data.occasion, data.jewelry_types,
            data.metal_preference, data.platforms,
            data.style_preferences, data.image
        )
        recommendation_history.append({
            "id": str(uuid.uuid4()),
            "category": "jewelry",
            "budget": data.budget,
            "preferences": {
                "occasion": data.occasion,
                "jewelry_types": data.jewelry_types,
                "metal": data.metal_preference,
                "platforms": data.platforms
            },
            "result": recommendations,
            "timestamp": datetime.utcnow().isoformat()
```

Modular Architecture Setup

recommendations-details

```python
app.py
app.py > ...

# ── Recommendation Details ──────────────────────────────
@app.post("/recommendations-details")
async def recommendations_details(request: Request):
    body = await request.json()
    category = body.get("category", "home")
    budget = body.get("budget", 0)
    preferences = body.get("preferences", {})

    client = genai.Client(api_key=os.getenv("GEMINI_API_KEY"))

    prompt = f"""
    You are PocketSmart AI, a budget recommendation expert.
    Category: {category}
    Budget: ₹{budget}
    Preferences: {preferences}

    Provide detailed product recommendations with:
    - Product name
    - Price in INR
    - Platform (Amazon/Flipkart/IKEA/Swiggy/Zomato)
    - Direct search URL
    - Why it fits the budget and preference
```

CORS & Static Routing

history

```
@app.get("/history")
async def history_page(request: Request):
    return templates.TemplateResponse("history.html", {"request": request})
```

Startup and main function

/startup: Initializes essential application services and loads configuration settings when the FastAPI server starts.

```
@app.get("/startup")
async def startup_status():
    return {
        "status": "running",
        "message": "PocketSmart AI is operational",
        "timestamp": datetime.utcnow().isoformat()
    }
```

main: Entry point of the FastAPI application that starts the server using uvicorn when the script is run directly.

```
# — Main Entry Point ————————————————————————————
if __name__ == "__main__":
    import uvicorn
    uvicorn.run("app:app", host="0.0.0.0", port=8000, reload=True)
```

Epic 4: UI Development

Description

This focuses on developing a lightweight, responsive, and intuitive frontend for PocketSmart AI using HTML, CSS, and Jinja2 templates. The interface enables users to interact seamlessly with the system's budget-based recommendation capabilities across Home Interior, Party Planning, and Jewelry categories. It is tightly integrated with FastAPI backend endpoints to facilitate real-time input and AI-powered output rendering.The goal is to maintain a clean,

user-friendly design that supports multi-category inputs, displays structured AI recommendations, and includes authentication and session-based personalization.

Design a home page with budget input fields and category selectors (Home, Party, Jewelry) Implement individual forms for each planner module connected to FastAPI POST routes Display AI responses in well-structured, card-like layouts (e.g., product suggestions, item details, prices)

Templates Directory Structure:



Epic 5: Testing and Deployment

Description

This focuses on validating the reliability, accuracy, and contextual awareness of PocketSmart AI's recommendation engine. The system is tested using real-world user scenarios across different planning categories—Home Interiors, Party Planning, and Jewelry Suggestions—to ensure consistent performance. Optimization efforts include refining AI prompt structures, improving session handling, and ensuring a smooth UI/UX across devices.

Conduct end-to-end testing using varied budgets and user preferences for:

Home decor setups from platforms like IKEA, Amazon

Party packages including food (Swiggy/Zomato), venues (OYO), and decor

Jewelry suggestions matched with outfit styles, occasions, and image inputs

Home Page: The main landing page introducing PocketSmart AI's features with links to planner modules and user actions.





Testimonials Page

Testimonials Page: Showcases real user reviews and success stories to demonstrate the platform's effectiveness.



Footer Part



Register Page

Register Page: Allows new users to create an account to access personalized budget recommendations.



Login Page

Login Page: Authenticates existing users to access their dashboard and saved data.



User Dashboard

User Dashboard: Displays recent recommendations, saved queries, and personalized insights for the logged-in user.





Home Interior Budget Planner Page: Lets users input home decor preferences and budget to get tailored suggestions from multiple platforms.

Home Interior Recommendations Page: Displays AI-generated product suggestions for home decor based on the user's budget and style preferences.



Party Budget Planner Page and Party Budget Recommendations Page:



Jewelry Budget Planner Page: Provides jewelry recommendations aligned with occasion and outfit style, using text and optional image inputs.

Jewelry Budget Recommendations Page: Presents personalized jewelry options tailored to the occasion, outfit, and budget, using Gemini-generated insights.



Github_link:

https://github.com/Harshitha-2210/PocketSmart-AI-Your-Smart-Budget-Recommendation-Assistant

Project_Demo_link:

https://drive.google.com/file/d/1KfW3fLexMJFqlOVNV7feqT_SbGnF5Im4/view?usp=sharing

Conclusion:

PocketSmart AI redefines the way individuals plan budgets for everyday lifestyle needs by delivering smart, AI-driven recommendations across home interiors, party planning, and jewelry selection. By combining the power of FastAPI with Gemini-2.5-Flash, the system intelligently processes user inputs—budgets, preferences, and even images—to generate accurate and context-aware suggestions from multiple trusted platforms like Amazon, Flipkart, IKEA, Swiggy, Zomato, OYO and more. From backend architecture to AI integration and a responsive frontend, PocketSmart AI has been built with a focus on efficiency, scalability, and user-centric design. The FastAPI backend ensures modular, secure routing and robust session handling, while the Jinja2-powered frontend offers an intuitive and clean interface for users to interact with the system in real time.

Each module—from registration to recommendations—is designed to simplify decision-making and enhance the shopping or planning experience through automation and personalization. Whether it’s finding the right wall art within budget or organizing a last-minute party, PocketSmart AI acts as a smart digital assistant, saving time and effort while optimizing outcomes. With its seamless fusion of generative AI and web technologies, PocketSmart AI stands as a practical example of how AI can enhance everyday decision-making, bringing intelligent recommendations to users' fingertips—budget-friendly, fast, and personalized.