

FileEditSelection

DB Notebook (Hospital management) · codebooks

MYSQL SHELL FOR VS CODE

1: MySQLDB Notebook (Hospital management) ×Readme.md

OPEN EDITORS

MySQL Shell

DB Connection Overview

Hospital management

DB Notebook

DATABASE CONNECTIONS

E-commerce Inventory schema

Bank transaction ledger

Sales performance dashboard

Hospital management

MySQL Administration

bankbd

bankdb

ORACLE CLOUD INFRASTRUCTURE

MYSQL SHELL TASKS

EditorDB Notebook

103 | Dr. Priya | General Medicine |

OK, 3 records retrieved in 0.803ms

1sql> SELECT

2p.PatientName,

3d.DoctorName,

4d.Specialization,

5a.AppointmentDate,

6a.Diagnosis

7FROM Appointments a

8JOIN Patients p

9ON a.PatientID = p.PatientID

10JOIN Doctors d

11ON a.DoctorID = d.DoctorID;

sql> SELECT

p.PatientName,

d.DoctorName,

d.Specialization,

a.AppointmentDate,

a.Diagnosis

FROM Appointments a

JOIN Patients p

ON a.PatientID = p.PatientID

JOIN Doctors d

ON a.DoctorID = d.DoctorID LIMIT 0, 1001;

| PatientName | DoctorName | Specialization |

AppointmentDate | Diagnosis |

| Harish | Dr. Priya | General Medicine | 2026-

07-20 | Fever |

MySQL SHELL FOR VS CODE

OPEN EDITORS

MySQL Shell

DB Connection Overview

Hospital management

DB Notebook

DATABASE CONNECTIONS

E-commerce inventory schema

Bank transaction ledger

Sales performance dashboard

Hospital management

MySQL Administration

bankdb

bankdb

...

ORACLE CLOUD INFRASTRUCTURE

MYSQL SHELL TASKS

DB Notebook (Hospital management) X

Readme.md

Editor

DB Notebook

Press Ctrl+Enter to execute the code block.

Execute \sql to switch to SQL, \js to JavaScript and \ts to TypeScript mode.

Execute \help or \? for help;

1 sql> CREATE DATABASE HospitalDB;

2

3 USE HospitalDB;

sql> CREATE DATABASE HospitalDB;

OK, 1 row affected in 11.701ms

sql> USE HospitalDB;

OK, 0 records retrieved in 0.765ms

1 sql> /*create table patient*/

2 CREATE TABLE Patients (

3 PatientID INT PRIMARY KEY,

4 PatientName VARCHAR(100),

5 Gender VARCHAR(10),

6 Age INT,

7 Phone VARCHAR(15)

8);

sql> /*create table patient*/

CREATE TABLE Patients (

PatientID INT PRIMARY KEY,

PatientName VARCHAR(100),

Gender VARCHAR(10),

Age INT,

Phone VARCHAR(15)

);

OK, 0 records retrieved in 50.608ms

1 sql> CREATE TABLE Doctors (

2 DoctorID INT PRIMARY KEY,

3 DoctorName VARCHAR(100),

4 Specialization VARCHAR(100)

FileEditSelection

DB Notebook (Hospital management) - codetech

MYSQL SHELL FOR VS CODE

MySQL

DB Notebook (Hospital management)

Readme.md

OPEN EDITORS

MySQL Shell

DB Connection Overview

Hospital management

DB Notebook

DATABASE CONNECTIONS

E-commerce inventory schema

Bank transaction ledger

Sales performance dashboard

Hospital management

MySQL Administration

bankdb

bankdb

ORACLE CLOUD INFRASTRUCTURE

MYSQL SHELL TASKS

Editor

DB Notebook

103 | Dr. Priya | General Medicine |

OK, 3 records retrieved in 0.803ms

sql> SELECT

p.PatientName,

d.DoctorName,

d.Specialization,

a.AppointmentDate,

a.Diagnosis

FROM Appointments a

JOIN Patients p

ON a.PatientID = p.PatientID

JOIN Doctors d

ON a.DoctorID = d.DoctorID;

JOIN Patients p

ON a.PatientID = p.PatientID

JOIN Doctors d

ON a.DoctorID = d.DoctorID LIMIT 0, 1001;

| PatientName | DoctorName | Specialization |

AppointmentDate | Diagnosis |

| Harish | Dr. Priya | General Medicine | 2026-

07-20 | Fever |

| Ravi | Dr. Mehta | Cardiology | 2026-

07-21 | Chest Pain |

| Anjali | Dr. Sharma | Orthopedics | 2026-

07-22 | Fracture |

OK, 3 records retrieved in 1.703ms

MySQL SHELL FOR VS CODE

OPEN EDITORS

MySQL Shell

DB Connection Overview

Hospital management

DB Notebook

DATABASE CONNECTIONS

E-commerce inventory schema

Bank transaction ledger

Sales performance dashboard

Hospital management

MySQL Administration

bankbd

bankdb

ORACLE CLOUD INFRASTRUCTURE

MYSQL SHELL TASKS

DB Notebook (Hospital management)

Readme.md

Editor: DB Notebook

Execute the block and print the result as text

d.DoctorName,
COUNT(a.PatientID) AS TOTALPATIENTS
FROM Doctors d
JOIN Appointments a
ON d.DoctorID = a.DoctorID
GROUP BY d.DoctorName LIMIT 0, 1001;

DoctorName	TotalPatients
Dr. Mehta	1
Dr. Sharma	1
Dr. Priya	1

OK, 3 records retrieved in 2.62ms

sql> /*most expensive treatment*/

1
2
3
4
5
6
7

SELECT
TreatmentName,
Cost
FROM Treatments
ORDER BY Cost DESC
LIMIT 1;

sql> /*most expensive treatement*/
SELECT
TreatmentName,
Cost
FROM Treatments
ORDER BY Cost DESC
LIMIT 1;

TreatmentName	Cost
ECG Test	2000.00

OK, 1 record retrieved in 1.333ms

MySQL SHELL FOR VS CODE

OPEN EDITORS

MySQL Shell

DB Connection Overview

Hospital management

DB Notebook

DATABASE CONNECTIONS

E-commerce Inventory schema

Bank transaction ledger

Sales performance dashboard

Hospital management

MySQL Administration

bankdb

bankdb

ORACLE CLOUD INFRASTRUCTURE

MYSQL SHELL TASKS

DB Notebook (Hospital management)

DB Notebook

1

sql> /*no of patients traeted by each doctor*/

2

•SELECT

3

d.DoctorName,

4

COUNT(a.PatientID) AS TotalPatients

5

FROM Doctors d

6

JOIN Appointments a

7

ON d.DoctorID = a.DoctorID

8

GROUP BY d.DoctorName;

sql> /*no of patients traeted by each doctor*/

SELECT

d.DoctorName,

COUNT(a.PatientID) AS TotalPatients

FROM Doctors d

JOIN Appointments a

ON d.DoctorID = a.DoctorID

GROUP BY d.DoctorName LIMIT 0, 1001;

DoctorName	TotalPatients
Dr. Mehta	1
Dr. Sharma	1
Dr. Priya	1

OK, 3 records retrieved in 2.62ms

Execute the block and print the result as text

TotalTreatmentCost
4000.00

OK, 1 record retrieved in 0.949ms

MySQL SHELL FOR VS CODE

OPEN EDITORS

MySQL Shell

DB Connection Overview

Hospital management

DB Notebook

DATABASE CONNECTIONS

E-commerce inventory schema

Bank transaction ledger

Sales performance dashboard

Hospital management

MySQL Administration

bankdb

bankdb

ORACLE CLOUD INFRASTRUCTURE

MYSQL SHELL TASKS

DB Notebook (Hospital management)

DB Notebook

1

sql> INSERT INTO Appointments VALUES

2

(1001,1,103,'2026-07-20','Fever');

3

(1002,2,101,'2026-07-21','Chest Pain');

4

(1003,3,102,'2026-07-22','Fracture');

sql> INSERT INTO Appointments VALUES

(1001,1,103,'2026-07-20','Fever');

(1002,2,101,'2026-07-21','Chest Pain');

(1003,3,102,'2026-07-22','Fracture');

OK, 3 rows affected in 21.898ms

1

sql> INSERT INTO Treatments VALUES

2

(1,1001,'Medication',500);

3

(2,1002,'ECG Test',2000);

4

(3,1003,'X-Ray',1500);

sql> INSERT INTO Treatments VALUES

(1,1001,'Medication',500);

(2,1002,'ECG Test',2000);

(3,1003,'X-Ray',1500);

OK, 3 rows affected in 9.167ms

1

sql> /view table*/

2

SELECT * FROM Patients;

sql> /*view table*/

SELECT * FROM Patients LIMIT 0, 1001;

PatientID	PatientName	Gender	Age	Phone
1	Harish	Male	22	9876543210
2	Ravi	Male	30	9123456780
3	Anjali	Female	25	9988776655

OK, 3 records retrieved in 0.871ms