1. How many organisations in total?

Query - select count(\*) Org\_name from organisations;

Result - 100

Run time - 830 ms

2. How many organisations do not have offer\_requests?

Query - SELECT id, org\_name FROM organisations WHERE NOT EXISTS (SELECT organisation\_id FROM offer\_requests WHERE organisations.id = offer\_requests.organisation\_id);

Results - 0

Run time - 81ms

3. How many organisations have offer\_requests?

Query - SELECT id, org\_name FROM organisations WHERE EXISTS (SELECT organisation\_id FROM offer\_requests WHERE organisations.id = offer\_requests.organisation\_id);

Result -100

Runtime- 101ms

4. How many organisations have no offers?

Query - SELECT id, org\_name FROM organisations WHERE EXISTS (SELECT organisation\_id FROM offers WHERE organisations.id = offers.organisation\_id);

Result - 0

Runtime - 150ms

5. Which organisation has maximum offers and how many offers?

Query: SELECT organisation\_id, count(id) FROM offers GROUP BY organisation\_id ORDER BY count(id) desc limit 1;

Result - org\_000000000WR10DFx1nc6 10915

Runtime - 341ms

Query - select \* from organisations where id ='org\_000000000WR10DFx1nc6';

org\_000000000WR10DFx1nc6 moaning\_turquoise 2020-08-18 22:31:05.000 +0100

Runtime - 89 ms

6. Which organisation has minimum offers and how many offers?

Query - SELECT organisation\_id, count(id) FROM offers GROUP BY organisation\_id ORDER BY count(id) asc limit 1;

Result - org\_000000000WR10DFzlaeZ 420

Runtime - 141ms

select \* from organisations where id ='org 000000000WR10DFzIaeZ';

Result - org\_000000000WR10DFzlaeZnative\_lime 2021-05-12 04:42:55.000 +0100

Runtime - 91ms

7. Which organisation has maximum orders and how many orders?

Query - SELECT organisation\_id, count(id) FROM orders GROUP BY organisation\_id ORDER BY count(id) desc limit 1;

Result - org\_000000000WR10DFx1nc8 32

Runtime - 84 ms

org\_000000000WR10DFx1nc8 dual\_sapphire 2020-08-25 03:09:02.000 +0100

Runtime - 82ms

8. Which organisation has minimum orders and how many orders?

Query - SELECT organisation\_id, count(id) FROM orders GROUP BY organisation\_id ORDER BY count(id) asc limit 1:

Result -

org\_000000000WR10DFx1ncG 1

Runtime - 86ms

9. Which organisation has the maximum total amount of offers and what is the amount?

Query - select organisation\_id, max(total\_amount) from offers group by organisation\_id order by count(organisation\_id)desc limit 1;

Result - org 000000000WR10DFx1nc6 50000

Runtime - 182 ms

10. Which organisation has the maximum total amount of orders and what is the amount?

Query - select organisation\_id, max(total\_amount) from orders group by organisation\_id order by count(organisation\_id)desc;

org\_0000000000WR10DFx1nc8

50000

Runtime – 96 ms