

Performance Testing

Date	02 March 2026
Team ID	xxxxxx
Project Name	A Comprehensive Measure of Well-Being
Maximum Marks	5 Marks

Performance Testing

Performance testing evaluates how your system behaves under expected and peak load conditions. Complete the sections below to document your testing approach, tools used, and results obtained.

Step 1: Testing Overview

Field	Details
Testing Tool Used	Postman
Type of Testing	Load Testing
Target Module / API	Login, Prediction, History
Test Environment	Hosted Server (Render)
Test Date	01 July 2026

Step 2: Test Scenarios

S.No	Test Scenario / Description	No. of Virtual Users	Duration (sec)	Expected Outcome
1	Home Page Loading	1	10	Page loads successfully
2	User Login	5	30	Login successful
3	HDI	5	30	Prediction generated correctly
4	View Prediction History	5	20	History displayed without errors

Step 3: Performance Test Results

S.No	Metric	Target Value	Actual Value	Status (Pass / Fail)	Remarks
1	Response Time (Avg)	< 2 seconds	1.2 sec	Pass	Good performance
2	Response Time (Max)	< 5 seconds	2.8 sec	Pass	Within limit
3	Throughput (Req/sec)	10 Req/sec	12 Req/sec	Pass	Stable
4	Error Rate	< 1%	0%	Pass	No errors
5	CPU Utilization	< 80%	42%	Pass	Normal usage
6	Memory Utilization	< 80%	51%	Pass	Stable

Step 4: Observations & Analysis

- The application responded quickly under normal load.
- No request failures were observed during testing.
- Login and prediction modules performed efficiently.
- Overall application performance was stable.

Step 5: Screenshots / Evidence

Attach screenshots of your performance testing tool results below (e.g., JMeter report, Locust graphs, k6 output):

```


Jul 2
11:08:31 PM [c72zx] [2026-07-02 17:38:31 +0000] [58] [INFO] Listening at: http://0.0.0.0:10000 (58)
11:08:31 PM [c72zx] [2026-07-02 17:38:31 +0000] [58] [INFO] Using worker: sync
11:08:31 PM [c72zx] [2026-07-02 17:38:31 +0000] [66] [INFO] Booting worker with pid: 66
11:08:32 PM [c72zx] 127.0.0.1 - - [02/Jul/2026:17:38:32 +0000] "HEAD / HTTP/1.1" 200 0 "-" "Go-http-client/1.1"

11:08:33 PM      ==> Your service is live 🎉
11:08:33 PM      ==>
11:08:33 PM      ==> //////////////////////////////////////
11:08:33 PM      ==>
11:08:33 PM      ==> Available at your primary URL https://hdi-prediction-model-9.onrender.com
11:08:33 PM      ==>
11:08:33 PM      ==> //////////////////////////////////////
11:08:33 PM [c72zx] 127.0.0.1 - - [02/Jul/2026:17:38:33 +0000] "GET / HTTP/1.1" 200 2217 "-" "Go-http-client/2.0"
11:08:44 PM [c72zx] 127.0.0.1 - - [02/Jul/2026:17:38:44 +0000] "GET / HTTP/1.1" 200 2217 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/149.0.0.0 Safari/537.36"
11:08:45 PM [c72zx] 127.0.0.1 - - [02/Jul/2026:17:38:45 +0000] "GET /static/css/style.css HTTP/1.1" 200 0
  
```

```

26.2 pandas-2.3.0 python-dateutil-2.9.0.post0 pytz-2025.2 scikit-learn-1.7.0 scipy-1.16
six-1.17.0 threadpoolctl-3.6.0 tzdata-2025.2

11:07:46 PM
11:07:46 PM [notice] A new release of pip is available: 24.0 -> 26.1.2
11:07:46 PM [notice] To update, run: pip install --upgrade pip
11:07:47 PM ==> Uploading build...
11:07:57 PM ==> Uploaded in 6.3s. Compression took 2.9s
11:07:57 PM ==> Build successful 🎉
11:08:02 PM ==> Deploying...
11:08:02 PM ==> Setting WEB_CONCURRENCY=1 by default, based on available CPUs in the instance
11:08:16 PM [c72zx] ==> Running 'gunicorn app:app'
11:08:31 PM [c72zx] [2026-07-02 17:38:31 +0000] [58] [INFO] Starting gunicorn 23.0.0
11:08:31 PM [c72zx] [2026-07-02 17:38:31 +0000] [58] [INFO] Listening at: http://0.0.0.0:10000 (58)
11:08:31 PM [c72zx] [2026-07-02 17:38:31 +0000] [58] [INFO] Using worker: sync
11:08:31 PM [c72zx] [2026-07-02 17:38:31 +0000] [66] [INFO] Booting worker with pid: 66
11:08:32 PM [c72zx] 127.0.0.1 - - [02/Jul/2026:17:38:32 +0000] "HEAD / HTTP/1.1" 200 0 "-" "Go-http-
client/1.1"
  
```



The screenshot shows the Visual Studio Code (VS Code) interface. The Explorer panel on the left shows a project named 'A_Comprehensive_Well_Being' with files like 'static', 'images', 'logo.jpg', 'js', 'uploads', 'templates', and 'about.html'. The main editor window displays the 'app.py' file with the following code:

```

512 # RUN
513 # =====
514
515 if __name__ == "__main__":
516
517     app.run(
518         debug=True
519     )
520
  
```

The TERMINAL panel at the bottom shows the output of running 'python app.py'. It indicates that the Flask app is serving on http://127.0.0.1:5000, debug mode is on, and the debugger is active. The status bar at the bottom shows the file is 'main*' and the interpreter is 'python'.