

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Navigator

Ecommerce_Sql_analysis

Limit to 1000 rows

SCHEMAS

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedures

Functions

employess

newschema

pizza_sales

sys

79

80

81

82

83

84

85

86

-- Top 5 city with high number of users

SELECT DISTINCT CITY,COUNT(USER_ID) AS Total_users FROM USERS

GROUP BY CITY

ORDER BY Total_users desc

LIMIT 5;

-- Top 5 city with low number of users

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	CITY	Total_users
▶	Verdand isles	2159
	Emberglow	1390
	Solaria	1221
	Valerion	1098
	Wishno	944

Administration

Information

No object selected

Result 17

Output

Action Output

#	Time	Action	Message	Duration / Fetch
17	12:08:42	SELECT GENDER,CONCAT(ROUND((COUNT(USER_ID)/(SELECT COUNT(USER_ID) FROM U...	2 row(s) returned	0.234 sec / 0.000 sec
18	12:09:03	SELECT DISTINCT CITY,COUNT(USER_ID) AS Total_users FROM USERS GROUP BY CITY O...	5 row(s) returned	0.125 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only

Context Help

Snippets

Type here to search

12:09
05-06-2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Navigator

Ecommerce_Sql_analysis

Limit to 1000 rows

SCHMAS

Filter objects

ecommerce_db

- Tables
 - events
 - order_items
 - orders
 - products
 - reviews
 - users
- Views
- Stored Procedure
- Functions
 - employess
 - newschema
 - pizza_sales
 - sys

85

86

87

88

89

90

91

92

-- Top 5 city with low number of users

SELECT DISTINCT CITY,COUNT(USER_ID) AS TOTAL_USERS FROM USERS

GROUP BY CITY

ORDER BY TOTAL_USERS ASC

LIMIT 5;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	CITY	TOTAL_USERS
▶	Krypton city	1
	Clptro	17
	Weekland	19
	Astralis	35
	Vanguard	119

Administration

Information

No object selected

Result 18

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 18	12:09:03	SELECT DISTINCT CITY,COUNT(USER_ID) AS Total_users FROM USERS GROUP BY CITY O...	5 row(s) returned	0.125 sec / 0.000 sec
✓ 19	12:09:31	SELECT DISTINCT CITY,COUNT(USER_ID) AS TOTAL_USERS FROM USERS GROUP BY CIT...	5 row(s) returned	0.171 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read OnlyContext HelpSnippets

Type here to search

12:0905-06-2026

MySQL Workbench

Local instance MySQL80 x

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Navigator: Ecommerce_Sql_analysis* x

SCHEMAS

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedure

Functions

employess

newschema

pizza_sales

sys

Administration

Information

No object selected

Limit to 1000 rows

SQL Editor

13 SELECT ROUND(AVG(TOTAL_AMOUNT),0) AS Average_order_value FROM ORDERS;

14

15 -- Average rating

16 SELECT ROUND(AVG(RATING),1) AS Average_rating FROM REVIEWS;

17

18 -- Total orders based on per month

19 SELECT MONTH,COUNT(ORDER_ID)AS TOTAL_ORDERS

20 FROM ORDERS

21 GROUP BY MONTH,MONTH NUM

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Average_rating
3.5

Result 6 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	12:02:21	SELECT ROUND(AVG(TOTAL_AMOUNT),0) AS Average_order_value FROM ORDERS LIMIT 0, ...	1 row(s) returned	0.063 sec / 0.000 sec
7	12:02:46	SELECT ROUND(AVG(RATING),1) AS Average_rating FROM REVIEWS LIMIT 0, 1000	1 row(s) returned	0.188 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Read Only

Context Help

Snippets

Type here to search

12:02
05-06-2026

```
41
42 -- Average rating on Brand
43 • SELECT BRAND,ROUND(AVG(RATING),1) AS Average_rating FROM PRODUCTS
44 GROUP BY BRAND
45 ORDER BY Average_rating DESC;
46
47 -- Quantity sold per Category
```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	BRAND	Average_rating
►	NeoTech	3.7
	Acme	3.7
	Nimbus	3.7
	Zenith	3.7
	Harbor	3.7
	GreenLeaf	3.7
	Solace	3.7
	Willow	3.7
	Pulse	3.7
	Astra	3.6
	Everest	3.6
	Orion	3.6

Result 11

Output : 000

Action Output

#	Time	Action	Message	Duration / Fetch
11	12:05:09	SELECT CATEGORY,COUNT(ORDER_ID) AS TOTAL_ORDERS FROM PRODUCTS LEFT JOIN...	10 row(s) returned	0.625 sec / 0.000 sec
12	12:05:35	SELECT BRAND,ROUND(AVG(RATING),1) AS Average_rating FROM PRODUCTS GROUP BY ...	12 row(s) returned	0.031 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result
GridForm
Editor

Field Types

Query
S:~:~s

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Ecommerce_Sql_analysis*

Limit to 1000 rows

SCHEMAS

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedure

Functions

employess

newschema

pizza_sales

sys

Administration

Information

No object selected

1

USE ECOMMERCE_DB;

2

3

-- Total orders

4

SELECT COUNT(ORDER_ID) AS Total_orders FROM ORDERS;

5

6

-- Active users

7

SELECT COUNT(DISTINCT USER_ID) AS Active_users FROM EVENTS;

8

9

-- Total revenue

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Active_users

9995

Result 3

Output

Action Output

#

Time

Action

Message

Duration / Fetch

3

12:00:49

SELECT COUNT(ORDER_ID) AS Total_orders FROM ORDERS LIMIT 0, 1000

1 row(s) returned

0.109 sec / 0.000 sec

4

12:01:26

SELECT COUNT(DISTINCT USER_ID) AS Active_users FROM EVENTS LIMIT 0, 1000

1 row(s) returned

0.844 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Read Only

Context Help

Snippets

Type here to search

12:01
05-06-2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Navigator

Ecommerce_Sql_analysis*

SCHEMAS

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedure

Functions

employess

newschema

pizza_sales

sys

Administration

Information

No object selected

Limit to 1000 rows

10

SELECT ROUND(SUM(TOTAL_AMOUNT),0) AS Total_revenue FROM ORDERS;

11

-- Average order value

12

13

SELECT ROUND(AVG(TOTAL_AMOUNT),0) AS Average_order_value FROM ORDERS;

14

-- Average rating

15

16

SELECT ROUND(AVG(RATING),1) AS Average_rating FROM REVIEWS;

17

-- Total orders based on per month

18

Result Grid

Filter Rows:

Export

Wrap Cell Content:

Average_order_value

596

Result 5

Output

Action Output

#

Time

Action

Message

Duration / Fetch

5

12:01:52

SELECT ROUND(SUM(TOTAL_AMOUNT),0) AS Total_revenue FROM ORDERS LIMIT 0, 1000

1 row(s) returned

0.079 sec / 0.000 sec

6

12:02:21

SELECT ROUND(AVG(TOTAL_AMOUNT),0) AS Average_order_value FROM ORDERS LIMIT 0, ...

1 row(s) returned

0.063 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Read Only

Context Help

Snippets

Type here to search

12:02
05-06-2026

MySQL Workbench

Local instance MySQL80 x

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Database

Server

Tools

Scripting

Help

Limit to 1000 rows

Star

Search

Print

Navigator

Ecommerce_Sql_analysis* x

SCHEMAS

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedure

Functions

employess

newschema

pizza_sales

sys

Administration

Information

No object selected

7

•

SELECT COUNT(DISTINCT USER_ID) AS Active_users FROM EVENTS;

8

9

-- Total revenue

10

•

SELECT ROUND(SUM(TOTAL_AMOUNT),0) AS Total_revenue FROM ORDERS;

11

12

-- Average order value

13

•

SELECT ROUND(AVG(TOTAL_AMOUNT),0) AS Average_order_value FROM ORDERS;

14

15

-- Average rating

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Total_revenue
11918669

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Read Only

Context Help

Snippets

Result 4 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	12:01:26	SELECT COUNT(DISTINCT USER_ID) AS Active_users FROM EVENTS LIMIT 0, 1000	1 row(s) returned	0.844 sec / 0.000 sec
5	12:01:52	SELECT ROUND(SUM(TOTAL_AMOUNT),0) AS Total_revenue FROM ORDERS LIMIT 0, 1000	1 row(s) returned	0.079 sec / 0.000 sec

Object Info

Session

Type here to search

12:02 05-06-2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Navigator

Ecommerce_Sql_analysis*

Schemas

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedures

Functions

employess

newschema

pizza_sales

sys

Administration

Information

No object selected

Limit to 1000 rows

-- Top 10 products based on orders

SELECT PRODUCT_NAME,COUNT(ORDER_ID) AS Total_orders FROM PRODUCTS

LEFT JOIN ORDER_ITEMS

ON PRODUCTS.PRODUCT_ID=ORDER_ITEMS.PRODUCT_ID

GROUP BY PRODUCT_NAME

ORDER BY Total_orders DESC

LIMIT 10;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	PRODUCT_NAME	Total_orders
▶	Solace Particular	80
	Everest Beautiful	77
	Nimbus Word	70
	Orion Coach	70
	Zenith Might	68
	Harbor Much	67
	Nimbus Whose	65
	Pulse Money	65
	Astra Key	64
	GreenLeaf Save	63

Result 13

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 13	12:05:56	SELECT CATEGORY,SUM(QUANTITY) AS QUANTITY_SOLD FROM PRODUCTS LEFT JOIN O...	10 row(s) returned	0.640 sec / 0.000 sec
✓ 14	12:06:39	SELECT PRODUCT_NAME,COUNT(ORDER_ID) AS Total_orders FROM PRODUCTS LEFT JOI...	10 row(s) returned	0.594 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read OnlyContext HelpSnippets

Type here to search

12:0705-06-2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Database

Query

Table

Diagram

Tools

Scripting

Help

Navigator: Ecommerce_Sql_analysis*

SCHEMAS

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedures

Functions

employess

newschema

pizza_sales

sys

Administration

Information

No object selected

Limit to 1000 rows

-- Top 10 products by revenue

SELECT PRODUCT_NAME, ROUND(SUM(ITEM_TOTAL),0) AS Total_revenue FROM PRODUCTS

LEFT JOIN ORDER_ITEMS

ON PRODUCTS.PRODUCT_ID=ORDER_ITEMS.PRODUCT_ID

GROUP BY PRODUCT_NAME

ORDER BY Total_revenue DESC

LIMIT 10;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	PRODUCT_NAME	Total_revenue
▶	Willow Result	73525
	Astra Pull	66814
	Willow Special	62033
	Acme Room	61308
	Orion Group	60784
	Orion Coach	56743
	Zenith Phone	56419
	Willow Hospital	56312
	Nimbus Family	54411
	Zenith Their	54399

Result 14

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 14	12:06:39	SELECT PRODUCT_NAME,COUNT(ORDER_ID) AS Total_orders FROM PRODUCTS LEFT JOI...	10 row(s) returned	0.594 sec / 0.000 sec
✓ 15	12:07:47	SELECT PRODUCT_NAME, ROUND(SUM(ITEM_TOTAL),0) AS Total_revenue FROM PRODUC...	10 row(s) returned	0.610 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read OnlyContext HelpSnippets

Type here to search

12:0805-06-2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Navigator

Ecommerce_Sql_analysis

SCHEMAS

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedure

Functions

employess

newschema

pizza_sales

sys

Administration

Information

No object selected

Limit to 1000 rows

69

70

71

72

73

74

75

76

-- Users activity analysis

SELECT EVENT_TYPE,COUNT(USER_ID) AS Total_activity FROM EVENTS

GROUP BY EVENT_TYPE

ORDER BY Total_activity Desc;

-- Total users percentage by gender

SELECT GENDER,CONCAT(ROUND(((COUNT(USER_ID)/(SELECT COUNT(USER ID) FROM USERS))*100.0),'%')) AS USERS PERCENTAGE FROM USERS

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	EVENT_TYPE	Total_activity
	view	56013
	cart	12035
	wishlist	7946
	purchase	4006

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Read Only

Context Help

Snippets

Result 15

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	12:07:47	SELECT PRODUCT_NAME, ROUND(SUM(ITEM_TOTAL),0) AS Total_revenue FROM PRODUC...	10 row(s) returned	0.610 sec / 0.000 sec
16	12:08:15	SELECT EVENT_TYPE,COUNT(USER_ID) AS Total_activity FROM EVENTS GROUP BY EVEN...	4 row(s) returned	0.766 sec / 0.000 sec

Type here to search

12:08
05-06-2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Navigator

Ecommerce_Sql_analysis*

Limit to 1000 rows

SCHEMAS

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedures

Functions

employess

newschema

pizza_sales

sys

Administration

Information

No object selected

47

-- Quantity sold per Category

48

SELECT CATEGORY,SUM(QUANTITY) AS QUANTITY_SOLD FROM PRODUCTS

49

LEFT JOIN ORDER_ITEMS

50

ON PRODUCTS.PRODUCT_ID=ORDER_ITEMS.PRODUCT_ID

51

GROUP BY CATEGORY

52

ORDER BY QUANTITY_SOLD DESC;

53

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	CATEGORY	QUANTITY_SOLD
▶	Pet Supplies	6717
	Toys	6519
	Clothing	6410
	Beauty	6329
	Books	6068
	Automotive	5921
	Home & Kitchen	5902
	Electronics	5879
	Sports	5656
	Groceries	5417

Result 12

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	12:05:35	SELECT BRAND,ROUND(AVG(RATING),1) AS Average_rating FROM PRODUCTS GROUP BY ...	12 row(s) returned	0.031 sec / 0.000 sec
✓	13:05:56	SELECT CATEGORY,SUM(QUANTITY) AS QUANTITY_SOLD FROM PRODUCTS LEFT JOIN O...	10 row(s) returned	0.640 sec / 0.000 sec

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Query Snippets

Read Only

Context Help

Snippets

Type here to search

12:06

05-06-2026

100

Automatic context help is

disabled. Use the toolbar t

manually get help for the

current caret position or to

toggle automatic help.

99

Context Help Snippets

Duration / Fetch

0.250 sec / 0.016 sec

0.766 sec / 0.000 sec 

13:04

ENG 12:04 05.06.2026

05-06-2026

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

- ▼ Tables
 - ▶ events
 - ▶ order_items
 - ▶ orders
 - ▶ products
 - ▶ reviews
 - ▶ users
- Views
- Stored Procedures
- Functions
- ▶ employess
- ▶ newschema
- ▶ pizza_sales
- ▶ sys

Information

No object selected

Result 7 x

Output: 

Action Output

#	Time	Action	Message	Duration / Fetch
7	12:02:46	SELECT ROUND(AVG(RATING),1) AS Average_rating FROM REVIEWS LIMIT 0, 1000	1 row(s) returned	0.188 sec / 0.000 sec
8	12:03:05	SELECT MONTH,COUNT(ORDER_ID)AS TOTAL_ORDERS FROM ORDERS GROUP BY MON...	12 row(s) returned	0.250 sec / 0.016 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

Navigator

Ecommerce_Sql_analysis*

Limit to 1000 rows

SCHEMAS

Filter objects

ecommerce_db

Tables

events

order_items

orders

products

reviews

users

Views

Stored Procedure

Functions

employess

newschema

pizza_sales

sys

Administration

Information

No object selected

1

USE ECOMMERCE_DB;

2

3

-- Total orders

4

SELECT COUNT(ORDER_ID) AS Total_orders FROM ORDERS;

5

6

-- Active users

7

SELECT COUNT(DISTINCT USER_ID) AS Active_users FROM EVENTS;

8

9

-- Total revenue

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Total_orders
20000

Result 2

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	11:58:12	SELECT COUNT(ORDER_ID) AS Total_orders FROM ORDERS LIMIT 0, 1000	1 row(s) returned	0.203 sec / 0.000 sec
3	12:00:49	SELECT COUNT(ORDER_ID) AS Total_orders FROM ORDERS LIMIT 0, 1000	1 row(s) returned	0.109 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Read Only

Context Help

Snippets

Type here to search

12:01
05-06-2026