



JavaScript Tutorials for Beginners in Hindi

CodeWithHarry - 102/103

JavaScript Course

- 1 Introduction to JavaScript + Setup | JavaScript Tutorial in Hindi #1
CodeWithHarry
13:46
- 2 Variables in JavaScript | JavaScript Tutorial in Hindi #2
CodeWithHarry
13:34
- 3 const, let and var in JavaScript | JavaScript Tutorial in Hindi #3
CodeWithHarry
12:58
- 4 Primitives and Objects in JavaScript | JavaScript Tutorial in Hindi #4
CodeWithHarry
11:32
- 5 JavaScript Chapter 1 - Practice Set | JavaScript Tutorial in Hindi #5
CodeWithHarry
12:25
- 6 JavaScript Operators and Expressions | JavaScript Tutorial in Hindi #6
CodeWithHarry
23:26

Project 1: PDF Merger WebApp Using JavaScript & Bootstrap | JavaScript Tutorial in Hindi #102



CodeWithHarry ✓
4.29M subscribers

Join



Subscribed ✓

3.4K



Share



Download



148K views 8 months ago JavaScript Tutorials for Beginners in Hindi

Link to the Repl - <https://replit.com/@codewithharry/102...>

Join Replit - <https://join.replit.com/CodeWithHarry>

Download Notes - <https://drive.google.com/drive/folder...> ...more

Chapter 8 - Events & other DOM properties

Console.dir function

console.log shows the element DOM tree

console.dir shows the element as an object with its properties

tagName / nodeName

Used to read tag name of an element

tagName → only exists for Element nodes

nodeName → defined for any node (text, comment etc.)

innerHTML and outerHTML

The innerHTML property allows to get the HTML inside the element as a string.

→ Valid for element nodes only

The outerHTML property contains the full HTML, innerHTML + the element itself.

innerHTML is valid only for element nodes. For other node types we can use nodeValue or data.

textContent

Provides access to the text inside the element: only text, minus all tags.

The hidden property

The "hidden" attribute and the DOM property specifies whether the element is visible or not.

`<div hidden> I am hidden </div>`

`<div id="element"> I can be hidden </div>`

`<script>`

`element.hidden = true;`

`</script>`

Attribute methods

- 1> `elem.hasAttribute(name)` → Method to check for existence of an attribute
- 2> `elem.getAttribute(name)` → Method used to get the value of an attribute
- 3> `elem.setAttribute(name, value)` → Method used to set the value of an attribute.
- 4> `elem.removeAttribute(name)` → Method to remove the attribute from elem.
- 5> `elem.attributes` → Method to get the collection of all attributes

data-* attributes

We can always create custom attributes but the ones starting with "data-" are reserved for programmers use. They are available in a property named dataset.

If an element has an attribute named "data-one", its available as `element.dataset.one`

Insertion methods

We looked at some ways to insert elements in the DOM. Here is another way:

```
let div = document.createElement('div') // create
```

```
div.className = "alert" // set class
```

```
div.innerHTML = "<span>hello </span>"
```

```
document.body.append(div)
```

Here are some more insertion methods:

- 1> `node.append(e)` → append at the end of node
- 2> `node.prepend(e)` → Insert at the beginning of node
- 3> `node.before(e)` → Insert before node
- 4> `node.after(e)` → Insert after node
- 5> `node.replaceWith(e)` → replaces node with the given node.

Quick Quiz: Try out all these methods with your own webpage.

insert Adjacent HTML / Text / Element

This method is used to insert HTML. The first parameter is a code word, specifying where to insert. Must be one of the following:

1. "beforebegin" - Insert HTML immediately before element
2. "afterbegin" - Insert HTML into element at the beginning
3. "beforeend" - Insert HTML into element at the end
4. "afterend" - Insert HTML immediately after element

The second parameter is an HTML string

Example:

```
<div id="div"> </div>
<script>
  div.insertAdjacentHTML('beforebegin', '<p> Hello </p>');
  div.insertAdjacentHTML('afterend', '<p> Bye </p>');
</script>
```

The output would be :

```
<p> Hello </p>
<div id="div"> </div>
<p> Bye </p>
```

returns a timerId

`clearTimeout` is used to cancel the execution (in case we change our mind). For example:

```
let timerId = setTimeout(() => alert("never"), 1000);
```

```
clearTimeout(timerId)
```

↳ cancel the execution

`setInterval` method has a similar syntax as `setTimeout`:

```
let timerId = setInterval(function, <delay>, <arg1>, <arg2>);
```

All arguments have the same meaning. But unlike `setTimeout`, it runs the function not only once, but regularly after the given interval of time.

To stop further calls, we can use `clearInterval(timerId)`.

Browser Events

An event is a signal that something has happened. All the DOM nodes generate such signals.

Some important DOM events are:

Mouse events: `click`, `contextmenu` (right click), `mouseover`/
`mouseout`, `mousedown`/`mouseup`, `mousemove`

Keyboard events: `keydown` and `keyup`

form element events : submit, focus etc.

Document events : DOMContentLoaded

Handling Events

Events can be handled through HTML attributes

```
<input value = "Hey" onclick = "alert('hey')" type = "button">
```

↳ can be another JS function

Events can also be handled through the onclick property

```
elem.onclick = function() {  
    alert("yes")  
};
```

Note: Adding a handler with JavaScript overwrites the existing handler

addEventListener and removeEventListener

addEventListener is used to assign multiple handlers to an event.

```
element.addEventListener(event, handler)
```

```
element.removeEventListener(event, handler)
```

↳ handler must be the same function object for this to work

The Event Object

When an event happens, the browser creates an event object, puts details into it and passes it as an argument to the handler

```
elem. onclick = function (event) {
```

```
    ...
```

```
}
```

event. type : Event type

event. currentTarget : Element that handled the event

event. clientX / event. clientY : Coordinates of the cursor