
SRS DISTRIBUTION

# SRS Network Insights and Analytics Hub

Summary guide: the console, how Mova iO works, the screens, the numbers and the 33 demos in ten pages




**Managed Network Services** · Movate for SRS Distribution
Summary edition · October 2026

# 1. What the console is

The SRS Network Insights and Analytics Hub is the single working console for SRS Distribution's managed network. It brings the network tools together on one screen and shows what Mova iO, Movate's AI layer, is doing about every problem: what it found, how sure it is, what it did or wants to do, and who approved it.

| Estate | Count | Notes |
|---|---|---|
| Branches | 900 | Nine regions, Southeast to Canada; acquired branches keep their brand name |
| SD-WAN appliances | 933 | HPE Aruba EdgeConnect EC-XS (end of sale 31 Jan 2026, supported to 31 Jan 2031); larger branches run an HA pair |
| Switches | 1,856 | Aruba 2530 (728, end of support Jan and Mar 2027), CX 6100, 6200M and 6300 |
| Access points | 1,286 | Indoor AP-635; outdoor AP-565 and AP-585 for yards |
| Circuits | 1,800 | A primary and a backup path per branch from AT&T, Lumen, Comcast, Spectrum, Verizon, Cox and others |

| Tool | What it gives the console |
|---|---|
| EdgeConnect Orchestrator | SD-WAN paths and tunnels: loss, latency, jitter, failover |
| Aruba Central | Switch, AP and client health, PoE, radios, firmware |
| HPE OpsRamp | SNMP, syslog, config backups and the event layer that correlates them |
| New Relic | Synthetic checks of the payment and ERP paths from every branch |
| ServiceNow | Incidents, changes, problems, the CMDB and the service catalog |
| Carrier portals | Carrier cases, loopback tests, maintenance calendars, outage maps |


**Scope is the network only:** SD-WAN, circuits, switching, Wi-Fi, network services such as DHCP, configuration, firmware and the network paths to the data centre and Azure. Applications, end-user devices and building systems are outside it.

## What it changes for SRS

- **One incident per branch per event, not one per alert.** Correlation removes about 70% of raw events before anyone sees them (the KPI asks for 50%).
- **Problems fixed before the branch notices.** Approved runbooks act within the gate rules, verify the result and close the ticket with the evidence attached.
- **People stay in control.** Anything risky waits for a named person, with the plan, the evidence and the rollback already prepared.
- **Every branch ready at opening.** Ten network checks run at 05:30 local time; anything that fails is fixed or owned before the doors open.
- **Acquisitions join fast.** Day-one monitoring as they are, then the SRS standard network over one weekend through Branch-in-a-Box.

# 2. How Mova iO works

Five sources feed one event layer. Mova iO correlates the events, decides within the gate rules, acts through the tools and writes everything to ServiceNow and the audit log.




Data flow: five sources feed one event layer; Mova iO decides within the gate rules and acts through the tools; every step is recorded in ServiceNow and the audit log.

Every decision carries **evidence** (why), a **confidence** (0 to 100%), a **rollback** (how to undo it) and a **verification** (how it proves the fix worked).

## The gate rule

A person must approve before anything changes when **any** of these is true:

- confidence is below 80%;
- the device is at a branch that is open for trading;
- a freeze window covers the device or region.

Never autonomous, whatever the confidence: firmware and OS upgrades, routing, security policy and QoS changes, device reloads, rollbacks on hub devices, and any action on a device without a confirmed alternate path.

## Three control modes

| Mode | Catalog tier | What happens | The person's role |
|---|---|---|---|
| Autonomous | Act | Acts on its own inside a policy SRS and Movate set and audit | Over the loop: reviews outcomes and policy |
| Human-on-the-loop | Act and notify | Acts and tells a named person at once, who can stop it during a stop window | On the loop: watches and can stop |
| Human-in-the-loop | Stage | Prepares the plan, evidence and rollback, then waits | In the loop: nothing changes until they approve |

New runbooks start at the Stage tier and move up only on a record of clean runs, proposed by the Catalog Steward and approved by SRS.

# 3. Reading any screen





**Figure 1.** Operations Overview: header, left menu, filter bar and working area

Every screen has the same frame: a **header** (Ask Mova iO, role selector, notifications, light/dark mode, **speed 1× / 5× / 10×** and the Central Time clock), the **left menu** grouped Operate, Manage, Grow, Improve and Govern, and a **filter bar** (region, city, branch, brand) that applies to every screen. Short notifications pop up at the top right with a close button.

| Colour | Means |
|---|---|
| Green | Healthy, passed, on track |
| Amber | Degraded, warning, at risk (for example on the backup path, or an SLA clock past 75%) |
| Red | Down, failed, breached |
| Blue | Measurements: chart lines and bars, not judgements |
| Maroon | SRS brand: buttons, active menu item, items waiting for a person. Never used for health |

| Priority | Used when | Respond | Resolve |
|---|---|---|---|
| P1 | Several branches down or a critical service lost | 15 min | 4 h |
| P2 | One branch with both paths down, or major impact at one branch | 15 min | 8 h |
| P3 | One path down while trading on the backup, or degradation with a workaround | 30 min | 24 h |
| P4 | Minor issues and planned work | 30 min | 96 h |

**Shorthand.** A triple such as **872 / 25 / 3** is healthy / degraded / down. "On track / at risk / breached" uses the same colour order. A sparkline is the recent history of the number beside it; its last point is now. All times are Central Time unless a card says local time.

# 4. The 19 screens at a glance

| Screen | The question it answers | What to look at first |
|---|---|---|
| Operations Overview | Is the network all right, and if not, where? | Headline tiles, branch health map, open incidents, error budgets |
| Live Operations | What is happening on the network right now? | Branches online and on backup, latency, loss, jitter, tunnels, event stream |
| Correlation | How do thousands of events become a few incidents? | Events to alerts to incidents, noise removed, correlation methods |
| Branch 360 | Everything about one branch | Gauges, health score, risk next 4 hours, circuits, devices, dependencies |
| Branch Readiness | Will every branch open on time? | 05:30 result, ten checks, readiness by branch, tomorrow's risk |
| Live Incidents | What is the NOC working on? | The queue with SLA clocks; the incident record and its agent steps |
| Network Graph | What depends on what? | Branch to carrier to hosting to application; blast radius on click |
| Device & Circuit Inventory | What do we run, and is it backed up? | Firmware by platform, backup success, support contracts, Central vs standalone, circuits |
| Lifecycle & Vulnerabilities | Which devices are exposed or ageing? | Advisories mapped to devices; end of sale and end of support by model |
| Carrier Management | Are carriers fixing faults fast and fairly? | Open cases, scorecard, repeat offenders, no-trouble-found tracking |
| Field Dispatch | Who goes where, with which spare? | Work orders, technicians, depot spares |
| Approvals & Changes | What is waiting for a person? | Approvals queue, change calendar and freezes, drift, firmware compliance |
| Branch-in-a-Box | How are new and acquired branches joining? | Portfolio, two tracks, kit and VLANs, cutover gates, parity |
| Predictive Watchlist | What is likely to fail next? | Degrading circuits, failure risk, capacity, risk matrix |
| Knowledge | What did we learn last time? | Similar incidents, auto-drafted articles, problem records |
| Mova iO Agents | What is the AI doing, and how well? | 13 agents: actions today, success rate, last action |
| Automation Library | What may run on its own? | Runbook catalog, tiers, runs and hours given back, what to automate next |
| SLA & KPI Tracker | Are we meeting Annexure B? | Each SLA and KPI against MSL and ESL, breach risk, service credits |
| Reports | What do I hand over or send? | Shift handover, daily summary, weekly review, onboarding, audit log |

Two more pages have their own links and are not linked from the console: **Live Demos** (33 scripted branch situations on a full-screen stage, sections 6 and 7) and the **Morning Brief** (a newspaper for six leaders, section 9).

**Roles.** The role selector sets the landing page: NOC Engineer → Live Incidents; Network Engineer L3 → Approvals & Changes; StoreOps Lead → Branch Readiness; Branch Manager → Operations Overview for one branch; Field Technician → Field Dispatch; M&A Integration Lead → Branch-in-a-Box; Security Lead → Approvals & Changes, firmware tab.

# 5. Numbers that matter

Every reading describes the network, and each one maps to something the branch feels. The first four describe the WAN line a branch is using; they rise together when a line is congested or faulty. Wi-Fi is measured inside the building and does not depend on the WAN.

| Measure | What it is | Normal | Look closer | Act | What the business feels |
|---|---|---|---|---|---|
| Latency to data centre | Round trip to the McKinney data centre | 7–15 ms Texas, 35–50 ms coasts, +25–40 ms on LTE | Normal + 25 ms | Normal + 60 ms | ERP, pricing and orders slow down |
| Packet loss | Data that never arrives | Under 0.2% | Above 1% | Above 2% (ticket after 10 min) | Card payments retry, calls break up |
| Jitter | Variation in delay | 0.5–3 ms wired, 5–12 ms LTE | Above 20 ms | Above 30 ms | Choppy calls, terminal time-outs |
| WAN use | Share of the line's bandwidth in use | 10–60% | Above 70% | Above 85% | Queuing raises latency and loss for all |
| Payment path round trip | Test payment from the counter VLAN to the processor | 100–200 ms | 200–400 ms | Above 400 ms | Slow card payments at the counter |
| Wi-Fi experience | Aruba Central score inside the branch | 90–97 | Below 80 | Below 65 | Handhelds and laptops struggle |
| Branch health score | 0–100 from eight parts | 85 and above | 70 to 84 | Below 70 | – |
| Risk, next 4 hours | Chance of a business-impacting problem | Under 25 | 25 to 49 | 50 and above | – |
| Noise removed | Events dropped before they become alerts | About 70% (KPI 50%) | Falling | Below 50% | Engineers see more noise |
| SLA clock | Time left to resolve | Time left | More than 75% used | Breached | Service credit risk |

## Error budgets

An error budget is the failure a target allows. A 99.9% target over 30 days allows about 43 minutes. The Overview tracks four: branches online (at least one working line), jitter under 30 ms (protects calls and payments), loss under 1% (protects payments and ERP), and P1/P2 answered in 15 minutes. **Burning N×** means the budget is being used faster than an even spend; when it burns fast, non-essential changes in that area wait.

## Ticket triggers

A device unreachable for three polls, an SD-WAN tunnel down for more than two minutes, packet loss above 2% for ten minutes, sustained latency or jitter above the path's limit, recurring interface errors, or a failed synthetic payment-path or ERP check.

# 6. Inside a demo





**Figure 2.** The demo stage

Each demo plays on one full-screen stage that shows every system at once, in the order **Detect** → **Correlate** → **Decide** → **Act** → **Verify** → **Record**:

- **System strip:** every tool involved (Orchestrator, Central, OpsRamp, New Relic, Mova iO, ServiceNow, carrier portal, Teams) with its live state.
- **Live chart:** the metric that went wrong, its threshold and the moment Mova iO acted.
- **Runbook and terminal:** the actual Python or Ansible steps, pre-checks and verification.
- **Mova iO decisions:** evidence, causes ruled out, confidence and the gate decision.
- **Approval step** (human modes): the named approver, the plan and the rollback; **Approve** or **Decline**.
- **Bottom bar:** outcome, before and after values, alerts to tickets, people needed, demo time and speed (1×, 2×, 5×, 10×).

**Business view** explains the problem, impact, what was protected and the result in plain words; **Technical view** shows the alert, the rule, the engine and every step. The stage shows the incident, approvals, carrier case and work order each demo creates, exactly as an engineer would find them in the console.

# 7. The 33 demos

Each demo is built from the proposal documents (the solution response and its "day in the life" scenarios, the RFP response, Annexure B and the console brief) and covers a core network situation.

| # | Demo | Mode |
|---|---|---|
| **SD-WAN and carriers** | | |
| 1 | SD-WAN circuit degradation fixed before the branch notices | Autonomous |
| 2 | Branch hard down after a carrier fiber cut | Human-in-the-loop |
| 3 | Primary circuit down: carrier fault | Autonomous |
| 4 | Chronic circuit: four drops in 30 days become a problem record | Autonomous |
| 5 | Return to primary circuit after carrier repair | Human-on-the-loop |
| 6 | EdgeConnect hardware failure | Human-in-the-loop |
| 7 | Severe weather across Dallas–Fort Worth | Human-in-the-loop |
| **LAN and Wi-Fi** | | |
| 8 | Yard access point offline | Autonomous |
| 9 | Wi-Fi roaming failures and config drift in a distribution yard | Human-in-the-loop |
| 10 | CRC errors climbing on a switch uplink | Human-in-the-loop |
| 11 | Automation does not fix it: engineer takes over with full context | Human-in-the-loop |
| 12 | Broadcast storm from an unmanaged desk switch | Human-on-the-loop |
| 13 | DHCP scope full after a handheld rollout | Human-in-the-loop |
| **Patching and firmware** | | |
| 14 | Day-0 critical patch for all EdgeConnects | Human-in-the-loop |
| 15 | Monthly switch patch wave with automatic checks | Human-on-the-loop |
| 16 | Critical access point vulnerability | Human-in-the-loop |
| 17 | Access point firmware wave stopped at canary | Human-on-the-loop |
| 18 | Annual major switch upgrade with early life support | Human-in-the-loop |
| 19 | Firmware compliance catch-up after hardware swaps | Human-in-the-loop |
| 20 | Error budget burning: tonight's patch wave deferred | Autonomous |
| 21 | Aruba 2530 end of support: refresh wave 1 | Human-in-the-loop |
| **Configuration and automation** | | |
| 22 | Nightly config backups fail and are re-run | Autonomous |
| 23 | Unapproved local admin account on a switch | Human-in-the-loop |
| 24 | Port activation from the service catalog | Human-on-the-loop |
| 25 | Standalone access points brought under Aruba Central | Human-in-the-loop |
| 26 | A repeated manual fix becomes a tested runbook | Human-in-the-loop |
| 27 | Backup LTE fails the weekly failover test | Autonomous |
| **Predict and prevent** | | |
| 28 | Circuit degradation predicted: proactive carrier case | Autonomous |
| 29 | WAN capacity forecast for hail season | Human-in-the-loop |
| **Branch readiness** | | |
| 30 | Branch fails its 05:30 readiness check | Autonomous |
| 31 | After-hours link down held and checked at opening | Autonomous |
| **Branch-in-a-Box** | | |
| 32 | Acquired branches monitored from day one, before any kit changes | Human-in-the-loop |
| 33 | Acquired branch cutover weekend | Human-in-the-loop |

# 8. Patching, changes and acquisitions

## Patching without surprises

- **Rings with a canary.** A small first group is checked against a control group before the rest proceed; a bad canary stops the wave on its own (demo 17).
- **Pre and post checks** on every device, HA pairs one unit at a time, and automatic rollback if a check fails.
- **Cadence.** Day-0 critical patches within the emergency window (demo 14), monthly minor waves (demo 15), and a major upgrade up to once a year with early life support (demo 18).
- **Policy.** Every device is measured against the firmware policy (N, N-1, N-2); drift from the golden config is found every night and fixed by a reviewed change (demos 19, 23).
- **Error budget as a brake.** When a service level is burning fast, non-essential changes wait (demo 20).
- **Lifecycle.** The 728 Aruba 2530 switches reach end of support on 31 Jan 2027 (48-port) and 31 Mar 2027 (24-port) and are replaced in refresh waves with the Branch-in-a-Box kit (demo 21). The EdgeConnect EC-XS reached end of sale on 31 Jan 2026 and stays supported until 31 Jan 2031; new units are EdgeConnect 10104.
- Firmware never changes without a person, but once approved the waves run themselves.

## Branch-in-a-Box

The standard kit and process that puts any new or acquired branch on the SRS standard network, usually over one weekend, trading again on Monday morning. Acquired branches keep their name, staff and customers.





**Figure 3.** Branch-in-a-Box portfolio

- **Day 1:** monitor the acquired network as it is, before any kit changes (demo 32).
- **Cutover weekend:** Friday 17:00 to Monday 06:00, 13 gates, each with an owner, evidence and a result; a failed gate arms the rollback (demo 33).
- **Hypercare:** 14 days of tighter thresholds after go-live.

# 9. Measuring the service, and the Morning Brief

The **SLA & KPI Tracker** measures every Annexure B service level and KPI, live, against its minimum (MSL, below which a service credit applies) and its expected level (ESL, the target), with breach risk, credit exposure and a six-month history for each. **Reports** (shift handover, daily summary, weekly service review, onboarding and the audit log) are built from live data when opened, each with a row of charts.

### The Morning Brief

A third page ( `briefs/` ): a two-minute newspaper for six leaders, each signing in to their own edition. **Today**, **This week** and **This month** are different reports: what is going well, a short list to fix, four numbers, the day ahead, four charts and four stories, and each downloads as a PDF with the same charts.





**Figure 4.** Two of the four charts on the CIO's Morning Brief; every bar and dot opens the detail behind it

**Peel the onion.** Every number, sentence, chart, map dot, calendar entry and story opens a drill-down that goes as deep as the console: estate → region → state → city → branch → one line, device or incident → the carrier, change, decision or trend behind it, with a breadcrumb and **Back**. It reads the data the edition was printed from, so its numbers match the page.

# 10. A 33-minute walkthrough

1. **Operations Overview (3 min).** Tiles, map and error budgets. Click **LIVE** to pause while you talk, or set the header speed to 5× to show more activity.
2. **Demo 1, SD-WAN degradation (4 min).** Autonomous: 43 alerts, one incident, fixed and closed in under two minutes.
3. **Demo 9, Wi-Fi drift (4 min).** Human-in-the-loop: read the evidence aloud, then approve.
4. **Demo 2, fiber cut (4 min).** A P1 end to end, including the branch manager's call and the RCA.
5. **Correlation (2 min).** Why engineers see only a small share of the alerts.
6. **Patching (5 min).** Demo 14 or 18, then Approvals & Changes on the firmware tab.
7. **Branch Readiness (2 min).** Every branch checked at 05:30 local, problems fixed before opening.
8. **Branch-in-a-Box (4 min).** Demos 32 and 33.
9. **SLA & KPI Tracker (2 min).** Every Annexure B metric, live.
10. **The Morning Brief (3 min).** As the CIO, click **Trading normally** and peel down to one branch and its line.