

In [10]:

```
import sys
!{sys.executable} -m pip install snowflake-connector-python
```

Requirement already satisfied: snowflake-connector-python in c:\users\2025a.laptop\anaconda3\lib\site-packages (4.7.3)
Requirement already satisfied: asn1crypto<2.0.0,>0.24.0 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (1.5.1)
Requirement already satisfied: cryptography>=46.0.5 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (46.0.7)
Requirement already satisfied: pyOpenSSL>=24.0.0 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (25.3.0)
Requirement already satisfied: pyjwt<3.0.0,>=2.10.1 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (2.10.1)
Requirement already satisfied: pytz in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (2025.2)
Requirement already satisfied: requests<3.0.0,>=2.32.4 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (2.32.5)
Requirement already satisfied: packaging in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (25.0)
Requirement already satisfied: charset_normalizer<4,>=2 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (3.4.4)
Requirement already satisfied: idna<4,>=3.7 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (3.11)
Requirement already satisfied: certifi>=2024.7.4 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (2025.11.12)
Requirement already satisfied: typing_extensions<5,>=4.3 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (4.15.0)
Requirement already satisfied: filelock<4,>=3.5 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (3.20.0)
Requirement already satisfied: sortedcontainers>=2.4.0 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (2.4.0)
Requirement already satisfied: platformdirs<5.0.0,>=2.6.0 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (4.5.0)
Requirement already satisfied: tomllkit in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (0.13.3)
Requirement already satisfied: boto3>=1.24 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (1.43.91)
Requirement already satisfied: botocore>=1.24 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from snowflake-connector-python) (1.43.91)
Requirement already satisfied: urllib3<3,>=1.21.1 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from requests<3.0.0,>=2.32.4->snowflake-connector-python) (2.5.0)
Requirement already satisfied: jmespath<2.0.0,>=0.7.1 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from boto3>=1.24->snowflake-connector-python) (1.0.1)
Requirement already satisfied: s3transfer<0.20.0,>=0.19.0 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from boto3>=1.24->snowflake-connector-python) (0.19.2)
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from botocore>=1.24->snowflake-connector-python) (2.9.0.post0)
Requirement already satisfied: six>=1.5 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from python-dateutil<3.0.0,>=2.1->botocore>=1.24->snowflake-connector-python) (1.17.0)
Requirement already satisfied: cffi>=2.0.0 in c:\users\2025a.laptop\anaconda3\lib\site-packages (from cryptography>=46.0.5->snowflake-connector-python) (2.0.0)
Requirement already satisfied: pycparser in c:\users\2025a.laptop\anaconda3\lib\site-packages (from cffi>=2.0.0->cryptography>=46.0.5->snowflake-connector-python) (2.23)

In [15]:

```
import snowflake.connector
```

In [16]:

```
from snowflake.connector.pandas_tools import write_pandas
```

In [17]:

```
import pandas as pd
```

In [18]:

```
fact_transactions = pd.read_excel('All_Transactions.xlsx')
```

In [20]:

```
dim_users = pd.read_excel('All_Users.xlsx')
```

In [21]:

```
fact_transactions.head()
```

Out[21]:

	Transaction_ID	Amount	User_ID	Service	Service Type	Payment_Status	Reason	Da
0	RCG_0C338474B366	926.59	PP0021371	Recharge_Bills	FASTag Recharge	Successful	Successful	202-06-1
1	RCG_6B3B86B07A76	1211.64	PP0002388	Recharge_Bills	DTH	Successful	Successful	202-08-1
2	RCG_767822392A0E	746.27	PP1101831	Recharge_Bills	Cable TV	Successful	Successful	202-02-
3	RCG_527E6AC74B11	1319.89	PP0033099	Recharge_Bills	Mobile Recharge	Successful	Successful	202-12-
4	RCG_6B50A8C694E1	112.44	PP1059869	Recharge_Bills	Cable TV	Successful	Successful	202-09-1

In [22]:

```
dim_users.head()
```

Out[22]:

	User_ID	Name	Age	Join_Date
0	PP0000001	Holly Rivera	56	2025-06-17
1	PP0000002	Kevin Lopez	46	2023-12-10
2	PP0000003	Douglas Roberts	32	2024-09-14
3	PP0000004	Walter Davila	60	2023-10-19
4	PP0000005	Grace Blake	25	2025-03-10

In [23]:

```
conn = snowflake.connector.connect(  
    user="HARSHND",  
    password="Harsh@@5757260",  
    account="cm80021.ap-southeast-7.aws",  
    warehouse="COMPUTE_WH",  
    role="ACCOUNTADMIN"  
)  
  
cs = conn.cursor()
```

```
cs.execute("SELECT CURRENT_VERSION()")
print("Conneccted:", cs.fetchone())
```

Conneccted: ('10.32.102',)

In [24]:

```
cs.execute("CREATE DATABASE IF NOT EXISTS PHONEPE_ANALYTICS")
cs.execute("CREATE SCHEMA IF NOT EXISTS PHONEPE_ANALYTICS.PUBLIC")
print("Database and schema created")
cs.close()
conn.close()
```

Database and schema created

In [25]:

```
conn = snowflake.connector.connect(
    user="HARSHND",
    password="Harsh@@5757260",
    account="cm80021.ap-southeast-7.aws",
    warehouse="COMPUTE_WH",
    database="PHONEPE_ANALYTICS",
    schema="PUBLIC",
    role="ACCOUNTADMIN"
)
print("Connected with database and schema set.")
```

Connected with database and schema set.

In [26]:

```
fact_transactions.columns = [c.upper() for c in fact_transactions.columns]
dim_users.columns = [c.upper() for c in dim_users.columns]

# Loading fact_transaction data
success, nchunk, nrows, _ = write_pandas(
    conn, fact_transactions, "FACT_TRANSACTIONS",
    auto_create_table=True, overwrite=True
)

# Loading dim_users data
success, nchunk, nrows, _ = write_pandas(
    conn, dim_users, "DIM_USERS",
    auto_create_table=True, overwrite=True
)

conn.close()
```

In []: