

ASSIGNMENT 1

SQL SERVER INSTALLATION

SUBMITTED BY:

NAME: HARSHPREET KAUR

Email: harshpreet.kaur@kenexai.com


DATE: 04-Jun-2026

Task 1:
Screenshot of downloaded SQL Server installer

Name	Date modified	Type	Size
▼ Today			
 SQL2025-SSEI-StdDev	04-Jun-26 4:34 PM	Application	4,463 KB

Task 2:

Screenshots of SQL Server installation completion





Instance Configuration

Specify the name and instance ID for the instance of SQL Server. Instance ID becomes part of the installation path.

Global Rules

Microsoft Update

Product Updates

Install Setup Files

Install Rules

Installation Type

Edition

License Terms

Azure Extension for SQL Server

Feature Selection

Feature Rules

Instance Configuration

Server Configuration

Database Engine Configuration

Feature Configuration Rules

Ready to Install

Installation Progress

Complete

☐ Default instance

☒ Named instance: * KENMSSQL

Instance ID: KENMSSQL

SQL Server directory: C:\Program Files\Microsoft SQL Server\MSSQL17.KENMSSQL

Installed instances:

Instance Name	Instance ID	Features	Edition	Version
MSSQLSERVER	MSSQL17.MSSQLS...	SQLEngine	Standard Developer	17.0.1000.7

< Back

Next >

Cancel


Task 3:

Screenshot of downloaded SSMS installer

Name	Date modified	Type	Size
▼ Today			
 SQL2025-SSEI-StdDev	04-Jun-26 4:34 PM	Application	4,463 KB
 SSMS-Setup-ENU	04-Jun-26 4:55 PM	Application	5,540 KB



Task 4:


Screenshot of SSMS installation completion



Task 5:



Screenshots of successful SSMS connection






Task 6:

Screenshots of TestDB creation



Task 7:

Screenshots of table creation and data insertion




The screenshot shows the SQL Server Enterprise Manager interface. The top pane displays the following SQL query:

```
1 USE TestDB; CREATE TABLE Students ( StudentID INT PRIMARY KEY IDENTITY(1,1),
2 FirstName VARCHAR(50) NOT NULL, LastName VARCHAR(50) NOT NULL, Email VARCHAR(100),
3 EnrollmentDate DATE DEFAULT GETDATE() );
4
```

The bottom pane shows the Messages tab with the following output:

```
Commands completed successfully.
Completion time: 2026-06-04T17:30:28.1409672+05:30
```

The status bar at the bottom indicates: "Query executed successfully." and "localhost\KENMSSQL (17.0 RTM) sa (89) TestDB 00:00:00 Row: 0, Col: 0 0 rows".



The screenshot shows the SQL Server Enterprise Manager interface. The top pane displays the following SQL query:

```
1 USE TestDB; CREATE TABLE Students ( StudentID INT PRIMARY KEY IDENTITY(1,1),
2 FirstName VARCHAR(50) NOT NULL, LastName VARCHAR(50) NOT NULL, Email VARCHAR(100),
3 EnrollmentDate DATE DEFAULT GETDATE() );
4
5 INSERT INTO Students (FirstName, LastName, Email) VALUES ('Rahul', 'Kumar',
6 'rahul.kumar@email.com'), ('Priya', 'Sharma', 'priya.sharma@email.com'), ('Amit',
7 'Patel', 'amit.patel@email.com');
```

The bottom pane shows the Messages tab with the following output:

```
(3 rows affected)
Completion time: 2026-06-04T17:32:11.1485068+05:30
```

The status bar at the bottom indicates: "Query executed successfully." and "localhost\KENMSSQL (17.0 RTM) sa (89) TestDB 00:00:00 Row: 0, Col: 0 0 rows".

SQLQuery1.s...B (sa (89))*

```
1 USE TestDB; CREATE TABLE Students ( StudentID INT PRIMARY KEY IDENTITY(1,1),
2 FirstName VARCHAR(50) NOT NULL, LastName VARCHAR(50) NOT NULL, Email VARCHAR(100),
3 EnrollmentDate DATE DEFAULT GETDATE() );
4
5 INSERT INTO Students (FirstName, LastName, Email) VALUES ('Rahul', 'Kumar',
6 'rahul.kumar@email.com'), ('Priya', 'Sharma', 'priya.sharma@email.com'), ('Amit',
7 'Patel', 'amit.patel@email.com');
8
9 SELECT * FROM Students
```

100 % No issues found Ln: 9, Ch: 23 (22 chars, 1 lines) TABS CRLF UTF-8

Results Messages

	StudentID	FirstName	LastName	Email	EnrollmentDate
1	1	Rahul	Kumar	rahul.kumar@email.com	2026-06-04
2	2	Priya	Sharma	priya.sharma@email.com	2026-06-04
3	3	Amit	Patel	amit.patel@email.com	2026-06-04

Query executed successfully. localhost\KENMSSQL (17.0 RTM) sa (89) TestDB 00:00:00 Row: 1, Col: 1 3 rows

Task 8:

Screenshots of all query executions

The screenshot shows the SQL Server Enterprise Manager interface. The query editor displays the following SQL code:

```
--QUERY 1: View all data
SELECT * FROM Students;
```

The query was executed successfully, and the results are displayed in a table with 3 rows and 5 columns:

	StudentID	FirstName	LastName	Email	EnrollmentDate
1	1	Rahul	Kumar	rahul.kumar@email.com	2026-06-04
2	2	Priya	Sharma	priya.sharma@email.com	2026-06-04
3	3	Amit	Patel	amit.patel@email.com	2026-06-04

The status bar at the bottom indicates: "Query executed successfully." and "localhost\KENMSSQL (17.0 RTM) | sa (86) | TestDB | 00:00:00 | Row: 1, Col: 1 | 3 rows".

The screenshot shows the SQL Server Enterprise Manager interface. The query editor displays the following SQL code:

```
SELECT @@VERSION
```

The query was executed successfully, and the results are displayed in a table with 1 row and 1 column:

(No column name)
Microsoft SQL Server 2025 (RTM) - 17.0.1000.7 (X...

The status bar at the bottom indicates: "Query executed successfully." and "localhost\KENMSSQL (17.0 RTM) | sa (86) | TestDB | 00:00:00 | Row: 1, Col: 1 | 1 rows".

SQLQuery2.s...B (sa (86))* X SQLQuery1.sq...tDB (sa (89))*

```
1 --Query 1: View all data
2 SELECT * FROM Students;
3 -- Query 2: Count total students
4 SELECT COUNT(*) AS TotalStudents FROM Students;
5 -- Query 3: Get server version
6 SELECT @@VERSION AS SQLServerVersion;
7 -- Query 4: Get current database name
8 SELECT DB_NAME() AS CurrentDatabase;
9 -- Query 5: List all databases
10 SELECT name AS DatabaseName FROM sys.databases WHERE database_id > 4
```

100 % 2 0 Ln: 7, Ch: 39 TABS CRLF UTF-8

Results Messages

	StudentID	FirstName	LastName	Email	EnrollmentDate
1	1	Rahul	Kumar	rahul.kumar@email.com	2026-06-04
2	2	Priya	Sharma	priya.sharma@email.com	2026-06-04
3	3	Amit	Patel	amit.patel@email.com	2026-06-04

	TotalStudents
1	3

	SQLServerVersion
1	Microsoft SQL Server 2025 (RTM) - 17.0.1000.7 (X...

	CurrentDatabase
1	TestDB

	DatabaseName
1	TestDB

Query executed successfully. localhost\KENMSSQL (17.0 RTM) sa (86) TestDB 00:00:00 Row: 1, Col: 1 7 rows

SQLQuery1.s...B (sa (89))* X

```
1 USE TestDB; CREATE TABLE Students ( StudentID INT PRIMARY KEY IDENTITY(1,1),
2 FirstName VARCHAR(50) NOT NULL, LastName VARCHAR(50) NOT NULL, Email VARCHAR(100),
3 EnrollmentDate DATE DEFAULT GETDATE() );
4
```

100 % No issues found Ln: 4, Ch: 1 TABS CRLF UTF-8

Messages

Commands completed successfully.

Completion time: 2026-06-04T17:30:28.1409672+05:30

100 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. localhost\KENMSSQL (17.0 RTM) sa (89) TestDB 00:00:00 Row: 0, Col: 0 0 rows

Reflection:

Smooth process, no challenge faced.