

CONTEXTUAL ADAPTATION FRAMEWORKS

1 Purpose of This Part

To make MIMIR operational anywhere words live: calls, emails, slides, social posts, chat threads, videos, internal notes, leadership memos.

It defines the system that translates the same core meaning into multiple delivery environments while preserving tone, pacing, and impact.

This part answers:

“How does my message stay itself when the world around it changes?”

2 Meta-Objectives

1. Encode transfer rules so phrasing and tone remain stable across channels.
 2. Establish environment variables — length, latency, attention window, interactivity level, permanence.
 3. Teach context-first design: crafting *for* medium, not merely *in* it.
 4. Build reusable adaptation models for voice, text, visual, synchronous, and asynchronous exchanges.
 5. Provide cross-medium coherence tests to prevent semantic drift.
-

3 Structural Flow of Part 4

Layer	Title	Function
1	Medium Physics	Explain constraints and freedoms of each channel.
2	The Context Stack	Decode environmental layers that shape interpretation.
3	Message Compression & Expansion Rules	Scale thought density without losing emotional continuity.
4	Platform Persona Mapping	Calibrate tone for digital ecosystems (email, LinkedIn, Slack, video, etc.).
5	Synchronous vs Asynchronous Dynamics	Manage timing, latency, and cognitive memory across time-shifted mediums.
6	Channel Transition Continuity	Maintain message identity through multi-touch sequences.

7	Contextual Risk Management	Prevent misinterpretation, leaks, or perception distortion.
8	Operational Adaptation Checklist	Pre-deployment channel alignment protocol.

4 Detailed Descriptions of Each Layer

Layer 1 – Medium Physics

- Defines five medium families: **Voice, Text, Visual, Interactive, Hybrid**.
- Breaks down attention half-life: call $\approx$ 6 min window / email $\approx$ 90 sec scan / social $\approx$ 3 sec scroll.
- Explains *density vs dwell trade-off*: shorter mediums require higher semantic energy per word.
- Maps feedback latency: instant (voice) $\rightarrow$ short (chat) $\rightarrow$ delayed (email) $\rightarrow$ asynchronous (posts).
- Establishes **Medium Integrity Rule**: message must fit channel’s natural posture (conversation, record, broadcast, cue).

Layer 2 – The Context Stack

1. **Situational Context**: external event, urgency, or trigger.
2. **Relational Context**: history and power balance between sender & receiver.
3. **Cultural Context**: norms governing politeness, directness, humour.
4. **Temporal Context**: timing within day/week/decision cycle.
5. **Platform Context**: implicit behaviour patterns (threads vs broadcasts).
Each layer modifies tone, length, and expected response speed.

Layer 3 – Message Compression & Expansion Rules

- Introduces **Elastic Message Model** (EMM): core insight $\rightarrow$ support $\rightarrow$ proof $\rightarrow$ CTA.
- *Compression*: remove proof & CTA but retain core insight for teaser forms.
- *Expansion*: add context & proof blocks for long-form or strategic documents.
- Provides *continuity matrix* — ensuring compressed variants still echo full-form emotional arcs.
- Defines “resonance anchor” — a single recurring phrase or metaphor binding all versions.

Layer 4 – Platform Persona Mapping

- Profiles 10+ major platforms: Email, LinkedIn, Slack, WhatsApp, X, SlideDeck, Voice Note, Loom Video, Web Copy, Internal Doc.
- For each: ideal tone range, pacing, word count, visual ratio, risk tolerance.
- Demonstrates conversion examples:
 - Email → LinkedIn post = drop CTA + raise vulnerability.
 - Deck → Speech = reduce data + increase story.
- Adds **Platform Persona Index (PPI)** to score channel alignment.

Layer 5 – Synchronous vs Asynchronous Dynamics

- Synchronous medium = real-time feedback loop (voice, video).
- Asynchronous medium = delayed feedback loop (email, post).
- Teaches *energy transference rule*: asynchronous needs front-loaded energy; synchronous needs sustained pace.
- Describes memory echo design: repeating one emotionally loaded line across time to maintain thread continuity.

Layer 6 – Channel Transition Continuity

- Defines *Message Lifecycle*: Hook → Engage → Reinforce → Close → Follow-up.
- Shows how each stage demands different channel form yet same psychological arc.
- Introduces **Continuity Marker** — repeating lexical cue (e.g., phrase, emoji, tag-line) connecting touchpoints.
- Builds *Cross-Channel Storyboard* template for SDR/Marketing cadences.

Layer 7 – Contextual Risk Management

- Identifies top risk zones: screenshot risk, tone amplification, timing misread, hierarchy breach.
- Provides mitigation tactics: timestamp awareness, message expiry tools, tone hedges (softeners for ambiguous text).
- Outlines “Escalation Spiral Predictor” — how written tone can unintentionally escalate tension.
- Adds micro-audit: confirm if medium allows safe retraction or clarification.

Layer 8 – Operational Adaptation Checklist

1. Identify receiver’s preferred response medium.

2. Define Context Stack layer weights (situational > relational > platform).
 3. Choose Elastic Message variant (short / full).
 4. Validate tone within PPI range.
 5. Insert Continuity Marker.
 6. Simulate read path (eye flow or ear flow).
 7. Approve for release.
-

5 Edge Case Coverage

- **Multi-Channel Overload:** avoiding contradictory cues from parallel messages.
 - **Global Team Coordination:** harmonizing across tools (Teams, Slack, email).
 - **Crisis Mode:** prioritizing clarity & timestamp transparency.
 - **Ghost Mediums:** when replies come through unexpected channels.
 - **AI Relay:** ensuring generated summaries maintain original tone.
-

6 Inter-Dependencies

- Pulls emotion and intent from Part 1–3.
 - Feeds Part 8 (Structural Tailoring) with channel and platform constraints.
 - Links to Part 7 (Persona & Cultural Tailoring) for local adaptation.
-

7 Exclusions

- Does not handle deep persona logic (Part 7).
 - Leaves bias perception corrections to Part 9.
 - Avoids micro-syntactic repair work (Part 2).
-

8 Deliverables from This Part

1. **Medium Physics Chart** — attention window + latency matrix.
 2. **Elastic Message Model (EMM)** template.
 3. **Platform Persona Index (PPI)** calculator.
 4. **Cross-Channel Storyboard Worksheet.**
 5. **Contextual Risk Audit Checklist.**
-

9 Summary of Intent

Part 4 gives MIMIR spatial and temporal awareness.

Messages stop being trapped in their original form and become adaptive organisms that reshape themselves to fit each environment while staying emotionally and strategically identical.

When internalized, the practitioner develops the instinct to ask:

“Where will this message live, and how must it breathe there?”

****Part 4 Add-On**

Contextual Adaptation Integrity Checks**

1. Do not assume platform rules not stated by the user.

Use universal guidelines only.

2. Do not change meaning to fit a medium.

Change structure, not intent.

3. If context is missing, ask instead of guessing.

4. Remove channel-based assumptions like “they prefer email” unless proven.

5. Visual Safety.

Do not assume a medium requires a visual component unless user requests it.
