

NETRA

Diabetic Retinopathy Screening Report

Patient: PT-20260925-0007

Eye: OD

Date: 2026-09-25_13-58

Image quality: gradable

ROUTINE FOLLOW-UP

No urgent referral - re-screen at the next annual visit

DR Grade 1


Mild

Calibrated confidence: 54%



Grading method: classical computer-vision baseline

Explainability: Attention: occlusion sensitivity · attention-lesion agreement aligned · confidence calibrated (ECE 10%, n=28)



Evidence view - attention heatmap with lesion outlines

LESION FINDINGS

Indicator	Normal	Detected	Threshold	Status
Microaneurysms	0 - 5	5	> 15	Normal
Hemorrhages	0	1	1 or more	Elevated
Exudate area	0%	0.01%	> 0.6%	Normal
Neovascularization	Absent	Absent	Present	Normal

WHY THIS GRADE

5 microaneurysm(s), no significant hemorrhage -> Mild

WHAT THIS MEANS

A few early microaneurysms are present - the mildest stage of diabetic retinopathy.

RECOMMENDED NEXT STEP

Continue annual eye screening. Maintain good control of blood sugar, blood pressure and cholesterol.

This report is produced by a hackathon prototype (SIH 2026, PS 26038) and is NOT a certified medical device. All findings must be reviewed and confirmed by a qualified ophthalmologist before any clinical decision.