Lecture 14: Reinforcement Learning

Administrative

Grades:

- Midterm grades released last night, see Piazza for more information and statistics
- A2 and milestone grades scheduled for later this week

Administrative

Projects:

- All teams must register their project, see Piazza for registration form
- Tiny ImageNet evaluation server is online

Administrative

Survey:

- Please fill out the course survey!
- Link on Piazza or https://goo.gl/forms/eQpVW7IPjqapsDkB2

So far… Supervised Learning

Data: (x, y)
x is data, y is label

Goal: Learn a *function* to map x -> y

Examples: Classification, regression, object detection, semantic segmentation, image captioning, etc.

→ Cat

Classification

So far... Unsupervised Learning

Data: x
Just data, no labels!

Goal: Learn some underlying hidden *structure* of the data

Examples: Clustering, dimensionality reduction, feature learning, density estimation, etc.

1-d density estimation



2-d density estimation

Today: Reinforcement Learning

Problems involving an **agent** interacting with an **environment**, which provides numeric **reward** signals

Goal: Learn how to take actions in order to maximize reward



Atari games figure copyright Volodymyr Mnih et al., 2013. Reproduced with permission.

Overview

- What is Reinforcement Learning?
- Markov Decision Processes
- Q-Learning
- Policy Gradients

Reinforcement Learning

Reinforcement Learning



Reinforcement Learning



Reinforcement Learning



Reinforcement Learning



Cart-Pole Problem



Objective: Balance a pole on top of a movable cart

State: angle, angular speed, position, horizontal velocity
Action: horizontal force applied on the cart
Reward: 1 at each time step if the pole is upright

Robot Locomotion



Objective: Make the robot move forward

State: Angle and position of the joints
Action: Torques applied on joints
Reward: 1 at each time step upright + forward movement

Atari Games

Objective: Complete the game with the highest score

State: Raw pixel inputs of the game state
Action: Game controls e.g. Left, Right, Up, Down
Reward: Score increase/decrease at each time step

Go



Objective: Win the game!

State: Position of all pieces
Action: Where to put the next piece down
Reward: 1 if win at the end of the game, 0 otherwise

How can we mathematically formalize the RL problem?



Markov Decision Process

- Mathematical formulation of the RL problem
- **Markov property**: Current state completely characterises the state of the world

Defined by: $(\mathcal{S}, \mathcal{A}, \mathcal{R}, \mathbb{P}, \gamma)$

$\mathcal{S}$: set of possible states
$\mathcal{A}$: set of possible actions
$\mathcal{R}$: distribution of reward given (state, action) pair
$\mathbb{P}$: transition probability i.e. distribution over next state given (state, action) pair
γ : discount factor

Markov Decision Process

- At time step t=0, environment samples initial state $s_0 \sim p(s_0)$
- Then, for t=0 until done:
  - Agent selects action a_t
  - Environment samples reward $r_t \sim R(. \mid s_t, a_t)$
  - Environment samples next state $s_{t+1} \sim P(. \mid s_t, a_t)$
  - Agent receives reward r_t and next state s_{t+1}

- A policy **π** is a function from S to A that specifies what action to take in each state
- **Objective**: find policy **π*** that maximizes cumulative discounted reward: $\sum_{t \geq 0} \gamma^t r_t$

A simple MDP: Grid World

actions = {

1. right
2. left
3. up
4. down

}

states



Set a negative “reward”
for each transition
(e.g. $r = -1$)

Objective: reach one of terminal states (greyed out) in least number of actions

A simple MDP: Grid World



Random Policy



Optimal Policy

The optimal policy π^*

We want to find optimal policy π^* that maximizes the sum of rewards.

How do we handle the randomness (initial state, transition probability…)?

The optimal policy **π***

We want to find optimal policy **π*** that maximizes the sum of rewards.

How do we handle the randomness (initial state, transition probability…)?
Maximize the **expected sum of rewards!**

But why "expected" sum of rewards? What is its significance?

Formally: $\pi^* = \arg\max_{\pi} \mathbb{E}\left[\sum_{t \geq 0} \gamma^t r_t | \pi\right]$ with $s_0 \sim p(s_0), a_t \sim \pi(\cdot|s_t), s_{t+1} \sim p(\cdot|s_t, a_t)$

What does argmax() do?

Definitions: Value function and Q-value function

Following a policy produces sample trajectories (or paths) $s_0, a_0, r_0, s_1, a_1, r_1, \ldots$

Definitions: Value function and Q-value function

Following a policy produces sample trajectories (or paths) $s_0, a_0, r_0, s_1, a_1, r_1, \ldots$

How good is a state?

The **value function** at state s, is the expected cumulative reward from following the policy from state s:

$$V^{\pi}(s) = \mathbb{E}\left[\sum_{t \geq 0} \gamma^t r_t | s_0 = s, \pi\right]$$

Definitions: Value function and Q-value function

Following a policy produces sample trajectories (or paths) $s_0, a_0, r_0, s_1, a_1, r_1, \ldots$

How good is a state?

The **value function** at state s, is the expected cumulative reward from following the policy from state s:

$$V^{\pi}(s) = \mathbb{E}\left[\sum_{t\geq 0} \gamma^t r_t | s_0 = s, \pi\right]$$

Value fxn - for state s- from state 's'
Q-value fxn - for (state, action) pair-from taking action 'a'

How good is a state-action pair?

The **Q-value function** at state s and action a, is the expected cumulative reward from taking action a in state s and then following the policy:

$$Q^{\pi}(s,a) = \mathbb{E}\left[\sum_{t\geq 0} \gamma^t r_t | s_0 = s, a_0 = a, \pi\right]$$

Bellman equation

The optimal Q-value function Q* is the maximum expected cumulative reward achievable from a given (state, action) pair:

$$Q^*(s,a) = \max_{\pi} \mathbb{E}\left[\sum_{t\geq 0} \gamma^t r_t | s_0 = s, a_0 = a, \pi\right]$$

Bellman equation

The optimal Q-value function Q* is the maximum expected cumulative reward achievable from a given (state, action) pair:

$$Q^*(s,a) = \max_{\pi} \mathbb{E}\left[\sum_{t\geq 0} \gamma^t r_t | s_0 = s, a_0 = a, \pi\right]$$

Q* satisfies the following **Bellman equation**:

$$Q^*(s,a) = \mathbb{E}_{s' \sim \mathcal{E}}\left[r + \gamma \max_{a'} Q^*(s',a') | s,a\right]$$

Intuition: if the optimal state-action values for the next time-step Q*(s’,a’) are known, then the optimal strategy is to take the action that maximizes the expected value of $r + \gamma Q^*(s',a')$

Bellman equation

The optimal Q-value function Q* is the maximum expected cumulative reward achievable from a given (state, action) pair:

$$Q^*(s,a) = \max_{\pi} \mathbb{E}\left[\sum_{t\geq 0} \gamma^t r_t | s_0 = s, a_0 = a, \pi\right]$$

Q* satisfies the following **Bellman equation**:

$$Q^*(s,a) = \mathbb{E}_{s' \sim \mathcal{E}}\left[r + \gamma \max_{a'} Q^*(s',a') | s, a\right]$$

Intuition: if the optimal state-action values for the next time-step Q*(s',a') are known, then the optimal strategy is to take the action that maximizes the expected value of

$r + \gamma Q^*(s',a')$

The optimal policy **π*** corresponds to taking the best action in any state as specified by Q*

Solving for the optimal policy

Value iteration algorithm: Use Bellman equation as an iterative update

$$Q_{i+1}(s,a) = \mathbb{E}\left[r + \gamma \max_{a'} Q_i(s',a')|s,a\right]$$

Q_i will converge to Q* as i -> infinity

Solving for the optimal policy

Value iteration algorithm: Use Bellman equation as an iterative update

$$Q_{i+1}(s,a) = \mathbb{E}\left[r + \gamma \max_{a'} Q_i(s',a')|s,a\right]$$

Q_i will converge to Q^* as i -> infinity

What's the problem with this?

Solving for the optimal policy

Value iteration algorithm: Use Bellman equation as an iterative update

$$Q_{i+1}(s,a) = \mathbb{E}\left[r + \gamma \max_{a'} Q_i(s',a')|s,a\right]$$

Q_i will converge to Q^* as i -> infinity

What's the problem with this?
Not scalable. Must compute Q(s,a) for every state-action pair. If state is e.g. current game state pixels, computationally infeasible to compute for entire state space!

Solving for the optimal policy

Value iteration algorithm: Use Bellman equation as an iterative update

$$Q_{i+1}(s,a) = \mathbb{E}\left[r + \gamma \max_{a'} Q_i(s',a')|s,a\right]$$

Q_i will converge to Q^* as i -> infinity

What's the problem with this?
Not scalable. Must compute Q(s,a) for every state-action pair. If state is e.g. current game state pixels, computationally infeasible to compute for entire state space!

Solution: use a function approximator to estimate Q(s,a). E.g. a neural network!

What is a function approximator?

Solving for the optimal policy: Q-learning

Q-learning: Use a function approximator to estimate the action-value function

$$Q(s, a; \theta) \approx Q^*(s, a)$$

Solving for the optimal policy: Q-learning

Q-learning: Use a function approximator to estimate the action-value function

$$Q(s, a; \theta) \approx Q^*(s, a)$$

If the function approximator is a deep neural network => **deep q-learning**!

Solving for the optimal policy: Q-learning

Q-learning: Use a function approximator to estimate the action-value function

$$Q(s,a;\theta) \approx Q^*(s,a)$$

function parameters (weights)

If the function approximator is a deep neural network => **deep q-learning**!

Solving for the optimal policy: Q-learning

Remember: want to find a Q-function that satisfies the Bellman Equation:

$$Q^*(s,a) = \mathbb{E}_{s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q^*(s',a') | s, a \right]$$

Solving for the optimal policy: Q-learning

Remember: want to find a Q-function that satisfies the Bellman Equation:

$$Q^*(s,a) = \mathbb{E}_{s' \sim \mathcal{E}}\left[r + \gamma \max_{a'} Q^*(s',a') | s,a\right]$$

Forward Pass

Loss function: $L_i(\theta_i) = \mathbb{E}_{s,a \sim \rho(\cdot)}\left[(y_i - Q(s,a;\theta_i))^2\right]$

where $y_i = \mathbb{E}_{s' \sim \mathcal{E}}\left[r + \gamma \max_{a'} Q(s',a';\theta_{i-1}) | s,a\right]$

Solving for the optimal policy: Q-learning

Remember: want to find a Q-function that satisfies the Bellman Equation:

$$Q^*(s,a) = \mathbb{E}_{s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q^*(s',a') | s, a \right]$$

Forward Pass

Loss function: $L_i(\theta_i) = \mathbb{E}_{s,a \sim \rho(\cdot)} \left[(y_i - Q(s,a;\theta_i))^2 \right]$

where $y_i = \mathbb{E}_{s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q(s',a';\theta_{i-1}) | s, a \right]$

Backward Pass

Gradient update (with respect to Q-function parameters θ):

$$\nabla_{\theta_i} L_i(\theta_i) = \mathbb{E}_{s,a \sim \rho(\cdot); s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q(s',a';\theta_{i-1}) - Q(s,a;\theta_i)) \nabla_{\theta_i} Q(s,a;\theta_i) \right]$$

Solving for the optimal policy: Q-learning

Remember: want to find a Q-function that satisfies the Bellman Equation:

$$Q^*(s,a) = \mathbb{E}_{s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q^*(s',a') | s, a \right]$$

Forward Pass

Loss function: $L_i(\theta_i) = \mathbb{E}_{s,a \sim \rho(\cdot)} \left[(y_i - Q(s,a;\theta_i))^2 \right]$

where $y_i = \mathbb{E}_{s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q(s',a';\theta_{i-1}) | s, a \right]$

Iteratively try to make the Q-value close to the target value (y_i) it should have, if Q-function corresponds to optimal Q* (and optimal policy **π***)

Backward Pass

Gradient update (with respect to Q-function parameters θ):

$$\nabla_{\theta_i} L_i(\theta_i) = \mathbb{E}_{s,a \sim \rho(\cdot); s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q(s',a';\theta_{i-1}) - Q(s,a;\theta_i)) \nabla_{\theta_i} Q(s,a;\theta_i) \right]$$

[Mnih et al. NIPS Workshop 2013; Nature 2015]

Case Study: Playing Atari Games

Objective: Complete the game with the highest score

State: Raw pixel inputs of the game state
Action: Game controls e.g. Left, Right, Up, Down
Reward: Score increase/decrease at each time step

Q-network Architecture

$Q(s, a; \theta)$:
neural network
with weights θ

FC-4 (Q-values)

FC-256

32 4x4 conv, stride 2

16 8x8 conv, stride 4

Current state s_t: 84x84x4 stack of last 4 frames
(after RGB->grayscale conversion, downsampling, and cropping)

[Mnih et al. NIPS Workshop 2013; Nature 2015]

Q-network Architecture

$Q(s, a; \theta)$:
neural network
with weights θ

FC-4 (Q-values)

FC-256

32 4x4 conv, stride 2

16 8x8 conv, stride 4

Input: state s_t

Current state s_t: 84x84x4 stack of last 4 frames
(after RGB->grayscale conversion, downsampling, and cropping)

[Mnih et al. NIPS Workshop 2013; Nature 2015]

Q-network Architecture

$Q(s, a; \theta)$:
neural network
with weights θ

FC-4 (Q-values)

FC-256

32 4x4 conv, stride 2

16 8x8 conv, stride 4

Familiar conv layers, FC layer

Current state s_t: 84x84x4 stack of last 4 frames
(after RGB->grayscale conversion, downsampling, and cropping)

Q-network Architecture

$Q(s, a; \theta)$:
neural network
with weights θ

FC-4 (Q-values)

FC-256

32 4x4 conv, stride 2

16 8x8 conv, stride 4

Last FC layer has 4-d output (if 4 actions), corresponding to $Q(s_t, a_1)$, $Q(s_t, a_2)$, $Q(s_t, a_3)$, $Q(s_t,a_4)$

Current state s_t: 84x84x4 stack of last 4 frames
(after RGB->grayscale conversion, downsampling, and cropping)

Q-network Architecture

$Q(s, a; \theta)$:
neural network
with weights θ

FC-4 (Q-values)

FC-256

32 4x4 conv, stride 2

16 8x8 conv, stride 4

Last FC layer has 4-d output (if 4 actions), corresponding to $Q(s_t, a_1)$, $Q(s_t, a_2)$, $Q(s_t, a_3)$, $Q(s_t,a_4)$

Number of actions between 4-18 depending on Atari game

Current state s_t: 84x84x4 stack of last 4 frames
(after RGB->grayscale conversion, downsampling, and cropping)

Atari game is space shooting game, where user can move <-,->,up,<shoot>

[Mnih et al. NIPS Workshop 2013; Nature 2015]

Q-network Architecture

$Q(s, a; \theta)$:
neural network
with weights θ

A single feedforward pass to compute Q-values for all actions from the current state => efficient!

FC-4 (Q-values)

FC-256

32 4x4 conv, stride 2

16 8x8 conv, stride 4

Last FC layer has 4-d output (if 4 actions), corresponding to $Q(s_t, a_1)$, $Q(s_t, a_2)$, $Q(s_t, a_3)$, $Q(s_t,a_4)$

Number of actions between 4-18 depending on Atari game

Current state s_t: 84x84x4 stack of last 4 frames
(after RGB->grayscale conversion, downsampling, and cropping)

Training the Q-network: Loss function (from before)

Remember: want to find a Q-function that satisfies the Bellman Equation:

$$Q^*(s,a) = \mathbb{E}_{s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q^*(s',a') | s,a \right]$$

Forward Pass

Loss function: $L_i(\theta_i) = \mathbb{E}_{s,a \sim \rho(\cdot)} \left[(y_i - Q(s,a;\theta_i))^2 \right]$

where $y_i = \mathbb{E}_{s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q(s',a';\theta_{i-1}) | s,a \right]$

Iteratively try to make the Q-value close to the target value (y_i) it should have, if Q-function corresponds to optimal Q* (and optimal policy **π***)

Backward Pass

Gradient update (with respect to Q-function parameters θ):

$$\nabla_{\theta_i} L_i(\theta_i) = \mathbb{E}_{s,a \sim \rho(\cdot); s' \sim \mathcal{E}} \left[r + \gamma \max_{a'} Q(s',a';\theta_{i-1}) - Q(s,a;\theta_i)) \nabla_{\theta_i} Q(s,a;\theta_i) \right]$$

Training the Q-network: Experience Replay

Learning from batches of consecutive samples is problematic:

- Samples are correlated => inefficient learning
- Current Q-network parameters determines next training samples (e.g. if maximizing action is to move left, training samples will be dominated by samples from left-hand size) => can lead to bad feedback loops

Training the Q-network: Experience Replay

Learning from batches of consecutive samples is problematic:

- Samples are correlated => inefficient learning
- Current Q-network parameters determines next training samples (e.g. if maximizing action is to move left, training samples will be dominated by samples from left-hand size) => can lead to bad feedback loops

Address these problems using **experience replay**

- Continually update a **replay memory** table of transitions (s_t, a_t, r_t, s_{t+1}) as game (experience) episodes are played
- Train Q-network on random minibatches of transitions from the replay memory, instead of consecutive samples

Training the Q-network: Experience Replay

Learning from batches of consecutive samples is problematic:

- Samples are correlated => inefficient learning
- Current Q-network parameters determines next training samples (e.g. if maximizing action is to move left, training samples will be dominated by samples from left-hand size) => can lead to bad feedback loops

Address these problems using **experience replay**

- Continually update a **replay memory** table of transitions (s_t, a_t, r_t, s_{t+1}) as game (experience) episodes are played
- Train Q-network on random minibatches of transitions from the replay memory, instead of consecutive samples

Each transition can also contribute to multiple weight updates => greater data efficiency

Putting it together: Deep Q-Learning with Experience Replay

Algorithm 1 Deep Q-learning with Experience Replay

Initialize replay memory $\mathcal{D}$ to capacity N
Initialize action-value function Q with random weights
for episode $= 1, M$ **do**
  Initialise sequence $s_1 = \{x_1\}$ and preprocessed sequenced $\phi_1 = \phi(s_1)$
  for $t = 1, T$ **do**
    With probability ϵ select a random action a_t
    otherwise select $a_t = \max_a Q^*(\phi(s_t), a; \theta)$
    Execute action a_t in emulator and observe reward r_t and image x_{t+1}
    Set $s_{t+1} = s_t, a_t, x_{t+1}$ and preprocess $\phi_{t+1} = \phi(s_{t+1})$
    Store transition $(\phi_t, a_t, r_t, \phi_{t+1})$ in $\mathcal{D}$
    Sample random minibatch of transitions $(\phi_j, a_j, r_j, \phi_{j+1})$ from $\mathcal{D}$
    Set $y_j = \begin{cases} r_j & \text{for terminal } \phi_{j+1} \\ r_j + \gamma \max_{a'} Q(\phi_{j+1}, a'; \theta) & \text{for non-terminal } \phi_{j+1} \end{cases}$
    Perform a gradient descent step on $(y_j - Q(\phi_j, a_j; \theta))^2$ according to equation 3
  end for
end for

Putting it together: Deep Q-Learning with Experience Replay

Algorithm 1 Deep Q-learning with Experience Replay

Initialize replay memory $\mathcal{D}$ to capacity N
Initialize action-value function Q with random weights
for episode $= 1, M$ **do**
  Initialise sequence $s_1 = \{x_1\}$ and preprocessed sequenced $\phi_1 = \phi(s_1)$
  for $t = 1, T$ **do**
    With probability ϵ select a random action a_t
    otherwise select $a_t = \max_a Q^*(\phi(s_t), a; \theta)$
    Execute action a_t in emulator and observe reward r_t and image x_{t+1}
    Set $s_{t+1} = s_t, a_t, x_{t+1}$ and preprocess $\phi_{t+1} = \phi(s_{t+1})$
    Store transition $(\phi_t, a_t, r_t, \phi_{t+1})$ in $\mathcal{D}$
    Sample random minibatch of transitions $(\phi_j, a_j, r_j, \phi_{j+1})$ from $\mathcal{D}$
    Set $y_j = \begin{cases} r_j & \text{for terminal } \phi_{j+1} \\ r_j + \gamma \max_{a'} Q(\phi_{j+1}, a'; \theta) & \text{for non-terminal } \phi_{j+1} \end{cases}$
    Perform a gradient descent step on $(y_j - Q(\phi_j, a_j; \theta))^2$ according to equation 3
  end for
end for

Initialize replay memory, Q-network

Putting it together: Deep Q-Learning with Experience Replay

Algorithm 1 Deep Q-learning with Experience Replay

Initialize replay memory $\mathcal{D}$ to capacity N
Initialize action-value function Q with random weights
for episode $= 1, M$ **do** ← Play M episodes (full games)
  Initialise sequence $s_1 = \{x_1\}$ and preprocessed sequenced $\phi_1 = \phi(s_1)$
  for $t = 1, T$ **do**
    With probability ϵ select a random action a_t
    otherwise select $a_t = \max_a Q^*(\phi(s_t), a; \theta)$
    Execute action a_t in emulator and observe reward r_t and image x_{t+1}
    Set $s_{t+1} = s_t, a_t, x_{t+1}$ and preprocess $\phi_{t+1} = \phi(s_{t+1})$
    Store transition $(\phi_t, a_t, r_t, \phi_{t+1})$ in $\mathcal{D}$
    Sample random minibatch of transitions $(\phi_j, a_j, r_j, \phi_{j+1})$ from $\mathcal{D}$
    Set $y_j = \begin{cases} r_j & \text{for terminal } \phi_{j+1} \\ r_j + \gamma \max_{a'} Q(\phi_{j+1}, a'; \theta) & \text{for non-terminal } \phi_{j+1} \end{cases}$
    Perform a gradient descent step on $(y_j - Q(\phi_j, a_j; \theta))^2$ according to equation 3
  end for
end for

Putting it together: Deep Q-Learning with Experience Replay

Algorithm 1 Deep Q-learning with Experience Replay

Initialize replay memory $\mathcal{D}$ to capacity N
Initialize action-value function Q with random weights
for episode $= 1, M$ **do**
  Initialise sequence $s_1 = \{x_1\}$ and preprocessed sequenced $\phi_1 = \phi(s_1)$
  for $t = 1, T$ **do**
    With probability ϵ select a random action a_t
    otherwise select $a_t = \max_a Q^*(\phi(s_t), a; \theta)$
    Execute action a_t in emulator and observe reward r_t and image x_{t+1}
    Set $s_{t+1} = s_t, a_t, x_{t+1}$ and preprocess $\phi_{t+1} = \phi(s_{t+1})$
    Store transition $(\phi_t, a_t, r_t, \phi_{t+1})$ in $\mathcal{D}$
    Sample random minibatch of transitions $(\phi_j, a_j, r_j, \phi_{j+1})$ from $\mathcal{D}$
    Set $y_j = \begin{cases} r_j & \text{for terminal } \phi_{j+1} \\ r_j + \gamma \max_{a'} Q(\phi_{j+1}, a'; \theta) & \text{for non-terminal } \phi_{j+1} \end{cases}$
    Perform a gradient descent step on $(y_j - Q(\phi_j, a_j; \theta))^2$ according to equation 3
  end for
end for

Initialize state (starting game screen pixels) at the beginning of each episode

Putting it together: Deep Q-Learning with Experience Replay

Algorithm 1 Deep Q-learning with Experience Replay

Initialize replay memory $\mathcal{D}$ to capacity N
Initialize action-value function Q with random weights
for episode $= 1, M$ **do**
  Initialise sequence $s_1 = \{x_1\}$ and preprocessed sequenced $\phi_1 = \phi(s_1)$
  for $t = 1, T$ **do**
    With probability ϵ select a random action a_t
    otherwise select $a_t = \max_a Q^*(\phi(s_t), a; \theta)$
    Execute action a_t in emulator and observe reward r_t and image x_{t+1}
    Set $s_{t+1} = s_t, a_t, x_{t+1}$ and preprocess $\phi_{t+1} = \phi(s_{t+1})$
    Store transition $(\phi_t, a_t, r_t, \phi_{t+1})$ in $\mathcal{D}$
    Sample random minibatch of transitions $(\phi_j, a_j, r_j, \phi_{j+1})$ from $\mathcal{D}$
    Set $y_j = \begin{cases} r_j & \text{for terminal } \phi_{j+1} \\ r_j + \gamma \max_{a'} Q(\phi_{j+1}, a'; \theta) & \text{for non-terminal } \phi_{j+1} \end{cases}$
    Perform a gradient descent step on $(y_j - Q(\phi_j, a_j; \theta))^2$ according to equation 3
  end for
end for

For each timestep t of the game

Putting it together: Deep Q-Learning with Experience Replay

Algorithm 1 Deep Q-learning with Experience Replay

Initialize replay memory $\mathcal{D}$ to capacity N
Initialize action-value function Q with random weights
for episode $= 1, M$ **do**
    Initialise sequence $s_1 = \{x_1\}$ and preprocessed sequenced $\phi_1 = \phi(s_1)$
    for $t = 1, T$ **do**
        With probability ϵ select a random action a_t
        otherwise select $a_t = \max_a Q^*(\phi(s_t), a; \theta)$
        Execute action a_t in emulator and observe reward r_t and image x_{t+1}
        Set $s_{t+1} = s_t, a_t, x_{t+1}$ and preprocess $\phi_{t+1} = \phi(s_{t+1})$
        Store transition $(\phi_t, a_t, r_t, \phi_{t+1})$ in $\mathcal{D}$
        Sample random minibatch of transitions $(\phi_j, a_j, r_j, \phi_{j+1})$ from $\mathcal{D}$
        Set $y_j = \begin{cases} r_j & \text{for terminal } \phi_{j+1} \\ r_j + \gamma \max_{a'} Q(\phi_{j+1}, a'; \theta) & \text{for non-terminal } \phi_{j+1} \end{cases}$
        Perform a gradient descent step on $(y_j - Q(\phi_j, a_j; \theta))^2$ according to equation 3
    end for
end for

With small probability, select a random action (explore), otherwise select greedy action from current policy

Putting it together: Deep Q-Learning with Experience Replay

Algorithm 1 Deep Q-learning with Experience Replay

Initialize replay memory $\mathcal{D}$ to capacity N
Initialize action-value function Q with random weights
for episode $= 1, M$ **do**
  Initialise sequence $s_1 = \{x_1\}$ and preprocessed sequenced $\phi_1 = \phi(s_1)$
  for $t = 1, T$ **do**
    With probability ϵ select a random action a_t
    otherwise select $a_t = \max_a Q^*(\phi(s_t), a; \theta)$
    Execute action a_t in emulator and observe reward r_t and image x_{t+1}
    Set $s_{t+1} = s_t, a_t, x_{t+1}$ and preprocess $\phi_{t+1} = \phi(s_{t+1})$
    Store transition $(\phi_t, a_t, r_t, \phi_{t+1})$ in $\mathcal{D}$
    Sample random minibatch of transitions $(\phi_j, a_j, r_j, \phi_{j+1})$ from $\mathcal{D}$
    Set $y_j = \begin{cases} r_j & \text{for terminal } \phi_{j+1} \\ r_j + \gamma \max_{a'} Q(\phi_{j+1}, a'; \theta) & \text{for non-terminal } \phi_{j+1} \end{cases}$
    Perform a gradient descent step on $(y_j - Q(\phi_j, a_j; \theta))^2$ according to equation 3
  end for
end for

Take the action (a_t), and observe the reward r_t and next state s_{t+1}

Putting it together: Deep Q-Learning with Experience Replay

Algorithm 1 Deep Q-learning with Experience Replay

Initialize replay memory $\mathcal{D}$ to capacity N
Initialize action-value function Q with random weights
for episode $= 1, M$ **do**
  Initialise sequence $s_1 = \{x_1\}$ and preprocessed sequenced $\phi_1 = \phi(s_1)$
  for $t = 1, T$ **do**
    With probability ϵ select a random action a_t
    otherwise select $a_t = \max_a Q^*(\phi(s_t), a; \theta)$
    Execute action a_t in emulator and observe reward r_t and image x_{t+1}
    Set $s_{t+1} = s_t, a_t, x_{t+1}$ and preprocess $\phi_{t+1} = \phi(s_{t+1})$
    Store transition $(\phi_t, a_t, r_t, \phi_{t+1})$ in $\mathcal{D}$
    Sample random minibatch of transitions $(\phi_j, a_j, r_j, \phi_{j+1})$ from $\mathcal{D}$
    Set $y_j = \begin{cases} r_j & \text{for terminal } \phi_{j+1} \\ r_j + \gamma \max_{a'} Q(\phi_{j+1}, a'; \theta) & \text{for non-terminal } \phi_{j+1} \end{cases}$
    Perform a gradient descent step on $(y_j - Q(\phi_j, a_j; \theta))^2$ according to equation 3
  end for
end for

Store transition in replay memory

Putting it together: Deep Q-Learning with Experience Replay

Algorithm 1 Deep Q-learning with Experience Replay

Initialize replay memory $\mathcal{D}$ to capacity N
Initialize action-value function Q with random weights
for episode $= 1, M$ **do**
  Initialise sequence $s_1 = \{x_1\}$ and preprocessed sequenced $\phi_1 = \phi(s_1)$
  for $t = 1, T$ **do**
    With probability ϵ select a random action a_t
    otherwise select $a_t = \max_a Q^*(\phi(s_t), a; \theta)$
    Execute action a_t in emulator and observe reward r_t and image x_{t+1}
    Set $s_{t+1} = s_t, a_t, x_{t+1}$ and preprocess $\phi_{t+1} = \phi(s_{t+1})$
    Store transition $(\phi_t, a_t, r_t, \phi_{t+1})$ in $\mathcal{D}$
    Sample random minibatch of transitions $(\phi_j, a_j, r_j, \phi_{j+1})$ from $\mathcal{D}$
    Set $y_j = \begin{cases} r_j & \text{for terminal } \phi_{j+1} \\ r_j + \gamma \max_{a'} Q(\phi_{j+1}, a'; \theta) & \text{for non-terminal } \phi_{j+1} \end{cases}$
    Perform a gradient descent step on $(y_j - Q(\phi_j, a_j; \theta))^2$ according to equation 3
  end for
end for

Experience Replay: Sample a random minibatch of transitions from replay memory and perform a gradient descent step

https://www.youtube.com/watch?v=V1eYniJ0Rnk

Policy Gradients

What is a problem with Q-learning?
The Q-function can be very complicated!

Example: a robot grasping an object has a very high-dimensional state => hard to learn exact value of every (state, action) pair

Policy Gradients

What is a problem with Q-learning?
The Q-function can be very complicated!

Example: a robot grasping an object has a very high-dimensional state => hard to learn exact value of every (state, action) pair

But the policy can be much simpler: just close your hand
Can we learn a policy directly, e.g. finding the best policy from a collection of policies?

Policy Gradients

Formally, let's define a class of parametrized policies: $\Pi = \{\pi_\theta, \theta \in \mathbb{R}^m\}$

For each policy, define its value:

$$J(\theta) = \mathbb{E}\left[\sum_{t \geq 0} \gamma^t r_t | \pi_\theta\right]$$

Policy Gradients

Formally, let's define a class of parametrized policies: $\Pi = \{\pi_\theta, \theta \in \mathbb{R}^m\}$

For each policy, define its value:

$$J(\theta) = \mathbb{E}\left[\sum_{t \geq 0} \gamma^t r_t | \pi_\theta\right]$$

We want to find the optimal policy $\theta^* = \arg\max_\theta J(\theta)$

How can we do this?

Policy Gradients

Formally, let's define a class of parametrized policies: $\Pi = \{\pi_\theta, \theta \in \mathbb{R}^m\}$

For each policy, define its value:

$$J(\theta) = \mathbb{E}\left[\sum_{t\geq 0} \gamma^t r_t | \pi_\theta\right]$$

We are trying to maximize J(ø) .Its not cost function but its the reward fxn.

We want to find the optimal policy $\theta^* = \arg\max_\theta J(\theta)$

How can we do this?

Gradient ascent on policy parameters!

Gradient ascent tries to maximize a given fxn based on params

REINFORCE algorithm

Mathematically, we can write:

$$J(\theta) = \mathbb{E}_{\tau \sim p(\tau;\theta)} [r(\tau)]$$
$$= \int_{\tau} r(\tau) p(\tau;\theta) \mathrm{d}\tau$$

Where r(τ) is the reward of a trajectory $\tau = (s_0, a_0, r_0, s_1, \ldots)$

REINFORCE algorithm

Expected reward:

$$J(\theta) = \mathbb{E}_{\tau \sim p(\tau;\theta)}\left[r(\tau)\right]$$
$$= \int_{\tau} r(\tau)p(\tau;\theta)\mathrm{d}\tau$$

REINFORCE algorithm

Expected reward: $$J(\theta) = \mathbb{E}_{\tau \sim p(\tau;\theta)}\left[r(\tau)\right] = \int_{\tau} r(\tau)p(\tau;\theta)\mathrm{d}\tau$$

Now let's differentiate this: $$\nabla_\theta J(\theta) = \int_{\tau} r(\tau)\nabla_\theta p(\tau;\theta)\mathrm{d}\tau$$

Why are we differentiating the expected reward?

REINFORCE algorithm

Expected reward:
$$J(\theta) = \mathbb{E}_{\tau \sim p(\tau;\theta)} \left[r(\tau) \right]$$
$$= \int_{\tau} r(\tau) p(\tau;\theta) \mathrm{d}\tau$$

Now let's differentiate this:
$$\nabla_\theta J(\theta) = \int_{\tau} r(\tau) \nabla_\theta p(\tau;\theta) \mathrm{d}\tau$$

Intractable! Gradient of an expectation is problematic when p depends on θ

REINFORCE algorithm

Expected reward: $J(\theta) = \mathbb{E}_{\tau \sim p(\tau;\theta)}\left[r(\tau)\right]$

$$= \int_\tau r(\tau)p(\tau;\theta)\mathrm{d}\tau$$

Now let's differentiate this: $\nabla_\theta J(\theta) = \int_\tau r(\tau)\nabla_\theta p(\tau;\theta)\mathrm{d}\tau$

Intractable! Gradient of an expectation is problematic when p depends on θ

However, we can use a nice trick: $\nabla_\theta p(\tau;\theta) = p(\tau;\theta)\frac{\nabla_\theta p(\tau;\theta)}{p(\tau;\theta)} = p(\tau;\theta)\nabla_\theta \log p(\tau;\theta)$

REINFORCE algorithm

Expected reward: $$J(\theta) = \mathbb{E}_{\tau \sim p(\tau;\theta)}\left[r(\tau)\right] = \int_\tau r(\tau)p(\tau;\theta)\mathrm{d}\tau$$

Now let's differentiate this: $$\nabla_\theta J(\theta) = \int_\tau r(\tau)\nabla_\theta p(\tau;\theta)\mathrm{d}\tau$$

Intractable! Gradient of an expectation is problematic when p depends on θ

However, we can use a nice trick: $$\nabla_\theta p(\tau;\theta) = p(\tau;\theta)\frac{\nabla_\theta p(\tau;\theta)}{p(\tau;\theta)} = p(\tau;\theta)\nabla_\theta \log p(\tau;\theta)$$

If we inject this back:

$$\nabla_\theta J(\theta) = \int_\tau \left(r(\tau)\nabla_\theta \log p(\tau;\theta)\right) p(\tau;\theta)\mathrm{d}\tau$$
$$= \mathbb{E}_{\tau \sim p(\tau;\theta)}\left[r(\tau)\nabla_\theta \log p(\tau;\theta)\right]$$

Can estimate with Monte Carlo sampling

REINFORCE algorithm

Can we compute those quantities without knowing the transition probabilities?

We have: $p(\tau;\theta) = \prod_{t\geq 0} p(s_{t+1}|s_t, a_t)\pi_\theta(a_t|s_t)$

REINFORCE algorithm

Can we compute those quantities without knowing the transition probabilities?

We have: $p(\tau;\theta) = \prod_{t \geq 0} p(s_{t+1}|s_t, a_t)\pi_\theta(a_t|s_t)$

Thus: $\log p(\tau;\theta) = \sum_{t \geq 0} \log p(s_{t+1}|s_t, a_t) + \log \pi_\theta(a_t|s_t)$

REINFORCE algorithm

Can we compute those quantities without knowing the transition probabilities?

We have: $p(\tau;\theta) = \prod_{t\geq 0} p(s_{t+1}|s_t, a_t)\pi_\theta(a_t|s_t)$

Thus: $\log p(\tau;\theta) = \sum_{t\geq 0} \log p(s_{t+1}|s_t, a_t) + \log \pi_\theta(a_t|s_t)$

And when differentiating: $\nabla_\theta \log p(\tau;\theta) = \sum_{t\geq 0} \nabla_\theta \log \pi_\theta(a_t|s_t)$

Doesn't depend on transition probabilities!

Here we are derivating wrt 'theta'. Hence the first term equates to null.

REINFORCE algorithm

$$\nabla_\theta J(\theta) = \int_\tau (r(\tau)\nabla_\theta \log p(\tau;\theta))\, p(\tau;\theta)\mathrm{d}\tau$$
$$= \mathbb{E}_{\tau\sim p(\tau;\theta)}\left[r(\tau)\nabla_\theta \log p(\tau;\theta)\right]$$

Can we compute those quantities without knowing the transition probabilities?

We have: $p(\tau;\theta) = \prod_{t\geq 0} p(s_{t+1}|s_t, a_t)\pi_\theta(a_t|s_t)$

Thus: $\log p(\tau;\theta) = \sum_{t\geq 0} \log p(s_{t+1}|s_t, a_t) + \log \pi_\theta(a_t|s_t)$

And when differentiating: $\nabla_\theta \log p(\tau;\theta) = \sum_{t\geq 0} \nabla_\theta \log \pi_\theta(a_t|s_t)$

Doesn't depend on transition probabilities!

Therefore when sampling a trajectory τ, we can estimate J(θ) with

$$\nabla_\theta J(\theta) \approx \sum_{t\geq 0} r(\tau)\nabla_\theta \log \pi_\theta(a_t|s_t)$$

Intuition

Gradient estimator: $$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} r(\tau) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

Interpretation:

- If r(τ) is high, push up the probabilities of the actions seen
- If r(τ) is low, push down the probabilities of the actions seen

Intuition

Gradient estimator: $$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} r(\tau) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

Interpretation:

- If r(τ) is high, push up the probabilities of the actions seen
- If r(τ) is low, push down the probabilities of the actions seen

Might seem simplistic to say that if a trajectory is good then all its actions were good. But in expectation, it averages out!

Intuition

Gradient estimator: $$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} r(\tau) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

Interpretation:

- If r(τ) is high, push up the probabilities of the actions seen
- If r(τ) is low, push down the probabilities of the actions seen

Might seem simplistic to say that if a trajectory is good then all its actions were good. But in expectation, it averages out!

However, this also suffers from high variance because credit assignment is really hard. Can we help the estimator?

Variance reduction

Gradient estimator: $$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} r(\tau) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

Variance reduction

Gradient estimator: $$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} r(\tau) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

First idea: Push up probabilities of an action seen, only by the cumulative future reward from that state

$$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} \left(\sum_{t' \geq t} r_{t'} \right) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

Variance reduction

Gradient estimator: $$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} r(\tau) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

First idea: Push up probabilities of an action seen, only by the cumulative future reward from that state

$$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} \left(\sum_{t' \geq t} r_{t'} \right) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

Second idea: Use discount factor γ to ignore delayed effects

$$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} \left(\sum_{t' \geq t} \gamma^{t'-t} r_{t'} \right) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

Variance reduction: Baseline

Problem: The raw value of a trajectory isn't necessarily meaningful. For example, if rewards are all positive, you keep pushing up probabilities of actions.

What is important then? Whether a reward is better or worse than what you expect to get

Idea: Introduce a baseline function dependent on the state.
Concretely, estimator is now:

$$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} \left(\sum_{t' \geq t} \gamma^{t'-t} r_{t'} - b(s_t) \right) \nabla_\theta \log \pi_\theta(a_t | s_t)$$

How to choose the baseline?

$$\nabla_\theta J(\theta) \approx \sum_{t \geq 0} \left(\sum_{t' \geq t} \gamma^{t'-t} r_{t'} - b(s_t) \right) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

A simple baseline: constant moving average of rewards experienced so far from all trajectories

How to choose the baseline?

$$\nabla_\theta J(\theta) \approx \sum_{t\geq 0} \left(\sum_{t'\geq t} \gamma^{t'-t} r_{t'} - b(s_t) \right) \nabla_\theta \log \pi_\theta(a_t|s_t)$$

A simple baseline: constant moving average of rewards experienced so far from all trajectories

Variance reduction techniques seen so far are typically used in "Vanilla REINFORCE"

How to choose the baseline?

A better baseline: Want to push up the probability of an action from a state, if this action was better than the **expected value of what we should get from that state**.

Q: What does this remind you of?

How to choose the baseline?

A better baseline: Want to push up the probability of an action from a state, if this action was better than the **expected value of what we should get from that state**.

Q: What does this remind you of?

A: Q-function and value function!

How to choose the baseline?

A better baseline: Want to push up the probability of an action from a state, if this action was better than the **expected value of what we should get from that state**.

Q: What does this remind you of?

A: Q-function and value function!

Intuitively, we are happy with an action a_t in a state s_t if $Q^\pi(s_t, a_t) - V^\pi(s_t)$ is large. On the contrary, we are unhappy with an action if it's small.

How to choose the baseline?

A better baseline: Want to push up the probability of an action from a state, if this action was better than the **expected value of what we should get from that state**.

Q: What does this remind you of?

A: Q-function and value function!

Intuitively, we are happy with an action a_t in a state s_t if $Q^{\pi}(s_t, a_t) - V^{\pi}(s_t)$ is large. On the contrary, we are unhappy with an action if it's small.

Using this, we get the estimator: $\nabla_\theta J(\theta) \approx \sum_{t \geq 0} (Q^{\pi_\theta}(s_t, a_t) - V^{\pi_\theta}(s_t)) \nabla_\theta \log \pi_\theta(a_t|s_t)$

Actor-Critic Algorithm

Problem: we don't know Q and V. Can we learn them?

Yes, using Q-learning! We can combine Policy Gradients and Q-learning by training both an **actor** (the policy) and a **critic** (the Q-function).

- The actor decides which action to take, and the critic tells the actor how good its action was and how it should adjust
- Also alleviates the task of the critic as it only has to learn the values of (state, action) pairs generated by the policy
- Can also incorporate Q-learning tricks e.g. experience replay
- **Remark:** we can define by the **advantage function** how much an action was better than expected

$$A^{\pi}(s,a) = Q^{\pi}(s,a) - V^{\pi}(s)$$

Actor-Critic Algorithm

Initialize policy parameters θ, critic parameters ϕ

For iteration=1, 2 … **do**

Sample m trajectories under the current policy

$\Delta\theta \leftarrow 0$

For i=1, …, m **do**

For t=1, ... , T **do**

$$A_t = \sum_{t' \geq t} \gamma^{t'-t} r_t^i - V_\phi(s_t^i)$$

$$\Delta\theta \leftarrow \Delta\theta + A_t \nabla_\theta \log(a_t^i | s_t^i)$$

$$\Delta\phi \leftarrow \sum_i \sum_t \nabla_\phi ||A_t^i||^2$$

$$\theta \leftarrow \alpha\Delta\theta$$

$$\phi \leftarrow \beta\Delta\phi$$

End for

REINFORCE in action: Recurrent Attention Model (RAM)

Objective: Image Classification

Take a sequence of "glimpses" selectively focusing on regions of the image, to predict class

- Inspiration from human perception and eye movements
- Saves computational resources => scalability
- Able to ignore clutter / irrelevant parts of image

State: Glimpses seen so far
Action: (x,y) coordinates (center of glimpse) of where to look next in image
Reward: 1 at the final timestep if image correctly classified, 0 otherwise



[Mnih et al. 2014]

REINFORCE in action: Recurrent Attention Model (RAM)

Objective: Image Classification

Take a sequence of “glimpses” selectively focusing on regions of the image, to predict class

- Inspiration from human perception and eye movements
- Saves computational resources => scalability
- Able to ignore clutter / irrelevant parts of image

State: Glimpses seen so far
Action: (x,y) coordinates (center of glimpse) of where to look next in image
Reward: 1 at the final timestep if image correctly classified, 0 otherwise



glimpse

Glimpsing is a non-differentiable operation => learn policy for how to take glimpse actions using REINFORCE
Given state of glimpses seen so far, use RNN to model the state and output next action

[Mnih et al. 2014]

REINFORCE in action: Recurrent Attention Model (RAM)



[Mnih et al. 2014]

REINFORCE in action: Recurrent Attention Model (RAM)



[Mnih et al. 2014]

REINFORCE in action: Recurrent Attention Model (RAM)



[Mnih et al. 2014]

REINFORCE in action: Recurrent Attention Model (RAM)



[Mnih et al. 2014]

REINFORCE in action: Recurrent Attention Model (RAM)



[Mnih et al. 2014]

REINFORCE in action: Recurrent Attention Model (RAM)



Has also been used in many other tasks including fine-grained image recognition, image captioning, and visual question-answering!

[Mnih et al. 2014]

More policy gradients: AlphaGo



Overview:

- Mix of supervised learning and reinforcement learning
- Mix of old methods (Monte Carlo Tree Search) and recent ones (deep RL)

How to beat the Go world champion:

- Featurize the board (stone color, move legality, bias, …)
- Initialize policy network with supervised training from professional go games, then continue training using policy gradient (play against itself from random previous iterations, +1 / -1 reward for winning / losing)
- Also learn value network (critic)
- Finally, combine combine policy and value networks in a Monte Carlo Tree Search algorithm to select actions by lookahead search

[Silver et al., Nature 2016]

Summary

- **Policy gradients**: very general but suffer from high variance so requires a lot of samples. **Challenge**: sample-efficiency
- **Q-learning**: does not always work but when it works, usually more sample-efficient. **Challenge**: exploration

- Guarantees:
  - **Policy Gradients**: Converges to a local minima of J(θ), often good enough!
  - **Q-learning**: Zero guarantees since you are approximating Bellman equation with a complicated function approximator

Next Time

Guest Lecture: Song Han

- Energy-efficient deep learning
- Deep learning hardware
- Model compression
- Embedded systems
- And more...