


1. Introduction



implementation of its composite structure, the mechanism for its dynamic growth, and the calculation of its variable damage. The primary focus is on creating a modular, extensible, and maintainable system in alignment with object-oriented design principles like **SOLID** and **DRY**.

2. Design Goals

- Implement the "Bed of Chaos" boss, which remains in a fixed location.
- Enable a dynamic growth system where the boss can grow Branch and Leaf parts. Branch parts should be able to grow further parts.
- Support a variable damage mechanic where the boss's total attack power is the sum of its base damage and the damage contributions from all its grown parts.
- Ensure the design is extensible for future additions of new part types with different effects, requiring minimal modification to existing code (Open/Closed Principle).

3. Design Analysis & Decisions

1. Part Structure & Effect Calculation (Damage/Heal)

This feature addresses the architecture for managing the boss's parts and calculating their collective effect on its attack power and health.

Option A: Composite Pattern with Polymorphic Delegation (Chosen)

- **Description:** BossPart interface defines common operations (e.g., `getDamageContribution()`, `grow()`). Concrete classes like Branch and Leaf implement this interface, each encapsulating its own logic. The BedOfChaos class holds a single list of BossPart objects and iterates through it, calling the methods to tally effects without needing to know the parts' concrete types.
- **Maintainability:** High. Logic for each part is self-contained. Adding a new part type does not require changes to the BedOfChaos calculation.

Pros	Cons
Adheres to SRP and OCP . New part types can be added without modifying BedOfChaos.	Results in a larger number of small, focused classes, can increase initial complexity.
Adheres to the Liskov Substitution Principle (LSP) by treating all parts uniformly, which simplifies code (DRY).	The full scope of an effect is distributed across multiple files, requiring developers to look in more than one place.

Option B: Separate Lists for Each Part Type

- **Description:** The `BedOfChaos` class would maintain separate, concrete lists for each part type, such as `private List<Branch> branches;` and `private List<Leaf> leaves;`. To calculate total damage, it would need multiple loops: one to iterate through the branches list (multiplying count by 3) and another for the leaves list (multiplying count by 1).
- **Maintainability:** Poor. Adding a new part type requires modifying the `BedOfChaos` class to add a new list and a new loop to process it, which clearly violates the **Open/Closed Principle**.

Pros	Cons
Might feel more type-safe at compile time since each list holds a concrete type.	OCP Violation: Adding a new part (e.g., <code>ThornPart</code>) requires modifying <code>BedOfChaos</code> to add <code>List<Thorn> thorns;</code> and a new processing loop.
Logic for a specific part type is handled in a dedicated loop within the boss class.	LSP Violation: Fails to treat all parts uniformly, negating the benefits of polymorphism.
	DRY Violation: As part types increase, similar looping logic will be duplicated within <code>BedOfChaos</code> .

Decision & Justification

- **Chosen Design:** Option A.
 - **Rationale:** Option B is resistant to change and violates fundamental OO principles. Any future requirement to add a new part type would necessitate modifying the core `BedOfChaos` class. Option A, by contrast, leverages polymorphism to decouple the `BedOfChaos` from its concrete parts. This allows new parts to be added seamlessly, making the system significantly more extensible and maintainable, which is a key design goal.
-

2. Dynamic Growth Mechanism

This feature focuses on how the boss's structure expands, particularly how new parts are generated and added to the whole.

Option A: Shared List with Chain-Reaction Growth (Chosen)

- **Description:** `BedOfChaos` maintains a single, flat `List<BossPart>`. When growing, it first adds a new part to this list. It then iterates through the *entire* list, calling the `grow()` method on each part. A `Branch`'s `grow()` method can, in turn,

add new parts to the same shared list passed as a parameter, creating a chain reaction where newly added branches can also grow within the same turn.

- **Maintainability:** Moderate. The logic is concise, but the side effect (a method modifying a list passed as a parameter) requires careful handling. It correctly models the "chain growth" behavior with minimal data structure complexity.

Pros	Cons
The simple, flat data structure makes overall effect calculation very efficient.	The parent-child relationship between parts is not explicitly stored, only simulated by the behavior.
Implements the complex chain-growth behavior in a compact and performant way.	Modifying a collection while iterating over it (even with an index) can be prone to subtle bugs if not implemented carefully.
Adheres to SRP as each Branch is responsible for its own growth decision.	
Adheres to the LSP . The growth loop in <code>BedOfChaos</code> works with any object that implements <code>BossPart</code> interface.	

Option B: Strict Hierarchical Composite Structure

- **Description:** This would be a more traditional implementation of the Composite Pattern. The `BedOfChaos` class would have a `List<BossPart>`, and each Branch object would also have its own internal `List<BossPart>` to manage its direct children. Growth would be strictly recursive.
- **Maintainability:** High for relationship-dependent logic, but lower for overall state calculations. Any logic requiring information about the whole tree would require a complex recursive traversal.

Pros	Cons
Parent-child relationships are explicitly and clearly defined in the data structure.	Calculating total damage would require a recursive traversal through the entire tree structure, making the calculation logic more complex.
Actions like "destroy a specific branch and all its sub-parts" would be easier to implement.	Increased memory overhead and object management complexity, as each Branch needs its own list.

Decision & Justification

- **Chosen Design:** Option A.
- **Rationale:** The current requirements focus on the *collective* effect of all parts and a dynamic, cascading growth pattern. Option A's chain-reaction model on a single list perfectly captures this behavior with much simpler calculation logic than the recursive traversal required by Option B. While Option B models the hierarchy more explicitly, this adds unnecessary complexity. Option A provides an efficient solution that is a clever simulation of a hierarchical process for the required features.

4. Conclusion

This design for the "Bed of Chaos" boss effectively uses the Composite and Strategy patterns to manage complexity. The `BossPart` interface ensures extensibility for new parts (OCP), while the separation of concerns between parts, behaviors, and the main boss class promotes high cohesion and low coupling (SRP). The chosen growth mechanism provides a performant and simple way to simulate dynamic, cascading growth. This results in a robust, maintainable, and extensible system prepared for future feature additions.