


Design Rationale: Bed of Chaos Boss Implementation



1. Introduction

This rationale details the design for the "Bed of Chaos" boss, a complex entity that dynamically grows parts and alters its attack power. The design addresses the implementation of its composite structure, the mechanism for its dynamic growth, and the calculation of its variable damage. The primary focus is on creating a modular, extensible, and maintainable system in alignment with object-oriented design principles.

2. Design Goals

- Implement the "Bed of Chaos" boss, which remains in a fixed location.
- Enable a dynamic growth system where the boss can grow Branch and Leaf parts. Branch parts should be able to grow further parts.
- Support a variable damage mechanic where the boss's total attack power is the sum of its base damage and the damage contributions from all its grown parts.

3. Design Analysis & Decisions

1. Boss Part Structure & Effect Calculation (Damage/Heal)

Option A: Composite Pattern Polymorphic Delegation with BossPart (Chosen)

- **Description:** BossPart interface defines common operations (e.g., `getDamageContribution()`, `grow()`). Concrete classes like Branch and Leaf implement this interface, each encapsulating its own logic. The BedOfChaos class holds a single list of BossPart objects and iterates through it, calling the methods to tally effects without needing to know the parts' concrete types.
- **Maintainability:** High. Logic for each part is self-contained. Adding a new part type does not require changes to the BedOfChaos calculation.

Pros	Cons
Adheres to SRP and OCP . New part types can be added without modifying BedOfChaos.	Results in a larger number of small, focused classes can increase initial complexity.
Adheres to the LSP by treating all parts uniformly, which simplifies code (DRY).	The full scope of an effect is distributed across multiple files.
Low connascence of meaning where the effect calculation logic relies on a consistent interface contract	

Option B: Separate Lists for Each Boss Part Type

- **Description:** The BedOfChaos class would maintain separate, concrete lists for each part type, such as private List<Branch> branches, and private List<Leaf> leaves. To calculate total damage, it would need multiple loops: one to iterate through the branches list (multiplying count by 3) and another for the leaves list (multiplying count by 1).
- **Maintainability:** Poor. Adding a new part type requires modifying the BedOfChaos class to add a new list and a new loop to process it.

Pros	Cons
Might feel more type-safe at compile time since each list holds a concrete type.	Adding a new part (e.g., ThornPart) requires modifying BedOfChaos to add List<Thorn> thorns, which violates OCP.
Logic for a specific part type is handled in a dedicated loop within the boss class.	Violates DRY as part types increase, similar looping logic will be duplicated within BedOfChaos.

Decision & Justification

- **Chosen Design:** Option A.
- **Rationale:** Option B is resistant to change and violates fundamental OO principles. Any future requirement to add a new part type would necessitate modifying the core BedOfChaos class. Option A, by contrast, leverages polymorphism to decouple the BedOfChaos from its concrete parts. This allows new parts to be added seamlessly, making the system significantly more extensible and maintainable, which is a key design goal.

2. Dynamic Growth Mechanism

Option A: Shared List with Chain-Reaction Growth (Chosen)

- **Description:** BedOfChaos maintains a single, flat List<BossPart>. When growing, it first adds a new part to this list. It then iterates through the entire list, calling the grow() method on each part. A Branch's grow() method can, in turn, add new parts to the same shared list passed as a parameter, creating a chain reaction where newly added branches can also grow within the same turn.
- **Maintainability:** Moderate. The logic is concise, but the side effect (a method modifying a list passed as a parameter) requires careful handling.

Pros	Cons
Adheres to the LSP . The growth loop in BedOfChaos works with any object that implements BossPart interface.	The parent-child relationship between parts is not explicitly stored, only simulated by the behavior.
It has low connascence of algorithm where the growth process relies on a uniform grow() method call, reducing dependency on specific growth type behaviors.	Modifying a collection while iterating over it (even with an index) can be prone to subtle bugs if not implemented carefully.
Adheres to SRP as each Branch is responsible for its own growth decision.	

Option B: Parent and Child Lists Hierarchical Structure

- **Description:** This would be a more traditional implementation of the Composite Pattern. The BedOfChaos class would have a List<BossPart>, and each Branch object would also have its own internal List<BossPart> to manage its direct children. Growth would be strictly recursive.
- **Maintainability:** High for relationship-dependent logic, but lower for overall state calculations. Any logic requiring information about the whole tree would require a complex recursive traversal.

Pros	Cons
Parent-child relationships are explicitly defined in the data structure.	High connascence of algorithm where the recursive traversal depends on the tree structure.
Actions like "destroy a specific branch and all its sub-parts" would be easier to implement.	Increased memory overhead and object management complexity.

Decision & Justification

- **Chosen Design:** Option A.
- **Rationale:** The current requirements focus on the collective effect of all parts and a dynamic, cascading growth pattern. Option A's chain-reaction model on a single list perfectly captures this behavior with much simpler calculation logic than the recursive traversal required by Option B. While Option B models the hierarchy more explicitly, this adds unnecessary complexity. Option A provides an efficient solution that is a clever simulation of a hierarchical process for the required features.

4. Conclusion

This design for the "Bed of Chaos" boss effectively uses the Composite and Strategy patterns to manage complexity. The BossPart interface ensures extensibility for new parts (OCP), while the separation of concerns between parts, behaviors, and the main boss class promotes high cohesion and low coupling (SRP). The chosen growth mechanism provides a performant and simple way to simulate dynamic, cascading growth. This results in a robust, maintainable, and extensible system prepared for future feature additions.