HERIOT WATT UNIVERSITY

F27WD: Web Design & Databases

Databases Lecture 3: Relationships

Fiona McNeill

25th February 2019

LEADERS IN IDEAS AND SOLUTIONS

HERIOT WATT UNIVERSITY

This week's link: https://goo.gl/forms/wU5GgUgMqcd1jhn53

LEADERS IN IDEAS AND SOLUTIONS

HERIOT WATT UNIVERSITY

How was last week?

1. Interesting and clear
2. Interesting but I didn't understand everything
3. A bit dull but I could understand it
4. I didn't understand everything and it was dull

HERIOT WATT UNIVERSITY

Should I be going …?

- More quickly
- More slowly
- At this speed

HERIOT WATT UNIVERSITY

What did we learn last week?

HERIOT WATT UNIVERSITY

What did we learn last week?

- What data is
- Why we should care about it
- What a database is
- The importance of tables
- How to begin to build and query tables using SQL

HERIOT WATT UNIVERSITY

Relational Databases

LEADERS IN IDEAS AND SOLUTIONS

HERIOT WATT UNIVERSITY

Why are relations important?

- Sometimes we don't want to just **state facts**
- We want to talk about how **types** of things and **instances** of things **interact** with each other.

HERIOT WATT UNIVERSITY

Why are relations important?

- Sometimes we don't want to just **state facts**
- We want to talk about how **types** of things and **instances** of things **interact** with each other.

This is why we use **relational databases.**

HERIOT WATT UNIVERSITY

Why are relations important?

- Sometimes we don't want to just **state facts**
- We want to talk about how **types** of things and **instances** of things **interact** with each other.

This is why we use **relational databases.**

… so we can talk about **relationships** between **data.**

HERIOT WATT UNIVERSITY

Making an actor table

- What might we want to say about actors?

HERIOT WATT UNIVERSITY

Making an actor table

- For now, we will say:
  - name
  - date of birth
  - sex
  - fee

HERIOT WATT UNIVERSITY

Which could be a primary key

1. Name
2. Date of birth
3. Sex
4. Fee
5. More than one of the above
6. None of the above

HERIOT WATT UNIVERSITY

Which could be a primary key

1. Name
2. Date of birth
3. Sex
4. Fee
5. More than one of the above
6. None of the above

HERIOT WATT UNIVERSITY

Why is name a primary key?

Normally, a name would **not** be a primary key …

HERIOT WATT UNIVERSITY

Why is name a primary key?

Normally, a name would **not** be a primary key because different people can have the same name.

HERIOT WATT UNIVERSITY

Why is name a primary key?

Normally, a name would **not** be a primary key because different people can have the same name.

But actors must all have different names (union rules).

HERIOT WATT UNIVERSITY

Why is name a primary key?

Normally, a name would **not** be a primary key because different people can have the same name.

But actors must all have different names (union rules).

Michael Keaton's real name is *Michael Douglas*

David Tennant's real name is *David McDonald*

HERIOT WATT UNIVERSITY

What else might we want to include?

- Actors have agents

HERIOT WATT UNIVERSITY

What else might we want to include?

- Actors have agents

  Each actor has only one agent. Agents have many actors.

HERIOT WATT UNIVERSITY

What else might we want to include?

- Actors have agents

  Each actor has only one agent. Agents have many actors.

  This is a **one-to-many** relationship.

HERIOT WATT UNIVERSITY

What else might we want to include?

- Agents have names

HERIOT WATT UNIVERSITY

What else might we want to include?

- Agents have names

  Each agent has one name; each name is held by one actor.

HERIOT WATT UNIVERSITY

What else might we want to include?

- Agents have names

  Each agent has one name; each name is held by one actor.

  This is a **one-to-one** relationship

HERIOT WATT UNIVERSITY

What else might we want to include?

- Actors and agents both have bank accounts
- Actors may have specific skills
- Bank accounts have account numbers and balances.

HERIOT WATT UNIVERSITY

What else might we want to include?

- Actors and agents both have bank accounts

  *This is **one-to-one*** relationship*
- Actors may have specific skills
- Bank accounts have account numbers and balances.

*This is actually a simplification - here we've decided to model a situation in which people only have one bank account. This makes sense in a database - you probably wouldn't want to record more than one bank account - but if you did you could make it one-to-many relationship

HERIOT WATT UNIVERSITY

What else might we want to include?

- Actors and agents both have bank accounts

  *This is **one-to-one** relationship*
- Actors may have specific skills

  *This is a **many-to-many** relationship*
- Bank accounts have account numbers
- and balances.

HERIOT WATT UNIVERSITY

What else might we want to include?

- Actors and agents both have bank accounts

  *This is **one-to-one** relationship*
- Actors may have specific skills

  *This is a **many-to-many** relationship*
- Bank accounts have account numbers

  *This is a **one-to-one** relationship*
- and balances.

HERIOT WATT UNIVERSITY

What else might we want to include?

- Actors and agents both have bank accounts

  *This is **one-to-one** relationship*
- Actors may have specific skills

  *This is a **many-to-many** relationship*
- Bank accounts have account numbers

  *This is a **one-to-one** relationship*
- and balances.

  *This is a **one-to-many** relationship*

HERIOT WATT UNIVERSITY

Actor Table

Name	Sex	DoB	Fee
Carl Pratt	M	1982-03-20	$1.1m
Anna Stone	F	1985-02-17	$1.3m
Rosie Ridley	F	1987-07-14	$1.5m
Jemma Laurence	F	1980-12-01	$1.7m

In a table like this, the relationships between the primary key and the other columns are …

HERIOT WATT UNIVERSITY

Actor Table

Name	Sex	DoB	Fee
Carl Pratt	M	1982-03-20	$1.1m
Anna Stone	F	1985-02-17	$1.3m
Rosie Ridley	F	1987-07-14	$1.5m
Jemma Laurence	F	1980-12-01	$1.7m

In a table like this, the relationships between the primary key and the other columns are **one-to-one**.

Each primary key links to **only one value** in each other column.

HERIOT WATT UNIVERSITY

What about these relationships?

- Actors have agents
- Agents have names
- Agents manage several actors
- Actors and agents both have bank accounts
- Actors may have specific skills
- Bank accounts have account numbers and balances.

HERIOT WATT UNIVERSITY

What about these relationships?

- Actors have agents
- Agents have names
- Agents manage several actors
- Actors and agents both have bank accounts
- Actors may have specific skills
- Bank accounts have account numbers and balances.

These are one-to-one relationships

HERIOT WATT UNIVERSITY

What about these relationships?

- Actors have agents
- Agents have names
- Agents manage several actors
- Actors and agents both have bank accounts
- Actors may have specific skills
- Bank accounts have account numbers and balances.

These are one-to-many relationships

HERIOT WATT UNIVERSITY

What about these relationships?

- Actors have agents
- Agents have names
- Agents manage several actors
- Actors and agents both have bank accounts
- Actors may have specific skills
- Bank accounts have account numbers and balances.

This is a many-to-many relationship:
- This requires an extra table

HERIOT WATT UNIVERSITY

Actor Table

Name	Sex	DoB	Fee	Skill
Carl Pratt	M	1982-03-20	$1.1m	Comic Timing
Anna Stone	F	1985-02-17	$1.3m	Gritty drama
Rosie Ridley	F	1987-07-14	$1.5m	Action
Jemma Laurence	F	1980-12-01	$1.7m	Gritty drama

If name wasn't the primary key, it would be possible to put multiple rows in for each actor for each skill - but this is very inefficient.

HERIOT WATT UNIVERSITY

Expressing this in a database

We can’t express this in a single table - it’s far too complex.

Because this is complex, we need to map out how we are going to express this.

We do this using a *relational diagram*

HERIOT WATT UNIVERSITY

Why aren't we using E-R diagrams?

- Well … we sort of are.
- Technically, the relational diagrams we are using are E-R diagrams plus additional information that shouldn't be in an E-R diagram
- In reality, what we are doing is widely referred to as an E-R diagram

HERIOT WATT UNIVERSITY

What is the difference?

In 2nd year, you will learn about the different levels of database design.

- The *conceptual layer* is where you think about what needs to be represented. This level could apply to different implementation - e.g., it doesn't specify that it needs to be relational
- The *logical layer*, where you define how it is actually going to be implemented

HERIOT WATT UNIVERSITY

What is the difference?

An E-R diagram is technically only for the conceptual layer.

But in reality most database designers create these layers *at the same time* and refer to diagrams that cover both as E-R diagrams.

HERIOT WATT UNIVERSITY

Why am I telling you this?

- At this stage, the distinction between these layers is not important
- It's fine if you refer to what we are doing as E-R diagrams
- But don't be surprised/confused when you get into 2nd year and you learn a definition for E-R diagrams that excludes some of what we are doing here.

HERIOT WATT UNIVERSITY

Why am I telling you this?

- But now that you know this, and you know that you will learn more about this in 2nd year, you can forget about it for now.
- This is not examinable, I just want you to understand why I'm using the term *relational diagram* rather than *E-R diagram,* which you might expect.

HERIOT WATT UNIVERSITY

Relational diagram



Relational diagrams contain tables and **relationships between tables.**

HERIOT WATT UNIVERSITY

Relational diagrams - primary keys

Each table in the Relational must have a **primary key**

HERIOT WATT UNIVERSITY

Relational diagram - primary key



HERIOT WATT UNIVERSITY

Expressing this in a database

We can describe **one-to-one** relationships and **one-to-many** relationships in this way.

But **many-to-many** relationships need to be split up into simpler relationships using a **join table.**

HERIOT WATT UNIVERSITY

Relational diagram - join tables



becomes …

HERIOT WATT UNIVERSITY

Relational diagram - join tables



ActorSkill is a **join table**

HERIOT WATT UNIVERSITY

Relational diagram - join tables



Note: **Name** (Actor table) and **ActorName** (ActorSkill table) refer to the *same thing*

HERIOT WATT UNIVERSITY

Relational diagram - join tables

ActorSkill
actorName
skillCode

What is the primary key in this table?

HERIOT WATT UNIVERSITY

Relational diagram - join tables



There is no **individual** primary key.

Instead, we have a **combined** primary key.

The primary key is (ActorName,SkillCode).

This is generally the case with join tables.

HERIOT WATT UNIVERSITY

Foreign Keys

A **foreign key** is a field in relational table that matches a **primary key** in another table.

These establish the **links** and express the **relationships** between the tables.

HERIOT WATT UNIVERSITY

Foreign Keys

A **foreign key** is a field in relational table that matches a **primary key** in another table.

These establish the links between the tables

Remember *you can use different names in different tables to refer to the same thing.*

HERIOT WATT UNIVERSITY

Relational diagram



HERIOT WATT UNIVERSITY

Primary key
Foreign key
Jointly primary and individually foreign keys

Relational diagram



HERIOT WATT UNIVERSITY

Primary key
Foreign key
Primary and Foreign key

Foreign key equivalences

Agent
name
contact
account

BankAccount
number
balance

Actor
name
dob
sex
skills
fee
agent
account

ActorSkill
actorName
skillCode

Skills
name
code

Agent.name = Actor.agent

HERIOT WATT UNIVERSITY

Primary key
Foreign key
Primary and Foreign key

Foreign key equivalences

Agent
name
contact
account

BankAccount
number
balance

Actor
name
dob
sex
skills
fee
agent
account

ActorSkill
actorName
skillCode

Skills
name
code

Agent.name = Actor.agent
Agent.account =

HERIOT WATT UNIVERSITY

Primary key
Foreign key
Primary and Foreign key

Foreign key equivalences

Agent
name
contact
account

BankAccount
number
balance

Actor
name
dob
sex
skills
fee
agent
account

ActorSkill
actorName
skillCode

Skills
name
code

Agent.name = Actor.agent
Agent.account = BankAccount.number
Actor.account =

HERIOT WATT UNIVERSITY

Primary key
Foreign key
Primary and Foreign key

Foreign key equivalences

Agent
name
contact
account

BankAccount
number
balance

Actor
name
dob
sex
skills
fee
agent
account

ActorSkill
actorName
skillCode

Skills
name
code

Agent.name = Actor.agent
Agent.account = BankAccount.number
Actor.account = BankAccount.number
Actor.name =

HERIOT WATT UNIVERSITY

Primary key
Foreign key
Primary and Foreign key

Foreign key equivalences

Agent
name
contact
account

BankAccount
number
balance

Actor
name
dob
sex
skills
fee
agent
account

ActorSkill
actorName
skillCode

Skills
name
code

Agent.name = Actor.agent
Agent.account = BankAccount.number
Actor.account = BankAccount.number
Actor.name = ActorSkill.actorName
ActorSkill.skillCode =

HERIOT WATT UNIVERSITY

Primary key
Foreign key
Primary and Foreign key

Foreign key equivalences

Agent
name
contact
account

BankAccount
number
balance

Actor
name
dob
sex
skills
fee
agent
account

ActorSkill
actorName
skillCode

Skills
name
code

Agent.name = Actor.agent
Agent.account = BankAccount.number
Actor.account = BankAccount.number
Actor.name = ActorSkill.actorName
ActorSkill.skillCode = skills.Code

HERIOT WATT UNIVERSITY

Primary key
Foreign key
Primary and Foreign key

Foreign key equivalences

Agent
name
contact
account

BankAccount
number
balance

Actor
name
dob
sex
skills
fee
agent
account

ActorSkill
actorName
skillCode

Skills
name
code

Every table should have **at least one** foreign key **or** a foreign key that points to it- otherwise it's not linked to other things.

HERIOT WATT UNIVERSITY

Primary key
Foreign key
Primary and Foreign key

Foreign key equivalences

Agent
name
contact
account

BankAccount
number
balance

Actor
name
dob
sex
skills
fee
agent
account

ActorSkill
actorName
skillCode

Skills
name
code

Join tables consist **only** of foreign keys - because their purpose is to link tables.

HERIOT WATT UNIVERSITY

Instantiated Relational diagram

Actor

name	dob	sex	fee	agent	account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

ActorSkill

actorName	skillCode
Carl Pratt	1,2
Anna Stone	2,3,4
Rosie Ridley	2,4
Jemma Laurence	1,2,3,4

Agent

agentName	contact	account
Smith	729002394	19280293
Jones	483920493	16394053
Lane	593029348	15293013

BankAccount

number	balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

Skills

skillName	skillCode
Comic timing	1
Family friendly	2
Gritty drama	3
Action	4

HERIOT WATT UNIVERSITY

Instantiated Relational dia

Actor

name	dob	sex	fee	agent	account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

ActorSkill

actorName	skillCode
Carl Pratt	1
Carl Pratt	2
Anna Stone	2
Anna Stone	3
Anna Stone	4
Rosie Ridley	2
Rosie Ridley	4
Jemma Laurence	1
Jemma Laurence	2
Jemma Laurence	3
Jemma Laurence	4

Agent

agentName	contact	account
Smith	729002394	19280293
Jones	483920493	16394053
Lane	593029348	15293013

BankAccount

number	balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

Skills

skillName	skillCode
Comic timing	1
Family friendly	2
Gritty drama	3
Action	4

HERIOT WATT UNIVERSITY

Creating the tables

```
CREATE TABLE Actor (
name VARCHAR(50) PRIMARY KEY,
DoB DATE,
sex CHAR(1),
fee DECIMAL,
agent VARCHAR(50),
account INT,
FOREIGN KEY (agent) REFERENCES Agent(name),
FOREIGN KEY (account) REFERENCES BankAccount(number)
) ENGINE=INNODB;
```

This will create the ActorSkill table
But if we put this straight into MySQL, it won't work.

HERIOT WATT UNIVERSITY

Creating the tables

```
CREATE TABLE Actor (
name VARCHAR(50) PRIMARY KEY,
DoB DATE,
sex CHAR(1),
fee DECIMAL,
agent VARCHAR(50),
account INT,
FOREIGN KEY (agent) REFERENCES Agent(name),
FOREIGN KEY (account) REFERENCES BankAccount(number)
) ENGINE=INNODB;
```

This will create the ActorSkill table
But if we put this straight into MySQL, it won't work.

Because it is referring to **foreign keys** that **don't exist.**
We need to create the tables that the foreign keys are referring to first.

HERIOT WATT UNIVERSITY

Creating the tables

So first of all we add the tables it references:

```
CREATE TABLE BankAccount (
number INT PRIMARY KEY,
balance VARCHAR(10)
) ENGINE=INNODB;

CREATE TABLE Agent (
name VARCHAR(50) PRIMARY KEY,
contact INT,
account INT,
FOREIGN KEY (account) REFERENCES BankAccount(number)
) ENGINE=INNODB;
```

HERIOT WATT UNIVERSITY

Creating the tables

- We'll add the other tables and all of the instances into SQL
- Code can be found in lecture3_SQL.rtf

HERIOT WATT UNIVERSITY

Creating the tables - adding primary keys to join tables

```
CREATE TABLE ActorSkill (
actorName VARCHAR(50) PRIMARY KEY,
skillCode INT PRIMARY KEY,
FOREIGN KEY (skillCode) REFERENCES Skill(code),
FOREIGN KEY (actorName) REFERENCES Actor(name)
) ENGINE=INNODB;
```

This will cause errors

HERIOT WATT UNIVERSITY

Creating the tables - adding primary keys to join tables

```
CREATE TABLE ActorSkill (
actorName VARCHAR(50),
skillCode INT ,
PRIMARY KEY (actorName, skillCode),
FOREIGN KEY (skillCode) REFERENCES Skill(code),
FOREIGN KEY (actorName) REFERENCES Actor(name)
) ENGINE=INNODB;
```

HERIOT WATT UNIVERSITY

Querying the table

Let's ask a query that needs to get information from two tables

Actor

Name	DoB	Sex	Fee	Agent	Account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

BankAccount

Number	Balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

For example, let's find out the bank balance of all actors. This is a one-to-one relationship

HERIOT WATT UNIVERSITY

Actor					
Name	DoB	Sex	Fee	Agent	Account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

BankAccount	
Number	Balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

What columns do we want?

HERIOT WATT UNIVERSITY

Actor					
Name	DoB	Sex	Fee	Agent	Account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

BankAccount	
Number	Balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

What columns do we want?
Name and *Balance*

What tables do these come from?

HERIOT WATT UNIVERSITY

Actor					
Name	DoB	Sex	Fee	Agent	Account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

BankAccount	
Number	Balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

What columns do we want?
Name and *Balance*

What tables do these come from?
Actor and *BankAccount*

HERIOT WATT UNIVERSITY

Actor					
Name	DoB	Sex	Fee	Agent	Account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

BankAccount	
Number	Balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

What columns do we want?
Name and *Balance*

What tables do these come from?
Actor and *BankAccount*

So we have:

SELECT name, balance FROM Actor, BankAccount

Will this work?

HERIOT WATT UNIVERSITY

Actor					
Name	DoB	Sex	Fee	Agent	Account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

BankAccount	
Number	Balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

What columns do we want?
Name and *Balance*

What tables do these come from?
Actor and *BankAccount*

So we have:

SELECT name, balance FROM Actor, BankAccount

Will this work? Not really - why not?

HERIOT WATT UNIVERSITY

Actor					
Name	DoB	Sex	Fee	Agent	Account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

BankAccount	
Number	Balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

What columns do we want?
Name and *Balance*

What tables do these come from?
Actor and *BankAccount*

So we have:

```
SELECT name, balance FROM Actor, BankAccount
```

Will this work? Not really - why not?
Because it returns all combinations of names and balances in these tables, even if they are not connected.
We need to restrict it.

HERIOT WATT UNIVERSITY

Actor					
Name	DoB	Sex	Fee	Agent	Account
Carl Pratt	1982-03-20	M	$1.1m	Smith	14839234
Anna Stone	1985-02-17	F	$1.3m	Jones	18294038
Rosie Ridley	1987-07-14	F	$1.5m	Jones	19204382
Jemma Laurence	1980-12-01	F	$1.7m	Lane	13738925

BankAccount	
Number	Balance
14839234	$17.32m
19280293	$180,002
18294038	$1.3m
19204382	-$102,390
15293013	0
16394053	$829,3020
13738925	$10.390m

What columns do we want?
Name and *Balance*

What tables do these come from?
Actor and *BankAccount*

So we have:

```
SELECT name, balance FROM Actor, BankAccount
```

Will this work? Not really - why not?
Because it returns all combinations of names and balances in these tables, even if they are not connected.
We need to restrict it.

```
SELECT name, balance FROM Actor, BankAccount WHERE Actor.account = BankAccount.number;
```

HERIOT WATT UNIVERSITY

What about a table giving the agent of each actor.

What will:

```
SELECT name, name FROM Actor, Agent;
```

Give us?

HERIOT WATT UNIVERSITY

What about a table giving the agent of each actor.

What will:

```
SELECT name, name FROM Actor, Agent;
```

Give us?

Nothing! It won't run because it is ambiguous. We need to be more specific.

```
SELECT Actor.name, Agent.name FROM Actor, Agent;
```

HERIOT WATT UNIVERSITY

What about a table giving the agent of each actor.

What will:

```
SELECT name, name FROM Actor, Agent;
```

Give us?

Nothing! It won't run because it is ambiguous. We need to be more specific.

```
SELECT Actor.name, Agent.name FROM Actor, Agent;
```

But we also need to specify the link:

```
SELECT Actor.name, Agent.name FROM Actor, Agent WHERE
Actor.agent = Agent.name;
```

HERIOT WATT UNIVERSITY

What about a table giving the agent of each actor.

What will:

```
SELECT name, name FROM Actor, Agent;
```

Give us?

Nothing! It won't run because it is ambiguous. We need to be more specific.

```
SELECT Actor.name, Agent.name FROM Actor, Agent;
```

But we also need to specify the link:

```
SELECT Actor.name, Agent.name FROM Actor, Agent WHERE
Actor.agent = Agent.name;
```

This will work, but it's a bit confusing because the columns have the same name. We can tell SQL to rename the columns:

HERIOT WATT UNIVERSITY

What about a table giving the agent of each actor.

What will:

```
SELECT name, name FROM Actor, Agent;
```

Give us?

Nothing! It won't run because it is ambiguous. We need to be more specific.

```
SELECT Actor.name, Agent.name FROM Actor, Agent;
```

But we also need to specify the link:

```
SELECT Actor.name, Agent.name FROM Actor, Agent WHERE
Actor.agent = Agent.name;
```

This will work, but it's a bit confusing because the columns have the same name. We can tell SQL to rename the columns:

```
SELECT Actor.name AS actorName, Agent.name AS agentName FROM Actor, Agent
WHERE Actor.agent = Agent.name;
```

HERIOT WATT UNIVERSITY

Joins

Joins are an important part of relational databases. We have met **join tables** already. How do we use joins for selecting?

SELECT name, balance FROM Actor JOIN BankAccount ON account = number;

HERIOT WATT UNIVERSITY

Joins

Joins are an important part of relational databases. We have met **join tables** already. How do we use joins for selecting?

SELECT name, balance FROM Actor JOIN BankAccount ON account = number;

This SELECT statement:

- States the columns it is interested in (name, balance)
- From the tables it wants to join (Actor, BankAccount)
- And on what the tables are joining (account=number)

HERIOT WATT UNIVERSITY

Joins

Joins are an important part of relational databases. We have met **join tables** already. How do we use joins for selecting?

SELECT name, balance FROM Actor JOIN BankAccount ON account = number;

This SELECT statement:

- States the columns it is interested in (name, balance)
- From the tables it wants to join (Actor, BankAccount)
- And on what the tables are joining (account=number)

HERIOT WATT UNIVERSITY

Joins

Joins are an important part of relational databases. We have met **join tables** already. How do we use joins for selecting?

SELECT name, balance FROM Actor JOIN BankAccount ON account = number;

This SELECT statement:

- States the columns it is interested in (name, balance)
- From the tables it wants to join (Actor, BankAccount)
- And on what the tables are joining (account=number)

HERIOT WATT UNIVERSITY

Joins

SELECT name, balance FROM Actor, BankAccount WHERE Actor.account = BankAccount.number;

and

SELECT name, balance FROM Actor JOIN BankAccount ON account = number;

Are **functionally equivalent.**

Join statements are generally preferred because they are clearer and more explicit.

You can use either in assessment for this course, unless you are specifically told to use one/both.

HERIOT WATT UNIVERSITY

Further queries to try

```
SELECT Actor.name AS actorName, Agent.name AS agentName FROM
Actor, Agent WHERE Actor.agent = Agent.name;
```

HERIOT WATT UNIVERSITY

Further queries to try

SELECT Actor.name AS actorName, Agent.name AS agentName FROM Actor, Agent WHERE Actor.agent = Agent.name;

and

SELECT Actor.name as actorName, Agent.name AS agentName FROM Actor JOIN Agent ON Actor.agent = Agent.name;

HERIOT WATT UNIVERSITY

So what part of what we have done is not E-R?

- Foreign keys and join tables
  - They are about the logical links between the conceptualisation of the database, rather than the data itself, so if we are being technically precise they do not belong in an E-R diagram
- This distinction will not be used in this course, and we will refer to them all as relational diagrams.

HERIOT WATT UNIVERSITY

What next?

- You will practice using these in the next lab.
- You will be given some queries in English to try to create SQL queries from.