




QUAD BUILD — PARTS LIST

10-inch & 15-inch

Phase 1: Full Radio + FPV Build


Phase 2: Fiber Optic Upgrade (swap VTX only)

■ 10-INCH QUAD x2 | Phase 1 — Full FPV Build

	#	Part / Component	Qty
	1	Frame — Mark4 V2 10-inch Carbon Fiber	x2
	2	Motor — Arcosky 3115 900KV (4 per drone)	x8
	3	Motor — BrotherHobby Tornado T5 3115 PRO 900KV (invoice)	x5
	4	Motor — BrotherHobby Tornado T5 3115 PRO 900KV (additional)	x4
	5	FC / ESC Stack — F722 F405 55A All-in-One	x2
	6	Camera — RunCam Phoenix 2 SP V5 2.1mm Lens	x2
	7	VTX — PFLY 2.5W / 3W 5.8GHz [Phase 1 only — removed at Phase 2]	x2
	8	VTX Antenna — Lumenier AXII 2 Long Range 5.8GHz [Phase 1 only]	x2
	9	Receiver — BETAFPV SuperD Diversity 2.4G ELRS	x2
	10	Propeller — HQProp 10X5X3 3-blade 4pcs/set	x4 set
	11	Propeller spare — Gemfan 9045 3-blade 2pcs/set	x4 set
	12	Battery — 6S 22.2V 6500mAh LiPo XT60	x2

■ 15-INCH QUAD x2 | Phase 1 — Full FPV Build

	#	Part / Component	Qty
	1	Frame — 15-inch Long Range Carbon Fiber Frame	x2
	2	Motor — MAD BSC 4214 380KV (4 per drone)	x8

	3	Motor spare — MAD BSC 4214 380KV	×2
	4	FC / ESC Stack — F7 FC + 4-in-1 100A ESC 3–8S	×2
	5	Camera — RunCam Phoenix 2 SP V5 2.1mm Lens	×2
	6	VTX — PFLY 3W 5.8GHz [Phase 1 only — removed at Phase 2]	×2
	7	VTX Antenna — Lumenier AXII 2 Long Range 5.8GHz [Phase 1 only]	×2
	8	Receiver — ELRS 2.4G Nano Receiver	×2
	9	Propeller — 15-inch 3-blade Props (2 pairs per drone)	×4 pair
	10	Battery — 8S 29.6V 16000mAh LiPo XT90 (2 per drone)	×4
	11	Battery Protective Hard Case	×2

■ SHARED ITEMS | Common to All Drones

#	Part / Component	Qty
1	Remote Controller — Radiomaster TX16S MarkII ELRS (1 per pilot)	×2
2	Charger — ISDT Q8 Max 8S Compatible	×2
3	DC Power Supply — 30V 30A	×2
4	Connector — XT90 Male+Female Pair	×20 pr
5	Connector — XT60 Male+Female Pair	×10 pr
6	Silicone Wire — 12AWG Red + Black 5m each	×2 roll
7	Capacitor — 50V 1000µF Low ESR (ESC filter)	×10
8	Heat Shrink Tubing — Assorted set	×2 set
9	Velcro Battery Strap — 250–300mm	×12
10	Solder Wire — 63/37 Rosin Core 1mm	×2 roll
11	Hex Driver Set — 1.5 / 2 / 2.5 / 3mm	×1 set

■ PHASE 2 — FIBER OPTIC UPGRADE | All 4 Drones

#	Part / Component	Qty
1	Optical Fiber Module — 15KM Sky Module + Ground Station	×1 set
2	Fiber Patch Cable spare — Single Mode LC/APC 5m	×2

	3	Fiber Cable Protective Sleeve	x1
--	---	-------------------------------	----

Phase 2 Note: Remove VTX + VTX Antenna from each drone. Connect Optical Fiber Sky Module. Camera, FC, Motors, Battery — no changes.