


*PVC · XLPE · Silicone · EPR/PCP · Butyl · Rubber · Trailing · Control · EV Charging · Solar DC · PTFE · Silicone Tubes*

In the cable trade since 1986

DELHI NCR, INDIA | WWW.UVCABLES.COM

## 01 About Us

UV Cables is a Delhi NCR-based supplier and manufacturer of industrial cables, serving other manufacturers and retail distributors. Proprietor **Matloob Hasan** began working in the cable trade in 1986 — mostly trading and supplying — and has led the firm since.

Our focus is quality construction, quick turnaround, and competitive pricing — without the overhead of large-scale certification processes. We are a lean, focused manufacturer that keeps things simple: make a good product, deliver it on time, and stand behind it.

We produce cables across PVC, XLPE, Silicone, EPR/PCP, Butyl Rubber, Rubber, Trailing & Reeling, Control, EV Charging, Solar DC, PTFE (Teflon), and Silicone Tubes & Profiles — covering virtually every industrial wiring need in the market.

| 1986 | 1.1kV–33kV | -65°C to 260°C |
|---|---|---|
| IN THE TRADE SINCE | VOLTAGE RANGE | TEMP. RANGE ACROSS RANGE |

**Trading & Supply Since 1986**
Started in the cable trade, mostly trading and supplying.

**Custom Lengths & Specs**
Any conductor size, any length — manufactured to order.

**Pan-India Delivery**
Reliable, prompt supply to manufacturers and retail trade.

**B2B Manufacturer**
Dedicated supply to other manufacturers and distributors.

**Fast Order Processing**
Agile manufacturing operations ensure rapid order processing and quick dispatch.

**Full Spectrum**
From PVC to EV charging — covering the industrial spectrum.

## 02 What We Stand For

**Quality First**
Every cable is manufactured to consistent quality standards, regardless of order size.

**Transparency**
We are upfront about our capabilities and limitations — no overselling, no false promises.


**Long-Term Partnerships**
We aim to be a reliable supply partner, not just a one-time vendor.

**Responsiveness**
Quick quotes, fast production, and prompt delivery — we respect your timelines.


info@uvcables.com | +91 98180 88873

## 03 Product Range

Each built and rated for a specific application — our twelve product lines span everyday building wiring through extreme-temperature and chemical-resistant duty.



### PVC Cables

Up to 1.1kV · IS 694 / IS 1554



### XLPE Cables

1.1kV–33kV · IS 7098



### Silicone Cables

-60°C to +180°C



### EPR / PCP Cables

Up to 3.3kV · IS 9968



### Butyl Rubber Cables

Up to +110°C · Chemical/Radiation resistant



### Rubber Cables

Up to 1.1kV · IS 9968 Pt.1



### Trailing / Reeling Cables

Up to 3.3kV · IS 9968 Pt.2



### Control Cables

2–61 Cores · IS 1554 Pt.2



### EV Charging Cables

Up to 200A DC · IEC 62893



### Solar DC Cables

Up to 1.8kV DC · IEC 62930



### PTFE (Teflon) Cables

-65°C to +260°C



### Silicone Tubes & Profiles

-60°C to +200°C · Custom profiles



info@uvcables.com | +91 98180 88873

## 04 Technical Specifications Summary

A quick-reference summary of voltage rating, temperature range, and applicable standard for each product line.

| PRODUCT | VOLTAGE RATING | TEMP. RANGE | STANDARD |
|---|---|---|---|
| PVC Cables | Up to 1.1 kV | -15°C to +70°C | IS 694, IS 1554 Pt.1 |
| XLPE Cables | 1.1 kV – 33 kV | Up to +90°C (cont.) | IS 7098 Pt.1 & Pt.2 |
| Silicone Cables | Up to 1.1 kV | -60°C to +180°C | Customer Spec / BS 6500 |
| EPR / PCP Cables | Up to 3.3 kV | -40°C to +85°C | IS 9968 Pt.1 & Pt.2 |
| Butyl Rubber Cables | Up to 1.1 kV | Up to +110°C | Customer Spec / IS 9968 |
| Rubber Cables | Up to 1.1 kV | -25°C to +60°C | IS 9968 Pt.1 |
| Trailing / Reeling Cables | Up to 3.3 kV | -40°C to +85°C | IS 9968 Pt.2 |
| Control Cables | Up to 1.1 kV | Standard PVC/XLPE range | IS 1554 Pt.2 |
| EV Charging Cables | 1 kV AC / 1.5 kV DC | -40°C to +90°C | IEC 62893 |
| Solar DC Cables | Up to 1.8 kV DC | -40°C to +90°C | IEC 62930 |
| PTFE (Teflon) Cables | Up to 1.1 kV | -65°C to +260°C | Customer Spec / BS 6500 |
| Silicone Tubes & Profiles | N/A | -60°C to +200°C | Customer Spec / IS 11149 |

**Note:** The standards listed above reflect the specifications our products are manufactured to. UV Cables does not currently hold third-party certification against these standards; testing and certification can be arranged externally on customer request.


info@uvcables.com | +91 98180 88873

## 05 Indicative Standards Reference

The table below lists commonly applicable Indian and IEC Standards for the product categories we supply.

| STANDARD | SCOPE | APPLICABLE CABLES |
|---|---|---|
| IS 694 : 2010 | PVC insulated cables for working voltages up to 1100V | PVC Cables |
| IS 1554 Pt.1 : 1988 | PVC insulated (heavy duty) cables up to 1100V | PVC Sheathed Power Cables |
| IS 1554 Pt.2 : 1988 | PVC insulated & sheathed cables up to 1100V (control use) | Control & Instrumentation |
| IS 7098 Pt.1 : 1988 | XLPE insulated cables up to 1.1 kV | XLPE Power Cables (LT) |
| IS 7098 Pt.2 : 1985 | XLPE insulated cables 3.3 kV to 33 kV | XLPE Power Cables (HT) |
| IS 9968 Pt.1 : 1988 | Elastomer insulated cables up to 1.1 kV | Rubber, Butyl, EPR Cables |
| IS 9968 Pt.2 : 1981 | Elastomer insulated cables 1.1 kV to 33 kV | EPR/PCP Trailing & Reeling |
| IEC 62930 : 2017 | Cables for PV systems, up to 1.8 kV DC | Solar DC Cables |
| IEC 62893 : 2017 | Charging cables for electric vehicles | EV Charging Cables |
| IS 11149 : 1984 | Silicone rubber compounds for electrical purposes | Silicone Tubes & Profiles |
| Customer Spec | Manufactured to buyer's drawing and specification | PTFE Cables, Silicone Tubes |

Provided as a general technical reference. Customers with specific certification requirements are welcome to discuss testing and documentation needs at the enquiry stage.


info@uvcables.com | +91 98180 88873

## 06 Industries We Serve

From power utilities to solar energy — our cables are built for every industrial sector.

### Power & Utilities

High-voltage underground and overhead distribution cables for substations, grid connections, and industrial power feeders.

### Construction & Infrastructure

General wiring, flexible supplies, and control cables for residential, commercial, and infrastructure projects.

### Mining & Heavy Industry

Trailing, reeling and portable cables rated for tough underground and open-cast mining environments.

### Automation & OEM

Multi-core screened control cables and flexible wiring for PLC panels, robots, and OEM machine builders.

### Solar Energy

UV-stabilised DC cables for rooftop and utility-scale solar PV systems, string wiring, and combiner boxes.

### EV Charging Infrastructure

High-current flexible cables for AC and DC fast EV charging stations, Type 2 and CCS2 connectors.

### Steel & Foundry

Extreme-temperature silicone and butyl cables rated to +180°C for furnaces, ladle cranes, and hot areas.

### Chemical & Process Plants

Oil, chemical, and radiation-resistant cables for refineries, petrochemical plants, and nuclear facilities.

### General Industry

From welding cables to instrumentation — our broad product range covers virtually every wiring need.

### Retail Distribution

Supplying wholesale and retail distributors across Delhi NCR with fast-moving cable SKUs.


### Pharmaceutical & Food

FDA-aligned PTFE cables and food-grade silicone tubes and profiles for hygienic process environments.



info@uvcables.com | +91 98180 88873

## 07 Cable Construction Reference


The diagrams below illustrate typical internal construction for PVC insulated cables across common configurations — from simple unarmoured multi-core cable through to armoured and medium-voltage three-core designs. Construction is selected per application based on required voltage rating, mechanical protection, and installation environment.





**PVC Insulated Cables:** unarmoured and armoured multi-core, single-core armoured, and medium-voltage three-core constructions — from indoor wiring through to underground and MV distribution.




**Silicone Insulated Cables:** high-temperature flexible silicone cable (-60°C to +180°C) for constant-movement duty, and fire-resistant/circuit-integrity silicone cable for public buildings and life-safety systems.




**Specialized & MV Cables:** high-temperature armoured instrument/control cable for hazardous, high-heat areas, and medium-voltage (20/35kV) distribution cable for MV power and renewable energy.




**EPR/PCP Insulated Cables:** heavy-duty industrial EPR/PCP cable (HO7RN-F style) for flexible, oil & UV-resistant duty, and heavy armoured EPR/PCP power cable for marine, mining, and fixed installations.


info@uvcables.com | +91 98180 88873

## 08 Markets We Serve

**Manufacturers & Distributors**
Dedicated B2B supply to other manufacturers, contractors, and trade distributors across Delhi NCR and pan-India.

**Institutional & PSU-Linked Supply**
Working towards empanelment and vendor registration with public sector undertakings and government buyers.

**B2B Trade Platforms**
Active presence on IndiaMART, TradeIndia, and the Government e-Marketplace (GeM), enabling bulk and repeat B2B orders.

**Export**
IEC-registered, enabling the firm to undertake cross-border trade as opportunities arise.

## 09 Why Work With Us

- ✓ Promoter-led business with cable trading and supply experience dating back to 1986
- ✓ 12 product lines across PVC, XLPE, Silicone, EPR/PCP, Butyl, Rubber, EV, Solar, PTFE and more
- ✓ Custom lengths and cross-sections manufactured to order — not limited to fixed SKUs
- ✓ Formally registered entity — GST, Udyam (MSME), and IEC compliant
- ✓ Lean operations mean faster quotes and turnaround than larger, layered organisations
- ✓ Upfront about capabilities and limitations — no overselling, no false promises

## 10 Infrastructure & Quality Process

UV Cables sources conductor and insulation materials suited to each application's electrical and thermal duty. Incoming material and finished cable are checked against order specifications before dispatch. As a lean manufacturer, we prioritise consistent construction quality and honest turnaround commitments over large-scale in-house certification overhead — and are happy to discuss third-party testing arrangements for orders that require it.

## 11 Packing & Delivery


Cables are supplied on standard wooden/steel drums or in coil form depending on length and gauge, with end-sealing to prevent moisture ingress during transit. Dispatch is arranged pan-India, with invoice and e-way bill documentation provided with every consignment.


info@uvcables.com | +91 98180 88873

## 12 Registration & Compliance

UV Cables (legal name: United Values Cables) operates as a registered proprietorship with the following statutory registrations in place:

| | |
|---|---|
| **Legal Entity Name** | United Values Cables |
| **Nature of Concern** | Proprietorship |
| **Proprietor** | Matloob Hasan |
| **GSTIN** | 07AFUPH7105N1ZX |
| **Udyam (MSME) Registration No.** | UDYAM-DL-04-0036764 |
| **Importer-Exporter Code (IEC)** | AFUPH7105N |
| **PAN** | AFUPH7105N |
| **Registered Address** | 27/1/2, Street No. 10, Park Side, Sangam Vihar, Jharoda, North Delhi, Delhi – 110084 |



## 13 Get In Touch

Whether you need a regular supply of standard cables or a custom specification, we're happy to talk. When reaching out, it helps to include: cable type, voltage/current rating, conductor cross-section, number of cores, quantity, and the IS/IEC standard required.

**PROPRIETOR**

Matloob Hasan

**PHONE / WHATSAPP**

+91 98180 88873

**EMAIL**

info@uvcables.com

**HOURS**

Mon–Sat, 9AM–6PM IST

**WEBSITE**

www.uvcables.com

**REGISTERED ADDRESS**

27/1/2, Street No. 10, Park Side,
Sangam Vihar, Delhi – 110084, India

**DELIVERY**

Pan-India






POWERING INDUSTRY

27/1/2, Street No. 10, Park Side, Sangam Vihar, Delhi – 110084, India
+91 98180 88873 | info@uvcables.com | www.uvcables.com