


MEMBUAT DATABASE

1. Membuat ERD



2. create database, table penumpang

```
MariaDB [(none)]> create database onlineticketingbus;
Query OK, 1 row affected (0.010 sec)

MariaDB [(none)]> use onlineticketingbus
Database changed
MariaDB [onlineticketingbus]> create table penumpang(
-> id_penumpang int(15) primary key auto_increment not null,
-> nama_penumpang varchar(50) not null,
-> alamat varchar(20),
-> alamat_email varchar(20),
-> no_telp int(13)
-> );
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'varchar(20) no_telp int(13) )' at line 5
MariaDB [onlineticketingbus]>
MariaDB [onlineticketingbus]> create table penumpang(
-> id_penumpang int(15) primary key auto_increment not null,
-> nama_penumpang varchar(50) not null,
-> alamat varchar(20),
-> alamat_email varchar(20),
-> no_telp int(13)
-> );
Query OK, 0 rows affected (0.010 sec)
```

3. create table tiket, bus, rute, detail pemesanan

```
MariaDB [onlineticketingbus]> create table tiket(
-> id_tiket int(15) primary key auto_increment not null,
-> no_tiket int(20) not null,
-> harga_tiket int(20),
-> tanggal_berangkat datetime,
-> id_penumpang int(15),
-> id_bus int(15),
-> id_rute int(15)
-> );
Query OK, 0 rows affected (0.018 sec)

MariaDB [onlineticketingbus]> create table bus(
-> id_bus int(15) primary key auto_increment not null,
-> no_bus int(20) not null,
-> kelas_bus varchar(20),
-> kapasitas_bus int(5)
-> );
Query OK, 0 rows affected (0.016 sec)

MariaDB [onlineticketingbus]> create table rute(
-> id_rute int(15) primary key auto_increment not null,
-> kota_tujuan varchar(20),
-> kota_asal varchar(20),
-> jumlah_bus int(5)
-> );
Query OK, 0 rows affected (0.017 sec)

MariaDB [onlineticketingbus]> create table detail_pemesanan(
-> id_pemesanan int(15) primary key auto_increment not null,
-> tanggal_pemesanan datetime,
-> status_pemesanan varchar(20)
-> );
Query OK, 0 rows affected (0.011 sec)
```

3. Desc detail pemesanan, bus, rute, penumpang, tiket

```
MariaDB [onlineticketingbus]> desc detail_pemesanan;
```

Field	Type	Null	Key	Default	Extra
id_pemesanan	int(15)	NO	PRI	NULL	auto_increment
tanggal_pemesanan	datetime	YES		NULL	
status_pemesanan	varchar(20)	YES		NULL	

```
3 rows in set (0.019 sec)
```

```
MariaDB [onlineticketingbus]> desc bus;
```

Field	Type	Null	Key	Default	Extra
id_bus	int(15)	NO	PRI	NULL	auto_increment
no_bus	int(20)	NO		NULL	
kelas_bus	varchar(20)	YES		NULL	
kapasitas_bus	int(5)	YES		NULL	

```
4 rows in set (0.023 sec)
```

```
MariaDB [onlineticketingbus]> desc rute;
```

Field	Type	Null	Key	Default	Extra
id_rute	int(15)	NO	PRI	NULL	auto_increment
kota_tujuan	varchar(20)	YES		NULL	
kota_asal	varchar(20)	YES		NULL	
jumlah_bus	int(5)	YES		NULL	

```
4 rows in set (0.024 sec)
```

```
MariaDB [onlineticketingbus]> desc penumpang;
```

Field	Type	Null	Key	Default	Extra
id_penumpang	int(15)	NO	PRI	NULL	auto_increment
nama_penumpang	varchar(50)	NO		NULL	
alamat	varchar(20)	YES		NULL	
alamat_email	varchar(20)	YES		NULL	
no_telpon	int(13)	YES		NULL	

```
5 rows in set (0.023 sec)
```

```
MariaDB [onlineticketingbus]> desc tiket;
```

Field	Type	Null	Key	Default	Extra
id_tiket	int(15)	NO	PRI	NULL	auto_increment
no_tiket	int(20)	NO		NULL	
harga_tiket	int(20)	YES		NULL	
tanggal_berangkat	datetime	YES		NULL	
id_penumpang	int(15)	YES		NULL	
id_buss	int(15)	YES		NULL	
id_rutes	int(15)	YES		NULL	

```
7 rows in set (0.020 sec)
```

