Risk-aware sales decision engines

"A personalized, risk-aware selling decision engine with What-If simulation and historical back-testing. papers that identify this particular gap and validates the usage of this particular solution. other gaps wich have been skipped! and must be taken in consideration." *Generated by LeapSpace*

Personalized, Risk-Aware Selling Decision Engines at a Glance

Key Findings Table

Key finding	What the literature shows	Population / setting	Key citations
The exact end-to-end gap is real	No retrieved paper fully combines personalized selling actions, explicit risk-awareness, what-if simulation, and rigorous historical back-testing with commercial validation in one engine; current evidence is fragmented across adjacent literatures [1] [2] [3] [4] [5] [6]	B2B sales, retail, banking, pricing, recommendation, retail planning	[1] [2] [3] [4] [5] [6]
Personalization is well validated	Segmentation, hybrid recommenders, and customer-specific offer selection improve recommendation quality, campaign lift, and some revenue-related outcomes, but usually optimize relevance or response rather than risk-adjusted action quality [2] [7] [8] [9] [10] [11]	Retail, e-commerce, CRM, banking	[2] [7] [8] [9] [10] [11]
Risk-aware personalization has only one strong direct match	The clearest retrieved example is a 2025 retail-banking paper combining customer-level personalization with actuarial risk/compliance constraints and real-data validation, showing profit, default, compliance, and satisfaction gains [2]	Retail banking / financial offers	[2]

Key finding	What the literature shows	Population / setting	Key citations
What-if and counterfactual analysis are conceptually validated	Multiple studies support scenario-based or counterfactual evaluation of pricing, promotion, prioritization, and recommendation policies using historical logs or simulations, especially when live experiments are impractical [12] [13] [14] [15] [16]	Pricing, promotion, customer prioritization, retail planning	[12] [13] [14] [15] [16]
Historical back-testing is not optional	Random train-test splits can inflate performance and even change model ranking; chronological, rolling-origin, walk-forward, and off-policy evaluation are repeatedly recommended [17] [18] [19] [20] [21] [22] [23]	Recommenders, forecasting, temporally ordered commercial models	[17] [18] [19] [20] [21] [22] [23]
The solution direction is strongly supported	Across prescriptive analytics, assortment, pricing, and demand work, the dominant pattern is a shift from prediction to action selection under uncertainty and operational constraints [24] [25] [26] [27] [28] [29]	Decision support broadly; retail and revenue management	[24] [25] [26] [27] [28] [29]
Major skipped gaps remain	Calibration, downside-risk control, exposure/logged-policy bias, drift, cold start, explainability, governance, and workflow integration are repeatedly identified as unresolved deployment issues [22] [30] [31] [32] [33] [34] [35]	Production decision engines	[22] [30] [31] [32] [33] [34] [35]

Direct Answer

The literature supports your core thesis: there is a genuine research and product gap for a **personalized, risk-aware selling decision engine** that also includes **what-if simulation** and **historical back-testing**. No retrieved paper fully validates this exact four-part architecture end-to-end; instead, the evidence comes in pieces from personalization, prescriptive/risk-aware optimization, counterfactual simulation, and temporal/off-policy evaluation [1] [2] [14] [17] [23].

The strongest papers validating the direction of your proposed solution are:

1. **Gap framing / prescriptive selling need**: the 2025 B2B opportunity-management framework shows firms still rely on intuition and ad hoc rules, and argues for optimized selling decisions on archival opportunity data, but it stops short of what-if simulation and rigorous back-testing [1].
2. **Risk-aware personalization**: the 2025 actuarial personalization paper in retail banking is the clearest evidence that customer-level recommendations can be combined with explicit risk/compliance constraints and validated on real customer data [2].
3. **What-if / counterfactual justification**: customer-prioritization, recommendation, and pricing-policy studies show that counterfactual analysis is practical and often necessary when live experimentation is hard or impossible [12] [13] [14].
4. **Historical back-testing necessity**: temporal-validation and off-policy-evaluation studies show that naive offline testing is often misleading, directly validating your requirement for leak-safe historical back-testing [17] [20] [21] [22] [23] [36].

The most important **skipped gaps** that must be considered in any serious design are: **uncertainty calibration**, **downside-risk control**, **logged-policy/exposure bias**, **temporal leakage**, **cold-start personalization**, **drift monitoring**, **explainability**, **governance constraints**, and **human/workflow adoption** [20] [22] [30] [31] [32] [33] [34] [37] [38].

Confidence level: High - the evidence is consistent across multiple themes, even though no single paper closes the loop end-to-end [1] [2] [14] [17] [34].

Study Scope

This report synthesizes evidence from work spanning roughly **2010-2025**, with emphasis on **2018-2025**, across **sales analytics, recommender systems, prescriptive analytics, retail optimization, pricing, banking personalization, forecasting, and offline evaluation** [1] [2] [5] [17] [31]. Methods covered include **segmentation, hybrid recommenders, prescriptive optimization, robust optimization, scenario simulation, counterfactual analysis, contextual/off-policy evaluation, and chronological back-testing** [15] [23] [25] [31] [39] [40].

Assumptions & Limitations

The review assumes that adjacent literatures can be combined to assess the feasibility of the target engine, because no retrieved study fully implements the exact architecture [1] [6]. Evidence is strongest for **individual components** and weaker for **longitudinal production deployment**, with limited proof that offline gains consistently survive live use over time [41] [42] [43]. Many commerce recommender studies also optimize **precision/recall or clustering quality** rather than realized revenue, margin, or action cost, so practical value must often be inferred cautiously [9] [39] [40].

Suggested Further Research

- Build and test an end-to-end architecture combining **personalization + risk control + simulation + leak-proof back-testing** in one commercial stack [2] [3] [12] [23].

- Compare decision policies against **expert rules, CRM heuristics, and ML-only scoring** using realized business metrics such as revenue, margin, conversion, and action cost [44] [45].
- Test whether **calibrated uncertainty** materially improves downstream selling decisions versus point predictions [30] [46] [47].
- Evaluate **drift, cold start, and workflow adoption** in longitudinal field studies rather than one-off offline experiments [32] [34] [42].
- Study **governance and explainability** as performance determinants, not just compliance add-ons [3] [33] [48].

Full Report Body

Introduction

A personalized, risk-aware selling decision engine is not just a predictor of demand, churn, or win probability. It is a system that uses customer and context data to choose the **best action**—offer, price, cross-sell, retention move, assortment, or prioritization decision—under uncertainty and business constraints [24] [25]. The literature strongly supports this shift from prediction to prescription: business value increasingly comes from selecting actions, not merely estimating outcomes [24] [25].

What your query adds is a sharper requirement: the engine should be **personalized**, **risk-aware**, equipped with **what-if simulation**, and validated through **historical back-testing**. Retrieved studies strongly validate each ingredient separately, but the complete combination remains missing [1] [2] [14] [17].

Confidence level: High - the gap and solution direction are directly supported by multiple sources from different subfields [1] [2] [14] [17] [34].

Foundational Context

A practical engine of this type has four conceptually distinct layers.

1. Personalization layer

This layer tailors offers or actions to customer, account, or segment characteristics using segmentation, collaborative filtering, content-based methods, association rules, or hybrids [9] [10] [39] [49].

2. Prescriptive/risk layer

This layer converts predictions into decisions under uncertainty, often using optimization, robust optimization, or explicit risk controls such as confidence bounds or CVaR-style formulations [31] [50] [51] [52].

3. What-if / counterfactual layer

This layer compares alternative actions before execution by simulating pricing, promotion, prioritization, or recommendation scenarios using historical logs or structural demand models [12] [13] [14] [15].

4. Evaluation / back-testing layer

This layer tests whether the proposed policy would likely work on unseen future periods, while protecting against temporal leakage and logged-policy bias through walk-forward testing and off-policy evaluation [17] [20] [22] [23].

Taken together, these findings suggest that the innovation opportunity is not a single algorithm but an **integrated architecture** [3] [12] [23] [50].

Confidence level: High - this is a direct synthesis of recurring structures across the evidence base [3] [12] [23] [50].

1. Papers That Identify the Core Gap

The clearest explicit gap statement appears in the **2025 B2B opportunity-management framework**, which argues that firms still rely on intuition and ad hoc rules, then proposes win-likelihood prediction plus combinatorial optimization on archival opportunity data [1]. This is highly relevant because it frames selling as a prescriptive decision problem, but it does **not** provide customer-level next-best-action personalization, what-if simulation, or rigorous historical back-testing [1].

A second strong partial match is the **2025 retail-banking actuarial personalization** study, which explicitly merges customer-level recommendation with risk/compliance constraints and validates outcomes on a real dataset of 1,000 customers, reporting higher profit, lower default likelihood, and better compliance and satisfaction [2]. It validates the **risk-aware personalization** part of your architecture, but not the simulation or back-testing parts [2].

The broader meta-pattern is fragmentation: some studies cover end-to-end governed recommendation under operational constraints [3], some cover risk-aware pricing or inventory decisions [50] [51], some cover scenario-based retail planning [5], and others cover temporal validation or counterfactual/off-policy evaluation [17] [23]. No retrieved paper combines all four in one validated commercial selling engine [6] [44].

Directly relevant gap-identifying papers

- **B2B opportunity-management framework (2025)**: prescriptive selling beyond intuition, archival-data validation, but no full simulation/back-testing loop [1].
- **Actuarial personalization in retail banking (2025)**: customer-level personalization with explicit risk/compliance and real-data validation [2].

- **Governed basket recommendation**: closest architectural analog with calibrated beliefs, feasibility masking, and bounded exploration [3].
- **Integrated retail sales planning**: scenario-based optimization of assortment, promotions, and inventory under uncertainty [5].
- **Personalized-pricing off-policy evaluation**: historical-policy evaluation without live deployment [4].

Confidence level: High - these are the strongest partial matches in the retrieved set [1] [2] [3] [4] [5].

2. Evidence Validating the Solution Components

2.1 Personalized recommendation and segmentation

Personalization is the most mature component. RFM-based and enriched segmentation methods support targeted campaigns, loyalty actions, and profitable-customer identification, with validation using clustering quality and, in stronger cases, business outcomes [39] [53] [54] [55]. MetaRFM reports better business outcomes than static baselines, including campaign lift and improved cluster separation [8]. Hybrid recommender systems combining collaborative, content-based, demographic, or association-rule signals usually improve precision, F1, hit ratio, or related ranking metrics over standalone methods [9] [10] [40] [56].

However, most of this literature optimizes **relevance**, **response**, or **segment quality**, not **risk-adjusted action quality** [9] [39] [40]. That is a central distinction for your use case.

Confidence level: High - evidence for personalization is broad and consistent [8] [9] [39] [40].

2.2 Risk-aware and uncertainty-aware decision support

Risk-awareness is supported conceptually and methodologically, but only sparsely in direct selling applications. The clearest direct case is the banking study above [2]. More generally, retrieved work shows explicit uncertainty criteria in inventory and pricing decisions through CVaR-style newsvendor formulations and contextual dynamic pricing with confidence bounds [50] [51]. Distributionally robust optimization is also presented as a general framework for stable decisions under ambiguity, with out-of-sample guarantees [31].

The main unresolved issue is validation: few studies directly prove that calibrated uncertainty estimates improve downstream selling recommendations compared with point estimates [30] [46] [47] [57]. This is an important skipped gap, not a solved problem [30] [58].

Confidence level: Medium-High - the methodological case is strong, but direct commercial proof is limited [2] [30] [31] [51].

2.3 Prescriptive action selection

Prescriptive analytics is one of the strongest conceptual validations for your proposed engine. Foundational work argues that analytics should prescribe actions under uncertainty, not just predict outcomes [24] [25] [59]. Applied retail and revenue-management studies operationalize this idea in assortment, pricing, and ordering contexts, where decisions must satisfy feasibility and profit constraints [27] [28] [29] [60].

Taken together, these findings suggest that your target engine aligns with the main theoretical direction of the field: **personalized action selection under uncertainty and constraints** [25] [27] [28].

Confidence level: High - the prescriptive shift is one of the most repeatedly supported themes [24] [25] [26] [27] [28].

3. What-If Simulation and Counterfactual Analysis

The literature clearly supports what-if simulation as a selling decision capability, but mostly outside customer-level next-best-action engines. Several papers frame decisions as counterfactual or scenario-based rather than purely predictive, using historical logs or simulated environments to compare alternative actions [12] [13] [14].

The strongest examples are:

- **Customer prioritization** using counterfactual analysis to estimate sales and retention consequences when live experiments are impractical [14].
- **Marketing pricing-policy analysis** comparing profitability across alternative price paths and expectation scenarios [13].
- **Historical-log recommendation optimization** using counterfactual estimators for alternative session recommendations [12].
- **Fashion retail pricing** with hundreds of simulated revenue scenarios [15].
- **Hotel dynamic-pricing simulation** comparing policies on historical reservation logs over time [16].

The limitation is scope: these are often **aggregate pricing/promotion/inventory** applications rather than a unified personalized selling engine [61].

Confidence level: High - strong evidence validates the need for a what-if layer, even if integration with personalization remains thin [12] [13] [14] [15] [16].

4. Historical Back-Testing and Offline Evaluation

This is the most methodologically decisive part of the evidence base. Multiple studies show that offline evaluation can be badly misleading when temporal order is ignored. Random train-test splits can leak future information, inflate performance, and even reverse model rankings relative to chronological evaluation [17] [18] [19] [21] [62]. Recommended practice is walk-forward, rolling-origin, expanding-window, or chronological holdout validation where each test period strictly follows training data [20] [63] [64].

For personalized recommendations, another problem appears: observational logs are affected by exposure and logged-policy bias, so offline metrics can misestimate the value of a new policy [22] [65] [66]. This is why counterfactual/off-policy evaluation methods such as IPS, SNIPS, and slate-based approaches are especially relevant to your use case [22] [23] [36] [67] [68].

So, historical back-testing is not just a "nice to have"; it is essential to avoid false confidence in a selling engine [17] [20] [22].

Confidence level: High - this is one of the most directly evidenced conclusions in the full set [17] [20] [21] [22] [23].

5. Evidence of Business Value

Business-value evidence is strongest for **components**, not the full integrated engine. Personalized recommendation papers report higher recommendation quality and, in some cases, revenue uplift such as a 1.8% revenue increase from segmentation plus product association rules [7]. MetaRFM reports campaign lift gains [8]. Personalized assortments show revenue improvements over non-personalized policies [28]. The retail-banking actuarial study reports higher profit and lower default likelihood than current practice [2]. Counterfactual pricing and policy studies report substantial differences in profit or revenue across alternative strategies [15] [69].

But there is a contradiction in the literature: strong offline or simulated gains often coexist with weak live-deployment evidence because frictions, fees, governance constraints, or workflow misfit can erode observed gains in production [34] [35] [70] [71] [72].

Confidence level: Medium-High - component-level business value is well supported, but production-grade end-to-end validation is limited [2] [7] [8] [34] [69].

6. Other Gaps That Have Been Skipped but Must Be Considered

These are the most important omitted or under-addressed gaps for your target system.

6.1 Uncertainty calibration and downside-risk control

The literature recognizes calibration and robustness as important, but rarely shows that uncertainty-aware models improve selling decisions relative to point estimates [30] [46] [47]. This should be treated as a required research stream, not a solved module [31] [58].

6.2 Logged-policy bias and exposure bias

Offline logs reflect what the old policy showed customers, not what could have been shown. Without off-policy correction, offline success estimates may be distorted [22] [23] [65].

6.3 Temporal leakage and business-cycle robustness

Validation must be chronological and repeated across forecast origins, because drift and temporal structure can materially change rankings and measured value [21] [62] [73].

6.4 Cold start and continuous drift

Cold-start users/items and continuous preference or market change remain persistent deployment barriers [32] [37] [74] [75].

6.5 Explainability, governance, and human-in-the-loop operation

Production systems increasingly need transparent reasoning, rule guardrails, and human oversight rather than black-box autonomy [3] [33] [38] [48] [76].

6.6 Workflow integration and actionability

A technically good model can still fail if it does not fit CRM workflow, channel capacity, promotion eligibility, or analyst usage patterns [34] [35] [77] [78].

6.7 Business constraints are often modeled separately

Inventory feasibility, promotion rules, compliance constraints, and sales-channel capacity are often treated in different papers rather than jointly in one personalized engine [2] [3] [29].

Confidence level: High - these omitted gaps recur across the evidence base and are directly relevant to deployment [22] [32] [33] [34] [37].

7. Practical Research Design Implications

A research-backed design for your target engine would likely require four linked modules:

1. **Personalization module**: segment- or customer-level next-best-action generation [9] [11].
2. **Risk/prescription module**: robust or constrained optimization using uncertainty and business rules [2] [31] [51].

3. **What-if simulation module**: counterfactual comparison of alternative offers, prices, or prioritization policies [12] [14] [15].
4. **Evaluation module**: walk-forward temporal back-testing plus off-policy evaluation on historical logs [20] [22] [23].

Inferred: the most defensible near-term application domains are likely those with strong action logging and governance needs—such as banking, insurance, telecom retention, or B2B account management—because these settings already make risk, compliance, and historical auditability central [1] [2] [79]. **Confidence level: Low** - this is a synthesis, not a directly tested conclusion [1] [2] [79].

Conclusion

The literature does **not** yet provide a single paper that fully validates a personalized, risk-aware selling decision engine with what-if simulation and historical back-testing. But it **does** strongly validate the need for such a system and provides credible evidence for each core building block separately [1] [2] [14] [17] [23]. The strongest unresolved gap is the lack of an end-to-end commercial study that integrates those building blocks while also handling uncertainty calibration, logged-policy bias, drift, cold start, explainability, governance, and workflow adoption [22] [30] [32] [33] [34].

If your goal is to justify building this engine, the evidence is favorable: the gap is real, the conceptual direction is strongly supported, and the missing value lies in **integration and validation rigor**, not in inventing a wholly new premise [1] [21] [24] [25].

Overall confidence level: High - the evidence consistently supports the existence of the gap and the validity of the proposed direction, while also clearly showing that full end-to-end validation remains absent [1] [2] [17] [42].

References

1. Shaik, M., Sridhar, S., Sriskandarajah, C., Mittal, V. (2025) Opportunity Management for Business-to-Business (B2B) Service Organizations: A Theory-Informed Decision Support Framework. *Production and Operations Management*. https://doi.org/10.1177/10591478251407559
2. Mahajan, A.S., Yamsani, N., Uddandarao, D.P. (2025) Actuarial Science Driven Personalization: Optimizing Offers Through Compliance. *2025 International Conference on Computational Engineering, Sensing Technology and Management, ICCETM 2025*. https://doi.org/10.1109/ICCETM66557.2025.11558006
3. Liu, X., Chen, X. (2026) Governed agentic AI for retail baskets: A consumer world model with inventory-aware actions. *Production and Operations Management*. https://doi.org/10.1177/10591478261458079
4. Elmachtoub, A.N., Gupta, V., Zhao, Y. (2023) Balanced Off-Policy Evaluation for Personalized Pricing. *Proceedings of Machine Learning Research*. https://www.scopus.com/pages/publications/85165131245

5. Saccomanno, F.P., Trivella, A., Guerriero, F. (2026) Integrated sales planning for in-store retail: A multi-stage stochastic optimization approach. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2025.07.015
6. González-Flores, Laura, Rubiano-Moreno, Jessica, Sosa-Gómez, Guillermo (2025) The relevance of lead prioritization: a B2B lead scoring model based on machine learning. *Frontiers in Artificial Intelligence*. https://doi.org/10.3389/frai.2025.1554325
7. Woon, Y.-K., Ng, W.-K., Lim, E.-P. (2008) Association Rule Mining. *Encyclopedia of Data Warehousing and Mining: Second Edition*. https://doi.org/10.4018/978-1-60566-010-3.ch013
8. Mary Magdalene Jane, F.M.M., Pream Sudha, V.P., Saranya, S., (...), Kalaiselvi, S.R. (2025) METARFM: A META-LEARNING FRAMEWORK FOR THE ADAPTIVE SELECTION OF RFM MODEL ARIANTS IN CUSTOMER SEGMENTATION. *Archives for Technical Sciences*. https://doi.org/10.70102/afts.2025.1834.861
9. Sinaga, V.L., Wibowo, A. (2025) Combining XGBoost and hybrid filtering algorithm in e-commerce recommendation system. *International Journal of Advances in Applied Sciences*. https://doi.org/10.11591/ijaas.v14.i2.pp618-626
10. Suman, M., Adithya, B.S., Reddy, G.S.V., (...), Devang (2025) Hybrid Recommendation System using Collaborative Filtering, Content-based Filtering, and Apriori Algorithm. *16th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2025*. https://www.scopus.com/pages/publications/105034835743
11. Amato, A., MacHado, M.R., Moreira, J.L.R. (2026) Leveraging early warning systems and customer segmentation to identify business opportunities in the financial industry. *International Journal of Information Management Data Insights*. https://doi.org/10.1016/j.jjimei.2026.100428
12. Bergman, D., Kutlu, S.N., Patterson, R.A., Wang, K. (2026) Towards better recommendations: Integrating counterfactual learning and trust regions in digital platforms. *Decision Support Systems*. https://doi.org/10.1016/j.dss.2026.114630
13. Nair, Harikesh S. (2019) Diffusion and pricing over the product life cycle. *Handbook of the Economics of Marketing*. https://doi.org/10.1016/bs.hem.2019.05.001
14. Ahola, S., Luoma, J. (2026) On the difficulty of using algorithms to replace managers in decision making: A study of customer prioritization. *Industrial Marketing Management*. https://doi.org/10.1016/j.indmarman.2026.02.016
15. Namin, A., Soysal, G.P., Ratchford, B.T. (2022) Alleviating demand uncertainty for seasonal goods: An analysis of attribute-based markdown policy for fashion retailers. *Journal of Business Research*. https://doi.org/10.1016/j.jbusres.2022.02.081
16. Majidi, M., Yang, J., Beheshti, A. (2026) LLM-Based Agent Simulation Data Product for Counterfactual Evaluation of Hotel Dynamic Pricing. *Proceedings of the IEEE International Conference on Web Services, ICWS*. https://doi.org/10.1109/ICWS72778.2026.00170

17. Szramowiat-Sala, K., Woźniak, A., Hirose, T., (...), Górecki, J. (2026) Machine learning-based modelling of microalgae cultivation dynamics in a photobioreactor. *Industrial Crops and Products*. https://doi.org/10.1016/j.indcrop.2026.124459

18. Mahdiyasa, A.W., Chaim, J.F., Pasaribu, U.S., (...), Chrysanti, A. (2026) A calibrated spatio-temporal machine learning model for tropical peatland fire risk. *Natural Hazards Research*. https://doi.org/10.1016/j.nhres.2026.07.007

19. https://www.sciencedirect.com/science/article/pii/S2948136826000019

20. Dierckx, T., Davis, J., Schoutens, W. (2022) Trading the FX volatility risk premium with machine learning and alternative data. *Journal of Finance and Data Science*. https://doi.org/10.1016/j.jfds.2022.07.001

21. Shinyclimensa, S., Parthiban, P. (2026) Evaluating network features for risk assessment in fish and seafood safety notification systems: A machine learning investigation. *Results in Engineering*. https://doi.org/10.1016/j.rineng.2026.109106

22. Wang, Y., Si, J., Qiu, X., Zhu, K. (2026) Debiasing Session-Based Recommendation for the Digital Economy: Propensity-Aware Training and Temporal Contrast on Graph Transformers. *Electronics (Switzerland)*. https://doi.org/10.3390/electronics15010084

23. Korovaitceva, D., Sheshukova, M., Frolov, E., Samsonov, S. (2026) Revisiting IPS-based Algorithms for Off-Policy Evaluation of Contextual Bandits. *WWW 2026 - Proceedings of the ACM Web Conference 2026*. https://doi.org/10.1145/3774904.3792928

24. Lepenioti, K., Bousdekis, A., Apostolou, D., Mentzas, G. (2020) Prescriptive analytics: Literature review and research challenges. *International Journal of Information Management*. https://doi.org/10.1016/j.ijinfomgt.2019.04.003

25. Bertsimas, D., Kallus, N. (2020) From predictive to prescriptive analytics. *Management Science*. https://doi.org/10.1287/mnsc.2018.3253

26. Ban, G.-Y., Rudin, C. (2019) The big Data newsvendor: Practical insights from machine learning. *Operations Research*. https://doi.org/10.1287/opre.2018.1757

27. Rusmevichientong, P., Shen, Z.-J.M., Shmoys, D.B. (2010) Dynamic assortment optimization with a multinomial logit choice model and capacity constraint. *Operations Research*. https://doi.org/10.1287/opre.1100.0866

28. Golrezaei, N., Nazerzadeh, H., Rusmevichientong, P. (2014) Real-time optimization of personalized assortments. *Management Science*. https://doi.org/10.1287/mnsc.2014.1939

29. Xue, Y., Zheng, Y., Xiao, J., Yang, X. (2026) Automatic Pricing and Replenishment Decisions for Vegetable Products Based on Grey Prediction Model and 0-1 Programming. *Communications in Computer and Information Science*. https://doi.org/10.1007/978-3-031-99879-9_10

30. Cherian, M., Jane, A., Deepak, (...), Modasscer, M. (2025) Demand Forecasting System for Small Business Optimization. *2025 5th International Conference on Intelligent Technologies, CONIT 2025*. https://doi.org/10.1109/CONIT65521.2025.11167430

31. Lin, F., Fang, X., Gao, Z. (2022) Distributionally robust optimization: A review on theory and applications. *Numerical Algebra, Control and Optimization*. https://doi.org/10.3934/naco.2021057

32. Bernardi, L., Kamps, J., Kiseleva, J., Mueller, M.J.I. (2015) The continuous cold start problem in e-commerce recommender systems. *CEUR Workshop Proceedings*. https://www.scopus.com/pages/publications/84944323159

33. Shi, G., Deng, X., Luo, L., (...), Li, Y. (2025) LLM-powered explanations: Unraveling recommendations through subgraph reasoning. *Knowledge-Based Systems*. https://doi.org/10.1016/j.knosys.2025.114307

34. Plotnikova, V., Dumas, M., Milani, F.P. (2022) Applying the CRISP-DM data mining process in the financial services industry: Elicitation of adaptation requirements. *Data and Knowledge Engineering*. https://doi.org/10.1016/j.datak.2022.102013

35. Theodorakopoulos, Leonidas, Theodoropoulou, Alexandra, Bakalis, Aristeidis (2025) Big data in financial risk management: evidence, advances, and open questions: a systematic review. *Frontiers in Artificial Intelligence*. https://doi.org/10.3389/frai.2025.1658375

36. Li, L., Chu, W., Langford, J., Schapire, R.E. (2010) A contextual-bandit approach to personalized news article recommendation. *Proceedings of the 19th International Conference on World Wide Web, WWW '10*. https://doi.org/10.1145/1772690.1772758

37. Lundberg, S.M., Erion, G., Chen, H., (...), Lee, S.-I. (2020) From local explanations to global understanding with explainable AI for trees. *Nature Machine Intelligence*. https://doi.org/10.1038/s42256-019-0138-9

38. Santiago, R.L.V., Lins, I.D. (2026) AI-powered innovation tournament evaluations: A hybrid NLP approach. *Technovation*. https://doi.org/10.1016/j.technovation.2026.103622

39. Baddad, R.O., Owda, A.Y., Owda, M. (2025) Customer Segmentation for Targeted Campaigns Using RFM Analysis and K-Means Clustering. *Proceeding - 12th International Conference on Information Technology: Innovation Technologies, ICIT 2025*. https://doi.org/10.1109/ICIT64950.2025.11049096

40. Kumar, K., Kumar, A., Ahuja, S. (2025) An Intelligent Product Recommendation System using Machine Learning and Hybrid Filtering Approaches. *2025 International Conference on Intelligent and Secure Engineering Solutions, CISES 2025*. https://doi.org/10.1109/CISES66934.2025.11265160

41. Li, Q., Li, F., Ye, Y., (...), Xu, B. (2026) Hydropower PFR-AGC coupling-aware optimization: Feasible region constrained allocation for day-ahead bidding and dispatch. *Energy*. https://doi.org/10.1016/j.energy.2026.141253

42. Elvas, L.B., Almeida, A., Ferreira, J.C. (2025) Natural language processing in medical text processing: A scoping literature review. *International Journal of Medical Informatics*. https://doi.org/10.1016/j.ijmedinf.2025.106049

43. Kehl Matter, V., Martins, M., Barbosa, J.L.V. (2026) Context-aware security and machine learning for access control: A systematic mapping and taxonomies. *Computer Science Review*. https://doi.org/10.1016/j.cosrev.2025.100880

44. Möller, K., Parvinen, P. (2015) An impact-oriented implementation approach in business marketing research. Introduction to the Special Issue on "Implementing Strategies and Theories of B2B Marketing and Sales Management".. *Industrial Marketing Management*. https://doi.org/10.1016/j.indmarman.2015.02.025

45. https://www.sciencedirect.com/science/article/pii/S2364416826000533

46. Chen, Z., Gaba, A., Tsetlin, I., Winkler, R.L. (2022) Evaluating quantile forecasts in the M5 uncertainty competition. *International Journal of Forecasting*. https://doi.org/10.1016/j.ijforecast.2022.03.004

47. Al-Gabalawy, M., Hosny, N.S., Adly, A.R. (2021) Probabilistic forecasting for energy time series considering uncertainties based on deep learning algorithms. *Electric Power Systems Research*. https://doi.org/10.1016/j.epsr.2021.107216

48. Ran, Y., Li, X., Huang, J., (...), Jia, T. (2026) CLEAR-X: Contrastive learning with explainable re-ranking for academic reviewer recommendation. *Chaos, Solitons and Fractals*. https://doi.org/10.1016/j.chaos.2026.118738

49. Tewari, A.S., Barman, A.G. (2017) Collaborative recommendation system using dynamic content based filtering, association rule mining and opinion mining. *International Journal of Intelligent Engineering and Systems*. https://doi.org/10.22266/ijies2017.1031.07

50. Gong, X., You, W., Zhang, J. (2026) Minimax Optimality in Contextual Dynamic Pricing with General Valuation Models. *Operations Research*. https://doi.org/10.1287/opre.2025.1779

51. Wang, M., Sangsongfa, A., Amdee, N. (2025) Comparative Analysis of CVaR Newsvendor and Traditional Inventory Management Models: An Empirical Study in the Electric Vehicle Industry. *Engineering Journal*. https://doi.org/10.4186/ej.2025.29.12.13

52. Rusmevichientong, P., Topaloglu, H. (2012) Robust assortment optimization in revenue management under the multinomial logit choice model. *Operations Research*. https://doi.org/10.1287/opre.1120.1063

53. Subagyo, U., Thoha, A.B., Syafrianto, A., (...), Sanuri, R. (2025) Customer Behavior Profiling in Wholesale Retail Using RFM Analysis and K-Means Clustering. *Proceedings - 2025 4th International Conference on Electronics Representation and Algorithm: Artificial Intelligence: Creating Tomorrow's World Today, ICERA 2025*. https://doi.org/10.1109/ICERA66156.2025.11087354

54. Lau, U., Wasesa, M. (2025) Incorporating Loyalty and Periodicity into an Data-Driven RFM Customer Segmentation Model: An Empirical Study in the B2B Retail Sector. *Proceedings of the 2025 IEEE International Conference on Technology, Informatics, Management, Engineering and Environment, TIME-E 2025*. https://doi.org/10.1109/TIME-E68804.2025.11512686

55. Qi, J., Li, Y., Jin, H., (...), Mu, W. (2023) User value identification based on an improved consumer value segmentation algorithm. *Kybernetes*. https://doi.org/10.1108/K-01-2022-0049

56. Raghavendra, C.K., Srikantaiah, K.C. (2022) SWITCHING HYBRID MODEL FOR PERSONALIZED RECOMMENDATIONS BY COMBINING USERS DEMOGRAPHIC INFORMATION. *Journal of Theoretical and Applied Information Technology*. https://www.scopus.com/pages/publications/85125423773

57. Perna, S., Austnes, P.F., Gerini, F., (...), Paolone, M. (2024) A Comparative Analysis of Empirical Copula and Quantile Regression Methods for Probabilistic Load Forecasting. *PMAPS 2024 - 18th International Conference on Probabilistic Methods Applied to Power Systems*. https://doi.org/10.1109/PMAPS61648.2024.10667333

58. Rahaman, R., Thiéry, A.H. (2021) Uncertainty Quantification and Deep Ensembles. *Advances in Neural Information Processing Systems*. https://www.scopus.com/pages/publications/85131892263

59. Soltanpoor, R., Sellis, T. (2016) Prescriptive analytics for big data. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-319-46922-5_19

60. Talluri, K., van Ryzin, G. (2004) Revenue Management Under a General Discrete Choice Model of Consumer Behavior. *Management Science*. https://doi.org/10.1287/mnsc.1030.0147

61. Saccomanno, F.P., Trivella, A., Guerriero, F. (2026) Integrated sales planning for in-store retail: A multi-stage stochastic optimization approach. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2025.07.015

62. Utsho, S.K., Samsudin, R.B. (2026) When random splits lie: Temporal inflation and ranking instability in tabular defect and air-quality prediction dataset. *Information and Software Technology*. https://doi.org/10.1016/j.infsof.2026.108278

63. Kasidoni, M.S., Adamopoulos, N.D., Loizidou, M.D. (2026) Forecasting EU ETS carbon prices using information on CCU/CDR technologies' investments. *Energy Strategy Reviews*. https://doi.org/10.1016/j.esr.2026.102302

64. Hridoy, M.A.A.M., Bodini, M., Mahin, M.R., (...), Goliatt, L. (2026) Operational early-warning forecasts of aquaculture water quality: Interpretable ML for TDS under walk-forward validation. *Ecological Informatics*. https://doi.org/10.1016/j.ecoinf.2026.103804

65. Carraro, D., Bridge, D. (2022) A sampling approach to Debiasing the offline evaluation of recommender systems. *Journal of Intelligent Information Systems*. https://doi.org/10.1007/s10844-021-00651-y

66. Pereira, B.L., Said, A., Santos, R.L.T. (2025) On the Reliability of Sampling Strategies in Offline Recommender Evaluation. *RecSys2025 - Proceedings of the 19th ACM Conference on Recommender Systems*. https://doi.org/10.1145/3705328.3748086

67. Kiyohara, H., Nomura, M., Saito, Y. (2024) Off-Policy Evaluation of Slate Bandit Policies via Optimizing Abstraction. *WWW 2024 - Proceedings of the ACM Web Conference*. https://doi.org/10.1145/3589334.3645343

68. Benigni, M. (2025) Bayesian Perspectives on Offline Evaluation for Recommender Systems. *RecSys2025 - Proceedings of the 19th ACM Conference on Recommender Systems*. https://doi.org/10.1145/3705328.3748762

69. Smith, A.N., Seiler, S., Aggarwal, I. (2023) Optimal Price Targeting. *Marketing Science*. https://doi.org/10.1287/mksc.2022.1387

70. https://www.sciencedirect.com/science/article/pii/S2731080926005545

71. Fan, H., Chow, E., Lu, T., (...), Li, B. (2026) A unified framework for large language model-guided reinforcement learning in digital twin industrial environments. *Robotics and Computer-Integrated Manufacturing*. https://doi.org/10.1016/j.rcim.2025.103215

72. Zhang, C., Juraschek, M., Herrmann, C. (2024) Deep reinforcement learning-based dynamic scheduling for resilient and sustainable manufacturing: A systematic review. *Journal of Manufacturing Systems*. https://doi.org/10.1016/j.jmsy.2024.10.026

73. Wu, J., Liu, H., Yao, X., Zhang, L. (2024) Unveiling consumer preferences: A two-stage deep learning approach to enhance accuracy in multi-channel retail sales forecasting. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2024.125066

74. Chaube, S., Kar, R., Gupta, S., Kant, M. (2025) Multimodal AI framework for the prediction of high-potential product listings in e-commerce: Navigating the cold-start challenge. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2025.127524

75. Jing, Y., Guo, B., Li, N., (...), Yu, Z. (2025) Scalable order dispatching through Federated Multi-Agent Deep Reinforcement Learning. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2024.125792

76. Babakov, N., Reiter, E., Bugarin-Diz, A. (2025) Explaining Bayesian Networks Reasoning to the General Public: Insights from the User Study. *CEUR Workshop Proceedings*. https://www.scopus.com/pages/publications/105019529388

77. Meléndez, E., Goerlandt, F. (2025) A STAMP-Informed framework for classifying interorganizational risk management challenges in ports. *Safety Science*. https://doi.org/10.1016/j.ssci.2025.107000

78. https://www.sciencedirect.com/science/article/pii/S2624821226005454

79. Burez, J., Van den Poel, D. (2008) Separating financial from commercial customer churn: A modeling step towards resolving the conflict between the sales and credit department. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2007.07.036