Microsoft Certified Cloud and AI Security Engineer Associate

117 Real Question and Answers



SC-500



https://shapingpixel.com

ShapingPixel

1). You have an Azure API Management instance named APIM1.
You have a partner company that accesses an API in APIM1 by using subscription keys.
A backend API key is stored in a named value in APIM1.
Microsoft Defender for Cloud generates the following recommendation: "API Management secret named values should be stored in Azure Key Vault." You need to address the recommendation.
What should you do first?

A. Mark the existing named value as a secret.
B. Enable the Microsoft Defender for APIs plan.
C. Enable a managed identity for APIM1.
D. Replace the backend API key with a subscription key.

www.shapingpixel.com

1). You have an Azure API Management instance named APIM1.
You have a partner company that accesses an API in APIM1 by using subscription keys.
A backend API key is stored in a named value in APIM1.
Microsoft Defender for Cloud generates the following recommendation: "API Management secret named values should be stored in Azure Key Vault." You need to address the recommendation.
What should you do first?

A. Mark the existing named value as a secret.
B. Enable the Microsoft Defender for APIs plan.
C. Enable a managed identity for APIM1.
D. Replace the backend API key with a subscription key.

Answer(s): C

www.shapingpixel.com

2). You have a virtual network named VNet1 that contains a subnet named Subnet1. Azure App Service is integrated with VNet1. You have an Azure SQL Database logical server named Server1 that contains a database named DB1. Server1 is accessible only by using a public IP address.
You need to ensure that Server does NOT use a public IP address and Azure App Service can still access Server1.
What should you create?

A. a private endpoint
B. an Azure Private Link service
C. a service endpoint
D. a routing table

www.shapingpixel.com

2). You have a virtual network named VNet1 that contains a subnet named Subnet1. Azure App Service is integrated with VNet1. You have an Azure SQL Database logical server named Server1 that contains a database named DB1. Server1 is accessible only by using a public IP address.
You need to ensure that Server does NOT use a public IP address and Azure App Service can still access Server1.
What should you create?

A. a private endpoint
B. an Azure Private Link service
C. a service endpoint
D. a routing table

Answer(s): A

www.shapingpixel.com

3). You need to implement the planned change for the AKS1 integration.
What should you configure for AKS1?

A.application scaling
B.a workload identity
C.Secrets Store CSI Driver
D.Kubernetes role-based access control (Kubernetes RBAC)

www.shapingpixel.com

3). You need to implement the planned change for the AKS1 integration.
What should you configure for AKS1?

A.application scaling
B.a workload identity
C.Secrets Store CSI Driver
D.Kubernetes role-based access control (Kubernetes RBAC)

Answer(s): C

www.shapingpixel.com

4). DRAG DROP
-

You have an Azure subscription named Sub1 that contains an Azure SQL Database logical server named Server1.

Server1 contains a database named DB1.

Microsoft Defender for Cloud security alerts are being generated for Sub1.

You plan to improve investigation capabilities when Microsoft Defender for SQL raises Advanced Threat Protection alerts.

You need to ensure that the Advanced Threat Protection investigations have the audit records of DB1. The solution must include the recommended audit action groups.

How should you configure database auditing for Server1? To answer, drag the appropriate action groups to the correct requirements. Each action group may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Action groups

- AUDIT_CHANGE_GROUP
- BATCH_COMPLETED_GROUP
- FAILED_DATABASE_AUTHENTICATION_GROUP
- FAILED_LOGIN_GROUP
- SUCCESSFUL_DATABASE_AUTHENTICATION_GROUP
- SUCCESSFUL_LOGIN_GROUP


Answer Area

Audit action group for successful logins: Action group

Audit action group for failed logins: Action group

www.shapingpixel.com

Correct Answer



www.shapingpixel.com

5). HOTSPOT -
You have a Microsoft Sentinel workspace named Workspace1.
You hire a security consultant. You provide the consultant with a guest account named User1 in your Microsoft Entra tenant.
You need to enable User1 to assign incidents in Workspace1.
Which roles should you assign to User1? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.



https://shapingpixel.com

Correct Answer



https://shapingpixel.com

6). You have multiple Microsoft Security Copilot workspaces.
A user named User1 accesses Security Copilot by using the default workspace.
You create a new workspace named Workspace1 and assign a capacity to Workspace1.
You plan to route Security Copilot agent traffic to Workspace1.
You need to ensure that User1 can use embedded experiences without errors.
What should you do before switching to Workspace1?

A. Add User1 to Workspace1.
B. Assign User1 the Security Operator role in Microsoft Entra.
C. Create a new capacity for Workspace1.
D. Disassociate the capacity from the default workspace.

www.shapingpixel.com

6). You have multiple Microsoft Security Copilot workspaces.
A user named User1 accesses Security Copilot by using the default workspace.
You create a new workspace named Workspace1 and assign a capacity to Workspace1.
You plan to route Security Copilot agent traffic to Workspace1.
You need to ensure that User1 can use embedded experiences without errors.
What should you do before switching to Workspace1?

A. Add User1 to Workspace1.
B. Assign User1 the Security Operator role in Microsoft Entra.
C. Create a new capacity for Workspace1.
D. Disassociate the capacity from the default workspace.

Answer(s): A

www.shapingpixel.com

7). You have an Azure subscription named Sub1 that contains multiple virtual machines.
You have a Microsoft 365 E5 subscription that contains devices onboarded to Microsoft Defender for Endpoint.
You have an on-premises datacenter that contains multiple servers.
You plan to onboard all existing and future on-premises servers to Azure Arc.
You need to ensure that the Azure Arc-enabled servers are protected by using the same security features as the Microsoft 365 devices immediately after the servers are onboarded. The solution must minimize administrative effort.
What should you do?

A. Onboard each server to Microsoft Defender for Endpoint by using a local installation script.
B. For Sub1, enable the Microsoft Defender for Servers plan in Microsoft Defender for Cloud.
C. Configure an Azure Policy assignment.
D. Onboard each server to Microsoft Defender for Endpoint by using Group Policy.

www.shapingpixel.com

7). You have an Azure subscription named Sub1 that contains multiple virtual machines.
You have a Microsoft 365 E5 subscription that contains devices onboarded to Microsoft Defender for Endpoint.
You have an on-premises datacenter that contains multiple servers.
You plan to onboard all existing and future on-premises servers to Azure Arc.
You need to ensure that the Azure Arc-enabled servers are protected by using the same security features as the Microsoft 365 devices immediately after the servers are onboarded. The solution must minimize administrative effort.
What should you do?

A. Onboard each server to Microsoft Defender for Endpoint by using a local installation script.
B. For Sub1, enable the Microsoft Defender for Servers plan in Microsoft Defender for Cloud.
C. Configure an Azure Policy assignment.
D. Onboard each server to Microsoft Defender for Endpoint by using Group Policy.

Answer(s): B

www.shapingpixel.com

8). You have an Azure SQL Database logical server named Server1 that contains multiple databases.
The databases contain legacy SQL authentication logins that must no longer be usable for sign-in but must NOT be removed from the databases.
You need to ensure that SQL authentication is denied for connections.
What should you do?

A. Create a Conditional Access policy.
B. Run create USER ... FROM EXTERNAL PROVIDER on each database.
C. Enable Microsoft Entra-only authentication for Server1.
D. Assign the SQL Server Contributor role to Server1.

www.shapingpixel.com

8). You have an Azure SQL Database logical server named Server1 that contains multiple databases.
The databases contain legacy SQL authentication logins that must no longer be usable for sign-in but must NOT be removed from the databases.
You need to ensure that SQL authentication is denied for connections.
What should you do?

A. Create a Conditional Access policy.
B. Run create USER ... FROM EXTERNAL PROVIDER on each database.
C. Enable Microsoft Entra-only authentication for Server1.
D. Assign the SQL Server Contributor role to Server1.

Answer(s): C

www.shapingpixel.com

9). Your organization is concerned about prompt injection attacks targeting an AI chatbot connected to internal systems. What is the most effective mitigation strategy?

A. Blindly trust model responses
B. Disable logging
C. Validate inputs and restrict tool access
D. Increase model temperature

www.shapingpixel.com

9). Your organization is concerned about prompt injection attacks targeting an AI chatbot connected to internal systems. What is the most effective mitigation strategy?

A. Blindly trust model responses
B. Disable logging
C. Validate inputs and restrict tool access
D. Increase model temperature

Answer(s): C

www.shapingpixel.com

10). An organization is evaluating the security of AI-generated content before it is presented to end users. The goal is to detect harmful, unsafe, or policy-violating responses automatically. Which capability should be prioritized?

A. Content filtering and safety evaluation
B. Adding more GPUs
C. Increasing context window size
D. Deploying additional virtual networks

www.shapingpixel.com

10). An organization is evaluating the security of AI-generated content before it is presented to end users. The goal is to detect harmful, unsafe, or policy-violating responses automatically. Which capability should be prioritized?

A. Content filtering and safety evaluation
B. Adding more GPUs
C. Increasing context window size
D. Deploying additional virtual networks

Answer(s): C

www.shapingpixel.com

11). Drag and Drop Question


You have three internet-facing Azure App Service web apps named App1, App2, and App3. Each app uses built-in authentication. App2 hosts a backend API.

Some corporate users can sign in to App2, even though they should NOT be able to use the API.


You need to restrict App2 access to assigned Microsoft Entra users and groups.

What should you configure for App2? To answer, drag the appropriate configurations to the correct methods. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Correct Answer:



www.shapingpixel.com

12). An organization is evaluating the security of AI-generated content before it is presented to end users. The goal is to detect harmful, unsafe, or policy-violating responses automatically. Which capability should be prioritized?

A. Content filtering and safety evaluation
B. Adding more GPUs
C. Increasing context window size
D. Deploying additional virtual networks

www.shapingpixel.com

12). An organization is evaluating the security of AI-generated content before it is presented to end users. The goal is to detect harmful, unsafe, or policy-violating responses automatically. Which capability should be prioritized?

A. Content filtering and safety evaluation
B. Adding more GPUs
C. Increasing context window size
D. Deploying additional virtual networks

Answer(s): A

www.shapingpixel.com

13). You have an Azure subscription named Sub1. Sub1 contains 20 virtual machines that run Windows Server. Sub1 has the Microsoft Defender for Cloud Defender Cloud Security Posture Management (CSPM) plan enabled. You need to ensure that all the virtual machines are scanned automatically for known security flaws and misconfigurations.
What should you use?

A. attack path analysis
B. just-in-time (JIT) VM access
C. Microsoft cloud security benchmark (MCSB)
D. vulnerability assessment on the virtual machines
E. cloud security explorer

www.shapingpixel.com

13). You have an Azure subscription named Sub1. Sub1 contains 20 virtual machines that run Windows Server. Sub1 has the Microsoft Defender for Cloud Defender Cloud Security Posture Management (CSPM) plan enabled. You need to ensure that all the virtual machines are scanned automatically for known security flaws and misconfigurations.
What should you use?

A. attack path analysis
B. just-in-time (JIT) VM access
C. Microsoft cloud security benchmark (MCSB)
D. vulnerability assessment on the virtual machines
E. cloud security explorer

Answer(s): D

www.shapingpixel.com

14). You are configuring a new Microsoft Sentinel workspace named Workspace1.
You have an external IT Service Management (ITSM) system that is NOT supported by any Microsoft Sentinel solutions in Azure Marketplace.
You need to ensure that Workspace1 creates service tickets in the ITSM system for all new security incidents.
What should you create?

A. an analytics rule
B. a watchlist
C. a playbook
D. a workbook

www.shapingpixel.com

14). You are configuring a new Microsoft Sentinel workspace named Workspace1.
You have an external IT Service Management (ITSM) system that is NOT supported by any Microsoft Sentinel solutions in Azure Marketplace.
You need to ensure that Workspace1 creates service tickets in the ITSM system for all new security incidents.
What should you create?

A. an analytics rule
B. a watchlist
C. a playbook
D. a workbook

Answer(s): C

www.shapingpixel.com

15). You have a Microsoft Sentinel workspace.
You need to collect Windows security events from 200 Azure virtual machines that run Windows Server. The solution must meet the following requirements:
- Use direct agent-based data collection from each virtual machine.
- Use a supported agent for new virtual machine deployments.
Which Microsoft Sentinel connector should you use?

A. Syslog via AMA
B. Windows Forwarded Events
C. Azure Resource Graph
D. Windows Security Events via AMA
E. Security Events via Legacy Agent

www.shapingpixel.com

15). You have a Microsoft Sentinel workspace.
You need to collect Windows security events from 200 Azure virtual machines that run Windows Server. The solution must meet the following requirements:
- Use direct agent-based data collection from each virtual machine.
- Use a supported agent for new virtual machine deployments.
Which Microsoft Sentinel connector should you use?

A. Syslog via AMA
B. Windows Forwarded Events
C. Azure Resource Graph
D. Windows Security Events via AMA
E. Security Events via Legacy Agent

Answer(s): D

www.shapingpixel.com

16). You have a Microsoft Copilot Studio agent.
A Microsoft Power Platform administrator configures external threat detection for the agent by using a Microsoft Entra application.
You need to ensure that real-time protection is enabled during agent runtime.
What should you do in the Microsoft Defender portal?

A. Connect the Microsoft 365 app connector.
B. From Microsoft Sentinel, configure the Microsoft Purview data connector.
C. Configure Microsoft Defender for Cloud Apps session policies.
D. Enable Global Secure Access for Agents.

www.shapingpixel.com


16). You have a Microsoft Copilot Studio agent.
A Microsoft Power Platform administrator configures external threat detection for the agent by using a Microsoft Entra application.
You need to ensure that real-time protection is enabled during agent runtime.
What should you do in the Microsoft Defender portal?

A. Connect the Microsoft 365 app connector.
B. From Microsoft Sentinel, configure the Microsoft Purview data connector.
C. Configure Microsoft Defender for Cloud Apps session policies.
D. Enable Global Secure Access for Agents.

Answer(s): A

www.shapingpixel.com

17). Drag and Drop Question
You have a Microsoft Defender External Attack Surface Management (Defender EASM) resource for a company named Contoso, Ltd.
You need to update the Defender EASM workflow to meet the following requirements:
- Assets from a business domain that Contoso no longer owns must be removed from inventory.
- Findings that do NOT App1y to confirmed inventory must NOT affect reported counts.
What should you do for each requirement? To answer, drag the appropriate actions to the correct requirements. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.



shapingpixel.com

Correct Answer:



www.shapingpixel.com

18). Case Study 1 - Contoso, Ltd.

Overview

Contoso, Ltd. is a consulting company that has a main office in San Francisco and a branch office in Dallas.

Contoso has a hybrid environment that contains on-premises servers connected to Azure, a Microsoft 365 E5 subscription, and an Azure subscription named Sub1.

Existing Environment. Microsoft Entra tenant

Contoso has a Microsoft Entra tenant named contoso.com that contains the users shown in the following table.

Name	Role
Admin1	Global Administrator
Admin2	AI Administrator
Admin3	Privileged Role Administrator
User1	*None*

Existing Environment. On-premises environment

The on-premises network contains an Active Directory Domain Services (AD DS) forest that syncs with contoso.com. The forest contains a server named Server1 that runs Windows Server.

Existing Environment. Azure subscription

Sub1 contains the storage accounts shown in the following table.

www.shapingpixel.com

Name	Azure region	Performance	Premium account type
storage1	West US	Standard	*Not applicable*
storage2	East US	Premium	Block blobs
storage3	East US	Premium	File shares
storage4	East US	Premium	Page blobs

Sub1 contains the virtual networks shown in the following table.

Name	Azure region	Subnet
VNet1	West US	Subnet1, Subnet2
VNet2	East US	Subnet3
VNet3	West US	Subnet4

Sub1 contains the virtual machines shown in the following table.

Name	Connected to	Network security group (NSG)
VM1	Subnet1	NSG1
VM2	Subnet2	NSG2
VM3	Subnet3	NSG3
VM4	Subnet4	NSG4

The network interface of VM1 is associated with an application security group named ASG1.
Sub1 contains the resources shown in the following table.

www.shapingpixel.com

Name	Azure region	Description
sql1	West US	Azure SQL server
AKS1	East US	Azure Kubernetes Service (AKS) cluster
Vault1	East US	Azure key vault

Vault1 stores the objects shown in the following table.

Name	Type	Status
Key1	Key	Disabled
Secret1	Secret	Enabled
Certificate1	Certificate	Disabled
Certificate2	Certificate	Enabled

Existing Environment. Privileged Identity Management (PIM) configuration You manage privileged roles by using Privileged Identity Management (PIM). The PIM role settings are configured as shown in the following table.

www.shapingpixel.com

Setting	State	
	AI Administrator role	Agent ID Developer role
Activation maximum duration (hours)	1 Day(s)	1 Day(s)
Require approval to activate	Enabled	Disabled
Approvers	None	None
Expire eligible assignments after	1 Month(s)	1 Month(s)
Expire active assignments after	15 Day(s)	15 Day(s)

Existing Environment. Microsoft Sentinel configuration
Contoso has a Microsoft Sentinel workspace that contains the following tables.

Name	Tier
DeviceInfo	Analytics
DnsEvents	Analytics

www.shapingpixel.com

Requirements. Planned changes
Contoso plans to implement the following changes:
- Integrate AKS1 with Vault1.
- Enable Microsoft Entra Kerberos authentication for all supported
storage.
- Configure auditing for sql1 by using the Azure portal and store audit logs in a centralized location.
Requirements. Technical requirements
Contoso identifies the following technical requirements:
- Protect Server1 by using file integrity monitoring.
- Protect AKS1 by using Microsoft Defender for Cloud.
- Configure Microsoft Sentinel to retain data for the maximum supported duration without changing the tier.
- Store objects used for authentication and encryption in Vault1 and
ensure that Vault1 regenerates the objects every 30 days, whenever
possible.
Hotspot Question
User1 has requested to use the AI Administrator role.
Which approvers can approve the request, and how long will User1 be an AI administrator after the role is approved? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Answer Area

Eligible approvers:


- Admin1 only
- Admin3 only
- Admin1 and Admin2 only
- Admin1 and Admin3 only
- Admin2 and Admin3 only
- Admin1, Admin2, and Admin3

Maximum active duration of the role:

- 1 day
- 15 days
- 1 month

www.shapingpixel.com

Correct Answer:



www.shapingpixel.com

19) Case Study 2 - Fabrikam, Inc.

Overview

Fabrikam, Inc. is a consulting company. The company has a main office in New York City and branch offices in Amsterdam and Singapore.

Existing Environment. Network environment

The on-premises network contains a datacenter in each office.

Existing Environment. Cloud environment

Fabrikam has two Azure subscriptions named Sub1 and Sub2 and a Microsoft 365 subscription that includes Microsoft 365 E5 licenses.

All the subscriptions are linked to a Microsoft Entra tenant named fabrikam.com that contains the identities shown in the following table.

www.shapingpixel.com

Name	Type	Microsoft Entra role	Azure role assignment for Sub1
Admin1	User	Privileged Authentication Administrator	Resource Policy Contributor
Admin2	User	Compliance Administrator	User Access Administrator
Admin3	User	Authentication Administrator	Contributor
Admin4	User	Global Administrator	*None*
User1	User	*None*	Reader
AKS1	System-assigned managed identity	*None*	*None*
ID1	User-assigned managed identity	*None*	*None*

The tenant contains the groups shown in the following table.

Name	Type	Role assignments allowed
Group1	Security	Yes
Group2	Security	No
Group3	Microsoft 365	Yes
Group4	Microsoft 365	No

All devices are enrolled in Microsoft Intune.
Existing Environment. Sub1 Resources
Sub1 contains a resource group named RG1 that contains the resources shown in the following table.

https://shapingpixel.com

Name	Description	Location
SQLServer1	Azure SQL Database logical server	East US
SQLdb1	Database on SQLServer1	East US
VM1	Virtual machine	East US
AKS1	Azure Kubernetes Service (AKS) cluster	East US
Registry1	Azure container registry	East US
storage1	Storage account	East US
AKV1	Azure key vault	East US

SQLServer1 uses Microsoft SQL Server authentication.
Sub1 has an Azure Web Application Firewall (WAF) named WAF1 that has the following types of rule sets:

Bot Manager 1.1 -
Azure-managed Default Rule Set (DRS)
Sub1 has the following compliance standards assigned in Microsoft Defender for Cloud:

NIST SP 800-53 Rev. 4 -
Microsoft cloud security benchmark (MCSB)
System and Organization Controls (SOC) 2 Type 2
Existing Environment. Sub2 Resources
Sub2 contains a resource group named RG2.
Planned Changes and Requirements. Planned Changes
Fabrikam plans to implement the following changes:
Deploy the following key vaults to RG1:
AKV2 in the West Europe Azure region
AKV3 in the Central US Azure region
AKV4 in the East US Azure region
Deploy the following key vaults to RG2:

www.shapingpixel.com

AKV5 in the East US region -
Configure VM1 to read data from storage1.
Create function apps that have the following hosting plans:
Fa1: Flex Consumption hosting plan

Fa2: Consumption hosting plan -

Fa3: Dedicated hosting plan -

For WAF1, implement rate limiting rules based on the request location.
Enable the NIST SP 800-53 Rev. 5 compliance standard in Defender for Cloud.
Create a new storage account named storage2 that supports Azure Table storage.
Enforce multifactor authentication (MFA) when database administrators access SQLdb1.
Implement ExpressRoute circuits to the on-premises network as shown in the following table.

Name	Location	Deployment type
ER1	West Europe	ExpressRoute with a connectivity provider
ER2	West Europe	ExpressRoute Metro with a connectivity provider
ER3	East US	ExpressRoute Direct
ER4	Southeast Asia	ExpressRoute Metro Direct

shapingpixel.com

For RG1, create a new Privileged Identity Management (PIM) eligible role assignment that assigns the Contributor role to supported groups.
Planned Changes and Requirements. Technical Requirements
Fabrikam has the following technical requirements:

If VM1 is deleted, the permissions for VM1 must be removed automatically.
The AKS1 managed identity must only be able to pull images from Registry1.
The ID1 managed identity must be able to push images to and pull images from Registry1.
All the data in the storage accounts must be encrypted by using Fabrikam-managed keys.
All outbound traffic from the function apps to the on-premises network must use ExpressRoute circuits.
ExpressRoute connectivity between the on-premises network and the Azure environment must be encrypted by using Layer 2 or Layer 3 encryption.
You need to delegate a user to implement the planned change for Defender for Cloud. The solution must follow the principle of least privilege.
Which user should you choose?

A. Admin1
B. Admin2
C. Admin3
D. Admin4

www.shapingpixel.com

For RG1, create a new Privileged Identity Management (PIM) eligible role assignment that assigns the Contributor role to supported groups.
Planned Changes and Requirements. Technical Requirements
Fabrikam has the following technical requirements:

If VM1 is deleted, the permissions for VM1 must be removed automatically.
The AKS1 managed identity must only be able to pull images from Registry1.
The ID1 managed identity must be able to push images to and pull images from Registry1.
All the data in the storage accounts must be encrypted by using Fabrikam-managed keys.
All outbound traffic from the function apps to the on-premises network must use ExpressRoute circuits.
ExpressRoute connectivity between the on-premises network and the Azure environment must be encrypted by using Layer 2 or Layer 3 encryption.
You need to delegate a user to implement the planned change for Defender for Cloud. The solution must follow the principle of least privilege.
Which user should you choose?

A. Admin1
B. Admin2
C. Admin3
D. Admin4

Correct Answer: A

www.shapingpixel.com

Enabling the NIST SP 800-53 Rev. 5 compliance standard in Microsoft Defender for Cloud requires permissions to add and manage regulatory compliance standards through Azure Policy initiatives. Admin1 already has the Resource Policy Contributor role on Sub1, which provides the least-privilege authorization required to implement this planned compliance change.

Reference:
https://learn.microsoft.com/en-us/azure/defender-for-cloud/assign-regulatory-compliance-standards
https://learn.microsoft.com/en-us/azure/governance/policy/overview

www.shapingpixel.com

20) You need to implement the planned change for SQLdb1.
Which two actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point. (Case Study 2)

A. Configure a user-assigned managed identity for SQLdb1
B. Create a Conditional Access policy.
C. Create a compliance policy.
D. Configure Federated client identity for SQLdb1.
E. Configure Microsoft Entra authentication for SQLServer1.

www.shapingpixel.com


20) You need to implement the planned change for SQLdb1.
Which two actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point. (Case Study 2)

A. Configure a user-assigned managed identity for SQLdb1
B. Create a Conditional Access policy.
C. Create a compliance policy.
D. Configure Federated client identity for SQLdb1.
E. Configure Microsoft Entra authentication for SQLServer1.

Correct Answer: B,E


www.shapingpixel.com

21) Drag and Drop Question
You have a Microsoft Defender XDR environment.
You have a Microsoft Power Platform environment where makers publish custom Microsoft Copilot Studio agents.
You need to enable real-time protection so that suspicious tool invocations are blocked before an agent runs actions, and related alerts appear in the Microsoft Defender portal.
What should you do? To answer, drag the appropriate actions to the correct services. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.



https://shapingpixel.com

21) Drag and Drop Question
You have a Microsoft Defender XDR environment.
You have a Microsoft Power Platform environment where makers publish custom Microsoft Copilot Studio agents.
You need to enable real-time protection so that suspicious tool invocations are blocked before an agent runs actions, and related alerts appear in the Microsoft Defender portal.
What should you do? To answer, drag the appropriate actions to the correct services. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.



https://shapingpixel.com

22) Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have a Microsoft Sentinel workspace.
You have a multi-tier Security Operations Center (SOC) team.
You need to ensure that all new security incidents are assigned immediately to the Tier 1 analysts group and flagged for triage.
Solution: You create a hunting query.
Does this meet the goal?

A. Yes
B. No

www.shapingpixel.com

22) Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have a Microsoft Sentinel workspace.
You have a multi-tier Security Operations Center (SOC) team.
You need to ensure that all new security incidents are assigned immediately to the Tier 1 analysts group and flagged for triage.
Solution: You create a hunting query.
Does this meet the goal?

A. Yes
B. No

Correct Answer: B

www.shapingpixel.com

A hunting query is used to investigate threats and identify suspicious activity; it does not automatically assign newly created incidents or flag them for triage. An automation rule triggered when an incident is created is required to assign incidents to the Tier 1 analysts group and apply a triage tag or task automatically.
Reference:
https://learn.microsoft.com/en-us/azure/sentinel/create-manage-use-automation-rules?tabs=defender-portal%2Conboarded

www.shapingpixel.com

23) Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have an Azure subscription that contains two virtual machines named VM1 and VM2. Each virtual machine has system-assigned managed identity enabled.
You have an Azure Storage account named storage1. Public access from all networks is enabled for storage1.
You need to ensure that VM1 and VM2 can access storage1.
Solution: You create a private endpoint on storage1.
Does this meet the goal?

A. Yes
B. No

www.shapingpixel.com

23) Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have an Azure subscription that contains two virtual machines named VM1 and VM2. Each virtual machine has system-assigned managed identity enabled.
You have an Azure Storage account named storage1. Public access from all networks is enabled for storage1.
You need to ensure that VM1 and VM2 can access storage1.
Solution: You create a private endpoint on storage1.
Does this meet the goal?

A. Yes
B. No

Correct Answer: B

www.shapingpixel.com

A private endpoint provides private network connectivity to storage1, but it does not authorize VM1 or VM2 to access storage data. Because public network access is already enabled, connectivity is already available. The managed identities of the virtual machines must be assigned an appropriate Azure Storage data-access role to meet the access requirement.
Reference:
https://learn.microsoft.com/en-us/azure/storage/common/storage-private-endpoints
https://learn.microsoft.com/en-us/azure/private-link/private-endpoint-overview

www.shapingpixel.com

24) You have an Azure subscription named Sub1 that contains a virtual network named VNet1.
VNet1 contains multiple virtual machines, including two virtual machines named VM1 and VM2.
Sub1 is linked to a Microsoft Entra tenant named contoso.com.
A partner company has an Azure subscription named Sub2 that contains a virtual network named VNet2. VNet2 contains a virtual machine named VM3.
Sub2 is linked to a Microsoft Entra tenant named fabrikam.com.
VM1 and VM2 contain data used by an application that runs on VM3.
You need to ensure that VM3 can access VM1 and VM2. The solution must deny VM3 access to any other resources in Sub1.
What should you configure on each virtual network? To answer, drag the components to the correct virtual networks. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Components	Answer Area	
An Azure Private Link service	VNet1:	
An Azure VPN gateway	VNet2:	
A private endpoint		
A service endpoint		
VNet peering		

https://shapingpixel.com

Components

- An Azure Private Link service
- An Azure VPN gateway
- A private endpoint
- A service endpoint
- VNet peering

Answer Area

VNet1: An Azure Private Link service

VNet2: A private endpoint

https://shapingpixel.com

25) You have an Azure subscription that contains a resource group named RG1.
RG1 contains a Microsoft Security Copilot deployment that is integrated with a Microsoft Sentinel workspace named Workspace1.
Analysts use the Security Copilot standalone experience to retrieve incidents by using the Microsoft Sentinel plugin.
A user named User1 can sign in to Security Copilot but cannot retrieve incidents from Workspace1. You verify that User1 has only the Security Copilot Contributor role.
You need to ensure that User1 can retrieve the incidents. The solution must follow the principle of least privilege and NOT require any configuration changes to Security Copilot.
Which role should you assign to User1?

A. the Security Reader role in Microsoft Entra
B. the Microsoft Sentinel Reader role for Workspace1
C. the Security Copilot Owner role
D. the Security Administrator role in Microsoft Entra
E. the Contributor role in Azure for RG1

www.shapingpixel.com

25) You have an Azure subscription that contains a resource group named RG1.
RG1 contains a Microsoft Security Copilot deployment that is integrated with a Microsoft Sentinel workspace named Workspace1.
Analysts use the Security Copilot standalone experience to retrieve incidents by using the Microsoft Sentinel plugin.
A user named User1 can sign in to Security Copilot but cannot retrieve incidents from Workspace1. You verify that User1 has only the Security Copilot Contributor role.
You need to ensure that User1 can retrieve the incidents. The solution must follow the principle of least privilege and NOT require any configuration changes to Security Copilot.
Which role should you assign to User1?

A. the Security Reader role in Microsoft Entra
B. the Microsoft Sentinel Reader role for Workspace1
C. the Security Copilot Owner role
D. the Security Administrator role in Microsoft Entra
E. the Contributor role in Azure for RG1

Correct Answer: B

www.shapingpixel.com

The Security Copilot Contributor role permits User1 to use the Security Copilot platform, but it does not grant access to Microsoft Sentinel data. Assigning the Microsoft Sentinel Reader role at the Workspace1 scope grants read access to the workspace incidents through the Microsoft Sentinel plugin while avoiding broader security administration or resource modification privileges.
Reference:
https://learn.microsoft.com/en-us/copilot/security/authentication

www.shapingpixel.com

26) You have a Microsoft Entra tenant that has user consent for applications disabled.
You register an application named App1 that requests the following Microsoft Graph delegated permissions:
- User.Read
- Mail.Read
You need to configure tenant permissions to meet the following requirements:
- Enable users to grant consent for low-risk permissions without administrator interaction.
- Ensure that applications requesting higher-privilege permissions require administrator approval.
What should you do?

A. Grant tenant-wide admin consent to App1.
B. Configure application assignments for App1.
C. Configure Privileged Identity Management (PIM) role assignments.
D. Create an app consent policy.

www.shapingpixel.com

26) You have a Microsoft Entra tenant that has user consent for applications disabled.
You register an application named App1 that requests the following Microsoft Graph delegated permissions:
- User.Read
- Mail.Read
You need to configure tenant permissions to meet the following requirements:
- Enable users to grant consent for low-risk permissions without administrator interaction.
- Ensure that applications requesting higher-privilege permissions require administrator approval.
What should you do?

A. Grant tenant-wide admin consent to App1.
B. Configure application assignments for App1.
C. Configure Privileged Identity Management (PIM) role assignments.
D. Create an app consent policy.

Correct Answer: D

www.shapingpixel.com

An app consent policy defines the conditions under which users can consent to delegated permissions, such as permitting approved low-risk permissions while withholding consent rights for higher-privilege permissions. Permissions outside the allowed policy conditions require administrator consent or approval.
Reference:
https://learn.microsoft.com/en-us/entra/identity/enterprise-apps/manage-app-consent-policies?pivots=ms-powershell
https://learn.microsoft.com/en-us/entra/identity/enterprise-apps/configure-user-consent?pivots=portal

www.shapingpixel.com

27) You have an Azure virtual network named VNet1 that contains three subnets named Subnet1, Subnet2, and Subnet3. A single network security group (NSG) named NSG1 is associated with all the subnets. You have the following virtual machines:
- VM1 on Subnet1
- VM2 on Subnet2
- VM3 on Subnet3

You create two application security groups named ASG1 and ASG2. VM2 is a member of ASG1, and VM3 is a member of ASG2.

You need to ensure that only VM2 can connect to VM3. The solution must continue to work if the private IP address of VM2 changes.

How should you configure the inbound rule on NSG1? To answer, drag the settings to the correct configurations. Each setting may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Settings

- ASG1
- ASG2
- IP address of VM1
- IP address of VM2
- IP address of VM3
- VirtualNetwork

Answer Area

Source: [ ]

Destination: [ ]

www.shapingpixel.com

Settings

- ASG1
- ASG2
- IP address of VM1
- IP address of VM2
- IP address of VM3
- VirtualNetwork

Answer Area

Source: ASG1

Destination: ASG2

www.shapingpixel.com

28) You have a Microsoft 365 subscription. All users have Microsoft Exchange Online mailboxes.
You use Microsoft Entra Agent ID to register and manage AI agents.
The developers at your company create the following two agents:
- Agent1: An interactive agent that helps users summarize their own
Exchange Online email
- Agent2: An autonomous agent that sends nightly updates to a Microsoft Teams channel You need to grant each agent access to Microsoft Graph. The solution must minimize the access scope, while meeting each agent's operating model.
Which type of permission should you assign to each agent? To answer, drag the appropriate permission types to the correct agents. Each permission type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Permission types

- Application permissions
- Delegated permissions
- Exchange Online permissions
- Resource-specific consent (RSC) permissions for Teams

Answer Area

Agent1: [ ]

Agent2: [ ]

www.shapingpixel.com

Permission types

- Application permissions
- Delegated permissions
- Exchange Online permissions
- Resource-specific consent (RSC) permissions for Teams

Answer Area

Agent1: Delegated permissions

Agent2: Resource-specific consent (RSC) permissions for Teams

www.shapingpixel.com

29) Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have an Azure subscription that contains two virtual machines named VM1 and VM2. Each virtual machine has system-assigned managed identity enabled.
You have an Azure Storage account named storage1. Public access from all networks is enabled for storage1.
You need to ensure that VM1 and VM2 can access storage1.
Solution: You add each virtual machine to a role on storage1.
Does this meet the goal?

A. Yes
B. No

www.shapingpixel.com

29) Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have an Azure subscription that contains two virtual machines named VM1 and VM2. Each virtual machine has system-assigned managed identity enabled.
You have an Azure Storage account named storage1. Public access from all networks is enabled for storage1.
You need to ensure that VM1 and VM2 can access storage1.
Solution: You add each virtual machine to a role on storage1.
Does this meet the goal?

A. Yes
B. No

Correct Answer: A

www.shapingpixel.com

Each virtual machine already has its own system-assigned managed identity. Assigning an appropriate Azure Storage data-access role on storage1 to the managed identity of each VM authorizes both virtual machines to access the storage account by using Microsoft Entra authentication. Public network access is already enabled, so the required network connectivity is available.
Reference:
https://learn.microsoft.com/en-us/entra/identity/managed-identities-azure-resources/tutorial-windows-managed-identities-vm-access?pivots=identity-windows-mi-vm-access-data-lake
https://learn.microsoft.com/en-us/azure/storage/blobs/authorize-access-azure-active-directory

www.shapingpixel.com

30) You have an Azure subscription that has Microsoft Defender for Cloud enabled.
You have an Amazon Web Services (AWS) account connected to Defender for Cloud that has the Defender Cloud Security Posture Management (CSPM) plan enabled.
You need to identify the potential impact of security incidents that exploit multiple risks reported by Defender CSPM.
What should you use?

A. regulatory compliance
B. cloud security explorer
C. security recommendations
D. attack path analysis

www.shapingpixel.com

30) You have an Azure subscription that has Microsoft Defender for Cloud enabled.
You have an Amazon Web Services (AWS) account connected to Defender for Cloud that has the Defender Cloud Security Posture Management (CSPM) plan enabled.
You need to identify the potential impact of security incidents that exploit multiple risks reported by Defender CSPM.
What should you use?

A. regulatory compliance
B. cloud security explorer
C. security recommendations
D. attack path analysis

Correct Answer: D

Attack path analysis identifies multistep attack chains across multicloud resources, including AWS resources protected by Defender CSPM. It correlates multiple exploitable risks to show how an attacker could progress from an exposed entry point to a critical resource, helping assess the potential impact of a security incident.
Reference:
https://learn.microsoft.com/en-us/azure/defender-for-cloud/how-to-manage-attack-path?pivots=defender-portal
https://learn.microsoft.com/en-us/azure/architecture/guide/aws/aws-azure-security-solutions

www.shapingpixel.com


31) You have an Azure subscription.
You need to create and deploy an Azure policy that meets the following requirements:
- When a new virtual machine is deployed, automatically install a custom security extension.
- Trigger an autogenerated remediation task for non-compliant virtual machines to install the extension.
What should you include in the policy? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Definition effect:
- Append
- DeployIfNotExists
- EnforceOPAConstraint
- EnforceRegoPolicy
- Modify

For remediation, define:
- A managed identity that has the Contributor role
- A managed identity that has the User Access Administrator role
- A service principal that has the Contributor role
- A service principal that has the User Access Administrator role

31) You have an Azure subscription.
You need to create and deploy an Azure policy that meets the following requirements:
- When a new virtual machine is deployed, automatically install a custom security extension.
- Trigger an autogenerated remediation task for non-compliant virtual machines to install the extension.
What should you include in the policy? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.



32) You have two management groups named MG1 and MG2 that contain multiple Azure subscriptions. The subscriptions are linked to a Microsoft Entra tenant.
You have a user named User1 and a global administrator named Admin1.
You are informed that User1 created an Azure subscription named Sub1 under the MG2 management group and is the only owner of the subscription.
You need to ensure that Admin1 can remove the Owner role from User1 for Sub1.
What should you do first?

A. Move Sub1 to MG1.
B. Assign Admin1 the User Access Administrator role for Sub1.
C. Instruct Admin1 to use Privileged Identity Management (PIM) to request the Security Administrator role.
D. Instruct Admin1 to enable Access management for Azure resources.

www.shapingpixel.com

32) You have two management groups named MG1 and MG2 that contain multiple Azure subscriptions. The subscriptions are linked to a Microsoft Entra tenant.
You have a user named User1 and a global administrator named Admin1.
You are informed that User1 created an Azure subscription named Sub1 under the MG2 management group and is the only owner of the subscription.
You need to ensure that Admin1 can remove the Owner role from User1 for Sub1.
What should you do first?

A. Move Sub1 to MG1.
B. Assign Admin1 the User Access Administrator role for Sub1.
C. Instruct Admin1 to use Privileged Identity Management (PIM) to request the Security Administrator role.
D. Instruct Admin1 to enable Access management for Azure resources.

Correct Answer: D

www.shapingpixel.com

Enabling Access management for Azure resources allows a Microsoft Entra Global Administrator to elevate access and receive the User Access Administrator role at the root scope. This inherited access applies to Sub1 and enables Admin1 to remove User1's Owner role assignment from the subscription.

Reference:
https://learn.microsoft.com/en-us/azure/role-based-access-control/elevate-access-global-admin?tabs=azure-portal%2Centra-audit-logs
https://learn.microsoft.com/en-us/azure/role-based-access-control/rbac-and-directory-admin-roles

www.shapingpixel.com

33) You have an Azure virtual network that contains 100 virtual machines and an Azure Firewall instance named FW1.
All the traffic from the virtual machines is routed through FW1.
You need to ensure that FW1 allows access to only a URL of updates.contoso.com and blocks all other outbound traffic.
What should you use?

A. an inbound NAT rule
B. an application rule
C. an outbound NAT rule
D. a network rule

www.shapingpixel.com

33) You have an Azure virtual network that contains 100 virtual machines and an Azure Firewall instance named FW1.
All the traffic from the virtual machines is routed through FW1.
You need to ensure that FW1 allows access to only a URL of updates.contoso.com and blocks all other outbound traffic.
What should you use?

A. an inbound NAT rule
B. an application rule
C. an outbound NAT rule
D. a network rule

Correct Answer: B

An Azure Firewall application rule permits outbound HTTP or HTTPS access based on a fully qualified domain name, such as updates.contoso.com. With only that destination allowed, traffic to other outbound web destinations is denied when no matching allow rule exists.
Reference:
https://learn.microsoft.com/en-us/azure/firewall/firewall-faq

www.shapingpixel.com

34) You have an Azure subscription named Sub1 that contains a storage account named storage1.
Sub1 has Microsoft Defender for Storage enabled. Defender for Storage has on-upload malware scanning enabled.
The security team at your company requires that all malicious files be processed automatically by a serverless workflow for quarantine and notification.
You need to ensure that the malware scan results trigger an automated response. The solution must minimize operational effort.
What should you configure?

A. an Azure Event Grid subscription
B. diagnostic settings to send logs to a Log Analytics workspace
C. lifecycle management policies
D. an Azure Monitor alert rule

www.shapingpixel.com

34) You have an Azure subscription named Sub1 that contains a storage account named storage1.
Sub1 has Microsoft Defender for Storage enabled. Defender for Storage has on-upload malware scanning enabled.
The security team at your company requires that all malicious files be processed automatically by a serverless workflow for quarantine and notification.
You need to ensure that the malware scan results trigger an automated response. The solution must minimize operational effort.
What should you configure?

A. an Azure Event Grid subscription
B. diagnostic settings to send logs to a Log Analytics workspace
C. lifecycle management policies
D. an Azure Monitor alert rule

Correct Answer: A

www.shapingpixel.com

An Azure Event Grid subscription can deliver Defender for Storage malware scan result events directly to a serverless workflow, such as an Azure Logic App or Azure Function. This event- driven approach enables automated quarantine and notification actions when a malicious file is detected, with minimal operational effort.
Reference:
https://learn.microsoft.com/en-us/azure/defender-for-cloud/defender-for-storage-configure-malware-scan

www.shapingpixel.com

35) You have an Azure Storage account named storage1 that contains Azure Files shares.
You have an application named App1 that uses a system-assigned managed identity to access the shares.
Administrators access the shares by using storage account keys.
You need to ensure that App1 access the shares without using the storage account keys.
What should you do on storage1?

A. Store the storage account access keys in Azure Key Vault and regenerate them periodically.
B. Set Allow storage account key access to Disabled.
C. Select Default to Microsoft Entra authorization in the Azure portal.
D. Assign the Storage File Data Privileged Reader role to the managed identity of App1.

www.shapingpixel.com

35) You have an Azure Storage account named storage1 that contains Azure Files shares.
You have an application named App1 that uses a system-assigned managed identity to access the shares.
Administrators access the shares by using storage account keys.
You need to ensure that App1 access the shares without using the storage account keys.
What should you do on storage1?

A. Store the storage account access keys in Azure Key Vault and regenerate them periodically.
B. Set Allow storage account key access to Disabled.
C. Select Default to Microsoft Entra authorization in the Azure portal.
D. Assign the Storage File Data Privileged Reader role to the managed identity of App1.

Correct Answer: D

www.shapingpixel.com

Assigning the Storage File Data Privileged Reader role to App1's managed identity grants Microsoft Entra ID-based read access to files and directories in Azure Files, overriding existing ACL restrictions where necessary. This allows the application to authenticate by using its managed identity instead of storage account keys.
Reference:
https://learn.microsoft.com/en-us/azure/storage/files/storage-files-identity-assign-share-level-permissions?tabs=azure-portal
https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles

www.shapingpixel.com

36) A company wants to continuously assess cloud resources for security weaknesses and regulatory compliance issues. Which Microsoft security service provides this capability?

A. Microsoft Defender for Cloud
B. Azure Front Door
C. Azure Backup
D. Azure Container Registry

www.shapingpixel.com

36) A company wants to continuously assess cloud resources for security weaknesses and regulatory compliance issues. Which Microsoft security service provides this capability?

A. Microsoft Defender for Cloud
B. Azure Front Door
C. Azure Backup
D. Azure Container Registry

Correct Answer: A

Microsoft Defender for Cloud provides security posture management, regulatory compliance assessments, and threat protection across cloud resources. It continuously evaluates configurations and recommends remediation actions. Front Door, Backup, and Container Registry provide specialized infrastructure services rather than comprehensive security posture management.

www.shapingpixel.com

37) Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have an Azure subscription that contains two virtual machines named VM1 and VM2. Each virtual machine has system-assigned managed identity enabled.
You have an Azure Storage account named storage1. Public access from all networks is enabled for storage1.
You need to ensure that VM1 and VM2 can access storage1.
Solution: You add each virtual machine to a security group, and then add the security group to a role on storage1.
Does this meet the goal?

A. Yes
B. No

www.shapingpixel.com

37) Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have an Azure subscription that contains two virtual machines named VM1 and VM2. Each virtual machine has system-assigned managed identity enabled.
You have an Azure Storage account named storage1. Public access from all networks is enabled for storage1.
You need to ensure that VM1 and VM2 can access storage1.
Solution: You add each virtual machine to a security group, and then add the security group to a role on storage1.
Does this meet the goal?

A. Yes
B. No

Correct Answer: A

www.shapingpixel.com

A system-assigned managed identity is a Microsoft Entra security principal and can be added to a Microsoft Entra security group. Assigning an appropriate Azure Storage data-access role to that security group grants the managed identities of VM1 and VM2 access to storage1. Group-based permission changes for managed identities can take several hours to become effective because managed identity tokens are cached, but the solution meets the access requirement.
Reference:
https://learn.microsoft.com/en-us/entra/identity/managed-identities-azure-resources/managed-identity-best-practice-recommendations

www.shapingpixel.com

38) You have a hybrid environment that contains the following servers:
- 50 Azure virtual machines that run Windows Server 2019
- 20 physical, on-premises servers that run Windows Server 2019
All the servers use a third-party antivirus solution that must remain active during a phased security rollout.
You need to onboard all the servers to Microsoft Defender for Endpoint by using a centralized deployment method. The solution must meet the following requirements:
- Endpoint detection and response (EDR) capabilities must be enabled.
- Antivirus conflicts must be prevented during onboarding.
What should you do on the servers?

A. Set the Microsoft Defender for Endpoint service to Disabled.
B. Disable Microsoft Defender Antivirus real-time protection by using Set-MpPreference.
C. Configure the ForceDefenderPassiveMode registry value.
D. Enable EDR in block mode.

www.shapingpixel.com

38) You have a hybrid environment that contains the following servers:
- 50 Azure virtual machines that run Windows Server 2019
- 20 physical, on-premises servers that run Windows Server 2019
All the servers use a third-party antivirus solution that must remain active during a phased security rollout.
You need to onboard all the servers to Microsoft Defender for Endpoint by using a centralized deployment method. The solution must meet the following requirements:
- Endpoint detection and response (EDR) capabilities must be enabled.
- Antivirus conflicts must be prevented during onboarding.
What should you do on the servers?

A. Set the Microsoft Defender for Endpoint service to Disabled.
B. Disable Microsoft Defender Antivirus real-time protection by using Set-MpPreference.
C. Configure the ForceDefenderPassiveMode registry value.
D. Enable EDR in block mode.

Correct Answer: C

www.shapingpixel.com

Configuring ForceDefenderPassiveMode places Microsoft Defender Antivirus in passive mode on the Windows Server machines before onboarding them to Microsoft Defender for Endpoint. This allows the third-party antivirus solution to remain the primary antivirus product while Microsoft Defender for Endpoint provides endpoint detection and response capabilities, preventing antivirus conflicts during the phased rollout.

Reference:
https://learn.microsoft.com/en-us/defender-endpoint/microsoft-defender-antivirus-compatibility

www.shapingpixel.com

39) You need to protect the applications hosted on AKS1. The solution must meet the technical requirements.
Which Defender for Cloud plan should you enable? (Case Study 1)

A. Microsoft Defender for Servers
B. Microsoft Defender for App Service
C. Microsoft Defender for Containers
D. Microsoft Defender for Resource Manager
E. Microsoft Defender for Storage

www.shapingpixel.com

39) You need to protect the applications hosted on AKS1. The solution must meet the technical requirements.
Which Defender for Cloud plan should you enable? (Case Study 1)

A. Microsoft Defender for Servers
B. Microsoft Defender for App Service
C. Microsoft Defender for Containers
D. Microsoft Defender for Resource Manager
E. Microsoft Defender for Storage

Correct Answer: C

Microsoft Defender for Containers provides security protection for Azure Kubernetes Service clusters and the applications running as containerized workloads on them. Enabling this plan for AKS1 provides capabilities such as runtime threat detection, Kubernetes workload security monitoring, and container security recommendations through Microsoft Defender for Cloud.

Reference:
https://learn.microsoft.com/en-us/azure/defender-for-cloud/defender-for-containers-deployment-overview?tabs=aks
https://learn.microsoft.com/en-us/azure/defender-for-cloud/defender-for-containers-introduction

www.shapingpixel.com

40) Your organization plans to allow developers to access Azure OpenAI resources. Management wants to ensure that access permissions follow the principle of least privilege. What should you use?

A. Azure Policy exemptions
B. Role-Based Access Control (RBAC) roles
C. Resource locks
D. Management groups only

www.shapingpixel.com

40) Your organization plans to allow developers to access Azure OpenAI resources. Management wants to ensure that access permissions follow the principle of least privilege. What should you use?

A. Azure Policy exemptions
B. Role-Based Access Control (RBAC) roles
C. Resource locks
D. Management groups only

Correct Answer: B

Azure RBAC enables administrators to assign only the permissions required for specific tasks.
Developers can receive limited access to Azure OpenAI resources without granting excessive privileges. Resource locks prevent accidental deletion, while management groups and policy exemptions do not directly enforce least-privilege authorization.

www.shapingpixel.com

41) You have a Microsoft Entra tenant that uses Privileged Identity Management (PIM).
You need to modify the AI Administrator role settings to meet the following requirements:
- Elevated access must be evaluated by another administrator before it
is granted.
- Privileged access must be removed automatically after a fixed period.
Which two settings should you configure? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

A. Expire active assignments after
B. Require approval to activate
C. Require justification on activation
D. Expire eligible assignments after
E. Activation maximum duration

www.shapingpixel.com

41) You have a Microsoft Entra tenant that uses Privileged Identity Management (PIM).
You need to modify the AI Administrator role settings to meet the following requirements:
- Elevated access must be evaluated by another administrator before it
is granted.
- Privileged access must be removed automatically after a fixed period.
Which two settings should you configure? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

A. Expire active assignments after
B. Require approval to activate
C. Require justification on activation
D. Expire eligible assignments after
E. Activation maximum duration

Correct Answer: B,E

www.shapingpixel.com

Requiring approval to activate ensures that a designated administrator must evaluate and approve an eligible user's elevation request before privileged access is granted. Setting an activation maximum duration makes each activated role assignment time-bound, automatically removing the elevated access when the configured activation period expires.

Reference:
https://learn.microsoft.com/en-us/entra/id-governance/privileged-identity-management/pim-how-to-change-default-settings
https://learn.microsoft.com/en-us/entra/id-governance/privileged-identity-management/pim-how-to-activate-role

www.shapingpixel.com

42) You have an Azure subscription named Sub1 that contains 50 virtual machines. Sub1 has Microsoft Defender for Cloud enabled.
Sub1 contains an Azure key vault named KV1 and an Azure policy that enforces storing all secrets in KV1.
Occasionally, the developers at your company store plaintext tokens and SSH private keys on the virtual machines.
You need to configure Defender for Cloud to detect plaintext secrets on the virtual machines. The solution must minimize administrative changes to the virtual machines.
How should you configure Defender for Cloud? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Answer Area

Plan to enable:

- Defender Cloud Security Posture Management (CSPM)
- Microsoft Defender for Cloud Apps
- Microsoft Defender for Key Vault

Feature to enable:

- Agentless machine scanning
- Regulatory compliance
- Vulnerability assessment on the virtual machines

www.shapingpixel.com

Answer Area

Plan to enable:

- Defender Cloud Security Posture Management (CSPM)
- Microsoft Defender for Cloud Apps
- Microsoft Defender for Key Vault

Feature to enable:

- Agentless machine scanning
- Regulatory compliance
- Vulnerability assessment on the virtual machines

https://shapingpixel.com

43) A company uses Microsoft Entra ID and has enabled Conditional Access. Administrators want to reduce the risk of token theft by requiring users to authenticate with phishing-resistant methods when accessing sensitive AI workloads. Which authentication method best satisfies this requirement?

A. SMS verification
B. Email one-time passcode
C. FIDO2 security keys
D. Temporary Access Pass

www.shapingpixel.com

43) A company uses Microsoft Entra ID and has enabled Conditional Access. Administrators want to reduce the risk of token theft by requiring users to authenticate with phishing-resistant methods when accessing sensitive AI workloads. Which authentication method best satisfies this requirement?

A. SMS verification
B. Email one-time passcode
C. FIDO2 security keys
D. Temporary Access Pass

Correct Answer: C

FIDO2 security keys provide phishing-resistant authentication through public key cryptography and hardware-backed credentials. SMS and email-based methods remain vulnerable to phishing and interception attacks. Temporary Access Pass is useful for onboarding and recovery scenarios but is not intended as a permanent phishing-resistant authentication solution.

www.shapingpixel.com

44) You have an Azure virtual network named VNet1 that contains an AzureBastionSubnet. VNet1 contains a subnet named Subnet1. Subnet1 contains multiple virtual machines.
You plan to deploy Azure Bastion to provide secure RDP access to the virtual machines on Subnet1. You associate a network security group (NSG) named NSG1 to AzureBastionSubnet.
You need to configure rules for NSG1. The solution must meet the following requirements:
- Allow required inbound access to Azure Bastion from the internet.
- Allow user access to the virtual machines by using Azure Bastion.
Which TCP ports should you allow for the NSG1 rules? To answer, drag the appropriate ports to the correct rules. Each port may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

TCP Ports	Answer Area
21	Inbound from the internet: [ ]
22	Outbound to Subnet1: [ ]
389	
443	
3389	
8080	

https://shapingpixel.com

TCP Ports

- 21
- 22
- 389
- 443
- 3389
- 8080

Answer Area

Inbound from the internet: 443

Outbound to Subnet1: 3389

https://shapingpixel.com

45) You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Role
User1	Security Copilot Contributor
User2	Global Administrator
User3	Security Administrator
User4	Security Copilot Owner

You use Microsoft Security Copilot.
From Microsoft Security Store, User1 attempts to deploy a partner-built agent named Agent1 and reports that the Get agent option is unavailable.
You need to identify whether Agent1 can run in Security Copilot successfully. The solution must follow the principle of least privilege.
How should you complete the deployment? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Answer Area

To complete approval for Agent1:

- Instruct User2 to approve Agent1.
- Instruct User3 to approve Agent1.
- Instruct User4 to approve Agent1.

To complete the agent setup:

- Assign a user account to Agent1.
- Create an app registration for Agent1.
- Assign a user-assigned managed identity to Agent1.

www.shapingpixel.com

Answer Area

To complete approval for Agent1:

- Instruct User2 to approve Agent1.
- Instruct User3 to approve Agent1.
- Instruct User4 to approve Agent1.

To complete the agent setup:

- Assign a user account to Agent1.
- Create an app registration for Agent1.
- Assign a user-assigned managed identity to Agent1.

www.shapingpixel.com

46) You have an Azure subscription named Sub1 that contains a storage account named storage1.
Sub1 has Microsoft Defender for Storage enabled. Defender for Storage has on-upload malware scanning enabled for a monthly cap of 10,000 GB per storage account.
You use a Microsoft Sentinel workspace to monitor security events on all Azure resources.
You need to configure storage1 to use a malware scanning cap of 2,000 GB per month.
What should you do?

A. Enable the Override Defender for Storage subscription-level settings for storage1.
B. From Microsoft Sentinel, modify the data collection rule (DCR) to restrict log ingestion from storage1.
C. Modify the malware scanning configuration of Sub1.
D. From the Microsoft Sentinel workspace, modify the daily cap.

www.shapingpixel.com

46) You have an Azure subscription named Sub1 that contains a storage account named storage1.
Sub1 has Microsoft Defender for Storage enabled. Defender for Storage has on-upload malware scanning enabled for a monthly cap of 10,000 GB per storage account.
You use a Microsoft Sentinel workspace to monitor security events on all Azure resources.
You need to configure storage1 to use a malware scanning cap of 2,000 GB per month.
What should you do?

A. Enable the Override Defender for Storage subscription-level settings for storage1.
B. From Microsoft Sentinel, modify the data collection rule (DCR) to restrict log ingestion from storage1.
C. Modify the malware scanning configuration of Sub1.
D. From the Microsoft Sentinel workspace, modify the daily cap.

Correct Answer: A

www.shapingpixel.com

Defender for Storage settings can be overridden for an individual storage account when the subscription-level configuration applies a different malware scanning cap. Enabling the override for storage1 allows its on-upload malware scanning monthly cap to be changed to 2,000 GB while the subscription-level 10,000-GB setting continues to apply to other storage accounts.

Reference:
https://learn.microsoft.com/en-us/azure/defender-for-cloud/defender-for-storage-introduction
https://learn.microsoft.com/en-us/azure/defender-for-cloud/defender-for-storage-azure-portal-enablement?tabs=enable-subscription

www.shapingpixel.com

47) You have a management group named MG1 that contains two subscriptions named Sub1 and Sub2.
Sub1 contains a resource group named RG-Exception and a resource group named RG1 that hosts Microsoft Foundry resources.
You need to assign an Azure policy to force new Foundry deployments in MG1 to use private endpoints. The solution must NOT restrict deployments in RG-Exception.
How should you configure the policy?

A. Assign the policy to MG1 and exclude RG-Exception.
B. Assign the policy to Sub1 and RG-Exception.
C. Assign the policy to MG1 and RG-Exception.
D. Assign the policy to Sub1 and exclude RG-Exception.

www.shapingpixel.com

47) You have a management group named MG1 that contains two subscriptions named Sub1 and Sub2.
Sub1 contains a resource group named RG-Exception and a resource group named RG1 that hosts Microsoft Foundry resources.
You need to assign an Azure policy to force new Foundry deployments in MG1 to use private endpoints. The solution must NOT restrict deployments in RG-Exception.
How should you configure the policy?

A. Assign the policy to MG1 and exclude RG-Exception.
B. Assign the policy to Sub1 and RG-Exception.
C. Assign the policy to MG1 and RG-Exception.
D. Assign the policy to Sub1 and exclude RG-Exception.

Correct Answer: A

Assigning the policy at the MG1 scope enforces the private endpoint requirement for new Microsoft Foundry deployments in all subscriptions and resource groups beneath the management group. Configuring RG-Exception as an excluded scope prevents the policy from restricting deployments in that resource group while maintaining centralized enforcement everywhere else in MG1.
Reference:
https://learn.microsoft.com/en-us/azure/governance/policy/overview
https://learn.microsoft.com/en-us/azure/governance/policy/tutorials/create-and-manage

www.shapingpixel.com

48) A company stores confidential training data used by machine learning models. Administrators need to ensure that encryption keys remain under organizational control rather than being fully managed by Microsoft. Which option should be selected?

A. Platform-managed keys only
B. Customer-managed keys (CMK)
C. Anonymous encryption
D. Shared Access Signatures

www.shapingpixel.com

48) A company stores confidential training data used by machine learning models. Administrators need to ensure that encryption keys remain under organizational control rather than being fully managed by Microsoft. Which option should be selected?

A. Platform-managed keys only
B. Customer-managed keys (CMK)
C. Anonymous encryption
D. Shared Access Signatures

Correct Answer: B

Customer-managed keys allow organizations to control key lifecycle management, rotation, and revocation using Azure Key Vault or Managed HSM. This provides additional control over encryption compared to platform-managed keys. Shared Access Signatures govern access permissions and do not manage encryption ownership.

www.shapingpixel.com

49) You need to implement the planned change for storage2. The solution must meet the technical requirements for storage encryption. What should you do?

A. Enable purge protection for storage2.
B. Create an encryption scope in storage2.
C. Configure storage2 to use an account encryption key.
D. Assign an Azure role-based access control (Azure RBAC) role to storage2.

www.shapingpixel.com

49) You need to implement the planned change for storage2. The solution must meet the technical requirements for storage encryption. What should you do?

A. Enable purge protection for storage2.
B. Create an encryption scope in storage2.
C. Configure storage2 to use an account encryption key.
D. Assign an Azure role-based access control (Azure RBAC) role to storage2.

Correct Answer: C

Because storage2 must support Azure Table storage, it must be created to use an encryption key scoped to the storage account. Azure Table storage can then be encrypted by using a Fabrikam- managed customer-managed key. Encryption scopes apply to Blob storage and do not meet the requirement for Table storage encryption.
Reference:
https://learn.microsoft.com/en-us/azure/storage/common/account-encryption-key-create?tabs=portal
https://learn.microsoft.com/en-us/azure/storage/blobs/encryption-scope-overview

www.shapingpixel.com

50) Drag and Drop Question
You have a Microsoft 365 subscription.
You use Microsoft Entra Agent ID to manage an agent identity.
You manage AI agents from the Microsoft 365 admin center.
An autonomous agent named Agent1 runs without a signed-in user. The agent must access Microsoft Graph and read secrets from a single Azure key vault.
You need to grant Agent1 access to Microsoft Graph and Key Vault without requiring user interaction or consent at runtime.
What should you do for the agent identity? To answer, drag the appropriate actions to the correct services. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Actions

- Grant a delegated permission.
- Request a delegated permission.
- Grant an application permission.
- Assign a role-based access control (RBAC) role.

Answer Area

To access Microsoft Graph: [ ]

To access Key Vault: [ ]

https://shapingpixel.com

Actions

- Grant a delegated permission.
- Request a delegated permission.
- Grant an application permission.
- Assign a role-based access control (RBAC) role.

Answer Area

To access Microsoft Graph: Grant an application permission.

To access Key Vault: Assign a role-based access control (RBAC) role.

51) Hotspot Question
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Admin1 must approve requests for the Agent ID Developer role.	○	○
Admin2 can approve requests for the AI Administrator role.	○	○
Admin3 can assign User1 a two-day active assignment for the Agent ID Developer role.	○	○

51) Hotspot Question
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Admin1 must approve requests for the Agent ID Developer role.	○	●
Admin2 can approve requests for the AI Administrator role.	○	●
Admin3 can assign User1 a two-day active assignment for the Agent ID Developer role.	●	○

52) You have an Azure Container Instances container group named CGI that has a DNS name of cg1.contoso.com. CG1 has the following configurations:
- A Linux container named container1 that serves HTTPS over TCP port 443 and hosts an application named App1
- A Linux container named contained that listens on TCP port 5000 and is accessed only by App1
- A public IP address
A security review finds that external clients can reach TCP port 5000 by using the public IP address of CG1.
You need to meet the following requirements:
- Ensure that the external clients can access container1 only by using TCP port 443.
- Ensure that container1 can continue to access contained.
What should you configure? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Answer Area

Exposed ports on the public IP address of CG1:

- 443 and 5000
- 443 only
- 5000 only

Network endpoint for App1:

- cg1.contoso.com:443
- cg1.contoso.com:5000
- localhost:443
- localhost:5000

https://shapingpixel.com

Answer Area

Exposed ports on the public IP address of CG1:

- 443 and 5000
- 443 only
- 5000 only

Network endpoint for App1:

- cg1.contoso.com:443
- cg1.contoso.com:5000
- localhost:443
- localhost:5000

https://shapingpixel.com

53) You have a Microsoft Entra tenant that has the following configurations:
-User consent for applications is disabled.
-Only administrators can grant permissions to applications.
You register an application named App1 that uses delegated Microsoft Graph permissions.
You need to configure App1 to meet the following requirements:
-Enable user sign-ins without interactive consent prompts.
-Enable App1 to access Microsoft Graph on behalf of the signed-in user.
What should you do?

A.Configure enterprise applications to require user assignment and assign users to App1.

B.Modify the app registration to use application permissions instead of delegated permissions.

C.Add the required delegated Microsoft Graph permissions to the app registration and rely on user consent during sign-in.

D.Grant admin consent to App1 for the required delegated permissions.

www.shapingpixel.com

53) You have a Microsoft Entra tenant that has the following configurations:
-User consent for applications is disabled.
-Only administrators can grant permissions to applications.
You register an application named App1 that uses delegated Microsoft Graph permissions.
You need to configure App1 to meet the following requirements:
-Enable user sign-ins without interactive consent prompts.
-Enable App1 to access Microsoft Graph on behalf of the signed-in user.
What should you do?

A.Configure enterprise applications to require user assignment and assign users to App1.

B.Modify the app registration to use application permissions instead of delegated permissions.

C.Add the required delegated Microsoft Graph permissions to the app registration and rely on user consent during sign-in.

D.Grant admin consent to App1 for the required delegated permissions.

Answer(s): D

www.shapingpixel.com

54) You have an Azure key vault named KV1 that uses role-based access control (RBAC) authorization. KV1 stores database connection strings for an Azure App Service web app named App1.
You enable a firewall on KV1 and allow access to KV1 from only the virtual network that contains App1.
You need to ensure that App1 can retrieve secrets from KV1 without using credentials stored in the application configuration.
What should you create?

A.an access policy for KV1

B.an app registration for App1

C.a private endpoint for KV1

D.a managed identity for App1

www.shapingpixel.com

54) You have an Azure key vault named KV1 that uses role-based access control (RBAC) authorization. KV1 stores database connection strings for an Azure App Service web app named App1.
You enable a firewall on KV1 and allow access to KV1 from only the virtual network that contains App1.
You need to ensure that App1 can retrieve secrets from KV1 without using credentials stored in the application configuration.
What should you create?

A.an access policy for KV1

B.an app registration for App1

C.a private endpoint for KV1

D.a managed identity for App1

Answer(s): D

www.shapingpixel.com

55) DRAG DROP (Drag and Drop is not supported)
You have a Microsoft Entra tenant.
You need to implement passwordless authentication. The solution must meet the following requirements:
-Users can sign in without a password by using a mobile device.
-New users that sign in for the first time must use a helpdesk-issued sign-in method that expires.
Which authentication method should you enable for each requirement? To answer, drag the appropriate methods to the correct requirements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
Note: Each correct selection is worth one point.
Select and Place:



A.See Explanation section for answer.

55) DRAG DROP (Drag and Drop is not supported)
You have a Microsoft Entra tenant.
You need to implement passwordless authentication. The solution must meet the following requirements:
-Users can sign in without a password by using a mobile device.
-New users that sign in for the first time must use a helpdesk-issued sign-in method that expires.
Which authentication method should you enable for each requirement? To answer, drag the appropriate methods to the correct requirements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
Note: Each correct selection is worth one point.
Select and Place:



A.See Explanation section for answer.

Answer(s): A

https://shapingpixel.com

Explanation:



Passwordless sign-in: Microsoft Authenticator First-time sign-in for new users: Temporary Access Pass
Microsoft Authenticator supports passwordless phone sign-in, allowing users to authenticate from a registered mobile device without entering a password. Temporary Access Pass is a time-limited, helpdesk-issued passcode that enables new users to complete their initial sign-in and register passwordless authentication methods.

www.shapingpixel.com

56) You have an Azure management group named MG1 that contains two subscriptions named Sub1 and Sub2. Both subscriptions are linked to a Microsoft Entra tenant that contains a security group named Group1.
You need to ensure that the members of Group1 can assign roles to the resources in Sub1 and Sub2. The solution must follow the principle of least privilege.
Which role should you assign to Group1?

A.Contributor at the MG1 scope

B.Contributor at the Sub1 and Sub2 scopes

C.User Access Administrator at the MG1 scope

D.Owner at the MG1 scope

www.shapingpixel.com

56) You have an Azure management group named MG1 that contains two subscriptions named Sub1 and Sub2. Both subscriptions are linked to a Microsoft Entra tenant that contains a security group named Group1.
You need to ensure that the members of Group1 can assign roles to the resources in Sub1 and Sub2. The solution must follow the principle of least privilege.
Which role should you assign to Group1?

A.Contributor at the MG1 scope

B.Contributor at the Sub1 and Sub2 scopes

C.User Access Administrator at the MG1 scope


D.Owner at the MG1 scope

Answer(s): C

www.shapingpixel.com

57) HOTSPOT (Drag and Drop is not supported)
You have an Azure key vault named KV1 that uses role-based access control (RBAC) for data plane authorization.
You have a user named User1 and an Azure App Service web app named App1 that has a system-assigned managed identity.
You need to configure authorization to meet the following requirements:
-App1 must be able to retrieve secrets from KV1.
-User1 must manage the KV1 settings without accessing secret values.
The solution must follow the principle of least privilege.
Which role should you assign to each identity for KV1? To answer, drag the appropriate roles to the correct identities. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
Note: Each correct selection is worth one point.
Select and Place:


A.See Explanation section for answer.



www.shapingpixel.com

57) HOTSPOT (Drag and Drop is not supported)
You have an Azure key vault named KV1 that uses role-based access control (RBAC) for data plane authorization.
You have a user named User1 and an Azure App Service web app named App1 that has a system-assigned managed identity.
You need to configure authorization to meet the following requirements:
-App1 must be able to retrieve secrets from KV1.
-User1 must manage the KV1 settings without accessing secret values.
The solution must follow the principle of least privilege.
Which role should you assign to each identity for KV1? To answer, drag the appropriate roles to the correct identities. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
Note: Each correct selection is worth one point.
Select and Place:


A.See Explanation section for answer.



Answer(s): A

www.shapingpixel.com

Explanation:



User1: Key Vault Contributor App1: Key Vault Secrets User
The Key Vault Contributor role allows User1 to manage the key vault resource and its configuration but does not grant access to secret values. The Key Vault Secrets User role grants App1's managed identity permission to read secret contents from KV1 without allowing it to manage secrets or the vault, satisfying least privilege.

www.shapingpixel.com

58) You have an Azure subscription named Sub1 that contains an Azure Database for PostgreSQL instance. Sub1 has Microsoft Defender for Cloud enabled.
You need to configure Microsoft Defender for Databases to minimize costs.
Which Defender plan should you enable?

A.Microsoft Defender for Servers

B.Microsoft Defender for Open-Source Relational Databases

C.Microsoft Defender for SQL Servers on Machines

D.Microsoft Defender for Azure SQL Databases

E.Microsoft Defender for Storage

www.shapingpixel.com

58) You have an Azure subscription named Sub1 that contains an Azure Database for PostgreSQL instance. Sub1 has Microsoft Defender for Cloud enabled.
You need to configure Microsoft Defender for Databases to minimize costs.
Which Defender plan should you enable?

A.Microsoft Defender for Servers

B.Microsoft Defender for Open-Source Relational Databases

C.Microsoft Defender for SQL Servers on Machines

D.Microsoft Defender for Azure SQL Databases

E.Microsoft Defender for Storage

Answer(s): B

Explanation:
Microsoft Defender for Open-Source Relational Databases provides threat protection specifically for Azure Database for PostgreSQL. Enabling only this database-specific plan minimizes costs because Defender for Databases offerings are priced separately, and no unrelated resource protection plans are required.

www.shapingpixel.com

59) You have an Azure subscription named Sub1 that contains a storage account named storage1. Sub1 has Microsoft Defender for Storage enabled. Defender for Storage has malware scanning enabled.
You need to configure a solution that automates the remediation of malware detected in storage1.
What should you include in the solution?

A.Application Insights

B.Azure Event Hubs

C.Azure Event Grid

D.Azure Policy

www.shapingpixel.com

59) You have an Azure subscription named Sub1 that contains a storage account named storage1. Sub1 has Microsoft Defender for Storage enabled. Defender for Storage has malware scanning enabled.
You need to configure a solution that automates the remediation of malware detected in storage1.
What should you include in the solution?

A.Application Insights

B.Azure Event Hubs

C.Azure Event Grid

D.Azure Policy

Answer(s): C

Explanation:
Azure Event Grid publishes Defender for Storage malware scan results as events, enabling event-driven automated remediation workflows such as quarantining, deleting, or moving malicious files after detection.

www.shapingpixel.com

60) You use Azure Virtual Network Manager to manage multiple virtual networks in a network group named Group1.
You discover that the virtual machines in Group1 are accessible from the internet by using TCP port 3389.
You need to block inbound TCP 3389 from the internet across all the virtual networks in Group1. The solution must minimize administrative effort.
What should you use?

A.a connectivity configuration

B.a security admin configuration

C.a user-defined route (UDR)

D.a network security group (NSG)

www.shapingpixel.com

60) You use Azure Virtual Network Manager to manage multiple virtual networks in a network group named Group1.
You discover that the virtual machines in Group1 are accessible from the internet by using TCP port 3389.
You need to block inbound TCP 3389 from the internet across all the virtual networks in Group1. The solution must minimize administrative effort.
What should you use?

A.a connectivity configuration

B.a security admin configuration

C.a user-defined route (UDR)

D.a network security group (NSG)

Answer(s): B

Explanation:
A security admin configuration in Azure Virtual Network Manager applies centralized security admin rules to all virtual networks in a targeted network group. A deny inbound rule for TCP port 3389 from the internet blocks RDP exposure across Group1 with minimal administrative effort and is evaluated before NSG rules.

www.shapingpixel.com

61) You have an Azure subscription.
You need to deploy an Azure virtual WAN to meet the following requirements:
-Create three secured virtual hubs located in the East US, West US, and North Europe Azure regions.
-Ensure that security rules sync between the regions.
What should you use?

A.Azure Network Function Manager

B.Azure Firewall Manager

C.Azure Virtual Network Manager

D.Azure Front Door

www.shapingpixel.com

61) You have an Azure subscription.
You need to deploy an Azure virtual WAN to meet the following requirements:
-Create three secured virtual hubs located in the East US, West US, and North Europe Azure regions.
-Ensure that security rules sync between the regions.
What should you use?

A.Azure Network Function Manager

B.Azure Firewall Manager

C.Azure Virtual Network Manager

D.Azure Front Door

Answer(s): B

Explanation:
Azure Firewall Manager is used to create and manage secured virtual hubs for Azure Virtual WAN. It supports centrally managed Azure Firewall policies across multiple secured virtual hubs in different Azure regions, allowing the same security rules to be consistently applied to the hubs in East US, West US, and North Europe.

www.shapingpixel.com

62) You have an Azure subscription named Sub1 that contains multiple virtual machines. Sub1 has the Microsoft Defender Cloud Security Posture Management (CSPM) plan enabled.
You discover that Defender for Cloud fails to identify plaintext connection strings and SSH keys stored on the virtual machines.
You need to ensure that secrets can be identified on the virtual machines.
What should you do?

A. Enable Microsoft Defender for Key Vault.
B. Configure the Defender for Cloud data connector in Microsoft Sentinel.
C. Enable agentless machine scanning.
D. Deploy the Azure Monitor Agent to all the virtual machines.

www.shapingpixel.com

62) You have an Azure subscription named Sub1 that contains multiple virtual machines. Sub1 has the Microsoft Defender Cloud Security Posture Management (CSPM) plan enabled.
You discover that Defender for Cloud fails to identify plaintext connection strings and SSH keys stored on the virtual machines.
You need to ensure that secrets can be identified on the virtual machines.
What should you do?

A. Enable Microsoft Defender for Key Vault.
B. Configure the Defender for Cloud data connector in Microsoft Sentinel.
C. Enable agentless machine scanning.
D. Deploy the Azure Monitor Agent to all the virtual machines.

Answer: C

www.shapingpixel.com

63) A company wants administrators to receive just-in-time access to privileged Azure roles instead of maintaining permanent assignments. Which Microsoft Entra feature should be implemented?

A. Access Packages
B. Privileged Identity Management (PIM)
C. Dynamic groups
D. Self-service password reset

www.shapingpixel.com

63) A company wants administrators to receive just-in-time access to privileged Azure roles instead of maintaining permanent assignments. Which Microsoft Entra feature should be implemented?

A. Access Packages
B. Privileged Identity Management (PIM)
C. Dynamic groups
D. Self-service password reset

Answer: B

www.shapingpixel.com

64) You use Microsoft Security Copilot.
Security Copilot contributors currently create custom plugins for their own sessions and manage organization-wide custom plugins.
You need to prevent the contributors from managing the organization-wide custom plugins. The solution must NOT affect the contributors' ability to create custom plugins for their own sessions.
What should you select in the Plugin settings?

A. Owners only at the tenant scope
B. Contributors and Owners at the tenant scope
C. Contributors and Owners at the user scope
D. Owners only at the user scope

www.shapingpixel.com

64) You use Microsoft Security Copilot.
Security Copilot contributors currently create custom plugins for their own sessions and manage organization-wide custom plugins.
You need to prevent the contributors from managing the organization-wide custom plugins. The solution must NOT affect the contributors' ability to create custom plugins for their own sessions.
What should you select in the Plugin settings?

A. Owners only at the tenant scope
B. Contributors and Owners at the tenant scope
C. Contributors and Owners at the user scope
D. Owners only at the user scope

Answer: A

www.shapingpixel.com

65) You need to implement the function apps to meet the technical requirements. Which apps should you include in the implementation?

A. Fa1 and Fa3 only
B. Fa2 and Fa3 only
C. Fa1 and Fa2 only
D. Fa1, Fa2, and Fa3

www.shapingpixel.com

65) You need to implement the function apps to meet the technical requirements. Which apps should you include in the implementation?

A. Fa1 and Fa3 only
B. Fa2 and Fa3 only
C. Fa1 and Fa2 only
D. Fa1, Fa2, and Fa3

Answer: A

www.shapingpixel.com

66) A security architect is reviewing an AI application that retrieves enterprise documents using Retrieval-Augmented Generation (RAG). The architect wants to reduce the possibility of unauthorized document exposure. Which control is most important?

A. Increasing token limits
B. Enabling autoscaling
C. Using larger language models
D. Implementing document-level access controls

www.shapingpixel.com

66) A security architect is reviewing an AI application that retrieves enterprise documents using Retrieval-Augmented Generation (RAG). The architect wants to reduce the possibility of unauthorized document exposure. Which control is most important?

A. Increasing token limits
B. Enabling autoscaling
C. Using larger language models
D. Implementing document-level access controls

Answer: D

www.shapingpixel.com

67) You have Microsoft Security Copilot agents that authenticate by using Microsoft Entra service principals.
You receive a Microsoft Defender alert triggered by the anomalous OAuth authentication of an agent's Microsoft Entra service principal.
You need to assess the impact of the agent identity and identify which resources are affected if the identity is abused for lateral movement. The solution must minimize administrative effort.
What should you do?

A. From Microsoft Purview Audit, query the audit logs for all the role assignments granted to the identity.
B. From Incidents, review incidents related to OAuth events reported by Microsoft Defender for Cloud Apps.
C. From AI Observability in Microsoft Purview Data Security Posture Management (DSPM), review the agent activity.
D. From Attack paths, select the identity and view the blast radius.
E. From Advanced hunting, create a query against the IdentityLogonEvents table to list all the sign- ins performed by the identity.

www.shapingpixel.com

67) You have Microsoft Security Copilot agents that authenticate by using Microsoft Entra service principals.
You receive a Microsoft Defender alert triggered by the anomalous OAuth authentication of an agent's Microsoft Entra service principal.
You need to assess the impact of the agent identity and identify which resources are affected if the identity is abused for lateral movement. The solution must minimize administrative effort.
What should you do?

A. From Microsoft Purview Audit, query the audit logs for all the role assignments granted to the identity.
B. From Incidents, review incidents related to OAuth events reported by Microsoft Defender for Cloud Apps.
C. From AI Observability in Microsoft Purview Data Security Posture Management (DSPM), review the agent activity.
D. From Attack paths, select the identity and view the blast radius.
E. From Advanced hunting, create a query against the IdentityLogonEvents table to list all the sign- ins performed by the identity.

Answer: D

www.shapingpixel.com

68). Your organization is deploying several generative AI applications that use Azure AI services. Security administrators want to ensure that prompts and responses containing sensitive information are identified and monitored before they leave the organization's environment. Which solution should be implemented first?

A. Microsoft Purview Data Loss Prevention (DLP)
B. Azure Traffic Manager
C. Azure Firewall Premium
D. Azure Load Balancer

www.shapingpixel.com

68). Your organization is deploying several generative AI applications that use Azure AI services. Security administrators want to ensure that prompts and responses containing sensitive information are identified and monitored before they leave the organization's environment. Which solution should be implemented first?

A. Microsoft Purview Data Loss Prevention (DLP)
B. Azure Traffic Manager
C. Azure Firewall Premium
D. Azure Load Balancer

Answer: A

www.shapingpixel.com

69). You have an Azure subscription.
You plan to map an online infrastructure and perform vulnerability scanning for the following:
- ASNs
- Hostnames
- IP addresses
- SSL certificates
What should you use?

A. Microsoft Defender for Cloud
B. Microsoft Defender for Identity
C. Microsoft Defender External Attack Surface Management (Defender EASM)
D. Microsoft Defender for Endpoint

www.shapingpixel.com


69). You have an Azure subscription.
You plan to map an online infrastructure and perform vulnerability scanning for the following:
- ASNs
- Hostnames
- IP addresses
- SSL certificates
What should you use?

A. Microsoft Defender for Cloud
B. Microsoft Defender for Identity
C. Microsoft Defender External Attack Surface Management (Defender EASM)
D. Microsoft Defender for Endpoint

Answer: C

www.shapingpixel.com

70). Drag and Drop Question
You use Azure Virtual Network Manager to manage multiple virtual networks organized into two network groups named Production and Development.
You need to configure Virtual Network Manager to meet the following requirements:
- Allow traffic between all the virtual networks in Production.
- Block traffic between Development and Production.
What should you use for each requirement? To answer, drag the components to the correct requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.



https://shapingpixel.com

Components

- A connectivity configuration
- IP address management (IPAM)
- A routing configuration
- A scope
- A security admin configuration

Answer Area

To allow traffic between all the virtual networks in Production: A connectivity configuration

To block traffic between Development and Production: A security admin configuration

www.shapingpixel.com

71). Drag and Drop Question
You have two Azure subscriptions named Sub1 and Sub2.
You have two groups named Group1 and Group2. Group1 only has access to Sub1 and Group2 only has access to Sub2.
Sub1 contains a Recovery Services vault named RSVault1 that stores virtual machine backups.
RSVault1 is managed by using Group1.
You need to ensure that modifying the backup settings of RSVault1 requires approval from an approver in Group2.
What should you configure for each subscription? To answer, drag the appropriate features to the correct subscriptions. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Features

- An Azure Backup vault
- Multi-user authorization (MUA)
- A Recovery Services vault
- Immutability
- Privileged Identity Management (PIM)
- Resource Guard

Answer Area

Sub1: Feature

Sub2: Feature

www.shapingpixel.com

Features

- An Azure Backup vault
- Multi-user authorization (MUA)
- A Recovery Services vault
- Immutability
- Privileged Identity Management (PIM)
- Resource Guard

Answer Area

Sub1: Multi-user authorization (MUA)

Sub2: Resource Guard

www.shapingpixel.com

72). You have an Azure Logic Apps Consumption workflow that uses a Request trigger. All supported authentication methods are enabled on the Request trigger.
You need to ensure that the endpoint accepts only OAuth-based requests. The solution must minimize costs.
What should you do?

A. Use OAuth 2.0 authorization.

B. Enable Secure Inputs and enable Secure Outputs for the Request trigger.

C. Disable shared access signature (SAS) authentication for the Request trigger.

D. Deploy Azure API Management.

www.shapingpixel.com

72). You have an Azure Logic Apps Consumption workflow that uses a Request trigger. All supported authentication methods are enabled on the Request trigger.
You need to ensure that the endpoint accepts only OAuth-based requests. The solution must minimize costs.
What should you do?

A. Use OAuth 2.0 authorization.

B. Enable Secure Inputs and enable Secure Outputs for the Request trigger.

C. Disable shared access signature (SAS) authentication for the Request trigger.

D. Deploy Azure API Management.

Answer: D

www.shapingpixel.com

73). You have an Azure SQL Database logical server named Server1 that contains a database named DB1.
You need to configure authentication for Server1 to meet the following requirements:
- SQL authentication cannot be used for any databases on Server1.
- The solution must be enforced centrally at the server level.
What should you do?

A. Remove SQL logins from DB1.
B. Enable a managed identity for Server1.
C. Enable Microsoft Entra-only authentication for Server1.
D. Configure a Microsoft Entra administrator for Server1.

www.shapingpixel.com

73). You have an Azure SQL Database logical server named Server1 that contains a database named DB1.
You need to configure authentication for Server1 to meet the following requirements:
- SQL authentication cannot be used for any databases on Server1.
- The solution must be enforced centrally at the server level.
What should you do?

A. Remove SQL logins from DB1.
B. Enable a managed identity for Server1.
C. Enable Microsoft Entra-only authentication for Server1.
D. Configure a Microsoft Entra administrator for Server1.

Answer(s): C

www.shapingpixel.com

74). You have an Azure subscription named Sub1 that contains an Azure Kubernetes Service (AKS) cluster named cluster1 and an Azure container registry named ACR1. Sub1 has Microsoft Defender for Containers enabled, and runtime protection is active on cluster1.
The developers at your company deploy pods that have elevated privileges, and the deployments are created in cluster1.
You need to prevent pods with elevated privileges from being accepted by cluster1.
What should you do?

A. Enable vulnerability assessment for images in ACR1.
B. Create an Azure policy for cluster1.
C. Configure runtime threat protection alerts for privileged container activity.
D. Enable agentless discovery for Kubernetes in Defender for Containers.

www.shapingpixel.com

74). You have an Azure subscription named Sub1 that contains an Azure Kubernetes Service (AKS) cluster named cluster1 and an Azure container registry named ACR1. Sub1 has Microsoft Defender for Containers enabled, and runtime protection is active on cluster1.
The developers at your company deploy pods that have elevated privileges, and the deployments are created in cluster1.
You need to prevent pods with elevated privileges from being accepted by cluster1.
What should you do?

A. Enable vulnerability assessment for images in ACR1.
B. Create an Azure policy for cluster1.
C. Configure runtime threat protection alerts for privileged container activity.
D. Enable agentless discovery for Kubernetes in Defender for Containers.

Answer(s): B

www.shapingpixel.com

75). A security team wants to identify unusual prompt activity against an Azure AI application. The team needs centralized visibility and advanced threat detection capabilities. Which Microsoft solution should be used?

A. Azure Bastion
B. Microsoft Sentinel
C. Azure DNS
D. Azure ExpressRoute

www.shapingpixel.com

75). A security team wants to identify unusual prompt activity against an Azure AI application. The team needs centralized visibility and advanced threat detection capabilities. Which Microsoft solution should be used?

A. Azure Bastion
B. Microsoft Sentinel
C. Azure DNS
D. Azure ExpressRoute

Answer(s): B

www.shapingpixel.com

76). Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have an Azure subscription that contains two virtual machines named VM1 and VM2. Each virtual machine has system-assigned managed identity enabled.
You have an Azure Storage account named storage1. Public access from all networks is enabled for storage1.
You need to ensure that VM1 and VM2 can access storage1.
Solution: You create a user-assigned managed identity, assign the identity to each virtual machine, and then add each managed identity to a role on storage1.
Does this meet the goal?

A. Yes
B. No

www.shapingpixel.com

76). Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have an Azure subscription that contains two virtual machines named VM1 and VM2. Each virtual machine has system-assigned managed identity enabled.
You have an Azure Storage account named storage1. Public access from all networks is enabled for storage1.
You need to ensure that VM1 and VM2 can access storage1.
Solution: You create a user-assigned managed identity, assign the identity to each virtual machine, and then add each managed identity to a role on storage1.
Does this meet the goal?

A. Yes
B. No

Answer(s): A

www.shapingpixel.com

77). Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have a Microsoft Sentinel workspace.
You have a multi-tier Security Operations Center (SOC) team.
You need to ensure that all new security incidents are assigned immediately to the Tier 1 analysts group and flagged for triage.
Solution: You create an analytics rule.
Does this meet the goal?

A. Yes
B. No

www.shapingpixel.com

77). Note: This section contains one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem. You must determine whether the solution meets the stated goals. More than one solution in the set might solve the problem. It is also possible that none of the solutions in the set solve the problem.
After you answer a question in this section, you will NOT be able to return. As a result, these questions do not appear on the Review Screen.
You have a Microsoft Sentinel workspace.
You have a multi-tier Security Operations Center (SOC) team.
You need to ensure that all new security incidents are assigned immediately to the Tier 1 analysts group and flagged for triage.
Solution: You create an analytics rule.
Does this meet the goal?

A. Yes
B. No

Answer(s): B

www.shapingpixel.com

78). You have an Azure Storage account named storage1 that hosts a blob container used by an internal application.
You plan to enable a third-party workflow system to upload blobs to storage1.
You need to provide time-bound, least-privilege upload access to the third-party system.
Which authorization method should you use?

A. Configure the workflow system to use a user delegation shared access signature (SAS).

B. Enable a managed identity for the workflow system and assign a role for storage1.

C. Enable anonymous public read access for the blob container.

D. Configure the workflow system to use Shared Key authorization.

www.shapingpixel.com

78). You have an Azure Storage account named storage1 that hosts a blob container used by an internal application.
You plan to enable a third-party workflow system to upload blobs to storage1.
You need to provide time-bound, least-privilege upload access to the third-party system.
Which authorization method should you use?

A. Configure the workflow system to use a user delegation shared access signature (SAS).

B. Enable a managed identity for the workflow system and assign a role for storage1.


C. Enable anonymous public read access for the blob container.

D. Configure the workflow system to use Shared Key authorization.

Answer(s): A

www.shapingpixel.com

79). Drag and Drop Question
You have an Azure subscription named Sub1. Sub1 contains 60 virtual machines that run either Window Server or Linux.
All the Windows Server virtual machines host line-of-business (LOB) applications and all the Linux virtual machines host backend databases.
You need to enable malware protection for the virtual machines.
Which Microsoft Defender for Cloud plan should you enable for each type of virtual machine? To answer, drag the appropriate plans to the correct virtual machine types. Each plan may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.



https://shapingpixel.com

Plans

- Defender Cloud Security Posture Management (CSPM)
- Microsoft Defender for App Service
- Microsoft Defender for Databases
- Microsoft Defender for Resource Manager
- Microsoft Defender for Servers

Answer Area

Windows Server: Microsoft Defender for Servers

Linux: Microsoft Defender for Servers

www.shapingpixel.com

80). You implement the planned changes for the key vaults. To which key vaults can you restore AKV1 backups?
9 (Case Study 2)

A. AKV4 only

B. AKV3 and AKV4 only

C. AKV4 and AKV5 only

D. AKV2, AKV3, and AKV4 only

E. AKV2, AKV3, AKV4, and AKV5

www.shapingpixel.com

80). You implement the planned changes for the key vaults. To which key vaults can you restore AKV1 backups? (Case Study 2)

A. AKV4 only

B. AKV3 and AKV4 only

C. AKV4 and AKV5 only

D. AKV2, AKV3, and AKV4 only

E. AKV2, AKV3, AKV4, and AKV5

Answer(s): C

www.shapingpixel.com

81). You use Microsoft Security Copilot.
Users are assigned either the Security Copilot Contributor role or the Security Copilot Owner role.
A contributor enables a custom plugin that is NOT approved, and some Security Copilot features in embedded experiences no longer function.
You need to ensure that plugins affecting all users can only be added by owners.
What should you do in the Plugin settings?

A. Select Contributors and Owners to configure which users can add custom plugins at the user scope.

B. Select Contributors and Owners to configure which users can add custom plugins at the workspace scope.

C. Select Owners only to configure which users can add custom plugins at the workspace scope.

D. Select Owners only to configure which users can add custom plugins at the user scope.

www.shapingpixel.com

81). You use Microsoft Security Copilot.
Users are assigned either the Security Copilot Contributor role or the Security Copilot Owner role.
A contributor enables a custom plugin that is NOT approved, and some Security Copilot features in embedded experiences no longer function.
You need to ensure that plugins affecting all users can only be added by owners.
What should you do in the Plugin settings?

A. Select Contributors and Owners to configure which users can add custom plugins at the user scope.

B. Select Contributors and Owners to configure which users can add custom plugins at the workspace scope.

C. Select Owners only to configure which users can add custom plugins at the workspace scope.

D. Select Owners only to configure which users can add custom plugins at the user scope.

Answer(s): C

www.shapingpixel.com

82). You have an Azure API Management instance named APIM1 that publishes an API named OrdersAPI.
Applications call OrdersAPI by using Microsoft Entra access tokens.
A security review finds that requests that do NOT contain a valid access token can still be forwarded to OrdersAPI.
You need to ensure that APIM1 rejects requests that do NOT contain a valid Microsoft Entra token before the requests reach OrdersAPI.
What should you configure?

A. the rate-limit-by-key policy

B. the set-backend-service policy

C. a subscription scope for OrdersAPI

D. the validate-jwt policy

www.shapingpixel.com

82). You have an Azure API Management instance named APIM1 that publishes an API named OrdersAPI.
Applications call OrdersAPI by using Microsoft Entra access tokens.
A security review finds that requests that do NOT contain a valid access token can still be forwarded to OrdersAPI.
You need to ensure that APIM1 rejects requests that do NOT contain a valid Microsoft Entra token before the requests reach OrdersAPI.
What should you configure?

A. the rate-limit-by-key policy

B. the set-backend-service policy

C. a subscription scope for OrdersAPI

D. the validate-jwt policy

Answer(s): D

www.shapingpixel.com

83). You have a Microsoft Sentinel-enabled Log Analytics workspace named Workspace1.
Your company receives JSON security events from a software as a service (SaaS) application.
You plan to create a custom Microsoft Sentinel data connector.
You need to prepare Workspace1 for the incoming JSON data.
What should you do first?

A. Configure a diagnostic setting for the SaaS application.

B. Install a built-in Microsoft Sentinel data connector.

C. Create a custom log table in Workspace1.

D. Create an analytics rule in Microsoft Sentinel.

www.shapingpixel.com

83). You have a Microsoft Sentinel-enabled Log Analytics workspace named Workspace1.
Your company receives JSON security events from a software as a service (SaaS) application.
You plan to create a custom Microsoft Sentinel data connector.
You need to prepare Workspace1 for the incoming JSON data.
What should you do first?

A. Configure a diagnostic setting for the SaaS application.

B. Install a built-in Microsoft Sentinel data connector.

C. Create a custom log table in Workspace1.

D. Create an analytics rule in Microsoft Sentinel.

Answer(s): C

www.shapingpixel.com

84). You have an Azure subscription that has the Microsoft Defender for Cloud Foundational Cloud Security Posture Management (CSPM) plan enabled.
You have an Amazon Web Services (AWS) account connected to Defender for Cloud for posture management.
In Defender for Cloud, security recommendations for the resources in Azure and AWS have a risk level of Not evaluated.
You need to ensure that Defender for Cloud assigns a risk level to the recommendations.
What should you do?

A. Onboard all the virtual machines in the AWS account to Azure Arc.

B. Enable Microsoft Defender for Servers Plan 2.

C. Assign the CIS AWS Foundations v3.0.0 standard to the AWS account.

D. Enable the Defender CSPM plan.

www.shapingpixel.com

84). You have an Azure subscription that has the Microsoft Defender for Cloud Foundational Cloud Security Posture Management (CSPM) plan enabled.
You have an Amazon Web Services (AWS) account connected to Defender for Cloud for posture management.
In Defender for Cloud, security recommendations for the resources in Azure and AWS have a risk level of Not evaluated.
You need to ensure that Defender for Cloud assigns a risk level to the recommendations.
What should you do?

A. Onboard all the virtual machines in the AWS account to Azure Arc.

B. Enable Microsoft Defender for Servers Plan 2.

C. Assign the CIS AWS Foundations v3.0.0 standard to the AWS account.

D. Enable the Defender CSPM plan.

Answer(s): D

www.shapingpixel.com

85). Hotspot Question
You have three on-premises apps named App1, App2, and App3 that are configured in Microsoft Entra Private Access as shown in the following table.

Name	Segment type	IP address/range	Port
App1	FQDN	*.corp.contoso.com	443
App2	IP address	10.20.30.40/32	8443
App3	IP address	10.20.30.40/32	443

You have the users shown in the following table.

Name	Assigned to
User1	App1
User2	App2
User3	App1 and App3

The Global Secure Access client is deployed to all user devices.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

www.shapingpixel.com

Answer Area

Statements	Yes	No
User2 can connect to https://10.20.30.40.	○	○
User3 can connect to https://intranet.corp.contoso.com.	○	○
User1 can connect to https://intranet.corp.contoso.com:8443.	○	○

www.shapingpixel.com

Answer Area

Statements	Yes	No
User2 can connect to https://10.20.30.40.	○	●
User3 can connect to https://intranet.corp.contoso.com.	●	○
User1 can connect to https://intranet.corp.contoso.com:8443.	○	●

www.shapingpixel.com

86). An AI development team stores secrets, API keys, and connection strings within application configuration files. A security review recommends a more secure approach. What should the team implement?

A. Azure Key Vault

B. Azure Resource Graph

C. Azure Advisor

D. Azure DevTest Labs

www.shapingpixel.com

86). An AI development team stores secrets, API keys, and connection strings within application configuration files. A security review recommends a more secure approach. What should the team implement?

A. Azure Key Vault

B. Azure Resource Graph

C. Azure Advisor

D. Azure DevTest Labs

Answer(s): A

www.shapingpixel.com

Case Study 1 - Contoso, Ltd.

Overview

Contoso, Ltd. is a consulting company that has a main office in San Francisco and a branch office in Dallas.

Contoso has a hybrid environment that contains on-premises servers connected to Azure, a Microsoft 365 E5 subscription, and an Azure subscription named Sub1.

Existing Environment. Microsoft Entra tenant

Contoso has a Microsoft Entra tenant named contoso.com that contains the users shown in the following table.

Name	Role
Admin1	Global Administrator
Admin2	AI Administrator
Admin3	Privileged Role Administrator
User1	*None*

Existing Environment. On-premises environment

The on-premises network contains an Active Directory Domain Services (AD DS) forest that syncs with contoso.com. The forest contains a server named Server1 that runs Windows Server.

Existing Environment. Azure subscription

Sub1 contains the storage accounts shown in the following table.

www.shapingpixel.com

Name	Azure region	Performance	Premium account type
storage1	West US	Standard	*Not applicable*
storage2	East US	Premium	Block blobs
storage3	East US	Premium	File shares
storage4	East US	Premium	Page blobs

Sub1 contains the virtual networks shown in the following table.

Name	Azure region	Subnet
VNet1	West US	Subnet1, Subnet2
VNet2	East US	Subnet3
VNet3	West US	Subnet4

Sub1 contains the virtual machines shown in the following table.

Name	Connected to	Network security group (NSG)
VM1	Subnet1	NSG1
VM2	Subnet2	NSG2
VM3	Subnet3	NSG3
VM4	Subnet4	NSG4

The network interface of VM1 is associated with an application security group named ASG1.
Sub1 contains the resources shown in the following table.

www.shapingpixel.com

Name	Azure region	Description
sql1	West US	Azure SQL server
AKS1	East US	Azure Kubernetes Service (AKS) cluster
Vault1	East US	Azure key vault

Vault1 stores the objects shown in the following table.

Name	Type	Status
Key1	Key	Disabled
Secret1	Secret	Enabled
Certificate1	Certificate	Disabled
Certificate2	Certificate	Enabled

Existing Environment. Privileged Identity Management (PIM) configuration You manage privileged roles by using Privileged Identity Management (PIM). The PIM role settings are configured as shown in the following table.

Setting	State	
	AI Administrator role	Agent ID Developer role
Activation maximum duration (hours)	1 Day(s)	1 Day(s)
Require approval to activate	Enabled	Disabled
Approvers	None	None
Expire eligible assignments after	1 Month(s)	1 Month(s)
Expire active assignments after	15 Day(s)	15 Day(s)

shapingpixel.com

Existing Environment. Microsoft Sentinel configuration
Contoso has a Microsoft Sentinel workspace that contains the following tables.

Name	Tier
DeviceInfo	Analytics
DnsEvents	Analytics

Requirements. Planned changes
Contoso plans to implement the following changes:
- Integrate AKS1 with Vault1.
- Enable Microsoft Entra Kerberos authentication for all supported storage.
- Configure auditing for sql1 by using the Azure portal and store audit logs in a centralized location.

Requirements. Technical requirements
Contoso identifies the following technical requirements:
- Protect Server1 by using file integrity monitoring.
- Protect AKS1 by using Microsoft Defender for Cloud.
- Configure Microsoft Sentinel to retain data for the maximum supported duration without changing the tier.
- Store objects used for authentication and encryption in Vault1 and ensure that Vault1 regenerates the objects every 30 days, whenever possible.

www.shapingpixel.com

87). Hotspot Question (Case Study 1)
You need to configure Server1 to meet the technical requirements.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Install on Server1:

- The Azure Monitor Agent
- The Azure File Sync agent
- Microsoft Entra Connect Sync
- The Azure Connected Machine agent
- A Microsoft Defender for Endpoints onboarding package

Deploy to Sub1:

- Azure File Sync
- A Log Analytics workspace
- An Azure Machine Learning workspace
- Defender for Cloud workflow automation

www.shapingpixel.com

Answer Area

Install on Server1:

The Azure Monitor Agent
The Azure File Sync agent
Microsoft Entra Connect Sync
The Azure Connected Machine agent
A Microsoft Defender for Endpoints onboarding package

Deploy to Sub1:

Azure File Sync
A Log Analytics workspace
An Azure Machine Learning workspace
Defender for Cloud workflow automation

https://shapingpixel.com

88). For which storage accounts can you implement the planned changes for storage?

A. storage1, storage2, storage3, and storage4

B. storage1, storage2, and storage4 only

C. storage2 and storage4 only

D. storage1 and storage3 only

E. storage2, storage3, and storage4 only

F. storage1 only

www.shapingpixel.com

88). For which storage accounts can you implement the planned changes for storage?

A. storage1, storage2, storage3, and storage4

B. storage1, storage2, and storage4 only

C. storage2 and storage4 only

D. storage1 and storage3 only


E. storage2, storage3, and storage4 only

F. storage1 only

Answer(s): D

www.shapingpixel.com

89). Drag and Drop Question
You have a Bicep file for an Azure Storage account that stores regulated data.
You need to revise the file to meet the following requirements:
- Require HTTPS-only traffic.
- Prevent the storage account key from being exposed in deployment outputs.
How should you complete the Bicep code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.



https://shapingpixel.com

Values

- @description
- @secure
- listKeys
- publicNetworkAccess
- reference
- supportsHttpsTrafficOnly

Answer Area

```
param location string = resourceGroup().location
param storageName string = 'st${uniqueString(resourceGroup().id)}'
resource stg 'Microsoft.Storage/storageAccounts@2023-01-01' = {
  name: storageName
  location: location
  sku: {
    name: 'Standard_LRS'
  }
  kind: 'StorageV2'
  properties: {
      [ supportsHttpsTrafficOnly ] : true
    minimumTlsVersion: 'TLS1_2'
    allowBlobPublicAccess: false
  }
}
[ @secure ] ()
output storageAccountKey string = [ listKeys ] (stg.id, '2023-01-01').keys[0].value
```

www.shapingpixel.com

90). You have a Microsoft Entra tenant that uses Microsoft Entra Agent ID.
You have multiple Microsoft Foundry agents that have agent identities assigned.
You discover that one of the identities is flagged as high risk due to unusual sign-in activity.
You need to ensure that agent access to resources is restricted automatically based on risk.
What should you create?

A. a Privileged Identity Management (PIM) activation policy

B. an Access review for the identities

C. a Conditional Access policy for the identities

D. a Microsoft Entra role assignment policy

www.shapingpixel.com

90). You have a Microsoft Entra tenant that uses Microsoft Entra Agent ID.
You have multiple Microsoft Foundry agents that have agent identities assigned.
You discover that one of the identities is flagged as high risk due to unusual sign-in activity.
You need to ensure that agent access to resources is restricted automatically based on risk.
What should you create?

A. a Privileged Identity Management (PIM) activation policy

B. an Access review for the identities

C. a Conditional Access policy for the identities

D. a Microsoft Entra role assignment policy

Answer(s): C

www.shapingpixel.com

91). You need to meet the technical requirements for Vault1.
Which object can you use?

A. Certificate2

B. Key1

C. Certificate1

D. Secret1

www.shapingpixel.com

91). You need to meet the technical requirements for Vault1.
Which object can you use?

A. Certificate2

B. Key1

C. Certificate1

D. Secret1

Answer(s): B

www.shapingpixel.com

92). You have a virtual network named VNet1 that contains a subnet named Subnet1 and a virtual machine named VM1. VM1 uses only dynamic IP addresses from Subnet1.
You have an Azure key vault named KV1.
You enable a firewall on KV1 and allow access to KV1 from only select virtual networks and IP addresses.
VM1 receives 403 errors when it attempts to access KV1.
You need to enable VM1 to access KV1, while maintaining the current restrictions on KV1.
What should you do?

A. Create a routing rule on Subnet1.

B. Allow trusted Microsoft services to bypass the firewall on KV1.

C. Add a Microsoft.KeyVault service endpoint for Subnet1.

D. Add the current IPv4 address of VM1 to the firewall allowlist of KV1.

www.shapingpixel.com

92). You have a virtual network named VNet1 that contains a subnet named Subnet1 and a virtual machine named VM1. VM1 uses only dynamic IP addresses from Subnet1.
You have an Azure key vault named KV1.
You enable a firewall on KV1 and allow access to KV1 from only select virtual networks and IP addresses.
VM1 receives 403 errors when it attempts to access KV1.
You need to enable VM1 to access KV1, while maintaining the current restrictions on KV1.
What should you do?

A. Create a routing rule on Subnet1.

B. Allow trusted Microsoft services to bypass the firewall on KV1.

C. Add a Microsoft.KeyVault service endpoint for Subnet1.

D. Add the current IPv4 address of VM1 to the firewall allowlist of KV1.

Answer(s): C

www.shapingpixel.com


93). You need to implement the planned change for VM1 to access storage. The solution must meet the technical requirements.
What should you do first? (Case Study 2)

A. Assign the Storage Blob Data Reader role to storage1.
B. Assign ID1 to VM1.
C. Configure federated identity credentials for ID1.
D. Add a role assignment condition to storage1.
E. Configure a system-assigned managed identity on VM1.

Answer(s): E

www.shapingpixel.com

94). HOTSPOT (Drag and Drop is not supported) (Case Study 2)
You need to configure the AKS1 and ID1 managed identities to meet the technical requirements. The solution must follow the principle of least privilege.
Which role should you assign to each identity? To answer, select the appropriate options in the answer area.
Note: Each correct selection is worth one point.
Hot Area:



https://shapingpixel.com

Answer Area

AKS1:

- AcrPull
- AcrPush
- Contributor
- Owner
- Reader

ID1:

- AcrPull
- AcrPush
- Contributor
- Owner
- Reader

https://shapingpixel.com

95). HOTSPOT (Drag and Drop is not supported) (Case Study 2)
You need to implement the planned change for the PIM role assignment.
Which users can perform the planned change, and for which groups? To answer, select the appropriate options in the answer area.
Note: Each correct selection is worth one point.
Hot Area:

Answer Area

Users:
- Admin2 only
- Admin4 only
- Admin2 and Admin3 only
- Admin2, Admin3, and Admin4 only

Groups:
- Group1 only
- Group1 and Group2 only
- Group1 and Group3 only
- Group1, Group2, and Group3 only
- Group1, Group2, Group3, and Group4

pixel.com

Answer Area

Users:

- Admin2 only
- Admin4 only
- Admin2 and Admin3 only
- Admin2, Admin3, and Admin4 only

Groups:

- Group1 only
- Group1 and Group2 only
- Group1 and Group3 only
- Group1, Group2, and Group3 only
- Group1, Group2, Group3, and Group4

https://shapingpixel.com

96). You have an Azure subscription named Sub1 that is linked to a Microsoft Entra tenant named contoso.com.
Sub1 contains a Recovery Services vault named RSVault1 that stores virtual machines backups.
Your company's security team maintains a dedicated Microsoft Entra tenant named security.contoso.com.
You need to ensure that modifying the backup settings of RSVault1 requires approval from an approver in security.contoso.com.
What should you do in contoso.com?

A. Enable immutability for RSVault1 and lock the immutability setting.
B. Create a private endpoint for RSVault1 on the virtual network.
C. Configure Privileged Identity Management (PIM) activation for the Backup Operator role.
D. Enable Multi-user authorization (MUA) for RSVault1.

www.shapingpixel.com

96). You have an Azure subscription named Sub1 that is linked to a Microsoft Entra tenant named contoso.com.
Sub1 contains a Recovery Services vault named RSVault1 that stores virtual machines backups.
Your company's security team maintains a dedicated Microsoft Entra tenant named security.contoso.com.
You need to ensure that modifying the backup settings of RSVault1 requires approval from an approver in security.contoso.com.
What should you do in contoso.com?

A. Enable immutability for RSVault1 and lock the immutability setting.
B. Create a private endpoint for RSVault1 on the virtual network.
C. Configure Privileged Identity Management (PIM) activation for the Backup Operator role.
D. Enable Multi-user authorization (MUA) for RSVault1.

Answer(s): D

www.shapingpixel.com

96). You have an Azure key vault named KV1.
You have an Azure App Service web app named App1. App1 is integrated with a virtual network named VNet1 that is linked to an Azure Private DNS zone. App1 accesses secrets stored in KV1.
You need to configure KV1 to meet the following requirements:
-App1 must access the secrets by using a private IP address on VNet1.
-Requests from outside VNet1 must be denied.
Which two actions should you perform for KV1? Each correct answer presents part of the solution.
Note: Each correct selection is worth one point.

A. Create a private endpoint.
B. Add the IP addresses of App1.
C. Disable public access.
D. Create an access policy.

www.shapingpixel.com

96). You have an Azure key vault named KV1.
You have an Azure App Service web app named App1. App1 is integrated with a virtual network named VNet1 that is linked to an Azure Private DNS zone. App1 accesses secrets stored in KV1.
You need to configure KV1 to meet the following requirements:
-App1 must access the secrets by using a private IP address on VNet1.
-Requests from outside VNet1 must be denied.
Which two actions should you perform for KV1? Each correct answer presents part of the solution.
Note: Each correct selection is worth one point.

A. Create a private endpoint.

B. Add the IP addresses of App1.

C. Disable public access.

D. Create an access policy.

Answer(s): A,C

www.shapingpixel.com

97). HOTSPOT (Drag and Drop is not supported)
You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Role	Group membership
User1	Global Administrator	Group1
User2	*None*	Group1
User3	Global Administrator	*None*

The tenant contains a Conditional Access policy named CA1 that has the following settings:
Assignments: - Users or agents: -- Include: Directory roles: Global Administrator
Target resources: - Resources (formerly cloud apps): -- Include: All resources
Conditions: - Locations: -- Configure: Yes -- Include: Any network or location
Access controls: - Grant: -- Require multifactor authentication - Grant: -- Require device to be marked as compliant - For multiple controls: -- Require all the selected controls
The tenant contains a Conditional Access policy named CA2 that has the following settings:
Assignments: - Users or agents: -- Include: Users and groups: Group1
Target resources: - Resources (formerly cloud apps) -- Include: Select resources: Office 365
Conditions: - Locations: -- Configure: Yes -- Include: Any network or location
Access controls: - Grant: -- Require multifactor authentication - Grant: -- Require app protection policy - For multiple controls: -- Require one of the selected controls
The users perform the following tasks:

www.shapingpixel.com

-User1 signs in to Microsoft 365 from a home network by using Microsoft Outlook on a noncompliant device.
-User2 signs in to Microsoft 365 without an app protection policy by using a noncompliant device.
-User3 signs in to the Azure portal from a home network by using a compliant device.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
Note: Each correct selection is worth one point.
Hot Area:

Answer Area

Statements	Yes	No
User1 is granted access to Microsoft 365 after completing multifactor authentication (MFA).	○	○
User2 is granted access to Microsoft 365 after completing multifactor authentication (MFA).	○	○
User3 is granted access to the Azure portal after completing multifactor authentication (MFA).	○	○

https://shapingpixel.com

Answer Area

Statements	Yes	No
User1 is granted access to Microsoft 365 after completing multifactor authentication (MFA).	○	○
User2 is granted access to Microsoft 365 after completing multifactor authentication (MFA).	○	○
User3 is granted access to the Azure portal after completing multifactor authentication (MFA).	○	○

www.shapingpixel.com

98). You have a Microsoft Entra tenant that contains a group named Group1.
You plan to target Group1 to use the Microsoft Authenticator authentication method.
You need to ensure that the members in Group1 can use the Authenticator app as their primary authentication method.
What should you do?

A. Enable one-time passcodes in Authenticator for Group1.
B. Revoke the sessions for the Group1 members.
C. Enable Authenticator push authentication mode for Group1.
D. Enable the Authenticator passwordless authentication method for Group1.

www.shapingpixel.com

98). You have a Microsoft Entra tenant that contains a group named Group1.
You plan to target Group1 to use the Microsoft Authenticator authentication method.
You need to ensure that the members in Group1 can use the Authenticator app as their primary authentication method.
What should you do?

A. Enable one-time passcodes in Authenticator for Group1.
B. Revoke the sessions for the Group1 members.
C. Enable Authenticator push authentication mode for Group1.
D. Enable the Authenticator passwordless authentication method for Group1.

Answer(s): D

www.shapingpixel.com

99). HOTSPOT (Drag and Drop is not supported)
You have an Azure key vault named KV1 that uses role-based access control (RBAC) for data plane authorization.
You have multiple Azure App Service web apps that retrieve a SQL connection string stored as a secret in KV1.
You need to ensure that the web apps can access KV1. The solution must minimize the number of required identities and follow the principle of least privilege.
What should you do? To answer, select the appropriate options in the answer area.
Note: Each correct selection is worth one point.
Hot Area:



https://shapingpixel.com

Answer Area

Type of workload identity to use:


- Service principal object
- System-assigned managed identity
- User-assigned managed identity

Data plane role to assign to KV1 for the web apps:

- Key Vault Administrator
- Key Vault Reader
- Key Vault Secrets User

www.shapingpixel.com

100). DRAG DROP (Drag and Drop is not supported)
You have an Azure subscription named Sub1 that contains a storage account named storage1. storage1 hosts a blob container named container1.
Sub1 is linked to a Microsoft Entra tenant that contains a security group named Group1.
You need to ensure that Group1 can use the Azure portal to view the blobs in container1. The solution must follow the principle of least privilege.
Which roles should you assign to Group1. To answer, drag the appropriate roles to the correct objects. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
Note: Each correct selection is worth one point.
Select and Place:



https://shapingpixel.com

Roles

- Contributor
- Reader
- Storage Blob Data Owner
- Storage Blob Data Reader
- Storage Blob Delegator

Answer Area

For container1: Storage Blob Data Reader

For storage1: Reader

www.shapingpixel.com

101). You have an Azure subscription that contains a resource group named RG1 and has Microsoft Defender for Cloud enabled.
You connect an Amazon Web Services (AWS) account to Defender for Cloud by creating the AWS connector in RG1.
You have a Microsoft Entra group named Group1 that contains the user accounts of the security analysts at your company.
You need to ensure that the members of Group1 can view multicloud recommendations and security alerts for the connected AWS account. The solution must follow the principle of least privilege.
Which role should you assign to Group1 for RG1?

A. Security Reader
B. Reader
C. Owner
D. Security Administrator

www.shapingpixel.com

101). You have an Azure subscription that contains a resource group named RG1 and has Microsoft Defender for Cloud enabled.
You connect an Amazon Web Services (AWS) account to Defender for Cloud by creating the AWS connector in RG1.
You have a Microsoft Entra group named Group1 that contains the user accounts of the security analysts at your company.
You need to ensure that the members of Group1 can view multicloud recommendations and security alerts for the connected AWS account. The solution must follow the principle of least privilege.
Which role should you assign to Group1 for RG1?

A. Security Reader

B. Reader

C. Owner

D. Security Administrator

Answer(s): A

www.shapingpixel.com

102). You have a Microsoft Security Copilot workspace named Workspace1 that is used by Security Operations Center (SOC) analysts and security administrators.
The SOC analysts use only the Security Copilot standalone experience, and the security administrators access Security Copilot from the Microsoft Defender portal.
A new Security Copilot workspace named Workspace2 is created for the security administrators. Workspace2 is assigned a capacity of five security compute units.
You need to ensure that Security Copilot usage for the SOC analysts is allocated to Workspace1 and Security Copilot usage for the security administrators is allocated to Workspace2.
What should you do?

A. Configure Workspace2 for embedded agent traffic.
B. Increase the capacity of Workspace2.
C. Assign the Workspace1 capacity to Workspace2.
D. Configure Workspace1 for embedded agent traffic.

www.shapingpixel.com

102). You have a Microsoft Security Copilot workspace named Workspace1 that is used by Security Operations Center (SOC) analysts and security administrators.
The SOC analysts use only the Security Copilot standalone experience, and the security administrators access Security Copilot from the Microsoft Defender portal.
A new Security Copilot workspace named Workspace2 is created for the security administrators. Workspace2 is assigned a capacity of five security compute units.
You need to ensure that Security Copilot usage for the SOC analysts is allocated to Workspace1 and Security Copilot usage for the security administrators is allocated to Workspace2.
What should you do?

A. Configure Workspace2 for embedded agent traffic.

B. Increase the capacity of Workspace2.

C. Assign the Workspace1 capacity to Workspace2.

D. Configure Workspace1 for embedded agent traffic.

Answer(s): A

www.shapingpixel.com

103). HOTSPOT (Drag and Drop is not supported)
You need to deploy the Phishing Triage Agent in Microsoft Security Copilot to manage phishing incidents in Microsoft Defender XDR.
The solution must meet the following requirements:
-Manage the phishing incidents.
-Enable the Phishing Triage Agent.
-Follow the principle of least privilege.
Which roles should you assign? To answer, select the appropriate options in the answer area.
Note: Each correct selection is worth one point.
Hot Area:

Answer Area

To enable the agent:

- Global Administrator in Microsoft Entra and Security Copilot Contributor
- Global Administrator in Microsoft Entra and Security Copilot Owner
- Security Administrator in Microsoft Entra and Security Copilot Contributor
- Security Administrator in Microsoft Entra and Security Copilot Owner
- Security Operator in Microsoft Entra and Security Copilot Contributor
- Security Operator in Microsoft Entra and Security Copilot Owner

To manage the phishing incidents:

- Global Administrator in Microsoft Entra and Security Copilot Contributor
- Global Administrator in Microsoft Entra and Security Copilot Owner
- Security Administrator in Microsoft Entra and Security Copilot Contributor
- Security Administrator in Microsoft Entra and Security Copilot Owner
- Security Operator in Microsoft Entra and Security Copilot Contributor
- Security Operator in Microsoft Entra and Security Copilot Owner

https://shapingpixel.com

Answer Area

To enable the agent:

- Global Administrator in Microsoft Entra and Security Copilot Contributor
- Global Administrator in Microsoft Entra and Security Copilot Owner
- Security Administrator in Microsoft Entra and Security Copilot Contributor
- Security Administrator in Microsoft Entra and Security Copilot Owner
- **Security Operator in Microsoft Entra and Security Copilot Contributor**
- Security Operator in Microsoft Entra and Security Copilot Owner

To manage the phishing incidents:

- Global Administrator in Microsoft Entra and Security Copilot Contributor
- Global Administrator in Microsoft Entra and Security Copilot Owner
- Security Administrator in Microsoft Entra and Security Copilot Contributor
- Security Administrator in Microsoft Entra and Security Copilot Owner
- **Security Operator in Microsoft Entra and Security Copilot Contributor**
- Security Operator in Microsoft Entra and Security Copilot Owner

https://shapingpixel.com

104). You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Role
User1	Security Copilot Contributor
User2	Global Administrator

You have a Microsoft Security Copilot workspace.
From Microsoft Security Store, you plan to deploy a partner-built agent named Agent1 that requires access to Microsoft Intune.
When User1 selects Agent1, the Get agent option is unavailable.
You need to enable User1 to complete the agent setup. The solution must follow the principle of least privilege.
What should you do first?

A. From Security Copilot, create an agent identity for Agent1.
B. From Security Copilot, configure the required data source for Agent1.
C. Assign User1 the AI Administrator role in Microsoft Entra.
D. Assign User1 the Agent ID Administrator role in Microsoft Entra.
E. Instruct User2 to approve the agent setup.

www.shapingpixel.com

104). You have a Microsoft Entra tenant that contains the users shown in the following table.

Name	Role
User1	Security Copilot Contributor
User2	Global Administrator

You have a Microsoft Security Copilot workspace.
From Microsoft Security Store, you plan to deploy a partner-built agent named Agent1 that requires access to Microsoft Intune.
When User1 selects Agent1, the Get agent option is unavailable.
You need to enable User1 to complete the agent setup. The solution must follow the principle of least privilege.
What should you do first?

A. From Security Copilot, create an agent identity for Agent1.

B. From Security Copilot, configure the required data source for Agent1.

C. Assign User1 the AI Administrator role in Microsoft Entra.

D. Assign User1 the Agent ID Administrator role in Microsoft Entra.

E. Instruct User2 to approve the agent setup.

Answer(s): E

www.shapingpixel.com

105). You need to implement the planned changes for sql1.
Which storage accounts can you use? (Case Study 2)

A. storage1 only
B. storage3 only
C. storage1 and storage3 only
D. storage2, storage3, and storage4 only
E. storage1, storage2, storage3, and storage4

www.shapingpixel.com

105). You need to implement the planned changes for sql1.
Which storage accounts can you use? (Case Study 2)

A. storage1 only
B. storage3 only
C. storage1 and storage3 only
D. storage2, storage3, and storage4 only
E. storage1, storage2, storage3, and storage4

Answer(s): A

www.shapingpixel.com

106). You need to configure Microsoft Sentinel to meet the technical requirements.
To what should you set Analytics retention for DnsEvents? (Case Study 2)

A. 2 years
B. 12 years
C. 180 days
D. 1 year
E. 6 years

www.shapingpixel.com

106). You need to configure Microsoft Sentinel to meet the technical requirements.
To what should you set Analytics retention for DnsEvents? (Case Study 2)

A. 2 years

B. 12 years

C. 180 days

D. 1 year

E. 6 years

Answer(s): A

www.shapingpixel.com

107). You need to implement the planned change for WAF1. The solution must minimize administrative effort. What should you do? (Case Study 1)

A. Create an Azure policy.

B. Modify the Bot Manager 1.1 rule set.

C. Add a custom rule.

D. Modify the Azure-managed DRS.

www.shapingpixel.com

107). You need to implement the planned change for WAF1. The solution must minimize administrative effort. What should you do? (Case Study 1)

A. Create an Azure policy.

B. Modify the Bot Manager 1.1 rule set.

C. Add a custom rule.

D. Modify the Azure-managed DRS.

Answer(s): C

www.shapingpixel.com

108). You have a Microsoft Entra tenant that contains a user named User1.
You have an Azure Arc-enabled server named SRV1 that runs Windows Server. SRV1 is configured for Microsoft Entra sign-in.
User1 reports that when they use their Microsoft Entra credentials to sign in to SRV1 over RDP, they receive the following message:
"Your account is configured to prevent you from using this device."
You need to ensure that User1 can sign in to SRV1 over RDP. The solution must follow the principle of least privilege.
What should you do?

A. Assign User1 the Virtual Machine Administrator Login role for SRV1.

B. Create a Conditional Access policy that requires multifactor authentication (MFA).

C. Add User to the local Remote Desktop Users group on SRV1.

D. Assign User1 the Virtual Machine User Login role for SRV1.

www.shapingpixel.com

108). You have a Microsoft Entra tenant that contains a user named User1.
You have an Azure Arc-enabled server named SRV1 that runs Windows Server. SRV1 is configured for Microsoft Entra sign-in.
User1 reports that when they use their Microsoft Entra credentials to sign in to SRV1 over RDP, they receive the following message:
"Your account is configured to prevent you from using this device."
You need to ensure that User1 can sign in to SRV1 over RDP. The solution must follow the principle of least privilege.
What should you do?

A. Assign User1 the Virtual Machine Administrator Login role for SRV1.

B. Create a Conditional Access policy that requires multifactor authentication (MFA).

C. Add User to the local Remote Desktop Users group on SRV1.

D. Assign User1 the Virtual Machine User Login role for SRV1.

Answer(s): D

www.shapingpixel.com

109). You have an Azure virtual machine named VM1. A network security group (NSG) named NSG1 is linked to the network adapter of VM1.
VM1 allows inbound RDP (TCP 3389) from an on-premises network.
You need to reduce exposure on VM1. The solution must ensure that required RDP access is allowed for only a maximum of four hours.
What should you do?

A. Create a Conditional Access policy.

B. Deploy an Azure Bastion host.

C. Add a security rule to NSG1.

D. Enable just-in-time (JIT) VM access for VM1.

www.shapingpixel.com

109). You have an Azure virtual machine named VM1. A network security group (NSG) named NSG1 is linked to the network adapter of VM1.
VM1 allows inbound RDP (TCP 3389) from an on-premises network.
You need to reduce exposure on VM1. The solution must ensure that required RDP access is allowed for only a maximum of four hours.
What should you do?

A. Create a Conditional Access policy.

B. Deploy an Azure Bastion host.


C. Add a security rule to NSG1.

D. Enable just-in-time (JIT) VM access for VM1.

Answer(s): D

www.shapingpixel.com

110). Hotspot Question
You have an Azure subscription that contains the following servers:
- 200 virtual machines that run either Windows Server or Ubuntu Server
- 50 Azure Arc-enabled servers
You use Azure Policy to manage compliance across all the servers.
You need to enforce an organization-specific security baseline. The solution must meet the following requirements:
- Customize a built-in security baseline.
- Ensure that configuration changes to the servers are enforced automatically after the security baseline is deployed.
- Minimize administrative effort.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.



Shapingpixel.com

Answer Area

To customize the baseline:

- Use Azure Machine Configuration.
- Use Desired State Configuration (DSC).
- Edit the built-in initiative in JSON directly.

Set enforcement mode to:

- Apply and Autocorrect
- Apply and Monitor
- Audit
- DeployIfNotExists

111). You have a Microsoft 365 tenant that has Microsoft 365 Copilot enabled for a pilot group.

Users frequently generate responses based on Microsoft Teams chats and Microsoft SharePoint Online sites.

You use Microsoft Purview Data Security Posture Management (DSPM) to identify oversharing risks and create policies based on the recommendations.

You need to manage and edit the policies created by DSPM.

Which Microsoft Purview solution should you use?

A. Communication Compliance
B. Data Loss Prevention
C. Insider Risk Management
D. Information Protection

www.shapingpixel.com

111). You have a Microsoft 365 tenant that has Microsoft 365 Copilot enabled for a pilot group.

Users frequently generate responses based on Microsoft Teams chats and Microsoft SharePoint Online sites.

You use Microsoft Purview Data Security Posture Management (DSPM) to identify oversharing risks and create policies based on the recommendations.

You need to manage and edit the policies created by DSPM.

Which Microsoft Purview solution should you use?

A. Communication Compliance
B. Data Loss Prevention
C. Insider Risk Management
D. Information Protection

Answer(s): B

www.shapingpixel.com

112). DRAG DROP
-

You have a Microsoft Defender External Attack Surface Management (Defender EASM) resource that discovers internet-facing assets for a company named Contoso, Ltd.

You need to classify the assets to meet the following requirements:

• Third-party infrastructure assets must be tracked separately from assets owned by Contoso.
• Assets with unconfirmed ownership must remain outside the owned inventory until ownership is verified.

How should you classify the assets? To answer, drag the appropriate asset states to the correct assets. Each state may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

www.shapingpixel.com

States

- Approved Inventory
- Candidate
- Dependency
- Requires Investigation

Answer Area

Third-party assets: State

Unconfirmed assets: State

www.shapingpixel.com

Correct Answer

Third-party assets → **Dependency** (These are infrastructure assets owned by vendors/partners, tracked separately from Contoso's owned inventory.)
Unconfirmed assets → **Requires Investigation** (Ownership is not yet verified, so they remain outside the approved inventory until confirmed.)

www.shapingpixel.com

113). You plan to deploy Microsoft 365 Copilot.
You discover that Copilot can access sensitive information in your Microsoft SharePoint Online libraries.
You need to automatically identify which SharePoint Online content has been shared between all internal users.
What should you create?

A. a SharePoint Advanced Management (SAM) Data access governance report
B. a Conditional Access policy that requires multifactor authentication (MFA) for SharePoint Online
C. a Microsoft Purview data loss prevention (DLP) policy in audit mode for SharePoint Online
D. a Microsoft Purview Data Security Posture Management (DSPM) remediation action

www.shapingpixel.com

113). You plan to deploy Microsoft 365 Copilot.
You discover that Copilot can access sensitive information in your Microsoft SharePoint Online libraries.
You need to automatically identify which SharePoint Online content has been shared between all internal users.
What should you create?

A. a SharePoint Advanced Management (SAM) Data access governance report
B. a Conditional Access policy that requires multifactor authentication (MFA) for SharePoint Online
C. a Microsoft Purview data loss prevention (DLP) policy in audit mode for SharePoint Online
D. a Microsoft Purview Data Security Posture Management (DSPM) remediation action

Answer(s): A

www.shapingpixel.com

114). You have an Azure Functions app named App1 that uses an HTTP trigger, runs on an Elastic Premium plan, and uses virtual network integration.
A partner application sends requests to App1 from a public IP address of xxx.xxx.xxx.xx.
You need to ensure that the requests are accepted from only xxx.xxx.xxx.xx.
What should you do?

A. Deploy an Azure Bastion host.
B. Apply a network security group (NSG) to a dedicated subnet for virtual network integration.
C. Configure an inbound access restriction on App1.
D. Create a private endpoint for App1 and disable public network access.
E. Deploy an Azure NAT Gateway.

www.shapingpixel.com

114). You have an Azure Functions app named App1 that uses an HTTP trigger, runs on an Elastic Premium plan, and uses virtual network integration.
A partner application sends requests to App1 from a public IP address of xxx.xxx.xxx.xx.
You need to ensure that the requests are accepted from only xxx.xxx.xxx.xx.
What should you do?

A. Deploy an Azure Bastion host.
B. Apply a network security group (NSG) to a dedicated subnet for virtual network integration.
C. Configure an inbound access restriction on App1.
D. Create a private endpoint for App1 and disable public network access.
E. Deploy an Azure NAT Gateway.

Answer(s): C

www.shapingpixel.com

115). You have a Microsoft Foundry project that contains a model deployment named Deployment1.
Deployment1 contains an agent named Agent1 that uses an existing default guardrail configuration.
You discover that Agent1 generates tool calls that contain harmful language.
You need to ensure that Agent1 responses containing harmful content are prevented from running. The solution must prevent changes to the configuration of Deployment1.
What should you do?

A. Create a custom guardrail and assign it directly to Agent1.
B. Create a red teaming run for Agent1.
C. Fine-tune the model of Deployment1.
D. Create an automatic evaluation of the dataset of Agent1.

www.shapingpixel.com

115). You have a Microsoft Foundry project that contains a model deployment named Deployment1.
Deployment1 contains an agent named Agent1 that uses an existing default guardrail configuration.
You discover that Agent1 generates tool calls that contain harmful language.
You need to ensure that Agent1 responses containing harmful content are prevented from running. The solution must prevent changes to the configuration of Deployment1.
What should you do?

A. Create a custom guardrail and assign it directly to Agent1.
B. Create a red teaming run for Agent1.
C. Fine-tune the model of Deployment1.
D. Create an automatic evaluation of the dataset of Agent1.

Answer(s): A

www.shapingpixel.com

116). You have an Azure subscription that contains a virtual network named VNet1.
VNet1 contains an Azure VPN gateway named Gateway1 that is configured for Point-to-Site (P2S) connections.
You have a Microsoft 365 E5 subscription.
You need to configure a VPN authentication method for Gateway1. The solution must enforce Conditional Access policies during VPN sign-ins.
Which authentication method should you configure?

A. Microsoft Entra authentication
B. certificate authentication
C. a custom IPsec/IKE policy
D. forced tunneling

www.shapingpixel.com

116). You have an Azure subscription that contains a virtual network named VNet1.
VNet1 contains an Azure VPN gateway named Gateway1 that is configured for Point-to-Site (P2S) connections.
You have a Microsoft 365 E5 subscription.
You need to configure a VPN authentication method for Gateway1. The solution must enforce Conditional Access policies during VPN sign-ins.
Which authentication method should you configure?

A. Microsoft Entra authentication
B. certificate authentication
C. a custom IPsec/IKE policy
D. forced tunneling

Answer(s): A

www.shapingpixel.com

117). You have an Azure subscription that contains a user named User1 and an Azure Container Registry named ContReg1.
You enable content trust for ContReg1.
You need to ensure that User1 can create trusted images in ContReg1. The solution must use the principle of least privilege.
Which two roles should you assign to User1? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

A. Contributor
B. AcrImageSigner
C. AcrQuarantineReader
D. AcrQuarantineWriter
E. AcrPush

www.shapingpixel.com

117). You have an Azure subscription that contains a user named User1 and an Azure Container Registry named ContReg1.
You enable content trust for ContReg1.
You need to ensure that User1 can create trusted images in ContReg1. The solution must use the principle of least privilege.
Which two roles should you assign to User1? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

A. Contributor
B. AcrImageSigner
C. AcrQuarantineReader
D. AcrQuarantineWriter
E. AcrPush

Answer(s): B,E

www.shapingpixel.com