Express API for AppJS-start-template

Overview

This is a REST API application made with Express.

MIT License

Tags

User

The users managing API

Tokens

The tokens managing API

Paths

POST /api/user/register New User registration.

New User registration.

Responses

| Code | Description | | | Links | |
|------|---|-------------|----------|----------|--|
| 200 | The User has been created. Content | | | No Links | |
| | | | | | |
| | application/json | | | | |
| | Properties | | | | |
| | Name | Description | | Schema | |
| | <. Name</td <th></th> <td></td> <td></td> <td></td> | | | | |
| | <. Description</td <td></td> | | | | |
| | <. Schema</td <th></th> <td></td> <td></td> <td></td> | | | | |
| | <. email <i opti | onal | | | |
| | <. <.<!string (email) <.<!id optional</td <td></td> <td></td> | | | | |
| | | | | | |
| | <. <.<!string</td <th></th> <td></td> <td></td> <td></td> | | | | |
| | <. isActivated optional</td <td></td> <td></td> | | | | |
| | <. <b Default: false | | | | |
| | <. boolean</td | | | | |
| | object accessToken optional The User access token. string refreshToken optional | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | The User refresh token. | | | | |
| | string | | | | |
| | message optional | | | | |
| | string | | | | |
| 400 | API-ERROR[BadRequest] The user already exists | | | No Links | |
| 404 | Not found | | No Links | | |
| 500 | Unexpected error | | | No Links | |

GET /api/user/activate/{link} Activated a new User.

Activated a new User.

Responses

| Code | Description | Links |
|------|--|----------|
| 200 | User activated and redirect to client url. | No Links |

GET /api/user/test Test Request.

Test Request.

Responses

| Code | Description | Links |
|------|------------------|----------|
| 200 | A list of users. | No Links |
| | Content | |
| | application/json | |

Components

Schemas

Token

Properties

| Name | Description | Schema | |
|--------------------------|-----------------------------------|-----------------|--------|
| id optional | The token ID. | integer | |
| user optional | | User | |
| refreshToken required | Refresh Token. | string | |
| ip optional | A token was created from this ip. | string (i | ov4) |
| fingerPrint optional | Browser fingerprint. | string | |
| createdAt optional | Timestamp of token created. | string time) | (date- |
| updatedAt optional | Timestamp of token updated. | string time) | (date- |

User

Properties

| Name | Description | Schema |
|-------------------------|---|------------------------|
| id optional | The user ID. | integer |
| email required | The user's email. | string (email) |
| password required | The user's password. Maximum Length: 20 Minimum Length: 3 | string (password) |
| roles optional | The user's roles. | < string > array |
| avatarURL optional | The user's avatar link. | string (url) |
| surName optional | The user's surname. Maximum Length: 20 Minimum Length: 3 | string |
| firstName optional | The user's firstname. Maximum Length: 20 Minimum Length: 3 | string |
| patronymic optional | The user's patronymic. Maximum Length: 20 Minimum Length: 3 | string |
| gender optional | The user's gender. | string |
| birthDate optional | The user's date of birth. | string (date) |
| isActivated optional | User activated. Default : false | boolean |
| activationLink optional | The user's activation link. | string |
| isOnline optional | User online. Default: false | boolean |
| createdAt optional | Timestamp of user created. | string (date- time) |
| updatedAt optional | Timestamp of user created. | string (date- time) |