

# AutoRed

Reconnaissance Automation Platform  
Security Assessment Report

---

|                 |                 |
|-----------------|-----------------|
| Scan Name:      | Test Scan       |
| Target:         | 192.168.112.130 |
| Profile:        | Standard        |
| Date:           | 2026-05-10      |
| Approval Ref:   | N/A             |
| Total Findings: | 23              |

# Executive Summary

| Severity | Count |
|----------|-------|
| Critical | 0     |
| High     | 3     |
| Medium   | 2     |
| Low      | 17    |
| Info     | 1     |

**Finding Distribution:**

- High: 3 findings (13%)
- Medium: 2 findings (9%)
- Low: 17 findings (74%)
- Info: 1 findings (4%)

## Detailed Findings

### 1. [High] Open port 21/tcp - ftp

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

#### Description:

Port 21 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: ftp 2.3.4.

#### Evidence:

Nmap scan detected open port 21/tcp with service 'ftp' on 192.168.112.130

#### Recommendation:

Disable FTP if not needed. Use SFTP instead.

---

### 2. [High] Open port 23/tcp - telnet

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

#### Description:

Port 23 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: telnet .

#### Evidence:

Nmap scan detected open port 23/tcp with service 'telnet' on 192.168.112.130

#### Recommendation:

Disable Telnet immediately. Use SSH instead.

---

### 3. [High] Open port 445/tcp - netbios-ssn

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

#### Description:

Port 445 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: netbios-ssn 3.X - 4.X.

#### Evidence:

Nmap scan detected open port 445/tcp with service 'netbios-ssn' on 192.168.112.130

#### Recommendation:

Disable SMB if not needed. Apply latest patches.

---

#### 4. [Medium] Open port 22/tcp - ssh

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

##### Description:

Port 22 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: ssh 4.7p1 Debian 8ubuntu1.

##### Evidence:

Nmap scan detected open port 22/tcp with service 'ssh' on 192.168.112.130

##### Recommendation:

Restrict SSH access to trusted IPs only. Disable root login.

---

#### 5. [Medium] Open port 139/tcp - netbios-ssn

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

##### Description:

Port 139 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: netbios-ssn 3.X - 4.X.

##### Evidence:

Nmap scan detected open port 139/tcp with service 'netbios-ssn' on 192.168.112.130

##### Recommendation:

Restrict NetBIOS access. Apply firewall rules.

---

#### 6. [Low] Open port 25/tcp - smtp

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

##### Description:

Port 25 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: smtp .

##### Evidence:

Nmap scan detected open port 25/tcp with service 'smtp' on 192.168.112.130

##### Recommendation:

Review this service and restrict access if not needed.

---

## 7. [Low] Open port 53/tcp - domain

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 53 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: domain 9.4.2.

### Evidence:

Nmap scan detected open port 53/tcp with service 'domain' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---

## 8. [Low] Open port 111/tcp - rpcbind

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 111 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: rpcbind 2.

### Evidence:

Nmap scan detected open port 111/tcp with service 'rpcbind' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---

## 9. [Low] Open port 512/tcp - exec

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 512 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: exec .

### Evidence:

Nmap scan detected open port 512/tcp with service 'exec' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---

## 10. [Low] Open port 513/tcp - login

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 513 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: login .

### Evidence:

Nmap scan detected open port 513/tcp with service 'login' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---

## 11. [Low] Open port 514/tcp - tcpwrapped

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 514 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: tcpwrapped .

### Evidence:

Nmap scan detected open port 514/tcp with service 'tcpwrapped' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---

## 12. [Low] Open port 1099/tcp - java-rmi

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 1099 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: java-rmi .

### Evidence:

Nmap scan detected open port 1099/tcp with service 'java-rmi' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---

### 13. [Low] Open port 1524/tcp - bindshell

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

#### Description:

Port 1524 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: bindshell .

#### Evidence:

Nmap scan detected open port 1524/tcp with service 'bindshell' on 192.168.112.130

#### Recommendation:

Review this service and restrict access if not needed.

---

### 14. [Low] Open port 2049/tcp - nfs

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

#### Description:

Port 2049 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: nfs 2-4.

#### Evidence:

Nmap scan detected open port 2049/tcp with service 'nfs' on 192.168.112.130

#### Recommendation:

Review this service and restrict access if not needed.

---

### 15. [Low] Open port 2121/tcp - ftp

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

#### Description:

Port 2121 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: ftp 1.3.1.

#### Evidence:

Nmap scan detected open port 2121/tcp with service 'ftp' on 192.168.112.130

#### Recommendation:

Review this service and restrict access if not needed.

---

## 16. [Low] Open port 3306/tcp - mysql

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 3306 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: mysql 5.0.51a-3ubuntu5.

### Evidence:

Nmap scan detected open port 3306/tcp with service 'mysql' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---

## 17. [Low] Open port 5432/tcp - postgresql

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 5432 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: postgresql 8.3.0 - 8.3.7.

### Evidence:

Nmap scan detected open port 5432/tcp with service 'postgresql' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---

## 18. [Low] Open port 5900/tcp - vnc

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 5900 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: vnc .

### Evidence:

Nmap scan detected open port 5900/tcp with service 'vnc' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---



### 19. [Low] Open port 6000/tcp - X11

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

#### Description:

Port 6000 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: X11 .

#### Evidence:

Nmap scan detected open port 6000/tcp with service 'X11' on 192.168.112.130

#### Recommendation:

Review this service and restrict access if not needed.

---

### 20. [Low] Open port 6667/tcp - irc

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

#### Description:

Port 6667 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: irc .

#### Evidence:

Nmap scan detected open port 6667/tcp with service 'irc' on 192.168.112.130

#### Recommendation:

Review this service and restrict access if not needed.

---

### 21. [Low] Open port 8009/tcp - ajp13

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

#### Description:

Port 8009 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: ajp13 .

#### Evidence:

Nmap scan detected open port 8009/tcp with service 'ajp13' on 192.168.112.130

#### Recommendation:

Review this service and restrict access if not needed.

---

## 22. [Low] Open port 8180/tcp - http

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 8180 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: http 1.1.

### Evidence:

Nmap scan detected open port 8180/tcp with service 'http' on 192.168.112.130

### Recommendation:

Review this service and restrict access if not needed.

---

## 23. [Info] Open port 80/tcp - http

Tool: nmap

Asset: 192.168.112.130 (192.168.112.130)

Category: open\_port | Status: Potential

### Description:

Port 80 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: http 2.2.8.

### Evidence:

Nmap scan detected open port 80/tcp with service 'http' on 192.168.112.130

### Recommendation:

Ensure web server is patched and properly configured.

---

## Methodology

Target: 192.168.112.130

Profile: Standard

Tools used: Nmap, Subfinder, httpx, WhatWeb, ffuf

This assessment was conducted using AutoRed v1.0, a GUI-based reconnaissance automation platform developed as a Final Year Project at APU.

All findings were automatically parsed, normalized, deduplicated and severity-scored before presentation.

### Tools Summary:

|           |                                               |
|-----------|-----------------------------------------------|
| Nmap      | - Port scanning and service version detection |
| Subfinder | - Passive subdomain enumeration via OSINT     |
| httpx     | - HTTP probing to identify live web hosts     |
| WhatWeb   | - Web technology fingerprinting               |
| ffuf      | - Fast directory and endpoint fuzzing         |

### Disclaimer:

This report was generated by AutoRed v1.0 for authorized security assessment purposes only. Treat as confidential.