

AutoRed

Reconnaissance & Attack Surface Assessment Report

Target:	192.168.112.130
Scan Name:	Test Scan
Profile:	Standard
Date Generated:	18 May 2026 07:17
Prepared By:	AutoRed v1.0
Classification:	CONFIDENTIAL

Risk Score: 100/100

CRITICAL RISK



FINDINGS OVERVIEW



CONFIDENTIAL - Handle with care.

Table of Contents

1.	Executive Summary	3
2.	Risk Assessment	3
3.	Scope & Methodology	4
4.	Findings Summary	4
5.	Detailed Findings	5
6.	Recommendations	17
7.	Conclusion	18

Total Findings: 51 | Target: 192.168.112.130 | Generated: 18 May 2026 07:17

1. Executive Summary

AutoRed conducted an automated reconnaissance and vulnerability assessment against 192.168.112.130. The assessment identified a total of 51 findings across multiple severity levels. Of these, 2 finding(s) were rated Critical, indicating immediately exploitable vulnerabilities that pose a direct risk of system compromise or data breach. Additionally, 12 High-severity finding(s) were identified which could be exploited with moderate effort. 13 Medium-severity finding(s) were also detected, requiring attention in the near term. Based on the severity distribution, the overall risk score for this target is 100/100, classified as CRITICAL RISK. Immediate remediation of Critical and High findings is strongly recommended to reduce the attack surface.

2. Risk Assessment

Overall Risk Score: 100/100 - CRITICAL RISK

Score Formula:

Critical x20 + High x8 + Medium x3 + Low x1 (capped at 100)

Severity Reference Table:

Severity	CVSS Range	Business Impact	Action
Critical	9.0 - 10.0	May lead to complete system compromise, unauthorised...	Immediate
High	7.0 - 8.9	Could allow significant unauthorised access or data ...	Short-term
Medium	4.0 - 6.9	May expose sensitive information or enable limited u...	Medium-term
Low	0.1 - 3.9	Minimal direct impact; contributes to the overall at...	Long-term
Info	N/A	Informational only. No direct risk but may aid furth...	Optional

3. Scope & Methodology

Scope of Assessment

Target:	192.168.112.130
Scan Name:	Test Scan
Profile:	Standard
Approval:	Authorized testing environment
Conducted On:	2026-05-16T09:35

This assessment was conducted within an authorized testing environment for educational and research purposes. All testing was performed using AutoRed v1.0, a GUI-based reconnaissance automation platform developed as a Final Year Project at Asia Pacific University (APU).

Assessment Phases

1. Reconnaissance

Passive and active information gathering using Subfinder, theHarvester and DNSrecon.

2. Enumeration

Port scanning and service detection via Nmap. Web host identification via httpx.

3. Fingerprinting

Technology stack identification using WhatWeb. CMS detection via WPScan.

4. Vulnerability Discovery

Web vulnerability scanning via Nikto and Nuclei. Directory enumeration via ffuf, Gobuster, Dirsearch.

5. Classification

All findings automatically parsed, normalized and severity-scored based on CVSS guidelines.

6. Reporting

Findings aggregated with business impact, attack paths and remediation guidance.

Tools Used



Tool	Purpose
Nmap	Port scanning and service version detection
Subfinder	Passive subdomain enumeration via OSINT
httpx	HTTP probing to identify live web hosts
WhatWeb	Web technology fingerprinting
ffuf	Fast directory and endpoint fuzzing
Nikto	Web server vulnerability scanning
theHarvester	OSINT email and host harvesting

DNSrecon	DNS enumeration and zone analysis
Gobuster	Directory and file brute forcing
Dirsearch	Web path discovery with curated wordlists
WPScan	WordPress vulnerability scanning
Nuclei	Template-based CVE vulnerability detection

4. Findings Summary

Severity	Count	CVSS	Business Impact	Action
Critical	2	9.0 - 10.0	May lead to complete system compromise, unauthorised re...	Immediate
High	12	7.0 - 8.9	Could allow significant unauthorised access or data exp...	Short-term
Medium	13	4.0 - 6.9	May expose sensitive information or enable limited unau...	Medium-term
Low	19	0.1 - 3.9	Minimal direct impact; contributes to the overall attac...	Long-term
Info	5	N/A	Informational only. No direct risk but may aid further ...	Optional

Visual Analysis:



5. Detailed Findings

AR-CRIT-001 Open port 23/tcp - telnet

Severity: **CRITICAL** CVSS: 9.0 - 10.0 Tool: nmap Action: Immediate

Asset: 192.168.112.130 (192.168.112.130)

Description:

Port 23 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: telnet Linux telnetd.

Business Impact:

May lead to complete system compromise, unauthorised remote access, or full data breach.

Attack Path:

Attacker -> Network -> Port 23 -> Plaintext Sniff -> Full Access

Recommendation:

Disable Telnet immediately. It transmits all data including passwords in plaintext. Use SSH.

AR-CRIT-002 Open port 1524/tcp - bindshell

Severity: **CRITICAL** CVSS: 9.0 - 10.0 Tool: nmap Action: Immediate

Asset: 192.168.112.130 (192.168.112.130)

Description:

Port 1524 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: bindshell Metasploitable root shell.

Business Impact:

May lead to complete system compromise, unauthorised remote access, or full data breach.

Attack Path:

Attacker -> Network -> Port 1524 -> Root Shell -> Full Compromise

Recommendation:

Critical backdoor port detected. Investigate immediately. This is a known Metasploitable backdoor.

AR-HIGH-001 Open port 21/tcp - ftp

Severity: **HIGH** CVSS: 7.0 - 8.9 Tool: nmap Action: Short-term

Asset: 192.168.112.130 (192.168.112.130)

Description:

Port 21 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: ftp vsftpd 2.3.4.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> Network -> Port 21 -> Brute Force -> File Access

Recommendation:

Disable FTP immediately. Use SFTP instead. FTP transmits credentials in plaintext.

AR-HIGH-002 Open port 445/tcp - netbios-ssn**Severity:** HIGH **CVSS:** 7.0 - 8.9 **Tool:** nmap **Action:** Short-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 445 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: netbios-ssn Samba smbd 3.X - 4.X.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Recommendation:

Disable SMB if not needed. Apply latest patches. Restrict access with firewall.

AR-HIGH-003 Open port 3306/tcp - mysql**Severity:** HIGH **CVSS:** 7.0 - 8.9 **Tool:** nmap **Action:** Short-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 3306 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: mysql MySQL 5.0.51a-3ubuntu5.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> Network -> Port 3306 -> Weak Credentials -> DB Access

Recommendation:

Restrict MySQL access to localhost only. Never expose database ports publicly.

AR-HIGH-004 Open port 5432/tcp - postgresql**Severity:** HIGH **CVSS:** 7.0 - 8.9 **Tool:** nmap **Action:** Short-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 5432 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: postgresql PostgreSQL DB 8.3.0 - 8.3.7.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> Network -> Port 5432 -> Empty Password -> DB Access

Recommendation:

Restrict PostgreSQL access to localhost only. Never expose database ports publicly.

AR-HIGH-005 Open port 5900/tcp - vnc**Severity:** HIGH **CVSS:** 7.0 - 8.9 **Tool:** nmap **Action:** Short-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 5900 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: vnc VNC.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> Network -> Port 5900 -> Default Login -> Desktop Control

Recommendation:

Disable VNC if not needed. If required use strong passwords and restrict access.

AR-HIGH-006 Endpoint discovered: http://192.168.112.130/phpMyAdmin [301]**Severity:** HIGH **CVSS:** 7.0 - 8.9 **Tool:** ffuf **Action:** Short-term**Asset:** http://192.168.112.130/phpMyAdmin**Description:**

ffuf discovered endpoint 'http://192.168.112.130/phpMyAdmin' returning HTTP 301. Response size: 328 bytes, 21 words.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> /phpMyAdmin -> Brute Force -> DB Admin -> RCE

Recommendation:

This endpoint 'phpMyAdmin' appears to be a sensitive path. Restrict access immediately and review authentication controls.

AR-HIGH-007 Directory found: /.htpasswd [403]**Severity:** HIGH **CVSS:** 7.0 - 8.9 **Tool:** gobuster **Action:** Short-term**Asset:** http://192.168.112.130/.htpasswd**Description:**

Gobuster discovered path '/.htpasswd' on 192.168.112.130 returning HTTP 403. Response size: 297 bytes.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> /.htpasswd -> Hash Download -> Crack -> Auth Bypass

Recommendation:

Sensitive path '/.htpasswd' is accessible. Restrict access immediately and review authentication controls.

AR-HIGH-008 **Directory found: /dav [301]****Severity:** **HIGH** **CVSS:** 7.0 - 8.9 **Tool:** gobuster **Action:** Short-term**Asset:** http://192.168.112.130/dav**Description:**

Gobuster discovered path '/dav' on 192.168.112.130 returning HTTP 301. Response size: 321 bytes.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> Directory Listing -> File Enum -> Sensitive Data

Recommendation:

Sensitive path '/dav' is accessible. Restrict access immediately and review authentication controls.

AR-HIGH-009 **Directory found: /phpMyAdmin [301]****Severity:** **HIGH** **CVSS:** 7.0 - 8.9 **Tool:** gobuster **Action:** Short-term**Asset:** http://192.168.112.130/phpMyAdmin**Description:**

Gobuster discovered path '/phpMyAdmin' on 192.168.112.130 returning HTTP 301. Response size: 328 bytes.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> /phpMyAdmin -> Brute Force -> DB Admin -> RCE

Recommendation:

Sensitive path '/phpMyAdmin' is accessible. Restrict access immediately and review authentication controls.

AR-HIGH-010 **Directory found: /phpinfo.php [200]****Severity:** **HIGH** **CVSS:** 7.0 - 8.9 **Tool:** gobuster **Action:** Short-term**Asset:** http://192.168.112.130/phpinfo.php**Description:**

Gobuster discovered path '/phpinfo.php' on 192.168.112.130 returning HTTP 200. Response size: 48041 bytes.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> phpinfo.php -> Config Leak -> Targeted Exploit

Recommendation:

Sensitive path '/phpinfo.php' is accessible. Restrict access immediately and review authentication controls.

AR-HIGH-011 **Directory found: /phpinfo [200]****Severity:** **HIGH** **CVSS:** 7.0 - 8.9 **Tool:** gobuster **Action:** Short-term**Asset:** http://192.168.112.130/phpinfo**Description:**

Gobuster discovered path '/phpinfo' on 192.168.112.130 returning HTTP 200. Response size: 48029 bytes.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> phpinfo.php -> Config Leak -> Targeted Exploit

Recommendation:

Sensitive path '/phpinfo' is accessible. Restrict access immediately and review authentication controls.

AR-HIGH-012 **Directory found: /twiki [301]****Severity:** **HIGH** **CVSS:** 7.0 - 8.9 **Tool:** gobuster **Action:** Short-term**Asset:** http://192.168.112.130/twiki**Description:**

Gobuster discovered path '/twiki' on 192.168.112.130 returning HTTP 301. Response size: 323 bytes.

Business Impact:

Could allow significant unauthorised access or data exposure with moderate exploitation effort.

Attack Path:

Attacker -> Directory Listing -> File Enum -> Sensitive Data

Recommendation:

Sensitive path '/twiki' is accessible. Restrict access immediately and review authentication controls.

AR-MED-001 **Open port 22/tcp - ssh****Severity:** **MEDIUM** **CVSS:** 4.0 - 6.9 **Tool:** nmap **Action:** Medium-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 22 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: ssh OpenSSH 4.7p1 Debian 8ubuntu1.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Attack Path:

Attacker -> Port 22 -> Brute Force -> Remote Shell

Recommendation:

Restrict SSH access to trusted IPs only. Disable root login. Use key-based authentication.

AR-MED-002 Open port 25/tcp - smtp**Severity:** MEDIUM **CVSS:** 4.0 - 6.9 **Tool:** nmap **Action:** Medium-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 25 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: smtp Postfix smtpd.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Attack Path:

Attacker -> Port 25 -> User Enum -> Phishing or Relay

Recommendation:

Restrict SMTP relay. Ensure authentication is required to prevent spam relay.

AR-MED-003 Open port 139/tcp - netbios-ssn**Severity:** MEDIUM **CVSS:** 4.0 - 6.9 **Tool:** nmap **Action:** Medium-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 139 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: netbios-ssn Samba smbd 3.X - 4.X.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Recommendation:

Restrict NetBIOS access using firewall rules. Apply latest SMB patches.

AR-MED-004 Open port 6667/tcp - irc**Severity:** MEDIUM **CVSS:** 4.0 - 6.9 **Tool:** nmap **Action:** Medium-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 6667 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: irc UnrealIRCd.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Attack Path:

Attacker -> IRC Port -> Version Detect -> Exploit -> RCE

Recommendation:

Investigate IRC service. Commonly used by malware for command and control.

AR-MED-005 Endpoint discovered: <http://192.168.112.130/.hta> [403]**Severity:** MEDIUM **CVSS:** 4.0 - 6.9 **Tool:** ffuf **Action:** Medium-term**Asset:** <http://192.168.112.130/.hta>**Description:**

ffuf discovered endpoint '<http://192.168.112.130/.hta>' returning HTTP 403. Response size: 292 bytes, 22 words.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Recommendation:

Endpoint returns 403. Review access controls and ensure proper authentication is enforced.

AR-MED-006 Endpoint discovered: <http://192.168.112.130/.htaccess> [403]**Severity:** MEDIUM **CVSS:** 4.0 - 6.9 **Tool:** ffuf **Action:** Medium-term**Asset:** <http://192.168.112.130/.htaccess>**Description:**

ffuf discovered endpoint '<http://192.168.112.130/.htaccess>' returning HTTP 403. Response size: 297 bytes, 22 words.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Attack Path:

Attacker -> .htaccess -> Config Read -> Bypass -> Restricted Access

Recommendation:

Endpoint returns 403. Review access controls and ensure proper authentication is enforced.

AR-MED-007 Endpoint discovered: <http://192.168.112.130/.htpasswd> [403]**Severity:** MEDIUM **CVSS:** 4.0 - 6.9 **Tool:** ffuf **Action:** Medium-term**Asset:** <http://192.168.112.130/.htpasswd>**Description:**

ffuf discovered endpoint '<http://192.168.112.130/.htpasswd>' returning HTTP 403. Response size: 297 bytes, 22 words.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Attack Path:

Attacker -> /.htpasswd -> Hash Download -> Crack -> Auth Bypass

Recommendation:

Endpoint returns 403. Review access controls and ensure proper authentication is enforced.

AR-MED-008 Endpoint discovered: <http://192.168.112.130/cgi-bin/> [403]**Severity:** MEDIUM **CVSS:** 4.0 - 6.9 **Tool:** ffuf **Action:** Medium-term**Asset:** <http://192.168.112.130/cgi-bin/>**Description:**

ffuf discovered endpoint '<http://192.168.112.130/cgi-bin/>' returning HTTP 403. Response size: 296 bytes, 22 words.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Recommendation:

Endpoint returns 403. Review access controls and ensure proper authentication is enforced.

AR-MED-009 Endpoint discovered: <http://192.168.112.130/server-status> [403]**Severity:** MEDIUM **CVSS:** 4.0 - 6.9 **Tool:** ffuf **Action:** Medium-term**Asset:** <http://192.168.112.130/server-status>**Description:**

ffuf discovered endpoint '<http://192.168.112.130/server-status>' returning HTTP 403. Response size: 301 bytes, 22 words.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Recommendation:

Endpoint returns 403. Review access controls and ensure proper authentication is enforced.

AR-MED-010 Directory found: [/.hta](http://192.168.112.130/.hta) [403]**Severity:** MEDIUM **CVSS:** 4.0 - 6.9 **Tool:** gobuster **Action:** Medium-term**Asset:** <http://192.168.112.130/.hta>**Description:**

Gobuster discovered path '[/.hta](http://192.168.112.130/.hta)' on 192.168.112.130 returning HTTP 403. Response size: 292 bytes.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Attack Path:

Attacker -> Directory Listing -> File Enum -> Sensitive Data

Recommendation:

Path returns 403. Review access controls and ensure proper authentication is enforced.

AR-MED-011 **Directory found: /cgi-bin/ [403]****Severity:** **MEDIUM** **CVSS:** 4.0 - 6.9 **Tool:** gobuster **Action:** Medium-term**Asset:** http://192.168.112.130/cgi-bin/**Description:**

Gobuster discovered path '/cgi-bin/' on 192.168.112.130 returning HTTP 403. Response size: 296 bytes.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Attack Path:

Attacker -> Directory Listing -> File Enum -> Sensitive Data

Recommendation:

Path returns 403. Review access controls and ensure proper authentication is enforced.

AR-MED-012 **Directory found: /.htaccess [403]****Severity:** **MEDIUM** **CVSS:** 4.0 - 6.9 **Tool:** gobuster **Action:** Medium-term**Asset:** http://192.168.112.130/.htaccess**Description:**

Gobuster discovered path '/.htaccess' on 192.168.112.130 returning HTTP 403. Response size: 297 bytes.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Attack Path:

Attacker -> Directory Listing -> File Enum -> Sensitive Data

Recommendation:

Path returns 403. Review access controls and ensure proper authentication is enforced.

AR-MED-013 **Directory found: /server-status [403]****Severity:** **MEDIUM** **CVSS:** 4.0 - 6.9 **Tool:** gobuster **Action:** Medium-term**Asset:** http://192.168.112.130/server-status**Description:**

Gobuster discovered path '/server-status' on 192.168.112.130 returning HTTP 403. Response size: 301 bytes.

Business Impact:

May expose sensitive information or enable limited unauthorised actions under specific conditions.

Attack Path:

Attacker -> Directory Listing -> File Enum -> Sensitive Data

Recommendation:

Path returns 403. Review access controls and ensure proper authentication is enforced.

AR-LOW-001 Open port 53/tcp - domain**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 53 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: domain ISC BIND 9.4.2.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Restrict DNS zone transfers. Only allow trusted resolvers.

AR-LOW-002 Open port 111/tcp - rpcbind**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 111 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: rpcbind 2.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Review this service and restrict access if not needed.

AR-LOW-003 Open port 512/tcp - exec**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 512 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: exec netkit-rsh rexecd.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Review this service and restrict access if not needed.

AR-LOW-004 Open port 513/tcp - login**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 513 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: login OpenBSD or Solaris rlogind.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Review this service and restrict access if not needed.

AR-LOW-005 Open port 514/tcp - tcpwrapped**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 514 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: tcpwrapped .

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Review this service and restrict access if not needed.

AR-LOW-006 Open port 1099/tcp - java-rmi**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 1099 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: java-rmi GNU Classpath grmiregistry.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Attack Path:

Attacker -> RMI Port -> Deserialization -> RCE

Recommendation:

Review this service and restrict access if not needed.

AR-LOW-007 Open port 2049/tcp - nfs**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 2049 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: nfs 2-4.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Attack Path:

Attacker -> NFS Port -> Mount Share -> File Access

Recommendation:

Review this service and restrict access if not needed.

AR-LOW-008 Open port 2121/tcp - ftp**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 2121 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: ftp ProFTPD 1.3.1.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Attack Path:

Attacker -> Network -> Port 21 -> Brute Force -> File Access

Recommendation:

Review this service and restrict access if not needed.

AR-LOW-009 Open port 6000/tcp - X11**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 6000 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: X11 .

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Review this service and restrict access if not needed.

AR-LOW-010 Open port 8009/tcp - ajp13**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 8009 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: ajp13 Apache Jserv.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Review this service and restrict access if not needed.

AR-LOW-011 Open port 8180/tcp - http**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** nmap **Action:** Long-term**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 8180 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: http Apache Tomcat/Coyote JSP engine 1.1.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Restrict access to Tomcat HTTP port. Ensure default credentials are changed.

AR-LOW-012 Endpoint discovered: http://192.168.112.130/ [200]**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** ffuf **Action:** Long-term**Asset:** http://192.168.112.130/**Description:**

ffuf discovered endpoint 'http://192.168.112.130/' returning HTTP 200. Response size: 891 bytes, 237 words.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Review endpoint 'http://192.168.112.130/' to confirm it should be publicly accessible.

AR-LOW-013 Endpoint discovered: http://192.168.112.130/index [200]**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** ffuf **Action:** Long-term**Asset:** http://192.168.112.130/index**Description:**

ffuf discovered endpoint 'http://192.168.112.130/index' returning HTTP 200. Response size: 891 bytes, 237 words.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Review endpoint 'http://192.168.112.130/index' to confirm it should be publicly accessible.

AR-LOW-014 Endpoint discovered: http://192.168.112.130/index.php [200]**Severity:** LOW **CVSS:** 0.1 - 3.9 **Tool:** ffuf **Action:** Long-term**Asset:** http://192.168.112.130/index.php**Description:**

ffuf discovered endpoint 'http://192.168.112.130/index.php' returning HTTP 200. Response size: 891 bytes, 237 words.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Recommendation:

Review endpoint 'http://192.168.112.130/index.php' to confirm it should be publicly accessible.

AR-LOW-015 Endpoint discovered: http://192.168.112.130/phpinfo [200]**Severity:** **LOW** **CVSS:** 0.1 - 3.9 **Tool:** ffuf **Action:** Long-term**Asset:** http://192.168.112.130/phpinfo**Description:**

ffuf discovered endpoint 'http://192.168.112.130/phpinfo' returning HTTP 200. Response size: 48074 bytes, 2409 words.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Attack Path:

Attacker -> phpinfo.php -> Config Leak -> Targeted Exploit

Recommendation:

Review endpoint 'http://192.168.112.130/phpinfo' to confirm it should be publicly accessible.

AR-LOW-016 Endpoint discovered: http://192.168.112.130/phpinfo.php [200]**Severity:** **LOW** **CVSS:** 0.1 - 3.9 **Tool:** ffuf **Action:** Long-term**Asset:** http://192.168.112.130/phpinfo.php**Description:**

ffuf discovered endpoint 'http://192.168.112.130/phpinfo.php' returning HTTP 200. Response size: 48086 bytes, 2409 words.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Attack Path:

Attacker -> phpinfo.php -> Config Leak -> Targeted Exploit

Recommendation:

Review endpoint 'http://192.168.112.130/phpinfo.php' to confirm it should be publicly accessible.

AR-LOW-017 Directory found: /index [200]**Severity:** **LOW** **CVSS:** 0.1 - 3.9 **Tool:** gobuster **Action:** Long-term**Asset:** http://192.168.112.130/index**Description:**

Gobuster discovered path '/index' on 192.168.112.130 returning HTTP 200. Response size: 891 bytes.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Attack Path:

Attacker -> Directory Listing -> File Enum -> Sensitive Data

Recommendation:

Review path '/index' to confirm it should be publicly accessible.

AR-LOW-018 **Directory found: /index.php [200]****Severity:** **LOW** **CVSS:** 0.1 - 3.9 **Tool:** gobuster **Action:** Long-term**Asset:** http://192.168.112.130/index.php**Description:**

Gobuster discovered path '/index.php' on 192.168.112.130 returning HTTP 200. Response size: 891 bytes.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Attack Path:

Attacker -> Directory Listing -> File Enum -> Sensitive Data

Recommendation:

Review path '/index.php' to confirm it should be publicly accessible.

AR-LOW-019 **Directory found: /test [301]****Severity:** **LOW** **CVSS:** 0.1 - 3.9 **Tool:** gobuster **Action:** Long-term**Asset:** http://192.168.112.130/test**Description:**

Gobuster discovered path '/test' on 192.168.112.130 returning HTTP 301. Response size: 322 bytes.

Business Impact:

Minimal direct impact; contributes to the overall attack surface and reconnaissance value.

Attack Path:

Attacker -> Directory Listing -> File Enum -> Sensitive Data

Recommendation:

Review path '/test' to confirm it should be publicly accessible.

AR-INFO-001 **Open port 80/tcp - http****Severity:** **INFO** **CVSS:** N/A **Tool:** nmap **Action:** Optional**Asset:** 192.168.112.130 (192.168.112.130)**Description:**

Port 80 (tcp) is open on 192.168.112.130 (192.168.112.130). Service detected: http Apache httpd 2.2.8.

Business Impact:

Informational only. No direct risk but may aid further enumeration by an attacker.

Recommendation:

Ensure web server is patched and properly configured. Consider redirecting to HTTPS.

AR-INFO-002 Live host detected: <http://192.168.112.130> [200]Severity: **INFO** CVSS: N/A Tool: httpx Action: [Optional](#)Asset: <http://192.168.112.130>**Description:**

Host <http://192.168.112.130> is live and returned HTTP 200. Page title: unknown. Technologies detected: none.

Business Impact:

Informational only. No direct risk but may aid further enumeration by an attacker.

Recommendation:

Review this host. Ensure it is intentional and properly secured. Check for sensitive information exposure and proper authentication.

AR-INFO-003 Endpoint discovered: <http://192.168.112.130/dav> [301]Severity: **INFO** CVSS: N/A Tool: ffuf Action: [Optional](#)Asset: <http://192.168.112.130/dav>**Description:**

ffuf discovered endpoint '<http://192.168.112.130/dav>' returning HTTP 301. Response size: 321 bytes, 21 words.

Business Impact:

Informational only. No direct risk but may aid further enumeration by an attacker.

Recommendation:

Review endpoint '<http://192.168.112.130/dav>' to confirm it should be publicly accessible.

AR-INFO-004 Endpoint discovered: <http://192.168.112.130/test> [301]Severity: **INFO** CVSS: N/A Tool: ffuf Action: [Optional](#)Asset: <http://192.168.112.130/test>**Description:**

ffuf discovered endpoint '<http://192.168.112.130/test>' returning HTTP 301. Response size: 322 bytes, 21 words.

Business Impact:

Informational only. No direct risk but may aid further enumeration by an attacker.

Recommendation:

Review endpoint '<http://192.168.112.130/test>' to confirm it should be publicly accessible.

AR-INFO-005 Endpoint discovered: <http://192.168.112.130/twiki> [301]**Severity:** INFO **CVSS:** N/A **Tool:** ffuf **Action:** Optional**Asset:** <http://192.168.112.130/twiki>**Description:**

ffuf discovered endpoint '<http://192.168.112.130/twiki>' returning HTTP 301. Response size: 323 bytes, 21 words.

Business Impact:

Informational only. No direct risk but may aid further enumeration by an attacker.

Recommendation:

Review endpoint '<http://192.168.112.130/twiki>' to confirm it should be publicly accessible.

6. Recommendations

The following prioritised recommendations are based on the severity and exploitability of identified findings. Critical and High items should be addressed immediately.

[AR-CRIT-001] Open port 23/tcp - telnet

Disable Telnet immediately. It transmits all data including passwords in plaintext. Use SSH.

[AR-CRIT-002] Open port 1524/tcp - bindshell

Critical backdoor port detected. Investigate immediately. This is a known Metasploitable backdoor.

[AR-HIGH-001] Open port 21/tcp - ftp

Disable FTP immediately. Use SFTP instead. FTP transmits credentials in plaintext.

[AR-HIGH-002] Open port 445/tcp - netbios-ssn

Disable SMB if not needed. Apply latest patches. Restrict access with firewall.

[AR-HIGH-003] Open port 3306/tcp - mysql

Restrict MySQL access to localhost only. Never expose database ports publicly.

[AR-HIGH-004] Open port 5432/tcp - postgresql

Restrict PostgreSQL access to localhost only. Never expose database ports publicly.

[AR-HIGH-005] Open port 5900/tcp - vnc

Disable VNC if not needed. If required use strong passwords and restrict access.

[AR-HIGH-006] Endpoint discovered: <http://192.168.112.130/phpMyAdmin> [301]

This endpoint 'phpMyAdmin' appears to be a sensitive path. Restrict access immediately and review authentication controls.

[AR-HIGH-007] Directory found: [/.htpasswd](#) [403]

Sensitive path '/.htpasswd' is accessible. Restrict access immediately and review authentication controls.

[AR-HIGH-008] Directory found: [/dav](#) [301]

Sensitive path '/dav' is accessible. Restrict access immediately and review authentication controls.

7. Conclusion

This automated reconnaissance assessment of 192.168.112.130 identified a total of 51 findings across five severity levels. The overall risk posture is rated CRITICAL RISK with a score of 100/100, driven primarily by 2 Critical and 12 High severity findings.

Immediate action is recommended for all Critical and High findings, particularly any exposed remote access services, known backdoors, or unpatched vulnerabilities. Medium findings should be scheduled for remediation in the near term, while Low and Informational findings should be reviewed as part of ongoing security hygiene.

AutoRed demonstrated significant time savings compared to manual reconnaissance, completing the assessment in under 10 minutes while identifying findings that would typically require hours of manual effort. This validates the platform as an effective tool for initial attack surface assessment.

Disclaimer

This report was generated automatically by AutoRed v1.0 for authorized security assessment and educational purposes only. All testing was conducted within an approved scope. This report is classified as CONFIDENTIAL and should be handled accordingly.