

ME-463
PETROLEUM ENGINEERING

Md. Hasibul Islam

August 9, 2023

Quamrul Islam Sir



Contents

1	Lecture 01: Introduction	2
2	Lecture 2: Petroleum Classification	5
3	Lecture 3: Internal Structure of the earth crust	6
4	Lecture 4: Internal Structure of the earth	8
5	Lecture 5: Transcurrent Boundaries	9
6	Lecture 6: Properties of Rocks	10

1 Lecture 01: Introduction

Date: 03/06/2023

Booklist

Introduction of Petroleum Geology & Drilling

Published by BUET

Basics

Latin: **Petra** → Rock or Stone

Latin: **Oleum** → Oil


So, Petroleum basically means "Rock Oil"

Petroleum occurs widely in the earth as gas, liquid, semi-solid or solid, or in more than one state in a single place.

Definition


Chemically, any petroleum is an extremely complex mixture of hydrocarbon (hydrogen and carbon) compounds with minor amounts of nitrogen, oxygen, and sulfur as impurities. The weight percentage of petroleum is as follows:

Elements	Amount
Carbon	85%-90%
Hydrogen	10%-15%
Sulfur	0.2%-5%
N_2	0.1%-2%
O_2	0.6%-2%



Petroleum Geology

Geology is the science that deals with the history and structure of the earth and its life forms. It is used to predict where oil accumulation might occur. Geology is based on observation and the knowledge derived from many other sources.



Petroleum Geologist (activities)

- Observes the rock and rock formations.
- Reconstructs the geological history of an area
- Determines whether the formations contains petroleum in the reservoirs.

2 Lecture 2: Petroleum Classification

Date: 17/06/2023

A petroleum deposit must be commercially valuable. it depends on some factors:

1. Amount recoverable
 2. Expected production rate
 3. Cost of drilling and producing well
- ✓ if there is fire in well, then another well should be dug nearby to reach there.

Petroleum Reservoir characteristics

A good reservoir must have:

- Right shape or configuration to hold the oil and some kind of seal or trap to keep it from escaping
 - it must be large enough usually 10 ft thick or more.
 - About 10% porosity or pore space in needed.
 - It must be permeable, that is, pores must be connected so that, oil, gas and water can flow through it from one pore to another.
- ✓ Sandstone → Porous

Petroleum Classification

The petroleum and petroleum like substance may be classified as follows:

1. **Petroleum** : An almost infinitely complex mixture of saturated hydrocarbon with relatively small amounts of S , N_2 , O_2 and many other lesser constituents in combination. Petroleum occurs in solid, liquid and gaseous forms as follows :
 - (a) Asphalt or tar, paraffin waxes, brittle bitumen etc.
 - (b) Crude oils (liquids)
 - (c) Natural Gas
 2. **Tar Sands**: Semi-solid petroleum bearing sands
 3. **Oild Shales**: These are fine grained sediments sometimes known as kerogen shales.
 4. Torbanites, boghead and cannel coal etc all are rich in bitumen
- ✓ Fishing → If drill bit is broken inside well
✓ Catwalk → pipe movement through crane

Age of the earth (Structure of the earth)

it is very difficult to ascertain the actual and exact of the earth.

- Darwin fixed the age of the earth at 57 billion years on the basis of the concept of separation of the moon from the body of the earth.
- Through the study of the history of cooling of the earth, calvin estimated that our planet should be as old as 20 to 40 million years
- Study of radioactive materials in meteorites indicate that the members of the solar system must be as old as about 4500 million years
- Modern theory is that the earth is thought to have formed about 4.6 billion years ago out of a cosmic dust. As the planet was pulled together due to its own gravity, the heat of compression and of it's radioactive elements caused it to become molten. The heaviest components form the core. Lighter minerals form the thick mantle. The lighter elements form the thin rocky crust.

3 Lecture 3: Internal Structure of the earth crust

Date: 08/07/2023

Internal structure of the earth consists of the followings:

1. Earth crust
2. Mantle
3. Core

Earth Crust (Lithosphere)

Outer envelope of shell of the earth is known as earth crust. This crust consists of solid rocks. The thickness of earth crust ranges from 5 to 70 km.

Two part of earth's crust:

- i) Outer crust
- ii) Lower crust

The earth's outer crust mainly consists of sedimentary rocks.

Outer crust:

- i) Continental crust (30 km thick, average specific gravity 2.8, high over 0.2 to 0.3 km above sea)
- ii) Oceanic crust (5km thick, average specific gravity 2.9, 4 to 5 km sea level)




Figure 1: Cross section of Earth

The lower part of earth crust has two envelopes.

Lower crust:

- i) Granite Layer
- ii) Basalt Layer

The average thickness of each of this layer ranges from 15 to 20 km.

Tectonic Plates and Plate Boundaries

Lithosphere consists of spherical caps or plates. These plates are in relative motion to each other on the non-rigid asthenosphere.

There may be a -

- Collision




Figure 2: Outer crust & inner crust

- Pulling away
- Slide Past one another

The theory that explains this processes is called plate tectonic theory.

Plates may be -

- Continental (Eurasian Plate)
 - Thick and relatively light.
- Oceanic (Pacific Plate)
 - Thin and made up of wavy igneous rocks.

Mountain ranges, ocean basins, major features of earth etc are found due to the movement of plate boundaries.

LITHOSPHERE




Figure 3: Plastic Higher Temperature Layer
(Asthenosphere 100 to 200 km)
Lower part of earth's crust

Classification of Plate Boundaries

Three types of plate boundaries exist:

1. Divergent Boundaries
 2. Convergent Boundaries
 3. Transcurrent Boundaries
-

4 Lecture 4: Internal Structure of the earth

Date: 08/07/2023

ii) Mantle

characteristics:

- Next to earth's crust
- Rich in Al, Si, Mg
- 2900 km thick

It has three sections:

1. Upper mantle: 40 to 200 km below the earth's surface
2. Middle mantle: At a depth of 200 to 1000 km
3. Lower mantle: 1000 to 2900 km below the surface of the earth

Maximum temperature of these section in 2200°C.

iii) Core

characteristics:

- Next to mantle
- About 3400 km radius
- two parts: Outer core & Inner core

Outer Core:

- Temperature 2200°C to 5000°C
- Consists of hot molten nickel, cast iron etc.

Inner Core:

- The temperature is 5000°C
- Consists of solid balls of iron and nickel.
- The atoms of the metal are pressed together so tightly by gravity that melting is impossible.

Tectonic Plates and Plate Boundaries

(a) Divergent Boundaries:

It is a tensile regime, as the two plates of the continent diverges or separates, magma rises from mantle after solidification forms mid-ocean ridge.

Example: About 200 million years ago, the atlantic ocean was born in this process.

(b) Convergent Boundaries:

It is a compressional regime and several things can happen.

- Ocean-ocean convergent boundaries
- Ocean-continent convergent boundaries
- Continental-continental convergent boundaries

Ocean-Ocean convergent boundaries:

One plate slips beneath the edge of the other. The lower plate is melted as it moves into the hot mantle. The melting minerals rises through the crust forming granite and other igneous rocks.

Example: South sandwich trench of atlantic ocean formed in this way.


Ocean-Continent Convergent Boundaries:

Thinner and heavier oceanic plate plunges beneath continental crust, forming a deep sea trench. Magma rises from descending pipe.


Example: Mount saint helens volcanos formed in this way.

Continent-continent Convergent Boundaries:

The collision buckles and folds the rocks.



(a) Divergent Boundaries



(b) Convergent Boundaries

Figure 4: Tectonic Plates and plate boundaries

5 Lecture 5: Transcurrent Boundaries

Date: 22/07/2023

This is a shear of wrench fault regimes and may have shear, torsional (divergent) or compressional (convergent) components depending on relative movement between the plate boundaries


Example - San Andreas fault in carrizo plain of california.

Rocks

Rocks are natural mineral formation making up earth crust consisting of either dissimilar and similar rock forming materials.

Rocks Classification

1. Magmatic or igneous: Latin Ignis means fire.
Formed by solidification of molten minerals matter with originated within the earth.
2. Sedimentary : Latin sedimentation means settling.
Are made up of particles derived from the breakdown of older rocks.
3. Metamorphic: Greek meta means change and morphe means transformation of previously formed igneous or sedimentary rocks.



© 2015 Encyclopædia Britannica, Inc.

Figure 5: Transcurrent Boundary

6 Lecture 6: Properties of Rocks

Date: 05/08/2023

The various properties of rocks are determined by their origin and by the geological processes that have been occurring over the long period of time the rocks have been in existence.

Properties

1. Physical Properties
2. Mechanical Properties

Physical Properties of Rocks

Characterized by physical condition. From a great variety of physical properties, we discuss those properties that directly or indirectly affect the drilling process.

Physical properties of rocks are: cohesion, porosity, density, specific gravity, texture, structure and granularity.

Mechanical Properties of Rocks

Strength, toughness, dynamic strength, hardness, elasticity, brittleness, plasticity, abrasiveness etc.

Physical and mechanical properties of rocks are essential for the following reasons:

- Selecting the method of drilling
- Selecting the most effective type rocks breaking tools
- Designing optimal drilling and easing programs
- Securing geological information

Special attention is given in studying the physical and mechanical properties of cores, recovered from Stratigraphic test holes. This information is necessary for planning new holes in the same medium. The physical and mechanical properties of rocks depends on their:

- texture
- Structure

Texture

The term texture covers the internal structure of a rock that is the sum of total features determine by-

1. Grain shape
2. Grain size
3. Relationship between the rock forming minerals and volcanic glass of cement.

The texture of rocks determined by conditions in which they were formed. The principal textures are-

1. Crystalline granular
2. Inequigranular
3. Glassy
4. Clastic

Structure

The term structure is sum of total features determined by the spatial arrangement and orientation of the rock components. The principal rock structures are mentioned as follows:

- Massive or Compact structure: Such a structure is typical of igneous rocks
- Bedded or Stratified Structure: This is the characteristics of sedimentary rocks.
- Schistose Structure: which is found in metamorphic rocks. (flat surface of minerals)

Other Properties of Rocks

1. Porosity, P : The porosity of rocks is the total volume of voids (pores, microcracks etc) it contains.

$$P = \frac{V_p}{V} \times 100$$

where, V_p = pore volume, V = total volume of rock, ρ = Density / mass per unit volume, γ = weight per unit volume.

2. Strength of Rocks: It is the property of the solid to resist destructions under the action of external loads, either static or dynamic (compression, tension, bending, shear etc).
3. Toughness: The toughness of rocks implies its capacity to resist external stresses comprising a combination of elementary compressive, tensile, shear stresses. The character of combination depending on breaking the rock.

The difference between the strength and toughness of rock is that, the strength determines the ability of the rock to resist breakage in a different type of deformation (uniaxial compression, tension, shear), whereas toughness is a measure of rocks resistance to breakage under the action of a combination of several types of deforming stresses.