...

Preface

The page style fancy, defined in the fancy-headings package, allows very elegant customization of the running header and footer of a document. The package provides three types of headers as well as footers, through which a header/footer can be made page-wise left, center or right aligned, or even multiple pieces of headers and footers can be used. The commands for such headers and footers are shown in Table 5.7, where podd and peven are the contents of the headers/footers on odd and

Chapter 1

First Chapter

The beginning of first chapter.

1.1 First Section

The start of section one.

1.1.1 First subsection

The start of sub-section one.

First sub-sub-section

The start of sub-sub-section one. Sub-sub-sections are **not** numbered in case of **ar-ticle** class.

6 1. First Chapter

. . . .

First Section	7
I	First Section

8	1. First Chapter

Chapter 2

Running Header and Footer

By default, /thispagestyleplain is issued by the document-classes of article, book, and report to the /maketitle command and the first page of major sectioning commands,like /part or /chapter. To suppress the effect of /thispagestyleplain on these pages, /thispagestyle with an appropriate page style may be used just after the /maketitle, /part or /chapter command, e.g., /thispagestyleempty may be used to suppress the default page numbering on these pages.

2.1 1st Section

2 .	Running	Header	and	Footer
------------	---------	--------	-----	--------

.

2.2. 2nd Section 11

2.2 2nd Section

.....

_	ъ .	TT 1	1	T .
2.	Running	Header	and	Footer

<u>12</u>

. . . .

Chapter 3

3rd Chapter

....

3. 3rd Chapter