

# Cucumber Report

27 mars 2025, 11:47:49

**Start : mars 27, 11:47:46.463 AM**

**End : mars 27, 11:47:48.496 AM**

**Duration : 2.033 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 2**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 2**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 10**

**FAILED - 0**

**SKIPPED - 0**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Report_controller_APIValidation</u>	1.679 s	1	1	0	0	5	5	0	0
<u>Log_controller_APIValidation</u>	0.347 s	1	1	0	0	5	5	0	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@api_us_07	1	1	0	0	1	1	0	0
@api	2	2	0	0	2	2	0	0
@ApiManager	2	2	0	0	2	2	0	0
@api_us_08	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Report_controller_APIValidation</u>	1	1	0	0	1.679 s
2	<u>Log_controller_APIValidation</u>	1	1	0	0	0.347 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Report_controller_APIValidation</u>	<u>Report_controller_APIValidation</u>	5	5	0	0	1.676 s
2	<u>Log_controller_APIValidation</u>	<u>Log_controller_APIValidation</u>	5	5	0	0	0.346 s

**Report\_controller\_APIValidation**



<b>PASSED</b>	<i>DURATION - 1.679 s</i>	Scenarios		Steps	
/ 11:47:46.463 AM // 11:47:48.142 AM /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**Report\_controller\_APIValidation**

PASSED	DURATION - 1.676 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 11:47:46.466 AM // 11:47:48.142 AM /				
Report_controller_APIValidation				
@api_us_07 @api @ApiManager				

#	Step / Hook Details	Status	Duration
1	And the users sets the url for Get the general report of total adverts, users, advert types, tour requests and categorie for API_US_7	PASSED	0.003 s
2	And the user sets the expected data for the the general report	PASSED	0.001 s
3	When the user sends a GET request to the report api and gets the response	PASSED	0.251 s
4	Then the response status code is 200 for API_US_7	PASSED	0.003 s
5	And the user verifies the response data for the the general report for API_US_7	PASSED	0.000 s

**Log\_controller\_APIValidation**

<b>PASSED</b>	<i>DURATION - 0.347 s</i>	Scenarios		Steps	
/ 11:47:48.149 AM // 11:47:48.496 AM /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Log\_controller\_APIValidation


PASSED

DURATION - 0.346 s

/ 11:47:48.150 AM // 11:47:48.496 AM /

Log\_controller\_APIValidation

@api\_us\_08 @api @ApiManager



Step	Duration (s)
1	0.004
2	0.000
3	0.082
4	0.000
5	0.000


Steps

Total - 5

Pass - 5

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	And the users sets the url for Get user's log by id for API_US_8	PASSED	0.004 s
2	And the user sets the expected data for the logs	PASSED	0.000 s
3	When the user sends a GET request to the logs api and gets the response	PASSED	0.082 s
4	Then the response status code is 200 for API_US_8	PASSED	0.000 s
5	And the user verifies the response data for the logs for API_US_8	PASSED	0.000 s