

Cucumber Report

26 mar 2025, 22:28:14

Start : mar 26, 10:28:00.631 p. m.

End : mar 26, 10:28:11.789 p. m.

Duration : 11.158 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Advert Type API</u>	11.158 s	1	0	1	0	6	3	1	2

#	Feature Name	Scenario Name
1	<u>Advert Type API</u>	<u>TC01 as a tester I should be able to successfully create an advert type in the database</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@api_us04	1	0	1	0	1	0	1	0
@api	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Advert Type API</u>	1	0	1	0	11.158 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Advert Type API</u>	<u>TC01 as a tester I should be able to successfully create an advert type in the database</u>	6	3	1	2	11.153 s

Advert Type API

FAILED	DURATION - 11.158 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 3 Fail - 1 Skip - 2	
/ 10:28:00.631 p. m. // 10:28:11.789 p. m. /					

TC01 as a tester I should be able to successfully create an advert type in the database

<div>FAILED</div> <div>DURATION - 11.153 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 10:28:00.636 p. m. // 10:28:11.789 p. m. /				
Advert Type API				
@api_us04 @api				

#	Step / Hook Details	Status	Duration
1	Given the base URL "http://64.227.123.49:8092" and path parameter "/advert-types" is used	PASSED	0.006 s
2	And a payload is created with title "For sale by Hasibullah"	PASSED	0.001 s
3	When a post request is sent and a response is received	PASSED	0.867 s
4	Then the status code should be 200 java.lang.AssertionError: expected:<200> but was:<401> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at getlandestate.stepdefs.api_stepdefs.API_US_04_Stepdefs.the_status_code_should_be(API_US_04_Stepdefs.java:47) at ?.the status code should be 200(file:///C:/Users/Dell/IdeaProjects/B296_QA_InternshipProject/src/test/resources/features/api_features/API_US_04.feature:10) * Not displayable characters are replaced by '?'. 	FAILED	0.017 s
5	And the response content type should be "application/json; charset=utf-8"	SKIPPED	0.002 s
6	And the response name should be "Apartment by Hasibullah"	SKIPPED	0.001 s
	AFTER - getlandestate.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	5.830 s

#	Step / Hook Details	Status	Duration
	failed_screenshot		