


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
US_02 Customer's login functionality	1 m 5.793 s	3	1	2	0	19	12	2	5

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	US_02 Customer's login functionality	Customer_Natalia_must_not_be_able_to_login_with_invalid_email_format
2		Customer_Natalia_must_not_be_able_to_login_without_entering_credentials


TAG		Scenario			Feature				
Name	T	P	F	S	T	P	F	S	
@us_02	3	1	2	0	1	0	1	0	
@tc_01_customer_natalia_successful_login	1	1	0	0	1	0	1	0	
@tc_02_customer_natalia_unsuccessful_login	1	0	1	0	1	0	1	0	
@tc_03_customer_natalia_unsuccessful_login	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	US_02 Customer's login functionality	3	1	2	0	1 m 5.793 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	US_02 Customer's login functionality	Customer_Natalia_must_be_able_to_login_with_valid_cred- entials	7	7	0	0	34.025 s
2		Customer_Natalia_must_not_be_able_to_login_with_invalid- _email_format	7	5	1	1	31.692 s
3		Customer_Natalia_must_not_be_able_to_login_without_ent- ering_credentials	5	0	1	4	0.011 s

DETAILED SECTION -- 7 -

## **US\_02** Customer's login functionality


Scenarios		Steps	
Total - 3		Total - 19	
Pass - 1	3	Pass - 12	19
Fail - 2	, J	Fail - 2	🚺
Skip - 0		Skip - 5	
	Total - 3  Pass - 1  Fail - 2	Total - 3 Pass - 1 Fail - 2	Total - 3 Pass - 1 Fail - 2  Total - 19 Pass - 12 Fail - 2

## Customer\_Natalia\_must\_be\_able\_to\_login\_with\_valid\_credentials



#	Step / Hook Details	Status	Duration
1	Given Customer Natalia is on the "baseUrl" home page	PASSED	20.284 s
2	When customer Natalia clicks on Login option	PASSED	3.162 s
3	And customer Natalia enters valid email into email input field	PASSED	0.185 s
4	And customer Natalia enters valid password into password input field	PASSED	5.096 s
5	And customer Natalia clicks of LOGIN button	PASSED	5.071 s
6	Then customer Natalia should be able to login successfully	PASSED	0.020 s
7	And customer Natalia closes the application	PASSED	0.190 s

Customer\_Natalia\_must\_not\_be\_able\_to\_login\_with\_invalid\_email\_format




#	Step / Hook Details	Status	Duration
1	Given Customer Natalia is on the "baseUrl" home page	PASSED	18.262 s
2	When customer Natalia clicks on Login option	PASSED	3.095 s
3	And customer Natalia enters invalid email into email input field	PASSED	0.131 s
4	And customer Natalia enters valid password into password input field	PASSED	5.108 s
5	And customer Natalia clicks of LOGIN button	PASSED	5.017 s
6	Then customer Natalia should not be able to login successfully with invalid email format	FAILED	0.000 s
	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=134.0.6998.89) Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [26f438c33d3b46395f9196bf85893b4, findElement {using=xpath, value=//div[contains(text(), 'Invalid email')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88} (7e3d5c978c6d, userDataDir: C.'UsersItascilAppDataLloca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54310}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54310/devtoo, se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:inPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: 26f438c83d36b46395f9196bf85893b4 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.ElementLocation\$Elemen		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.isDisplayed(Unknown Source) at getlandestate.stepdefs.ui_stepdefs. Stepdefs_US_02.customerNataliaShouldNotBeAbleToLoginSuccessfullyWithInvalidEmailFormat(Stepdefs_US_02.java:71) at ?.customer Natalia should not be able to login successfully with invalid email format(file:///C:/Users/tasci/IdeaProjects/B296QA_Internship_Project/src/test/resources/features/ui_features/US_02.feature:21) * Not displayable characters are replaced by '?'.		
7	And customer Natalia closes the application	SKIPPED	0.000 s
	AFTER - getlandestate.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.079 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [26f438c83d36b46395f9196bf85893b4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d, userDataDir: C:\UserSt\userSt\userSt\uper\uper\uper\uper\uper\uper\uper\uper		

Customer\_Natalia\_must\_not\_be\_able\_to\_login\_without\_entering\_credentials



#	Step / Hook Details	Status	Duration
1	Given Customer Natalia is on the "baseUrl" home page	FAILED	0.006 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [26f438c83d36b46395f9196bf85893b4, get {url=http://64.227.123.49/] [Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.86,, userDataDir: C:\Usersitasci\AppDataLloca], fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54310}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54310/devtoo, se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, vebauthn:exte		
2	When customer Natalia clicks on Login option	SKIPPED	0.000 s
3	And customer Natalia clicks of LOGIN button	SKIPPED	0.000 s
4	Then customer Natalia should not be able to login successfully without entering credentials	SKIPPED	0.000 s
5	And customer Natalia closes the application	SKIPPED	0.000 s
	AFTER - getlandestate.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [26f438c83d36b46395f9196bf85893b4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d, userDataDir: C:\Users\tasci\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54310}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54310/devtoo, se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 26f438c83d36b46395f9196bf85893b4		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)		
	at getlandestate.hooks.Hooks.tearDown(Hooks.java:46)		