

Cucumber Report

9 feb 2025 10:19:11

Start : feb 09, 10:18:52.684 a. m.

End : feb 09, 10:19:08.334 a. m.

Duration : 15.650 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 3
FAILED - 3
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>search_future</u>	15.650 s	3	0	3	0	12	3	3	6

#	Feature Name	Scenario Name
1	<u>search_future</u>	<u>TC_001_iphone_search</u>
2		<u>TC_002_Tesla_search</u>
3		<u>TC_003_teapot_search</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@parametrizing	3	0	3	0	1	0	1	0
@pr_iphone	1	0	1	0	1	0	1	0
@e2e	3	0	3	0	1	0	1	0
@pr_tesla	1	0	1	0	1	0	1	0
@pr_teapot	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>search_future</u>	3	0	3	0	15.650 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>search_future</u>	<u>TC_001_iphone_search</u>	4	1	1	2	6.110 s
2		<u>TC_002_Tesla_search</u>	4	1	1	2	4.770 s
3		<u>TC_003_teapot_search</u>	4	1	1	2	4.583 s


search_future

FAILED	DURATION - 15.650 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 3 Fail - 3 Skip - 6	
/ 10:18:52.684 a. m. // 10:19:08.334 a. m. /					



TC_001_iphone_search

<div>FAILED</div> <div>DURATION - 6.110 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 10:18:52.690 a. m. // 10:18:58.800 a. m. /</div>				
<div>search_future</div>				
<div>@parametrizing @pr_iphone @e2e</div>				


#	Step / Hook Details	Status	Duration
1	Given User is on the "https://www.google.com" home page	PASSED	4.827 s
2	And User searches for "iPhone" on google org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=132.0.6834.196) Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd2144acf1fac90b31ab1e9d92497ecd, sendKeysToElement {id=f.4B409E7B61E1B9198BBF14A5F1D3C125.d.59796378C891EC2A8297A32F2279677F.e.21, value=[Ljava.lang.CharSequence;@a4b5ce3]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.196, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\Dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61546}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61546/devtoo..., se:cdpVersion: 132.0.6834.196, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (dd2144acf1fac90b31ab1e9d92497ecd)] -> name: q] Session ID: dd2144acf1fac90b31ab1e9d92497ecd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.190 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at stepdefinitions.GoogleStepDefs.user_searches_for_on_google(GoogleStepDefs.java:63) at ?.User searches for "iPhone" on google(file:///C:/Users/Dell/IdeaProjects/cucumber_batch296/src/test/resources/features/day02_Parametrizing.feature:12) * Not displayable characters are replaced by '?'. </pre>		
3	Then user verifies page title contains "Iphone"	SKIPPED	0.003 s
4	And close the application	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.023 s
	failed_screenshot		
			



TC_002_Tesla_search

FAILED		DURATION - 4.770 s			Steps Total - 4 Pass - 1 Fail - 1 Skip - 2			
/ 10:18:58.926 a. m. // 10:19:03.696 a. m. /								
search_future								
@parametrizing @pr_tesla @e2e								

#	Step / Hook Details	Status	Duration
1	Given User is on the "https://www.google.com" home page	PASSED	3.769 s
2	<p>And User searches for "Tesla" on google</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=132.0.6834.196) Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [848efc1165a12ba9f7b0a26c27519bb2, sendKeysToElement {id=f.39E35BD1B9B0A813C9E0541BBF99A630.d.5CF1C74F6B1EBD8BF61A774842AC8A79.e.2, value=[Ljava.lang.CharSequence;@6dc9da2d]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.196, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\Dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61570}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61570/devtoo..., se:cdpVersion: 132.0.6834.196, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (848efc1165a12ba9f7b0a26c27519bb2)] -> name: q] Session ID: 848efc1165a12ba9f7b0a26c27519bb2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at stepdefinitions.GoogleStepDefs.user_searches_for_on_google(GoogleStepDefs.java:63) at ?.User searches for "Tesla" on google(file:///C:/Users/Dell/IdeaProjects/cucumber_batch296/src/test/resources/features/day02_Parametrizing.feature:19) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.152 s
3	Then user verifies page title contains "Tesla"	SKIPPED	0.001 s
4	And close the application	SKIPPED	0.002 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.831 s

#	Step / Hook Details	Status	Duration
	failed_screenshot 		

TC_003_teapot_search

<div>FAILED</div> <div>DURATION - 4.583 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 10:19:03.751 a. m. // 10:19:08.334 a. m. /				
search_future				
@parametrizing @e2e @pr_teapot				

#	Step / Hook Details	Status	Duration
1	Given User is on the "https://www.google.com" home page	PASSED	3.625 s
2	And User searches for "teapot" on google <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=132.0.6834.196) Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32684aae785e0c93a64dd0661c73a54d, sendKeysToElement {id=f.4A6C125E5115AD55FE6ECB83D8A5A1C4.d.F8BAA13525B596B5B1FB985DEA00D731.e.21, value=[Ljava.lang.CharSequence;@1cfc2538]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 132.0.6834.196, chrome: {chromedriverVersion: 132.0.6834.159 (2d77d3fc445..., userDataDir: C:\Users\De\l\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61592}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61592/devtoo..., se:cdpVersion: 132.0.6834.196, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (32684aae785e0c93a64dd0661c73a54d)] -> name: q] Session ID: 32684aae785e0c93a64dd0661c73a54d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</pre>	FAILED	0.140 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:110) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at stepdefinitions.GoogleStepDefs.user_searches_for_on_google(GoogleStepDefs.java:63) at ?.User searches for "teapot" on google(file:///C:/Users/Dell/IdeaProjects/cucumber_batch296/src/test/resources/features/day02_Parametrizing.feature:28) * Not displayable characters are replaced by '?'. </pre>		
3	Then user verifies page title contains "teapot"	SKIPPED	0.001 s
4	And close the application	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.801 s
	failed_screenshot		
	