# Results

A. 2-Predict Model

Epochs vs loss graph, epochs vs accuracy graph, non-normalized confusion matrix, normalized confusion matrix, and classification report for the 2-predict model with 20 epochs.

B. 3-Predict Model

Epochs vs loss graph, epochs vs accuracy graph, non-normalized confusion matrix, normalized confusion matrix, and classification report for the 3-predict model with 20 epochs.

```
In [47]: print(classification_report( true_y.argmax(axis=-1), y_predict))
               precision    recall  f1-score   support

           0       0.98      0.93      0.95       100
           1       0.96      0.94      0.95       100
           2       0.92      0.98      0.95       100

    accuracy                           0.95       300
   macro avg       0.95      0.95      0.95       300
weighted avg       0.95      0.95      0.95       300
```

Epochs vs loss graph, epochs vs accuracy graph, non-normalized confusion matrix, normalized confusion matrix, and classification report for the 3-predict model with 30 epochs.

C. 4-Predict Model

Graph of epochs vs loss

Graph of epochs vs Accuracy

Non-normalized Confusion Matrix for breast cancer grading

Normalized Confusion Matrix for breast cancer grading

```
In [57]: print(classification_report( true_y.argmax(axis=-1), y_predict))
              precision    recall  f1-score   support

           0       1.00      0.89      0.94       100
           1       0.90      0.92      0.91       100
           2       0.92      0.91      0.91       100
           3       0.90      0.99      0.94       100

    accuracy                           0.93       400
   macro avg       0.93      0.93      0.93       400
weighted avg       0.93      0.93      0.93       400
```

Epochs vs loss graph, epochs vs accuracy graph, non-normalized confusion matrix, normalized confusion matrix, and classification report for the 4-predict model with 20 epochs.

```
In [61]: print(classification_report( true_y.argmax(axis=-1), y_predict))
              precision    recall  f1-score   support

           0       1.00      0.94      0.97       100
           1       0.94      0.96      0.95       100
           2       0.97      0.92      0.94       100
           3       0.91      0.99      0.95       100

    accuracy                           0.95       400
   macro avg       0.95      0.95      0.95       400
weighted avg       0.95      0.95      0.95       400
```

Epochs vs loss graph, epochs vs accuracy graph, non-normalized confusion matrix, normalized confusion matrix, and classification report for the 4-predict model with 25 epochs.

```
In [65]: print(classification_report( true_y.argmax(axis=-1), y_predict))
              precision    recall  f1-score   support

           0       1.00      0.90      0.95       100
           1       0.95      0.93      0.94       100
           2       0.94      0.97      0.96       100
           3       0.91      0.99      0.95       100

    accuracy                           0.95       400
   macro avg       0.95      0.95      0.95       400
weighted avg       0.95      0.95      0.95       400
```

Epochs vs loss graph, epochs vs accuracy graph, non-normalized confusion matrix, normalized confusion matrix, and classification report for the 4-predict model with 30 epochs.