| Country no | Country code | Student No. | Question No. | Page No. | Total No. of pages |
|---|---|---|---|---|---|
| | | | | | |

# *ANSWER FORM*

**1) Determination of g using a rotating liquid**

| *2R* | $x_0$ | $h_0$ | *H* |
|---|---|---|---|
| | | | |

Experimental value of *g*:

**2a) Investigation of the focal distance**

| 2R | $h_0$ |
|---|---|
| | |

| H | ω |
|---|---|
| | |

Relation between focal length and ω:

| Country no | Country code | Student No. | Question No. | Page No. | Total No. of pages |
|---|---|---|---|---|---|
| | | | | | |

**2b) Analysis of the "image"**

*Use the appropriate notations explained below to describe what you see on the screen due to reflected beam*

**ω range:** For the frequency ranges only approximate values are required.

**Orientation** (in comparison with the object beam as seen on the transparent screen):
Inverted : **INV**
Erect : **ER**

**Variation of the size** with increasing ω:
Increases : **I**
Decreases : **D**
No change : **NC**

*For the frequency ranges you have found above:*

Write "**R**" if the screen is above the focal point.
Write "**V**" if the screen is below the focal point.

| **ω Range** | **Orientation** | **Variation of the size** | **"image"** |
|---|---|---|---|
| ω=0 | | | |
| | | | |

**3) Refractive index**

Wavelength =

Experimental value for $n$ =