


STO. NIÑO NATIONAL HIGH SCHOOL

Agricultores Street, Sto. Niño, Marikina City

And Quarter Module 2 Web Development



Writer: Illustrator: Cover Illustrator: Marvin M. Tamayo Marvin M. Tamayo Marvin M. Tamayo

What I Need To Know

This module was created with your needs in mind. Its purpose is to assist you in mastering database structure creation as well as storing, retrieving, and modifying data in a relational database. This module's scope allows it to be used in a variety of learning contexts. The terminology utilized considers the students' various levels of vocabulary. The lessons are organized to follow the course's typical sequence. However, the order in which you read them can be modified to match the textbook you're now using.

After going through this module, this lesson, you should be able to do the following:

- 1. Use the tag.
- 2. Use the <marquee> tag.
- 3. Use the different attributes of tag and <marquee> tag.

Different Font Styles

You can use different font styles to design your web page. There are different ways to change your font style. One of them is by using the tag. The tag in HTML plays an important role in the web page to create an attractive and readable web page. The font tag is used to change the color, size, and style of a text. The base font tag is used to set all the text to the same size, color and face.



What is it

Syntax:

 Content

The font tag has basically three attributes which are given below:

- > Font Size attribute
- Face/Type attribute
- Color attribute

We will discuss all these attributes & understand them through the examples.

font Size: This attribute is used to adjust the size of the text in the HTML document using a font tag with the size attribute. The range of size of the font in HTML is from 1 to 7 and the default size is 3.

Syntax:

Font Type: Font type can be set by using face attribute with font tag in HTML document. But the fonts used by the user need to be installed in the system first.

Syntax:

Font Color: Font color is used to set the text color using a font tag with the color attribute in an HTML document. Color can be specified either with its name or with its hex code.

Syntax:

The <marquee> HTML element is used to insert a scrolling area of text. You can control what happens when the text reaches the edges of its content area using its attributes.

Attributes

behavior

Sets how the text is scrolled within the marquee. Possible values are scroll, slide and alternate. If no value is specified, the default value is scroll.

bgcolor

Sets the background color through color name or hexadecimal value.

direction

Sets the direction of the scrolling within the marquee. Possible values are left, right, up and down. If no value is specified, the default value is left.

loop

Sets the number of times the marquee will scroll. If no value is specified, the default value is -1, which means the marquee will scroll continuously.

scrollamount

Sets the amount of scrolling at each interval in pixels. The default value is 6.

scrolldelay

Sets the interval between each scroll movement in milliseconds. The default value is 85. Note that any value smaller than 60 is ignored and the value 60 is used instead, unless truespeed is specified.

truespeed

By default, scrolldelay values lower than 60 are ignored. If truespeed is present, those values are not ignored.



What I Have Learned

What tag is used to change your font styles?
 What are the attributes of the font tag?
 What font attribute is used to change the size of the text in the HTML document?
 What font attribute is used to change the text color?
 What font attribute is used to change the font type/face?
 What thml element is used to insert a scrolling area of text?
 What marquee attribute is used to set the amount of scrolling at each interval?
 Which marquee attribute sets the number of times the marquee will scroll?
 What marquee attributes changes the scolling effect within the marquee?
 Which marquee attribute sets the direction of the scrolling within the marquee?