

```
#include<stdio.h>
#include<conio.h>
#include<ctype.h>
#include<stdlib.h>
#include<string.h>
void show_record();
void reset_score();
void help();
void edit_score(float , char []);
int main()
{

    system("COLOR 56");
    float score;
    char choice;
    char playername[20];
    int countr,r,r1,count,i,n;
mainhome:

    system("cls");

    printf("-----\n");
);
    printf("| \n");
);
    printf("| \n");
);
    printf("| 0 0 0000000 0 0 00000 | \n");
);
    printf("| 0 0 0 0 0 0 0 | \n");
);
    printf("| 000 00 00000000 0 0 0 0 | \n");
);
    printf("| 0 0 0 0 0 0 0 | \n");
);
    printf("| 0 0 0000000 00000 00000 00000 | \n");
);
    printf("| \n");
);
    printf("-----\n");
);

    choice=toupper(getch());
    system("cls");


    printf("\t\t\t\t\t PROGRAM QUIZ GAME\n");
    printf("\n\t\t\t\t\t_____");

    printf("\n\t\t\t\t\t WELCOME ");
    printf("\n\t\t\t\t\t to ");
    printf("\n\t\t\t\t\t THE GAME ");
    printf("\n\t\t\t\t\t_____");
    printf("\n\t\t\t\t\t_____");
    printf("\n\t\t\t\t\t BECOME A MILLIONAIRE!!!!!!!!!!!! ");
    printf("\n\t\t\t\t\t_____");
    printf("\n\t\t\t\t\t_____");
    printf("\n\t\t\t\t > Press S to start the game");
    printf("\n\t\t\t\t > Press V to view the highest score ");
    printf("\n\t\t\t\t > Press R to reset score");
    printf("\n\t\t\t\t > press H for help ");
    printf("\n\t\t\t\t > press Q to quit ");
    printf("\n\t\t\t\t _____\n\n");
```

```

choice=toupper(getch());
if (choice=='V')
{
show_record();
goto mainhome;
}
else if (choice=='H')
{
help();getch();
goto mainhome;
}
else if (choice=='R')
{reset_score();
getch();
goto mainhome;}
else if (choice=='Q')
exit(1);
else if(choice=='S')
{
system("cls");

printf("\n\n\n\n\n\n\n\n\n\n\n\t\t\tResister your name:");
gets(playername);

system("cls");
printf("\n ----- Welcome %s to C Program Quiz Game
-----",playername);
printf("\n\n Here are some tips you might wanna know before playing:");
printf("\n -----"
);
printf("\n >> There are 2 rounds in this Quiz Game,WARMUP ROUND & CHALLENGE ROUND");
printf("\n >> In warmup round you will be asked a total of 3 questions to test your"
);
printf("\n     general knowledge. You are eligible to play the game if you give
atleast 2");
printf("\n     right answers, otherwise you can't proceed further to the Challenge
Round.");
printf("\n >> Your game starts with CHALLENGE ROUND. In this round you will be asked
a");
printf("\n     total of 10 questions. Each right answer will be awarded $100,000!");
printf("\n     By this way you can win upto ONE MILLION cash prize!!!!!!.....");
printf("\n >> You will be given 4 options and you have to press A, B ,C or D for the"
);
printf("\n     right option.");
printf("\n >> You will be asked questions continuously, till right answers are given"
);
printf("\n >> No negative marking for wrong answers!");
printf("\n\n\n\t!!!!!!!!!!!!!! ALL THE BEST !!!!!!!!!!!!!!!");
printf("\n\n\n Press Y  to start the game!\n");
printf("\n Press any other key to return to the main menu!");
if (toupper(getch())=='Y')
{
goto home;
}
else
{
goto mainhome;
system("cls");
}

home:
system("cls");
count=0;
for(i=1;i<=3;i++)
{
system("cls");

```

```

r1=i;

switch(r1)
{
case 1:
printf("\n\nWhich of the following is a Palindrome number?");
printf("\n\n1.42042\t\t2.101010\n\n3.23232\t\t4.01234");
if (toupper(getch())=='3')
{
printf("\n\nCorrect!!!");count++;
getch();
break;
}

else
{
printf("\n\nWrong!!! The correct answer is C.23232");
getch();
break;
}

case 2:
printf("\n\n\nThe country with the highest environmental performance index is..."
);
printf("\n\nA.France\t\tB.Denmark\n\nC.Switzerland\t\tD.Finland");
if (toupper(getch())=='C')
{printf("\n\nCorrect!!!");count++;
getch();
break;}
else
{printf("\n\nWrong!!! The correct answer is C.Switzerland");
getch();
break;}

case 3:
printf("\n\n\nWhich animal laughs like human being?");
printf("\n\nA.Polar Bear\t\tB.Hyena\n\nC.Donkey\t\tD.Chimpanzee");
if (toupper(getch())=='B')
{printf("\n\nCorrect!!!");count++;
getch();
break;}
else
{printf("\n\nWrong!!! The correct answer is B.Hyena");
getch();
break;}

case 4:
printf("\n\n\nWho was awarded the youngest player award in Fifa World Cup 2006?"
);
printf("\n\nA.Wayne Rooney\t\tB.Lucas Podolski\n\nC.Lionel Messi\t\tD.Christiano
Ronaldo");
if (toupper(getch())=='B')
{printf("\n\nCorrect!!!");count++;
getch();
break;}
else
{printf("\n\nWrong!!! The correct answer is B.Lucas Podolski");
getch();
break;}

case 5:
printf("\n\n\nWhich is the third highest mountain in the world?");
printf("\n\nA.Mt. K2\t\tB.Mt. Kanchanjunga\n\nC.Mt. Makalu\t\tD.Mt. Kilimanjaro"
);
if (toupper(getch())=='B')
{printf("\n\nCorrect!!!");count++;

```

```

        getch();
        break;}
else
    {printf("\n\nWrong!!! The correct answer is B.Mt. Kanchanjungha");
    getch();
    break;}

case 6:
printf("\n\n\nWhat is the group of frogs known as?");
printf("\n\nA.A traffic\t\tB.A toddler\n\nC.A police\t\tD.An Army");
if (toupper(getch())=='D' )
    {printf("\n\nCorrect!!!");count++;
    getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is D.An Army");
    getch();
    break;}}
}

if(count>=2)
{goto test;}
else
{
system("cls");
printf("\n\nSORRY YOU ARE NOT ELIGIBLE TO PLAY THIS GAME, BETTER LUCK NEXT TIME");
getch();
goto mainhome;
}
test:
system("cls");
printf("\n\n\t*** CONGRATULATION %s you are eligible to play the Game ***",
playername);
printf("\n\n\n\n\t!Press any key to Start the Game!");
if(toupper(getch())=='p')
    {goto game;}
game:
countr=0;
for(i=1;i<=10;i++)
{system("cls");
r=i;

switch(r)
{
case 1:
printf("\n\nWhat is the National Game of England?");
printf("\n\nA.Football\t\tB.Basketball\n\nC.Cricket\t\tD.Baseball");
if (toupper(getch())=='C')
    {printf("\n\nCorrect!!!");countr++;getch();
    break;getch();}
else
    {printf("\n\nWrong!!! The correct answer is C.Cricket");getch();
    goto score;
    break;}

case 2:
printf("\n\n\nStudy of Earthquake is called.....");
printf("\n\nA.Seismology\t\tB.Cosmology\n\nC.Orology\t\tD.Etimology");
if (toupper(getch())=='A')
    {printf("\n\nCorrect!!!");countr++;getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is A.Seismology");getch();
    goto score;
    break;
}
}
}

```

```

");
case 3:
printf("\n\nAmong the top 10 highest peaks in the world, how many lie in Nepal?

printf("\n\nA.6\t\tB.7\n\nC.8\t\tD.9");
if (toupper(getch())=='C')
{printf("\n\nCorrect!!!");countr++;getch();
break;}
else
{printf("\n\nWrong!!! The correct answer is C.8");getch();
goto score;
break;}

case 4:
printf("\n\nThe Laws of Electromagnetic Induction were given by?");
printf("\n\nA.Faraday\t\tB.Tesla\n\nC.Maxwell\t\tD.Coulomb");
if (toupper(getch())=='A')
{printf("\n\nCorrect!!!");countr++;getch();
break;}
else
{
printf("\n\nWrong!!! The correct answer is A.Faraday");getch();
goto score;
break;
}

case 5:
printf("\n\nIn what unit is electric power measured?");
printf("\n\nA.Coulomb\t\tB.Watt\n\nC.Power\t\tD.Units");
if (toupper(getch())=='B')
{printf("\n\nCorrect!!!");countr++;getch(); break;}
else
{
printf("\n\nWrong!!! The correct answer is B.Power");
getch();
goto score;
break;
}

case 6:
printf("\n\nWhich element is found in Vitamin B12?");
printf("\n\nA.Zinc\t\tB.Cobalt\n\nC.Calcium\t\tD.Iron");
if (toupper(getch())=='B')
{printf("\n\nCorrect!!!");countr++;getch();
break;}
else
{printf("\n\nWrong!!! The correct answer is B.Cobalt");goto score;
getch();
break;}

case 7:
printf("\n\nWhat is the National Name of Japan?");
printf("\n\nA.Polska\t\tB.Hellas\n\nC.Drukyul\t\tD.Nippon");
if (toupper(getch())=='D')
{printf("\n\nCorrect!!!");countr++;getch();
break;}
else
{printf("\n\nWrong!!! The correct answer is D.Nippon");getch();
goto score;
break;}

case 8:
printf("\n\nHow many times a piece of paper can be folded at the most?");
printf("\n\nA.6\t\tB.7\n\nC.8\t\tD.Depends on the size of paper");
if (toupper(getch())=='B')
{printf("\n\nCorrect!!!");countr++;getch(); break;}
else

```

```

        {printf("\n\nWrong!!! The correct answer is B.7"); getch();
        goto score;
        break;}

case 9:
printf("\n\n\nWhat is the capital of Denmark?");
printf("\n\nA.Copenhagen\t\tB.Helsinki\n\nC.Ajax\t\tD.Galatasaray");
if (toupper(getch())=='A')
    {printf("\n\nCorrect!!!"); countr++; getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is A.Copenhagen"); getch();
    goto score;
    break;}

case 10:
printf("\n\n\nWhich is the longest River in the world?");
printf("\n\nA.Nile\t\tB.Koshi\n\nC.Ganga\t\tD.Amazon");
if (toupper(getch())=='A')
    {printf("\n\nCorrect!!!"); countr++; getch(); break;}
else
    {printf("\n\nWrong!!! The correct answer is A.Nile"); getch(); break; goto
score;}

case 11:
printf("\n\n\nWhat is the color of the Black Box in aeroplanes?");
printf("\n\nA.White\t\tB.Black\n\nC.Orange\t\tD.Red");
if (toupper(getch())=='C')
    {printf("\n\nCorrect!!!"); countr++; getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is C.Orange"); getch();
    break; goto score;}

case 12:
printf("\n\n\nWhich city is known at 'The City of Seven Hills'?");
printf("\n\nA.Rome\t\tB.Vactican City\n\nC.Madrid\t\tD.Berlin");
if (toupper(getch())=='A')
    {printf("\n\nCorrect!!!"); countr++; getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is A.Rome"); getch();
    break; goto score;}

case 13:
printf("\n\n\nName the country where there no mosquitoes are found?");
printf("\n\nA.Japan\t\tB.Italy\n\nC.Argentina\t\tD.France");
if (toupper(getch())=='D')
    {printf("\n\nCorrect!!!"); countr++; getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is D.France"); getch();
    break; goto score;}

case 14:
printf("\n\n\nWho is the author of 'Pulpasa Cafe'?");
printf("\n\nA.Narayan Wagle\t\tB.Lal Gopal Subedi\n\nC.B.P.
Koirala\t\tD.Khagendra Sangraula");
if (toupper(getch())=='A')
    {printf("\n\nCorrect!!!"); countr++; getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is A.Narayan Wagle"); getch();
    break; goto score;}

case 15:

```

```

printf("\n\nWhich Blood Group is known as the Universal Recipient?");
printf("\n\nA.A\t\tB.AB\n\nC.B\t\tD.O");
if (toupper(getch())=='B')
    {printf("\n\nCorrect!!!");countr++;getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is B.AB");getch();
    goto score;
    break;}

case 16:
printf("\n\nWhat is the unit of measurement of distance between Stars?");
printf("\n\nA.Light Year\t\tB.Coulomb\n\nC.Nautical Mile\t\tD.Kilometer");
if (toupper(getch())=='A')
    {printf("\n\nCorrect!!!");countr++; getch();
    break;}
}
else
    {printf("\n\nWrong!!! The correct answer is A.Light Year");getch();
    goto score;
    break;}

case 17:
printf("\n\nThe country famous for Samba Dance is.....");
printf("\n\nA.Brazil\t\tB.Venezuela\n\nC.Nigeria\t\tD.Bolivia");
if (toupper(getch())=='A')
    {printf("\n\nCorrect!!!");countr++; getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is A.Brazil");getch();goto score;
    break;}

case 18:
printf("\n\nWind speed is measure by_____?");
printf("\n\nA.Lysimeter\t\tB.Air vane\n\nC.Hydrometer\t\tD.Anemometer\n\n");
if (toupper(getch())=='D')
    {printf("\n\nCorrect!!!");countr++; getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is D.Anemometer");getch();goto
score;
    break;}

case 19:
printf("\n\nWhich city in the world is popularly known as The City of Temple?"
);
printf("\n\nA.Delhi\tB.Bhaktapur\n\nC.Kathmandu\tD.Agra\n\n");
if (toupper(getch())=='C')
    {printf("\n\nCorrect!!!");countr++; getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is C.Kathmandu");getch();goto
score;
    break;}

case 20:
printf("\n\nWhich hardware was used in the First Generation Computer?");
printf("\n\nA.Transistor\t\tB.Valves\n\nC.I.C\t\tD.S.S.I");
if (toupper(getch())=='B')
    {printf("\n\nCorrect!!!");countr++; getch();
    break;}
else
    {printf("\n\nWrong!!! The correct answer is B.Valves");getch();goto score;
    break;}

```

```

    case 21:
        printf("\n\nOzone plate is being destroyed regularly because of ____ ?");
        printf("\n\nA.L.P.G\t\tB.Nitrogen\n\nC.Methane\t\tD. C.F.C");
        if (toupper(getch())=='D')
            {printf("\n\nCorrect!!!");count++; getch();
            break;}
        else
            {printf("\n\nWrong!!! The correct answer is D. C.F.C");getch();goto score;
            break;}

    case 22:
        printf("\n\nWho won the Women's Australian Open Tennis in 2007?");
        printf("\n\nA.Martina Hingis\t\tB.Maria Sarapova\n\nC.Kim Clijster\t\tD.Serena
Williams");
        if (toupper(getch())=='D')
            {printf("\n\nCorrect!!!");count++; getch();
            break;}
        else
            {printf("\n\nWrong!!! The correct answer is D.Serena Williams");getch();
goto score;
            break;}

    case 23:
        printf("\n\nWhich film was awarded the Best Motion Picture at Oscar in 2010?");
        printf("\n\nA.The Secret in their Eyes\t\tB.Shutter Island\n\nC.The King's
Speech\t\tD.The Reader");
        if (toupper(getch())=='C')
            {printf("\n\nCorrect!!!");count++; getch();
            break;}
        else
            {printf("\n\nWrong!!! The correct answer is C.The King's Speech");getch();
goto score;
            break;}}

score:
system("cls");
score=(float)count*100000;
if(score>0.00 && score<1000000)
{
    printf("\n\n\t\t***** CONGRATULATION *****");
    printf("\n\t\t You won $%.2f",score);goto go;}

else if(score==1000000.00)
{
    printf("\n\n\n \t\t***** CONGRATULATION *****");
    printf("\n\t\t\t\t\t YOU ARE A MILLIONAIRE!!!!!!!!!!");
    printf("\n\t\t\t\t\t You won $%.2f",score);
    printf("\t\t\t Thank You!!");
}
else
{
    printf("\n\n\t\t***** SORRY YOU DIDN'T WIN ANY CASH *****");
    printf("\n\t\t\t\t\t Thanks for your participation");
    printf("\n\t\t\t\t\t TRY AGAIN");goto go;}

go:
puts("\n\n Press Y if you want to play next game");
puts(" Press any key if you want to go main menu");
if (toupper(getch())=='Y')
    goto home;
else
{
    edit_score(score,playername);
    goto mainhome;}}

void show_record()
{system("cls");

```


[illegible]