

PF Lab 5 tasks(4)

Name: Hassan Ali Khan

Roll No: 25K-0516

Section: BCS-1K


Task 1

```
#include<stdio.h>
int main()
{
    int a, b, answer;
    printf ("Enter value of a and b\n");
    scanf ("%d%d",&a, &b);

    answer=a+b*(a-b)/2;

    printf ("The answer is %d",answer);
    printf (" because the inner brackets opens first and divides by 2
then the answer is multiplied by %d and the %d is added\n",b, a);

    return 0;
}
```



```
C:\Users\Anas Ali Khan\Documents\code2.exe
Enter value of a and b
4
6
The answer is -2 because the inner brackets opens first and divides by 2 then the
answer is multiplied by 6 and the 4 is added


-----
Process exited after 3.035 seconds with return value 0
Press any key to continue . . .
```

Task 2

```
#include<stdio.h>
int main()
{
    int x, y;
    printf ("Enter the value of x\n");
    scanf ("%d",&x);
    printf ("Enter the value of y\n");
    scanf ("%d",&y);

    printf("(x>5) && (y<10)=%d\n", (x>5) && (y<10));
    printf (" (x==10) || (y==5)=%d\n", (x==10) || (y==5));
    printf ("! (x==y)=%d\n", !(x==y));

    return 0;
}
```



```
C:\Users\Anas Ali Khan\Documents\Untitled2.exe
Enter the value of x
5
Enter the value of y
11
(x>5)&&(y<10)=0
(x==10)||<y==5)=0
!(x==y)=1

-----
Process exited after 7.995 seconds with return value 0
Press any key to continue . . .
```

Task 3

```
#include<stdio.h>

#include<math.h>

int main()
{
    int number;

    float square;


    printf ("Enter a number\n");

    scanf ("%d",&number);


    printf ("The square root of the input number is %.2f\n",sqrt(number));

    return 0;

}
```



The screenshot shows a Windows command prompt window titled "C:\Users\Anas Ali Khan\Documents\code3.exe". The window has a black background with white text. The text displayed is as follows:

```
Enter a number
36
The square root of the input number is 6.00
-----
Process exited after 3.055 seconds with return value 0
Press any key to continue . . .
```

Task 4

```
#include<stdio.h>


int main()
{
    int m, n;

    printf("Enter the values of m and n\n");

    scanf("%d%d",&m, &n);

    m>n? printf("%d is greater than %d\n",m, n): printf("%d is greater than %d\n",n, m);

    return 0;
}
```



```
C:\Users\Anas Ali Khan\Documents\code4.exe
Enter the values of m and n
5
2
5 is greater than 2
-----
Process exited after 5.906 seconds with return value 0
Press any key to continue . . .
```