

AUTOWAGEN MASTER

Everything we covered — session handout · 2026-05-01 · print or save as PDF

Session date: 2026-05-01 | **For:** Hassan / Autowagen Master | **File:** docs/git_github_handout_print.html

CONTENTS (WHAT THIS SHEET COVERS)

- §1 — Project memory (`CLAUDE.md`) and §10 “what to do next”
- §2 — Key local URLs (Laragon)
- §3 — Hosting vs your PC (how “live server” connects — or not)
- §4 — Web shop smoke test reminder + guest enquiries SQL
- §5 — Git + GitHub: why, and does it sync automatically?
- §6 — Your GitHub repo + first-time commands you actually ran
- §7 — Daily habit: `add` / `commit` / `push`
- §8 — Where to run those commands
- §9 — Problems we solved today (PowerShell URL, Vim, staging, push)
- §10 — After reboot / new Cursor chat / new future project
- §11 — Printing training manuals (“no preview” tip)
- §12 — Optional clean-ups / security

§1 · PROJECT MEMORY — ALWAYS OPEN `CLAUDE.MD` FIRST

1. The real “what’s built / what runs next” notes live in your project root file `CLAUDE.md` .
2. Before big work or a fresh chat with the AI: read from the top, especially **section 10** — “what to do right now”. It lists staged features (EPC, vehicles/parts/POS/web shop), SQL you may still need on a DB, smoke tests, training HTML paths.
3. Companion files: `ROADMAP.md` , `HOW_TO_START_NEW_CHAT.md` .

§2 · LARAGON — URLS YOU ACTUALLY USE LOCALLY

- **App (after Laragon Start All):** `http://localhost/autowagen-master/`
- **Login:** `http://localhost/autowagen-master/auth/login.php`
- **Public shop (no login):** `http://localhost/autowagen-master/shop/`
- **phpMyAdmin (database):** `http://localhost/phpmyadmin` → database `autowagen_master`

§3 · HOSTING SERVER — WHAT WE SAID ABOUT “CONNECTING”

GitHub is not your live website by itself. It only stores *code* when you push. Customers see a **host** (shared hosting/VPS).

Three separate places (don’t mix them up)

Place	What happens there
Your PC (<code>c:\laragon\www\...</code>)	You edit files; Cursor save = instant on disk for localhost .
GitHub	Backup + history — only updates when <code>git push</code> .
Live host	Needs FTP/File Manager upload or <code>git pull</code> on server (if you have SSH). DB is separate phpMyAdmin on host.

Typical workflows

- **Only cPanel/File Manager/FTP:** After you finish changes locally (and optionally push to GitHub for backup), upload changed PHP/files to hosting.
- **SSH + Git on server:** `git clone` once per server folder, later `git pull` after each `git push` from home.
- **Cursor “Remote SSH”:** only if your hosting package gives SSH and you deliberately open that remote folder — optional advanced path.

§4 · BUILT-IN CHECKLIST FROM §10 (SHORT)

Web shop smoke test (06b already ran on dev DB)

Staff: eligible part (**New**, source **not** Stripped), **Available**, qty ≥ 1, tick **List on public website**, save → open `/shop/` as guest → cart → checkout → staff **Inventory** → **Web shop orders**.

Guest enquiries (06e)

If inbox/form errors on missing table: phpMyAdmin → run `sql/06e_shop_guest_enquiries.sql` once on that database.

Training manuals (already in `docs/`)

Examples: `invoice_screen_full_guide.html` , `complete_system_manual.html` , `client_training_index.html` — open in browser → print to PDF.

§5 · GIT + GITHUB — WHY BOTHER?

- **Undo / history:** every `commit` is a labelled snapshot.
- **Off-site backup** of code when you `push` .
- **New PC later:** `git clone ...` gets the folder back.
- **Secrets & uploads not in GitHub:** project `.gitignore` skips `config/secrets.local.php` , `config/secrets.live.php` , and files under `uploads/` (keeps only `uploads/.htaccess` for safety rules).

Saving files in Cursor does *not* upload to GitHub. You run `git add` → `commit` → `push` when you want a backup online.

\$6 · YOUR GITHUB + WHAT WE SET UP TODAY

Repository: `https://github.com/Hassan1970/autowagen-master`

Remote name: `origin` · **Branch:** `main`

First commit: `Initial import Autowagen Master`

Result: terminal showed many **create mode** lines (success); then `[new branch] main -> main`; GitHub page listed folders (`ajax`, `assets`, `auth`, `sql`, etc.) — repo no longer empty.

Correct one-liner for linking GitHub (do not paste URL alone)

```
git remote add origin https://github.com/Hassan1970/autowagen-master.git
```

Typing only the HTTPS URL made PowerShell show “not recognised as cmdlet”.

Login for `git push`

GitHub often wants a **Personal Access Token** as the “password” for HTTPS (`github.com/settings/tokens`), not your usual website password.

Odd folder caught in Git

TEST AUTOWAGEN WEBDESIGN (extra images/test site material) landed in `git add .` — not part of the normal app tree from `CLAUDE.md`. Safe to strip from Git later via `git rm --cached + .gitignore`; optional cleanup.

\$7 · EVERY TIME YOU WANT GITHUB TO MATCH YOUR PC

After:

```
cd C:\laragon\www\autowagen-master

git add .
git commit -m "Describe this save in plain English"
git push
```

You don’t have to push after every single line of code — do it after a sensible chunk (end of evening, bugfix done, etc.).

\$8 · WHERE THOSE COMMANDS HAPPEN

1. **Windows PowerShell**, or Cursor **Terminal** → **New Terminal**
2. Ensure prompt path includes `autowagen-master` (use `cd ...` above).
3. Never type Git commands into phpMyAdmin, GitHub search, or inside a PHP file.

\$9 · PROBLEMS WE SOLVED TODAY — CHEAT SHEET

- **Vim opened instead of committing:** you ran bare `git commit`. Fix: `[Esc]` → type `:q!` → `[Enter]` → then `git commit -m "..."` so Vim stays closed.

- **Vim line “14,1”:** just cursor position — meaningless for which files Git commits.
- **Green “new file” in `git status`:** staging worked; missing step was only **commit** then **push**.
- **Cursor `main*` stuck:** `Ctrl` + `Shift` + `P` → **Reload Window** after a push.
- **Microsoft Print dialog “doesn’t support print preview”:** still try Print to PDF — or print from Chrome/Edge with the HTML file open.

§10 · REBOOT · NEW AI CHAT · DIFFERENT PROJECT

- **PC restart:** Git stays installed; `.git` stays in folder — don’t rerun `git init` inside this project unless you delete `.git`.
- **New Cursor chat:** does not unlink GitHub — it’s only a new conversation thread.
- **New future project:** new folder → separate `git init` (or clone) → separate GitHub repo if desired.

§11 · MAKING PDFS FROM YOUR PROJECT HTML GUIDES

1. File Explorer → open the HTML (e.g. under `docs\...`).
2. Opens in browser → `Ctrl` + `P`.
3. Printer: PDF / Background graphics ON if banners look faded.

§12 · OPTIONAL RECOMMENDATIONS

- GitHub **Settings** → **Change visibility** → **Private** for business source.
- Keep database backups separately (phpMyAdmin export); Git does not replace MySQL dumps.
- When you upload this expanded handout: `git add docs/git_github_handout_print.html`, commit, push.

Printed / PDF generated from Autowagen Master internal documentation. For project state: read repo root `CLA UDE.md`.