Series	Code	Model	Name	Description	Product Image	MSRP	
				Smart Station			
Smart Station	11.005600	LS082WH	Smart Station	Center of the smart home ecosystem, powerful processor with up to 500 connected devices, CoSS protocol		SAR 469	
DEFED Smart Station	11.014850	LS205WH	DEFED Smart Station PRO(WiFi+7G EU)	The industry's first 4G-supported super gateway, the first open gateway that crosses systems and platforms, supports multiple protocols such as CoSS, Zigbee, Z-Wave, Wi-Fi, BLE, and Matter. The PRO version adds antenna configurations, increasing signal strength by five times, and offers three power supply options.		SAR 1,290	
				Main Touch Screens			
Nature 7 PRO	11.009500	LS227	Nature 7 PRO	A full-screen control panel incorporating all intelligent control features, Nature 7 PRO enables control of various smart home devices and shifting between different smart scenes like "Away", "Sleep", "Movie" or "Dinner". In particular, using Nature 7 PRO, a user can accurately control the degree to which a curtain opens and closes. Tune the brightness and color of a lamp or adjust the temperature of an air conditioner. Enjoy a truly smart life. The wall-embedded intelligent panel can be easily integrated into homes' styling with 7-inch touch panel and standard 86mm base. It is not only a personal smart housekeeper at your fingertip but also a smart property terminal within your reach.		SAR 2,159	
Nature 7 PRO	11.014410	LS227	Nature 7 PRO(433)_White	A full-screen control panel incorporating all intelligent control features, Nature 7 PRO enables control of various smart home devices and shifting between different smart scenes like "Away", "Sleep", "Movie" or "Dinner". In particular, using Nature 7 PRO, a user can accurately control the degree to which a curtain opens and closes. Tune the brightness and color of a lamp or adjust the temperature of an air conditioner. Enjoy a truly smart life. The wall-embedded intelligent panel can be easily integrated into homes' styling with 7-inch touch panel and standard 86mm base. It is not only a personal smart housekeeper at your fingertip but also a smart property terminal within your reach.	10 m	SAR 2,159	
				4" Touch Screens			
Nature Mni PRO	10.005480	LS268-WH3	Nature Mini Pro(White 3 way)	4-inch HD touch screen; customizable operating system,; multiple protocols including CoSS, Zigbee, dual brand Wi-Fi and BLE.	09:30	SAR 915	
Nature Mni PRO	10.005590	LS268-GR3	Nature Mini Pro(Grey 3 way)	4-inch HD touch screen; customizable operating system,; multiple protocols including CoSS, Zigbee, dual brand Wi-Fi and BLE.	09:30	SAR 915	
			Switch module (suitable for exist	iting switches, installed back of the switches to convert them smart)			
CUBE Switch Module	11.004920	LS176	CUBE Switch Module (1 way)	Work with Smart Station, 1 way, transform a traditional switch to a smart one, compact size, fit in different light switch backboxes		SAR 223	
CUBE Switch Module	11.004930	LS177	CUBE Switch Module (2 way)	Work with Smart Station, 2 way, transform a traditional switch to a smart one, compact size, fit in different light switch back boxes		SAR 246	
CUBE Switch Module	11.007540	LS193	CUBE Switch Module PRO (3 way)	Work with Smart Station, 3 way, transform a traditional switch to a smart one, compact size, fit in different light switch back boxes	and the same of th	SAR 270	
Smart Switch Air							
Smart Switch Air	11.013420	LS222-WH4	Smart Switch Air (8 Key 4 Way White)	Smart Switch Air series replace your traditional switch with CoSS protocol to make your life easier.		SAR 270	
Blend Switch Pro without Neutral(1gang, 2gang, 3gang, White and Grey)							
BLEND Smart Switch PRO	10.004190	LS240-LW1	BLEND Switch PRO(SL/White 1 way)	The upgrade version of the BLEND Smart Switch, optimize the led light band effect, frosted large plate keys, upgrade the key experience . Work with Smart Station, 86 type, customized 16 million colors panel light, dual control, multiple control. SL:Single live wiring switch		SAR 305	
BLEND Smart Switch PRO	10.004200	LS240-LW2	BLEND Switch PRO(SL/White 1 way)	The upgrade version of the BLEND Smart Switch, optimize the led light band effect, frosted large plate keys, upgrade the key experience. Work with Smart Station, 86 type, customized 17 million colors panel light, dual control, multiple control. SL:Single live wiring switch		SAR 328	
BLEND Smart Switch PRO	10.004210	LS240-LW3	BLEND Switch PRO(SL/White 1 way)	The upgrade version of the BLEND Smart Switch, optimize the led light band effect, frosted large plate keys, upgrade the key experience. Work with Smart Station, 86 type, customized 18 million colors panel light, dual control, multiple control. SL:Single live wiring switch		SAR 352	

BLRN Smith 1000410 15340-163 R PRD Smith FREQGIGG Gray every		10.004220	LS240-LG1	BLEND Switch PRO(SL/Gray 1 way)	keys, upgrade the key experience . Work with Smart Station, 86 type, customized 19 million colors panel light, dual control, multiple control.		SAR 305	
Marker Switch 10095376 15270-WP Marker Switch (MATTE) Marker Switch		10.004230	LS240-LG2	BLEND Switch PRO(SL/Gray1 way)	keys, upgrade the key experience . Work with Smart Station, 86 type, customized 20 million colors panel light, dual control, multiple control.		SAR 328	
Nature Switch 20,005360 LE229-WT (RH tet Air Glass - White 1 was yet sendent regress with controlling require control work with Ages thereof Ages before Age thereof ages an appropriate control work with Ages thereof Ages before Age thereof Ages and Ages Ages a		10.004240	LS240-LG3	BLEND Switch PRO(SL/Gray 1 way)	keys, upgrade the key experience . Work with Smart Station, 86 type, customized 21 million colors panel light, dual control, multiple control.		SAR 352	
Nature Switch 30,005370 L5220-WT (White AG Class - White I work with a street of the control of				Natur	re Switches Glass (1gang, 2gang, 3gang)			
Nature Switch 10005370 LS220-WP3 (Rit Fo & Gillass - White 2 years and the switch of the property of the second street of the switch of the property of the property of the switch of the property	Nature Switch	10.005360	LS220-WF1	(White AG Glass - White 1			SAR 305	
Nature Switch 1000540 LS220-GM2 Nature Switch (MATE) (Black AG Glass – Gray 1 way) Nature Switch 1000540 LS220-GM2 Nature Switch (MATE) (Black AG Glass – Gray 2 way) Nature Switch 1000540 LS220-GM2 Nature Switch (MATE) (Black AG Glass – Gray 3 way) Nature Switch 1000540 LS220-GM2 Nature Switch (MATE) (Black AG Glass – Gray 3 way) Nature Switch 1000540 LS220-GM2 Nature Switch (MATE) (Black AG Glass – Gray 3 way) Nature Switch 1000540 LS220-GM2 Nature Switch (MATE) (Black AG Glass – Gray 3 way) Nature Switch 1000540 LS220-GM2 Nature Switch (MATE) (Black AG Glass – Gray 3 way) Nature Switch 1000540 LS220-GM2 Nature Switch (MATE) (Black AG Glass – Gray 3 way) Nature Switch 1000540 LS220-GM3 Nature Switch (MATE) (Black AG Glass – Gray 3 way) Nature Switch 1000540 LS220-GM3 Nature Switch (Mate) Nature Switch (Mate	Nature Switch	10.005370	LS220-WF2	(White AG Glass - White 2		1	SAR 328	
Nature Switch 10005420 IS220-GM1 (Black AG Glass — Gray 1 was) Nature Switch 10005430 IS220-GM2 (Black AG Glass — Gray 2 vay) Nature Switch 10005430 IS220-GM2 (Black AG Glass — Gray 2 vay) Nature Switch 10005430 IS220-GM3 (Black AG Glass — Gray 2 vay) Nature Switch 10005440 IS220-GM3 (Black AG Glass — Gray 3 vay) Nature Switch 10005440 IS220-GM3 (Black AG Glass — Gray 3 vay) Nature Switch 10005430 IS220-GM3 (Black AG Glass — Gray 3 vay) Nature Switch 10004370 IS220-GM6 (Matter Switch Scene Panel (6 Key)Black AG Glass — White 3 vay) Nature Switch 10004370 IS220-GM6 (Matter Switch Scene Panel (6 Key)Black AG Glass — Gray 3 vay) Nature Switch 10004370 IS220-GM6 (Matter Switch Scene Panel (6 Key)Black AG Glass — Gray 3 vay) Nature Switch 10004370 IS220-GM6 (Matter Switch Scene Panel (6 Key)Black AG Glass — Gray 3 vay) Nature Switch 10004370 IS220-GM6 (Matter Switch Scene Panel (6 Key)Black AG Glass — Gray 3 vay) Nature Switch 10004370 IS320-GM6 (Matter Switch Scene Panel (6 Key)Black AG Glass — Gray 3 vay) This product supports up to is scene buttlens and valies familiary (ID lighting as the back light, while for couton color adjustment from 15 million colors) Nature Switch 10004370 IS320-GM6 (Matter Switch Scene Panel (6 Key)Black AG Glass — Gray 3 vay) This product supports up to is scene buttlens and valies familiary (ID lighting as the back light, while for colors of washing for colors of adjustment from 15 million colors of washing for colors of adjustment from 15 million colors of washing for colors of adjustment from 15 million colors of adjustment from 15 million colors of washing for colors of adjustment from 15 million colors o	Nature Switch	10.005380	LS220-WF3	(White AG Glass - White 3		1 1 1	SAR 352	
Nature Switch 10,005430 L5220-GM2 (Bll ack AG Glass – Gray 2 analy) Nature Switch 10,005440 L5220-GM3 (Black AG Glass – Gray 3 analy) Nature Switch 10,005440 L5220-GM3 (Black AG Glass – Gray 3 analy) Nature Switch 10,005440 L5220-GM3 (Black AG Glass – Gray 3 analy) Nature Switch 10,005440 L5220-GM3 (Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch 10,004320 L5220-GM6 (Reyl)(Black AG Glass – Gray 3 analy) Nature Switch (Reavy Duty) Nature Swi	Nature Switch	10.005420	LS220-GM1	(Black AG Glass - Gray 1			SAR 305	
Nature Switch 10,005440 LS220-GM3 (Black AG Glass – Gray 3 way) Nature Switch 10,004320 LS220-WM6 (Exp(Black AG Glass – Gray 3 way) Nature Switch 10,004320 LS220-WM6 (Exp(Black AG Glass – White 3 way) Nature Switch 10,004320 LS220-GM6 (Exp(Black AG Glass – White 3 way) Nature Switch 10,004330 LS220-GM6 (Exp(Black AG Glass – White 3 way) Nature Switch 10,004330 LS220-GM6 (Exp(Black AG Glass – Gray 3 way) Nature Switch 10,004330 LS220-GM6 (Exp(Black AG Glass – Gray 3 way) Nature Switch 10,004330 LS220-GM6 (Exp(Black AG Glass – Gray 3 way) Nature Switch 10,004330 LS220-GM6 (Exp(Black AG Glass – Gray 3 way) Nature Switch 10,004330 LS220-GM6 (Exp(Black AG Glass – Gray 3 way)) Nature Switch (Exp(Black AG Glass – Gray 3 way) Nature Switch (Exp(Black AG Glass	Nature Switch	10.005430	LS220-GM2	(Black AG Glass - Gray 2			SAR 328	
Nature Switch 10.004320 LS220-WM6 Key/(Black AG Glass - White 3 way) allowing for outstom color adjustments from 16 million colors. Nature Switch 10.004330 LS220-GM6 Nature Switch Scene Panel (6 Key/(Black AG Glass - Gray 3 way) Nature Switch 10.004330 LS220-GM6 Nature Switch Scene Panel (6 Key/(Black AG Glass - Gray 3 way) Nature Switch 10.004670 LS220-GRH Nature Switch (Heavy Duty) Mature Switch 10.004670 LS220-GRH Nature Switch (Heavy Duty) Mature Switch 10.004670 LS20-GRH Nature Switch (Heavy Duty) Mature Switch (Heavy Duty) Mature Switch Nature Switch (Heavy Duty) Mature Switch (Heavy Duty) Mature Switch Nature Switch (Heavy Duty) Mature Switch (Hea	Nature Switch	10.005440	LS220-GM3	(Black AG Glass - Gray 3			SAR 352	
Nature Switch 10,004330 LS20-GM6 Key/(Black AG Glass - Gray 3 way) Nature Switch 10,004670 LS20-GRH Nature Switch (Heavy Duty) Nature Switch 10,004670 LS20-GRH Nature Switch (Heavy Duty) Nature Switch (Heavy Duty) Ides mant switch designed to control high power machine or device. It uses the high-power latching registy that can withstand high current and control the live and neutral loop connect or disconnect at the same time. Clicker, Remote and Socket CUBE Clicker 11,002670 LS069WH CUBE Clicker (White) Work with Smart Station, can be attached anywhere, one-click to easily switch to different senes, 1 battery power supply Smart Remote control white Smart Remote control of alarm system. It can be fastened in the keys and be attached on the ke	Nature Switch	10.004320	LS220-WM6				SAR 399	
Nature Switch 10.004670 LS220-GRH Nature Switch (Heavy Duty) LS220-GR	Nature Switch	10.004330	LS220-GM6			*	SAR 399	
Nature Switch 10004670 LS220-GRH Nature Switch (Heavy Duty) device. It uses the high-power latching relay that can withstand high current and control the live and neutral loop connect or disconnect at the same time. Clicker, Remote and Socket CUBE Clicker 11.002670 LS069WH CUBE Clicker (White) Work with Smart Station, can be attached anywhere, one-click to easily switch to different senes, 1 battery power supply SAR 94 DEFED Series 11.006830 LS201WH DEFED Key Fob Aportable and easy-to-use ancillary control of alarm system. It can be fastened in the keys and be taken to everywhere with ease Sattery CR2032, 4 buttons, 4LD Indicator SAR 129 BSD48 Smart Plug(ZigBee UK, with Monitor Energy Usage) Work with Smart Station, energy-consumption monitoring, remote control, easy pairing, fameresistant material, energy saving 3rd part connection					Nature Switch (heavy Duty)			
CUBE Clicker 11.002670 LS069WH CUBE Clicker (White) Work with Smart Station, can be attached anywhere, one-click to easily switch to different senes, 1 battery power supply Smart Remote control white SAR 129 DEFED Series 11.006830 LS201WH DEFED Key Fob Aportable and easy-to-use ancillary control of alarm system. It can be fastened in the keys and be taken to everywhere with easeBattery (R2032, -4 buttons, -LED Indicator SAR 129 Plug 11.012520 BSD48 Smart Plug(ZigBee UK, with Monitor Energy Usage) Work with Smart Station, energy-consumption monitoring, remote control, easy pairing, flameresistant material, energy saving SAR 153	Nature Switch	10.004670	LS220-GRH	Nature Switch (Heavy Duty)	device. It uses the high-power latching relay that can withstand high current and control the live and	•	SAR 328	
DEFED Series 11.006830 LS201WH DEFED Key Fob Aportable and easy-to-use ancillary control of alarm system. It can be fastened in the keys and be taken to everywhere with ease. Battery CR2032, 4 buttons, -LED Indicator Plug 11.012520 BSD48 Smart Plug(ZigBee UK, with Monitor Energy Usage) Work with Smart Station, energy-consumption monitoring, remote control, easy pairing, flameresistant material, energy saving SAR 153					Clicker, Remote and Socket			
DEFED Series 11.006830 LS201WH DEFED Key Fob A portable and easy-to-use ancillary control of alarm system. It can be fastened in the keys and be taken to everywhere with ease. -Battery CR2032, 4 buttons, -LED Indicator SAR 129 11.012520 BSD48 Smart Plug(ZigBee UK, with Monitor Energy Usage) Work with Smart Station, energy-consumption monitoring, remote control, easy pairing, flameresistant material, energy saving SAR 153	CUBE Clicker	11.002670	LS069WH	CUBE Clicker (White)		a	SAR 94	
DEFED Series 11.006830 LS201WH DEFED Key Fob taken to everywhere with ease. Battery CR2032, 4 buttons, -LED Indicator Plug 11.012520 BSD48 Smart Plug(ZigBee UK, with Monitor Energy Usage) Work with Smart Station, energy-consumption monitoring, remote control, easy pairing, flameresistant material, energy saving SAR 153 3rd part connection					Smart Remote control white		SAR 129	
Flug 11.012520 BSD48 Energy Usage) flameresistant material, energy saving SAR 153 3rd part connection	DEFED Series	11.006830	LS201WH	DEFED Key Fob	taken to everywhere with ease.	7)	SAR 129	
	Plug	11.012520	BSD48				SAR 153	
Controller 11.007590 LS080HV 485 Converter Work with Smart Station, easy to integrate 3rd party 12/24V devices with LifeSmart system SAR 399	3rd part connection							
	Controller	11.007590	LS080HV	485 Converter	Work with Smart Station, easy to integrate 3rd party 12/24V devices with LifeSmart system		SAR 399	
Controller 11.000570 L5143 General Controller Work with Smart Station, easy to integrate 3rd party 12/24V devices with LifeSmart system SAR 305	Controller	11.000570	LS143	General Controller	Work with Smart Station, easy to integrate 3rd party 12/24V devices with LifeSmart system		SAR 305	
Strip lights		Strip lights						

Lighting	11.000740	LS065	BLEND Light Strip (24V)	Work with Smart Station, over 16 million colors and white light, brightness adjustment, low power consumption LED technology, free length customization, interactions with the entire LifeSmart Smart Home System	Ø_r	SAR 375
Lighting	11.000900	LS012	Light Strip Controller	Work with Smart Station to control the Light Strip	Manual Manual	SAR 211
Lighting	81.000160	/	Light Strip (2meters)	2 meters in length		SAR 141
Connector	70.000130	/	Light Strip Connect Cable	Light Strip Connect Cable		SAR 4
Connector	24.900690	/	Light Strip Connection Pin	Light Strip Connection Pin	11111	SAR 2
				Dimmer lighting control		
Dimmer Controller	11.013660	LS265	CV Dimming Controller	LED dimming color and constant voltage controller (CV Dimming Controller), canbe used for intelligent constant voltage lighting system, through PWM dimming technology to achieve stable, soft, unified dimming effect.		SAR 305
Dimmer Controller		LS223BL	Triac dimmer	Triac dimmer, black, grey frame	6	SAR 282
				Smart Locks		
Smart Lock	10.005300	11.012510+82.001 400+82.001440	Smart Door Lock C200_Black(30 hook Wooden door)	Access to LifeSmart system through the "Coss", standard 6068 lock body, suitable for door thickness of 40°122mm, appearance, child lock, voice, unlocking method, fingerprint experience, lock core comprehensive upgrade, a grip that opens the door, so that every time you open the door is safe and worry-free, to create a more comfortable smart home scene experience.		SAR 1,290
				Sensors		
DEFED Series	11.006840	LS202WH	DEFED Door/Window Sensor	A narrow design opening contact, applicable for any windows or doors you want. The built-in temperature sensor could make users aware of room environment. -Tamper Protection, -Battery Life Up To 10 Years, -800M signal transmission		SAR 164
DEFED Series	11.007250	LS203WH	DEFED Motion Sensor	The PIR sensor is combined with a temperature sensing element for detection accuracy at higher temperatures.		SAR 199
DEFED Series	11.007510	LS204WH	DEFED Indoor Siren	Indoor Siren is a warning device in home security system with LED indicator and temperature sensor, providing sounds >80dB. As there is an intruder, the equipment will be triggered to drive him/her away.		SAR 246
Cube Series	11.002460	LS058WH	Cube Door/Window Sensor	Work with Smart Station, real-time feedback on door/window status, 24/7 alert, low power consumption, history record, added the function of scenes control, 1 battery power supply	1	SAR 153
Motion Sensor PRO	11.013810	LS235WH	Motion Sensor PRO	Motion Sensor PRO adopts a rectangular body and a specially designed large battery compartment, reproducing the classicelements of Leica-like cameras.		SAR 176
Cube Series	11.002480	LS063WH	Cube Environmental Sensor	Work with Smart Station, simultaneously monitor the temperature, humidity and illumination, LCD display, low power consumption, history record, 1 battery power supply		SAR 188
Sensor	11.005730	LS064WH	Water Leak Sensor	Work with Smart Station, water leak detection, 24/7 alert, low power consumption, history record, 1 battery power supply	beenan	SAR 188
Sensor	11.005750	LS086WH	Gas Sensor	Work with Smart Station, gas leak detection including methane, natural gas and biogas, 24/7 push notification and sound alert, sensitivity adjustable, history record, 5v Power Supply		SAR 293
Sensor	11.009350	MIR-SM100	Independent Photoelectric Smoke Detector(ZigBee)	Independent Photoelectric Smoke Detector adopting advanced optical sensing principle, it can quickly detect smoke at the early stage of a smoldering fire, discover the occurrence of fire as early as possible. With sound alarm and transmit a wireless signal to the gateway, it alerts users to call the police, extinguish or escape in time and helps to reduce losses.		SAR 211
Sensor	11.009610	JT-GA102	Household Gas Detector(ZigBee)	The product adopts advanced small current gas sensing element and built-in temperature compensation, works steadily and simple to install. It can detect small combustible gases in the air in time, support audio and optical alarm(>70dB), and transmit the alarm signal to the customer's mobile phone APP through the Smart Station, so that the customer can be promptly dealt with.		SAR 340
Sensor	11.012440	MSA201 Z	Human Presence Sensor (ZigBee)	The human presence sensor adopts millimeter wave Doppler radar, sensing human movement and static presence. It detect via human movement Doppler parameters and human physiological parameters synchronized sensing technology for wireless perception of human status in the area, report the wireless signal to the gateway to activate smart scene linkage; suitable for home, hotel, office and otherplaces.		SAR 563

Curtains							
Curtain Controller	10.004290	LS240-GCN	Nature Swirch Curtain Controller	The Nature Switch Curtain Controller can be connected to electric. Users can remotely control the traditional curtain via mobile app, making the doors, windows and curtains to be smart or work with other smart devices.		SAR 352	
Quicklink Curtain	11.004940	BCM100D	Quicklink Curtain Motor Suit (3.2m)	Work with Smart Station, scheduled task, including motor, 3.2 meter adjustable curtain track and a remote control	11.0	SAR 774	
Quicklink Curtain	11.005420	BCM100D	Quicklink Curtain Motor Suit (5.2m)	Work with Smart Station, scheduled task, including motor, 5.2 meter adjustable curtain track and a remote control, 40kg load	11.0	SAR 892	
Smart Curtain Accessory	11.012590	YR2188B	Dual-channel Remote Control_Tubular Motor(V2)	Dual-channel Remote Control_Tubular Motor(V2), Adapted to DC Tubular Motor(V2).		SAR 82	
Smart Curtain	11.013430	TQA25	DC Tubular Motor-25	DC Tubular Motor-25, lightweight small body, adaptable to multiple scenes.		SAR 551	
Smart Curtain Accessory	59.000680	/	DC Tubular Motor(V2)-25 Accessory	DC Tubular Motor-25, lightweight small body, adaptable to multiple scenes.	TOALSENER	SAR 47	
Smart Curtain		/	TP35-5/26EHU	DC Tubular Motor(V2) - 15Kg	•	SAR 915	
Smart Curtain Accessory		/		Tubular Curtain Accessories Set for TP3S-5/26EHU		SAR 47	
				AC Control			
Universal Remote Controller	11.007520	LS251WH	SPOT Mini Universal Remote Controller (CoSS)	All-in-one IR remote controller to active TVs, air conditioners, fans, DVDs, STBs, TV BOXes, etc. It covers nearly 6,386 brands of appliances, in 109 countries.		SAR 188	
Nature Thermostat	11.009780	LS212	Central Air-conditioner Smart Controller PRO	/		SAR 587	
Nature Thermostat	10.004140	LS220-WT1	Nature Thermostat (Gray Frame - Black Glass)	LifeSmart's Nature Thermostat has three fan speed interfaces and two valve interfaces for HVAC or floor heating system control and management. It is suitable for household, commercial and industrial scenarios. It controls the fan coil and electric valve, electric ball valve or air valve at the end of the HVAC or floor heating system.		SAR 528	
Nature Mini PRO Series	10.005500	LS268-WT1	Nature Mini PRO (White Thermostat)	Central air-conditioner and floor heating two-in-one control panel. In summer, comfortable environment is reached by controlling the fan coil of fan coil system with local temperature.can also work as a gateway and a smart home control panel.	09:30	SAR 915	
Nature Mini PRO Series	10.005610	LS268-GT1	Nature Mini PRO (Grey Thermostat)	Central air-conditioner and floor heating two-in-one control panel. In summer, comfortable environment is reached by controlling the fan coil of fan coil system with local temperature.can also work as a gateway and a smart home control panel.	09:30	SAR 915	