

Ralph Brown's Interrupt List

Reference: <http://www.delorie.com/djgpp/doc/rbinter/ix/>

INT 10 – Video Services

Int 10 - CPU-generated (80286+) - COPROCESSOR ERROR
Int 10 - LIRVGA19 - CHAR HEIGHT HOOK
Int 10/AH=00h - VIDEO - SET VIDEO MODE
Int 10/AX=0070h - VIDEO - Everex Micro Enhancer EGA/Viewpoint VGA - EXTENDED MODE SET
Int 10/AX=007Eh - VIDEO - Paradise VGA, AT&T VDC600 - SET SPECIAL MODE
Int 10/AX=007Fh/BH=00h - VIDEO - Paradise VGA, AT&T VDC600 - SET VGA OPERATION
Int 10/AX=007Fh/BH=01h - VIDEO - Paradise VGA, AT&T VDC600 - SET NON-VGA OPERATION
Int 10/AX=007Fh/BH=02h - VIDEO - Paradise VGA, AT&T VDC600 - QUERY MODE STATUS
Int 10/AX=007Fh/BH=03h - VIDEO - Paradise VGA, AT&T VDC600 - LOCK CURRENT MODE
Int 10/AX=007Fh/BH=04h - VIDEO - Paradise VGA, AT&T VDC600 - ENTER MDA EMULATION MODE
Int 10/AX=007Fh/BH=05h - VIDEO - Paradise VGA, AT&T VDC600 - ENTER CGA EMULATION MODE
Int 10/AX=007Fh/BH=06h - VIDEO - Paradise VGA, AT&T VDC600 - ENTER MONOCHROME VGA MODE
Int 10/AX=007Fh/BH=07h - VIDEO - Paradise VGA, AT&T VDC600 - ENTER COLOR VGA MODE
Int 10/AX=007Fh - VIDEO - Paradise VGA, AT&T VDC600 - EXTENDED DATA REGISTER ACCESS
Int 10/AX=007Fh/BH=60h - Paradise VGA - ???
Int 10/AX=007Fh/BH=61h - Paradise VGA - ???
Int 10/AX=007Fh/BX=A500h - Paradise VGA - ???
Int 10/AX=007Fh/BH=A5h - Paradise VGA - ???
Int 10/AX=007Fh/BH=A6h - Paradise VGA - ???
Int 10/AH=01h - VIDEO - SET TEXT-MODE CURSOR SHAPE
Int 10/AH=02h - VIDEO - SET CURSOR POSITION
Int 10/AH=03h - VIDEO - GET CURSOR POSITION AND SIZE
Int 10/AH=04h - VIDEO - READ LIGHT PEN POSITION (except VGA)
Int 10/AH=04h - HUNTER 16 - GET CURSOR ADDRESS
Int 10/AH=05h - VIDEO - SELECT ACTIVE DISPLAY PAGE
Int 10/AX=0500h - VIDEO - Corona/Cordata BIOS v4.10+ - SET GRAPHICS BITMAP BUFFER
Int 10/AX=050Fh - VIDEO - Corona/Cordata BIOS v4.10+ - GET GRAPHICS BITMAP BUFFER
Int 10/AX=0580h - VIDEO - PCjr, Tandy 1000 - GET CRT/CPU PAGE REGISTERS
Int 10/AH=05h - VIDEO - PCjr, Tandy 1000 - SET CRT/CPU PAGE REGISTERS
Int 10/AH=06h - VIDEO - SCROLL UP WINDOW
Int 10/AH=07h - VIDEO - SCROLL DOWN WINDOW
Int 10/AH=08h - VIDEO - READ CHARACTER AND ATTRIBUTE AT CURSOR POSITION
Int 10/AH=09h - VIDEO - WRITE CHARACTER AND ATTRIBUTE AT CURSOR POSITION
Int 10/AH=0Ah - VIDEO - WRITE CHARACTER ONLY AT CURSOR POSITION
Int 10/AH=0Bh/BH=00h - VIDEO - SET BACKGROUND/BORDER COLOR
Int 10/AH=0Bh/BH=01h - VIDEO - SET PALETTE
Int 10/AH=0Bh/BH=02h - Tandy 2000 - VIDEO - SET PALETTE ENTRY
Int 10/AH=0Ch - VIDEO - WRITE GRAPHICS PIXEL
Int 10/AH=0Dh - VIDEO - READ GRAPHICS PIXEL
Int 10/AH=0Eh - VIDEO - TELETYPE OUTPUT

Int 10/AH=0Eh/CX=ABCDh - V20-XT-BIOS - TELETYPE OUTPUT WITH ATTRIBUTE
Int 10/AH=0Fh - VIDEO - GET CURRENT VIDEO MODE
Int 10/AX=0F56h/BX=4756h - VUIMAGE DISPLAY DRIVER (v2.20 and below)
Int 10/AH=0Fh/SI=F123h - FRIEZE v7.41+ - INSTALLATION CHECK
Int 10/AH=10h - BIOS Window Extension v1.1 - SET WINDOW COORDINATES
Int 10/AH=10h - VIDEO - Eagle PC2 BIOS Rev. C - SET SCROLL SPEED
Int 10/AH=10h - Tandy 2000 - VIDEO - GET/SET CHARACTER FONTS
Int 10/AX=1000h - VIDEO - SET SINGLE PALETTE REGISTER (PCjr,Tandy,EGA,MCGA,VGA)
Int 10/AX=1001h - VIDEO - SET BORDER (OVERSCAN) COLOR (PCjr,Tandy,EGA,VGA)
Int 10/AX=1002h - VIDEO - SET ALL PALETTE REGISTERS (PCjr,Tandy,EGA,VGA)
Int 10/AX=1003h - VIDEO - TOGGLE INTENSITY/BLINKING BIT (Jr, PS, TANDY 1000, EGA, VGA)
Int 10/AX=1007h - VIDEO - GET INDIVIDUAL PALETTE REGISTER (VGA,UltraVision v2+)
Int 10/AX=1008h - VIDEO - READ OVERSCAN (BORDER COLOR) REGISTER (VGA,UltraVision v2+)
Int 10/AX=1009h - VIDEO - READ ALL PALETTE REGISTERS AND OVERSCAN REGISTER (VGA)
Int 10/AX=1010h - VIDEO - SET INDIVIDUAL DAC REGISTER (VGA/MCGA)
Int 10/AX=1012h - VIDEO - SET BLOCK OF DAC REGISTERS (VGA/MCGA)
Int 10/AX=1013h - VIDEO - SELECT VIDEO DAC COLOR PAGE (VGA)
Int 10/AX=1015h - VIDEO - READ INDIVIDUAL DAC REGISTER (VGA/MCGA)
Int 10/AX=1017h - VIDEO - READ BLOCK OF DAC REGISTERS (VGA/MCGA)
Int 10/AX=1018h - VIDEO - SET PEL MASK (VGA/MCGA)
Int 10/AX=1019h - VIDEO - READ PEL MASK (VGA/MCGA)
Int 10/AX=101Ah - VIDEO - GET VIDEO DAC COLOR-PAGE STATE (VGA)
Int 10/AX=101Bh - VIDEO - PERFORM GRAY-SCALE SUMMING (VGA/MCGA)
Int 10/AX=10E0h - VIDEO - Diamond Speedstar 24 - SET 24-BIT GRAPHICS MODE
Int 10/AX=10F0h - VIDEO - Tseng ET-4000 BIOS - SET HiColor GRAPHICS MODE
Int 10/AX=10F1h - VIDEO - Tseng ET-4000 BIOS - GET DAC TYPE
Int 10/AX=10F2h - VIDEO - Tseng ET-4000 BIOS - CHECK IF HiColor MODE/SET HiColor MODE
Int 10/AH=11h - BIOS Window Extension v1.1 - GET WINDOW COORDINATES
Int 10/AH=11h - Tandy 2000 - VIDEO - WRITE ATTRIBUTE ONLY
Int 10/AX=1100h - VIDEO - TEXT-MODE CHARGEN - LOAD USER-SPECIFIED PATTERNS (PS,EGA,VGA)
Int 10/AX=1101h - VIDEO - TEXT-MODE CHARGEN - LOAD ROM MONOCHROME PATTERNS (PS,EGA,VGA)
Int 10/AX=1102h - VIDEO - TEXT-MODE CHARGEN - LOAD ROM 8x8 DBL-DOT PATTERNS (PS,EGA,VGA)
Int 10/AX=1103h - VIDEO - TEXT-MODE CHARGEN - SET BLOCK SPECIFIER (PS,EGA,VGA)
Int 10/AX=1104h - VIDEO - TEXT-MODE CHARGEN - LOAD ROM 8x16 CHARACTER SET (VGA)
Int 10/AH=11h - VIDEO - Realtek RTVGA - TEXT-MODE CHARACTER GENERATOR FUNCTIONS
Int 10/AX=110Fh - VIDEO - Realtek RTVGA - SET USER 8x8 GRAPHICS CHARACTERS
Int 10/AX=1110h - VIDEO - TEXT-MODE CHARGEN - LOAD USER-SPECIFIED PATTERNS (PS,EGA,VGA)
Int 10/AX=1110h - VIDEO - Realtek RTVGA - SET USER GRAPHICS CHARACTERS
Int 10/AX=1111h - VIDEO - TEXT-MODE CHARGEN - LOAD ROM MONOCHROME PATTERNS (PS,EGA,VGA)
Int 10/AX=1111h - VIDEO - Realtek RTVGA - SET ROM 8x14 GRAPHICS CHARACTERS
Int 10/AX=1112h - VIDEO - TEXT-MODE CHARGEN - LOAD ROM 8x8 DBL-DOT PATTERNS (PS,EGA,VGA)
Int 10/AX=1112h - VIDEO - Realtek RTVGA - SET ROM 8x8 DOUBLE-DOT CHARACTERS
Int 10/AX=1114h - VIDEO - TEXT-MODE CHARGEN - LOAD ROM 8x16 CHARACTER SET (VGA)
Int 10/AX=1118h - IBM SurePath BIOS - Officially Private Function

Int 10/AX=1120h - VIDEO - GRAPH-MODE CHARGEN - SET USER 8x8 GRAPHICS CHARS (PS,EGA,VGA)
Int 10/AX=1121h - VIDEO - GRAPH-MODE CHARGEN - SET USER GRAPHICS CHARACTERS (PS,EGA,VGA)
Int 10/AX=1122h - VIDEO - GRAPH-MODE CHARGEN - SET ROM 8x14 GRAPHICS CHARS (PS,EGA,VGA)
Int 10/AX=1123h - VIDEO - GRAPH-MODE CHARGEN - SET ROM 8x8 DOUBLE-DOT CHARS (PS,EGA,VGA)
Int 10/AX=1124h - VIDEO - GRAPH-MODE CHARGEN - LOAD 8x16 GRAPHICS CHARS (VGA,MCGA)
Int 10/AX=1129h - VIDEO - GRAPH-MODE CHARGEN - LOAD 8x16 GRAPH CHARS (Compaq Systempro)
Int 10/AX=1129h - VIDEO - GRAPH-MODE CHARGEN - SET USER GRAPHICS CHARACTERS (Diamond)
Int 10/AX=1130h - VIDEO - GET FONT INFORMATION (EGA, MCGA, VGA)
Int 10/AX=1130h/BX=4D4Fh - M10_SCR.COM v3.5+ - INSTALLATION CHECK
Int 10/AH=12h - BIOS Window Extension v1.1 - GET BLANKING ATTRIBUTE
Int 10/AH=12h - Tandy 2000 - VIDEO - SCROLL WINDOW
Int 10/AH=12h/BL=10h - VIDEO - ALTERNATE FUNCTION SELECT (PS, EGA, VGA, MCGA) - GET EGA INFO
Int 10/AH=12h/BL=11h - VIDEO - Trident TVGA 8800/8900/9000 BIOS - GET BIOS INFO
Int 10/AH=12h/BL=12h - VIDEO - Trident TVGA 8800/8900/9000 BIOS - GET VIDEO RAM SIZE
Int 10/AH=12h/BL=20h - VIDEO - ALTERNATE FUNCTION SELECT (PS,EGA,VGA,MCGA) - ALTERNATE PRTSC
Int 10/AH=12h/BL=2Eh - Tseng ET-4000 BIOS v3.00 and v8.00 - BUG
Int 10/AH=12h/BL=30h - VIDEO - ALTERNATE FUNCTION SELECT (VGA) - SELECT VERTICAL RESOLUTION
Int 10/AH=12h/BL=31h - VIDEO - ALTERNATE FUNCTION SELECT (VGA, MCGA) - PALETTE LOADING
Int 10/AH=12h/BL=32h - VIDEO - ALTERNATE FUNCTION SELECT (VGA, MCGA) - VIDEO ADDRESSING
Int 10/AH=12h/BL=33h - VIDEO - ALTERNATE FUNCTION SELECT (VGA, MCGA) - GRAY-SCALE SUMMING
Int 10/AH=12h/BL=34h - VIDEO - ALTERNATE FUNCTION SELECT (VGA) - CURSOR EMULATION
Int 10/AH=12h/BL=35h - VIDEO - ALTERNATE FUNCTION SELECT (PS) - DISPLAY-SWITCH INTERFACE
Int 10/AH=12h/BL=36h - VIDEO - ALTERNATE FUNCTION SELECT (PS, VGA) - VIDEO REFRESH CONTROL
Int 10/AH=12h/BL=37h - VIDEO - XGA - MAINFRAME INTERACTIVE SUPPORT
Int 10/AH=12h/BL=38h - IBM SurePath BIOS - Officially Private Function
Int 10/AH=12h/BL=39h - IBM SurePath BIOS - Officially Private Function
Int 10/AH=12h/BL=3Ah - IBM SurePath BIOS - Officially Private Function
Int 10/AH=12h/BL=53h - Tseng ET-4000 BIOS v8.00 (1991/06/07) - BUG
Int 10/AH=12h/BL=57h - Tseng ET-4000 BIOS v8.00 (1991/06/07) - BUG
Int 10/AH=12h/BH=55h - VIDEO - ALTERNATE FUNC SELECT (ATI,Tatung,Taxan) - ENHANCED FEATURES
Int 10/AH=12h/BL=74h - Tseng ET-4000 BIOS v3.00 and v8.00 - BUG
Int 10/AH=12h/BL=80h - Tseng ET-4000 BIOS v3.00 and v8.00 - BUG
Int 10/AH=12h/BL=80h - Cirrus Logic BIOS - INQUIRE VGA TYPE
Int 10/AH=12h/BL=81h - Cirrus Logic BIOS - GET BIOS VERSION NUMBER
Int 10/AH=12h/BL=82h - Cirrus Logic BIOS - GET DESIGN REVISION CODE
Int 10/AH=12h/BL=84h - Cirrus Logic BIOS v3.02 - INQUIRE OPTIONS
Int 10/AH=12h/BL=85h - Cirrus Logic BIOS - GET INSTALLED MEMORY
Int 10/AH=12h/BL=89h - Cirrus Logic BIOS v3.02 - LCD panel - EN/DISABLE REVERSE VIDEO MODE
Int 10/AH=12h/BL=8Ah - Cirrus Logic BIOS v3.02 - LCD panel - SET FRAME COLOR
Int 10/AH=12h/BL=8Bh - Cirrus Logic BIOS v3.02 - LCD panel - ENABLE/DISABLE BOLD MODE
Int 10/AH=12h/BL=8Ch - Cirrus Logic BIOS v3.02 - LCD panel - SET AUTOMAP/EMULATE ATTRIBUTES
Int 10/AH=12h/BL=8Fh - Cirrus Logic BIOS v3.02 - LCD panel - ENABLE/DISABLE EXPAND MODE
Int 10/AH=12h/BL=90h - Cirrus Logic BIOS v3.02 - LCD panel - SET CENTERING MODE
Int 10/AH=12h/BL=91h - Cirrus Logic BIOS v3.02 - LCD panel - SET 720-DOT FIXUP MODE

Int 10/AH=12h/BL=92h - Cirrus Logic BIOS v3.02 - LCD panel - SWITCH DISPLAY
Int 10/AH=12h/BL=93h - Cirrus Logic BIOS - FORCE 8-BIT OR 16-BIT OPERATION
Int 10/AH=12h/BL=94h - Cirrus Logic BIOS v3.02 - POWER CONSERVATION
Int 10/AH=12h/BL=9Ah - Cirrus Logic BIOS - GET USER OPTIONS
Int 10/AH=12h/BL=A0h - Cirrus Logic BIOS - GET VIDEO MODE AVAILABILITY
Int 10/AH=12h/BL=A1h - Cirrus Logic BIOS - READ MONITOR TYPE AND ID FROM 15-PIN CONNECTOR
Int 10/AH=12h/BL=A2h - Cirrus Logic BIOS - SET MONITOR HORIZONTAL RETRACE FREQUENCY
Int 10/AH=12h/BL=A3h - Cirrus Logic BIOS - SET VGA REFRESH
Int 10/AH=12h/BL=A4h - Cirrus Logic BIOS - SET MONITOR TYPE
Int 10/AH=12h/BL=AEh - Cirrus Logic BIOS - GET HIGH REFRESH
Int 10/AH=12h/BL=AFh - Cirrus Logic BIOS - SET HIGH REFRESH
Int 10/AH=12h/BL=BEh - Tseng ET-4000 BIOS v3.00 and v8.00 - BUG
Int 10/AH=12h/BL=C6h - Tseng ET-4000 BIOS v3.00 and v8.00 - BUG
Int 10/AH=12h/BL=F0h - Tseng ET-4000 BIOS v3.00 and v8.00 - BUG
Int 10/AH=12h/BL=F1h - Tseng ET-4000 BIOS - GET/SET SCREEN REFRESH RATE
Int 10/AH=13h - VIDEO - WRITE STRING (AT and later,EGA)
Int 10/AH=13h - DOS/V - READ/WRITE DOUBLE-BYTE CHARACTER SET CHARACTERS/ATTRIBUTES
Int 10/AX=1400h - VIDEO - LOAD USER-SPECIFIED LCD CHARACTER FONT (CONV,Compaq Port 386)
Int 10/AX=1401h - VIDEO - LOAD SYSTEM ROM DEFAULT LCD CHARACTER FONT (CONV,CP386)
Int 10/AX=1402h - VIDEO - SET MAPPING OF LCD HIGH INTENSITY ATTRIBUTES (CONV,CP386)
Int 10/AH=15h - VIDEO - GET PHYSICAL DISPLAY PARAMETERS (CONVERTIBLE)
Int 10/AH=15h - VIDEO - SET SUPERIMPOSE MODE (Sperry PC)
Int 10/AH=18h - VIDEO - DOS/V - GET/SET FONT PATTERN
Int 10/AH=19h - Japanese VIDEO - DOUBLE-BYTE CHARACTER SET SHIFT INFORMATION
Int 10/AX=1A00h - VIDEO - GET DISPLAY COMBINATION CODE (PS,VGA/MCGA)
Int 10/AX=1A01h - VIDEO - SET DISPLAY COMBINATION CODE (PS,VGA/MCGA)
Int 10/AH=1Bh - VIDEO - FUNCTIONALITY/STATE INFORMATION (PS,VGA/MCGA)
Int 10/AH=1Ch - VIDEO - SAVE/RESTORE VIDEO STATE (PS50+,VGA)
Int 10/AH=1Dh - VIDEO - DOS/V - SHIFT STATUS LINE CONTROL
Int 10/AH=1Dh - SpeedSTAR Plus BIOS v4.23+ - SET SYNC PARAMETERS
Int 10/AH=1Dh - Tseng ET-4000 BIOS v3.00 and v8.00 - BUG
Int 10/AX=1DAAh/BX=FDECh - Diamond Stealth64 Video - INSTALLATION CHECK
Int 10/AX=1E00h - VIDEO - FLAT-PANEL - READ INFORMATION
Int 10/AX=1E01h - VIDEO - FLAT-PANEL - LCD/CRT DISPLAY CONTROL
Int 10/AX=1E02h - VIDEO - FLAT-PANEL - DISPLAY POSITION
Int 10/AX=1E03h - VIDEO - FLAT-PANEL - VERTICAL EXPANSION FOR TEXT/GRAPHICS MODES
Int 10/AX=1E04h - VIDEO - FLAT-PANEL - NORMAL/REVERSE VIDEO FOR TEXT/GRAPHICS MODES
Int 10/AX=1E05h - VIDEO - FLAT-PANEL - BRIGHTNESS CONTROL
Int 10/AX=1E06h - VIDEO - FLAT-PANEL - CONTRAST CONTROL FOR TEXT/GRAPHICS
Int 10/AX=1E07h - VIDEO - FLAT-PANEL - BRIGHTNESS SETTING
Int 10/AX=1E08h - VIDEO - FLAT-PANEL - CONTRAST SETTING
Int 10/AX=1EFEh - VIDEO - FLAT-PANEL - FUNCTION SUPPORT FLAG
Int 10/AX=1F00h - VIDEO - XGA - GET DMQS (Display Mode Query and Set) DATA LENGTH
Int 10/AX=1F01h - VIDEO - XGA - READ DMQS DATA

Int 10/AX=1F02h - VIDEO - XGA - GET SVGA DMQS DATA LENGTH
Int 10/AX=1F03h - VIDEO - XGA - GET SVGA DMQS DATA
Int 10/AX=3000h/CX=0000h - VIDEO - LOCATE 3270PC CONFIGURATION TABLE (INSTALLATION CHECK)
Int 10/AX=3800h - Tinytalk Personal v1.09f+ - GET CONFIGURATION INFO
Int 10/AX=3801h - Tinytalk Personal v1.10 - ???
Int 10/AX=3802h - Tinytalk Personal v1.10 - ???
Int 10/AX=3803h - Tinytalk Personal v1.10 - GET ???
Int 10/AX=3804h - Tinytalk Personal v1.10 - GET ???
Int 10/AX=3805h - Tinytalk Personal v1.10 - GET ???
Int 10/AX=3806h - Tinytalk Personal v1.10 - ???
Int 10/AH=39h - Tinytalk Personal v1.10 - ???
Int 10/AH=40h - VIDEO - Hercules GRAFIX - GMODE - SET GRAPHICS MODE
Int 10/AH=41h - VIDEO - Hercules GRAFIX - TMODE - SET TEXT MODE
Int 10/AH=42h - VIDEO - Hercules GRAFIX - CLRSCR - CLEAR CURRENT PAGE
Int 10/AH=43h - VIDEO - Hercules GRAFIX - GPAGE - SELECT DRAWING PAGE
Int 10/AH=44h - VIDEO - Hercules GRAFIX - LEVEL - SELECT DRAWING FUNCTION
Int 10/AH=45h - VIDEO - Hercules GRAFIX - DISP - SELECT PAGE TO DISPLAY
Int 10/AH=46h - VIDEO - Hercules GRAFIX - PLOT - DRAW ONE PIXEL
Int 10/AH=47h - VIDEO - Hercules GRAFIX - GETPT - FIND PIXEL VALUE
Int 10/AH=48h - VIDEO - Hercules GRAFIX - MOVE - MOVE TO POINT
Int 10/AH=49h - VIDEO - Hercules GRAFIX - DLINE - DRAW TO POINT
Int 10/AH=4Ah - VIDEO - Hercules GRAFIX - BLKFIL - BLOCK FILL
Int 10/AH=4Bh - VIDEO - Hercules GRAFIX - TEXT - DISPLAY CHARACTER
Int 10/AH=4Bh - FRIEZE - API
Int 10/AH=4Ch - VIDEO - Hercules GRAFIX - ARC - DRAW ARC
Int 10/AH=4Dh - VIDEO - Hercules GRAFIX - CIRC - DRAW CIRCLE
Int 10/AH=4Eh - VIDEO - Hercules GRAFIX - FILL - FILL AREA
Int 10/AX=4E00h - VESA XGA BIOS Extensions - GET XGA ENVIRONMENT INFORMATION
Int 10/AX=4E01h - VESA XGA BIOS Extensions - RETURN XGA SUBSYSTEM INFORMATION
Int 10/AX=4E02h - VESA XGA BIOS Extensions - RETURN XGA MODE INFORMATION
Int 10/AX=4E03h - VESA XGA BIOS Extensions - SET XGA VIDEO MODE
Int 10/AX=4E04h - VESA XGA BIOS Extensions - RETURN CURRENT VIDEO MODE
Int 10/AX=4E05h - VESA XGA BIOS Extensions - SET FEATURE CONNECTOR STATE
Int 10/AX=4E06h - VESA XGA BIOS Extensions - RETURN FEATURE CONNECTOR STATE
Int 10/AX=4F00h - VESA SuperVGA BIOS (VBE) - GET SuperVGA INFORMATION
Int 10/AX=4F01h - VESA SuperVGA BIOS - GET SuperVGA MODE INFORMATION
Int 10/AX=4F02h - VESA SuperVGA BIOS - SET SuperVGA VIDEO MODE
Int 10/AX=4F03h - VESA SuperVGA BIOS - GET CURRENT VIDEO MODE
Int 10/AX=4F04h - VESA SuperVGA BIOS - SAVE/RESTORE SuperVGA VIDEO STATE
Int 10/AX=4F05h - VESA SuperVGA BIOS - CPU VIDEO MEMORY CONTROL
Int 10/AX=4F06h - VESA SuperVGA BIOS v1.1+ - GET/SET LOGICAL SCAN LINE LENGTH (PIXELS)
Int 10/AX=4F06h/BL=02h - VESA SuperVGA BIOS v2.0+ - SET LOGICAL SCAN LINE LENGTH (BYTES)
Int 10/AX=4F06h/BL=03h - VESA SuperVGA BIOS v2.0+ - GET MAXIMUM SCAN LINE LENGTH
Int 10/AX=4F07h - VESA SuperVGA BIOS v1.1+ - GET/SET DISPLAY START

Int 10/AX=4F07h - VESA SuperVGA BIOS v3.0+ - SCHEDULED DISPLAY START
Int 10/AX=4F07h - VESA SuperVGA BIOS v3.0+ - ENABLE/DISABLE STEREOSCOPIC MODE
Int 10/AX=4F08h - VESA SuperVGA BIOS v1.2+ - GET/SET DAC PALETTE CONTROL
Int 10/AX=4F09h - VESA SuperVGA BIOS v2.0+ - GET/SET PALETTE ENTRIES
Int 10/AX=4F0Ah/BL=00h - VESA SuperVGA BIOS v2.0+ - GET PROTECTED-MODE INTERFACE
Int 10/AX=4F0Ah - VESA SuperVGA BIOS v2.0 beta - GET PROTECTED-MODE CODE
Int 10/AX=4F0Bh/BL=00h - VESA SuperVGA BIOS v3.0 - GET NEAREST PIXEL CLOCK
Int 10/AX=4F0Bh - VESA SuperVGA BIOS - GET VBE/AF v1.0P DEVICE CONTEXT BUFFER
Int 10/AX=4F0Ch - VESA SuperVGA BIOS - RESERVED FOR FUTURE SVGA FUNCTIONS
Int 10/AX=4F0Bh - Diamond Viper V330 - ???
Int 10/AX=4F10h/BL=00h - VESA VBE/PM (Power Management) v1.0+ - GET CAPABILITIES
Int 10/AX=4F10h/BL=01h - VESA VBE/PM (Power Management) v1.0+ - SET DISPLAY POWER STATE
Int 10/AX=4F10h/BL=02h - VESA VBE/PM (Power Management) v1.0+ - GET DISPLAY POWER STATE
Int 10/AX=4F11h - VESA VBE/FP (Flat Panel Interface) - API
Int 10/AX=4F12h - VESA VBE/CI (Cursor Interface) - API
Int 10/AX=4F13h/BX=0000h - VESA VBE/AI (Audio Interface) - INSTALLATION CHECK
Int 10/AX=4F13h/BX=0001h - VESA VBE/AI (Audio Interface) - LOCATE DEVICE
Int 10/AX=4F13h/BX=0002h - VESA VBE/AI (Audio Interface) - QUERY DEVICE
Int 10/AX=4F13h/BX=0003h - VESA VBE/AI (Audio Interface) - OPEN DEVICE
Int 10/AX=4F13h/BX=0004h - VESA VBE/AI (Audio Interface) - CLOSE DEVICE
Int 10/AX=4F13h/BX=0005h - VESA VBE/AI (Audio Interface) - UNINSTALL DRIVER
Int 10/AX=4F13h/BX=0006h - VESA VBE/AI (Audio Interface) - DRIVER CHAIN/UNCHAIN
Int 10/AX=4F14h - VESA OEM Extensions - API
Int 10/AX=4F14h - VESA OEM Extensions - Matrox Millenium (BIOS v2.1)
Int 10/AX=4F15h/BL=00h - VESA VBE/DC (Display Data Channel) - INSTALLATION CHECK / CAPABILITIES
Int 10/AX=4F15h/BL=01h - VESA VBE/DC (Display Data Channel) - READ EDID
Int 10/AX=4F15h/BL=02h - VESA VBE/DC (Display Data Channel) - READ VDIF
Int 10/AX=4F16h - VESA VBE/GC (Graphics System Configuration) - API
Int 10/AX=4F17h - VESA VBE/AF (Accelerator Functions) - API
Int 10/AX=4F4Dh - VESA - VIDEO CURSOR INTERFACE REQUEST
Int 10/AX=4F70h - Avance Logic - GET ADAPTER INFORMATION
Int 10/AX=4FDDh - ATI M64VBE.COM - GET RESIDENT SEGMENT
Int 10/AX=4FFFh - VESA SuperVGA BIOS - Everex - TURN VESA ON/OFF
Int 10/AX=4FFFh - Diamond Stealth 24 - SET/RESET DUAL DISPLAY MODE
Int 10/AX=4FFFh/BX=364Dh - ATI M64VBE.COM - UNINSTALL
Int 10/AH=50h - SCROLOCK.COM - INSTALLATION CHECK
Int 10/AX=5000h - VIDEO - AX PC - SET SCREEN COUNTRY CODE
Int 10/AX=5001h - VIDEO - AX PC - GET SCREEN COUNTRY CODE
Int 10/AX=5049h - VIDEO - SCREENR v1.55+ - API
Int 10/AH=51h - SCROLOCK.COM - ENABLE/DISABLE
Int 10/AX=5100h - VIDEO - AX PC - REGISTER EXTERNAL CHARACTER
Int 10/AX=5101h - VIDEO - AX PC - READ CHARACTER
Int 10/AX=5200h - VIDEO - AX PC - SET VIRTUAL TEXT RAM BUFFER
Int 10/AX=5201h - VIDEO - AX PC - GET VIRTUAL TEXT RAM BUFFER

Int 10/AH=53h - Show Partner F/X v3.6 - START PRESENTATION
Int 10/AH=55h - Show Partner F/X v3.6 - UNINSTALL
Int 10/AX=5555h - VIDEO - ATI EGA/VGA Wonder Super Switch - INSTALLATION CHECK
Int 10/AX=5555h/BX=AAAAh - LIR - SET CONFIGURATION
Int 10/AX=5555h/BX=BBBBh - LIR - GET CONFIGURATION
Int 10/AX=5F00h - Chips & Technologies Extended BIOS - RETURN CHIP INFORMATION
Int 10/AX=5F00h - VIDEO - Realtek RTVGA - RETURN CHIP VERSION
Int 10/AX=5F01h - Chips & Technologies Extended BIOS - SET PREPROGRAMMED EMULATION
Int 10/AX=5F01h - VIDEO - Realtek RTVGA - WRITE RTVGA BIOS STRING TO DESTINATION
Int 10/AX=5F02h - Chips & Technologies Extended BIOS - AUTO EMULATION CONTROL
Int 10/AX=5F02h - Chips & Technologies '64300' BIOS - SET CLOCK
Int 10/AX=5F02h - Chips & Technologies '65530' BIOS - SET CLOCK
Int 10/AX=5F02h - VIDEO - Realtek RTVGA - RETURN RTVGA ON-BOARD MEMORY SIZE
Int 10/AX=5F03h - VIDEO - Realtek RTVGA - SET ???
Int 10/AX=5F03h/BL=00h - Chips & Technologies Extended BIOS - SET POWER-ON DISPLAY MODE
Int 10/AX=5F03h/BH=00h - Chips & Technologies '64300' BIOS - GET CLOCK SPEED
Int 10/AX=5F03h/BL=01h - Chips & Technologies Extended BIOS - SET POWER-ON EMULATION MODE
Int 10/AX=5F04h - Chips & Technologies '64300' BIOS - GET REFRESH RATE
Int 10/AX=5F05h - Chips & Technologies '64300' BIOS - SET REFRESH RATE
Int 10/AX=5F06h - Chips & Technologies '64300' BIOS - GET XRAM INFORMATION
Int 10/AX=5F08h - Chips & Technologies '64300' BIOS - SET LINEAR MEMORY START ADDRESS
Int 10/AX=5F10h - Chips & Technologies '64300'/'65530' BIOS - GET LINEAR MEMORY INFO
Int 10/AX=5F50h - Chips & Technologies Extended BIOS - GET LAPTOP DISPLAY STATUS
Int 10/AX=5F50h - Chips & Technologies '65530' BIOS - GET 655xx INFORMATION
Int 10/AX=5F51h - Chips & Technologies Extended BIOS - SWITCH DISPLAY DEVICE
Int 10/AX=5F53h - Chips & Technologies Extended BIOS - EN/DISABLE ACCELERATOR SUPPORT
Int 10/AX=5F54h - Chips & Technologies Extended BIOS - TURN FLAT PANEL ON/OFF
Int 10/AX=5F5Ah - Chips & Technologies Extended BIOS - SET FLAT-PANEL VIDEO POLARITY
Int 10/AX=5F5Ch - Chips & Technologies Extended BIOS - SET VERTICAL COMPENSATION
Int 10/AX=5F5Eh - Chips & Technologies Extended BIOS - EN/DISABLE TALL FONT LOADING
Int 10/AX=5F5Fh - Chips & Technologies Extended BIOS - HORIZONTAL COMPENSATION
Int 10/AX=5F90h - Chips & Technologies Extended BIOS - GET SUPERVGA STATE BUFFER SIZE
Int 10/AX=5F91h - Chips & Technologies Extended BIOS - SAVE SUPERVGA STATE
Int 10/AX=5F92h - Chips & Technologies Extended BIOS - RESTORE SUPERVGA STATE
Int 10/AX=5FA0h - Chips & Technologies Wingine DGX - GET EXTENDED BIOS SAVE BUFFER SIZE
Int 10/AX=5FA1h - Chips & Technologies Wingine DGX - SAVE VIDEO STATE
Int 10/AX=5FA2h - Chips & Technologies Wingine DGX - RESTORE VIDEO STATE
Int 10/AH=60h - HUNTER 16 - SET GRAPHICS FONT
Int 10/AH=61h - HUNTER 16 - MOVE CURSOR TO GRAPHICS CO-ORDINATES
Int 10/AH=62h - HUNTER 16 - GET CURSOR POSITION IN GRAPHICS CO-ORDINATES
Int 10/AH=63h - HUNTER 16 - SET CONTRAST
Int 10/AH=64h - HUNTER 16 - SET BACKLIGHT LEVEL
Int 10/AX=6500h - HUNTER 16 - GET BACKLIGHT TIMEOUT
Int 10/AX=6501h - HUNTER 16 - SET BACKLIGHT TIMEOUT

Int 10/AH=66h - HUNTER 16 - SPLIT DISPLAY
Int 10/AX=6A00h/BX=0000h - Direct Graphics Interface Standard (DGIS) - INQUIRE AVAILABLE DEVICES
Int 10/AX=6A01h/CX=0000h - Direct Graphics Interface Standard (DGIS) - REDIRECT CHARACTER OUTPUT
Int 10/AX=6A02h - DGIS - INQUIRE INT 10 OUTPUT DEVICE
Int 10/AX=6D74h - MTRFONTS - INSTALLATION CHECK
Int 10/AX=6E00h - Paradise VGA internal - GET ???
Int 10/AX=6E04h - Paradise VGA internal - GET SCREEN SIZE AND ???
Int 10/AX=6E05h - Paradise VGA internal - SET MODE
Int 10/AX=6F00h - HP Vectra EX-BIOS - INSTALLATION CHECK
Int 10/AX=6F00h/BX=0000h - VIDEO - Video7 VGA,VEGA VGA - INSTALLATION CHECK
Int 10/AX=6F01h - VIDEO - Video7 VGA,VEGA VGA,HP EX-BIOS - GET MONITOR INFO
Int 10/AX=6F02h - HP Vectra EX-BIOS - SET MONITOR INFO
Int 10/AX=6F03h - HP Vectra EX-BIOS - MODIFY MONITOR INFO
Int 10/AX=6F04h - VIDEO - Video7 VGA,VEGA VGA,HP Vectra - GET MODE AND SCREEN RESOLUTION
Int 10/AX=6F05h - VIDEO - Video7 VGA,VEGA EXTENDED EGA/VGA,HP Vectra - SET VIDEO MODE
Int 10/AX=6F06h - VIDEO - Video7 VGA,VEGA VGA - SELECT AUTOSWITCH MODE
Int 10/AX=6F07h - VIDEO - Video7 VGA,VEGA VGA - GET VIDEO MEMORY CONFIGURATION
Int 10/AH=70h - VIDEO - TANDY 2000 only - GET ADDRESS OF VIDEO RAM
Int 10/AH=70h - HUNTER 16 - DRAW ELLIPSE/CIRCLE
Int 10/AX=7000h/BX=0000h - Everex Extended Video BIOS - RETURN EMULATION STATUS
Int 10/AX=7000h/BX=0004h - Everex Extended Video BIOS - GET PAGING FUNCTION POINTER FOR CURR
MODE
Int 10/AX=7000h/BX=0005h - Everex Extended Video BIOS - GET SUPPORTED MODE INFO
Int 10/AH=71h - VIDEO - TANDY 2000 only - GET ADDRESS OF INCRAM
Int 10/AH=71h - HUNTER 16 - DRAW LINE/BOX
Int 10/AH=72h - VIDEO - TANDY 2000 only - SCROLL RIGHT PART OR ALL OF SCREEN
Int 10/AH=72h - HUNTER 16 - SELECT TEXT-MODE INVERSE VIDEO MECHANISM
Int 10/AH=73h - VIDEO - TANDY 2000 only - SCROLL LEFT PART OR ALL OF SCREEN
Int 10/AH=73h - HUNTER 16 - SELECT TEXT FONT
Int 10/AH=74h - HUNTER 16 - SET LCD WINDOWS POSITION
Int 10/AH=75h - HUNTER 16 - SET ZOOM
Int 10/AH=76h - HUNTER 16 - LOOKING KEYS
Int 10/AH=77h - HUNTER 16 - GET GRAPHICS FONT
Int 10/AH=78h - HUNTER 16 - TURN BACKLIGHT ON/OFF
Int 10/AH=7Fh - Paradise SVGA - WD90C24 INSTALLATION CHECK
Int 10/AX=7F00h - SOLLEX SuperVGA - GET EXTENSIONS INFO
Int 10/AX=7F00h/BX=4000h - Diamond Stealth 24 - GET S3 INFORMATION BLOCK
Int 10/AX=7F00h/BX=4001h - Diamond Stealth 24 - GET LINEAR ADDRESS
Int 10/AX=7F00h/BX=4002h - Diamond Stealth 24 - SET LINEAR ADDRESS
Int 10/AX=7F01h/BL=00h - SOLLEX SuperVGA - ADAPTER CONTROL - SET ADAPTER
Int 10/AX=7F01h/BL=01h - SOLLEX SuperVGA - ADAPTER CONTROL - GET ADAPTER
Int 10/AX=7F01h/BL=02h - SOLLEX SuperVGA - ADAPTER CONTROL - DETERMINE ADAPTER SUPPORT
Int 10/AX=7F02h/BL=00h - SOLLEX SuperVGA - DISPLAY OUTPUT CONTROL - SET DISPLAY OUTPUT
Int 10/AX=7F02h/BL=01h - SOLLEX SuperVGA - DISPLAY OUTPUT CONTROL - GET DISPLAY OUTPUT

Int 10/AX=7F03h/BL=00h - SOLLEX SuperVGA - VIDEO SUPPORT CONTROL - GET SUPPORT INFO
Int 10/AX=7F03h/BL=01h - SOLLEX SuperVGA - VIDEO SUPPORT CONTROL - INITIALIZE VIDEO SUPPORT
Int 10/AX=7F03h/BL=02h - SOLLEX SuperVGA - VIDEO SUPPORT CONTROL - GO RAM RESIDENT
Int 10/AX=7F04h/BL=00h - SOLLEX SuperVGA - POWER CONTROL - SET POWER STATE
Int 10/AX=7F04h/BL=01h - SOLLEX SuperVGA - POWER CONTROL - GET POWER STATE
Int 10/AX=7F04h/BL=02h - SOLLEX SuperVGA - POWER CONTROL - SET TIMEOUT RESET
Int 10/AX=7F04h/BL=03h - SOLLEX SuperVGA - POWER CONTROL - GET TIMEOUT RESET
Int 10/AX=7F05h - SOLLEX SuperVGA - LOAD REGISTER
Int 10/AX=7F06h - SOLLEX SuperVGA - MULTIPLE FONT CONTROL
Int 10/AX=7F07h - SOLLEX SuperVGA - FILL VIDEO RAM
Int 10/AH=80h - CU Writer v1.4 - GET OPTION
Int 10/AH=80h/DX=4456h - VIDEO - DESQview 2.0x only - internal - SET ??? HANDLER
Int 10/AH=81h - CU Writer v1.4 - SET OPTION
Int 10/AH=81h/DX=4456h - VIDEO - DESQview 2.0x only - internal - GET ???
Int 10/AH=82h/DX=4456h - VIDEO - DESQview 2.0x only - internal - GET CURRENT WINDOW INFO
Int 10/AX=8200h - VIDEO - AX PC - GET/SET SCROLL MODE
Int 10/AX=8300h - VIDEO - AX PC - GET VIDEO RAM ADDRESS
Int 10/AH=86h - ???
Int 10/AH=8Bh - Alloy MW386 - FORCE WORKSTATION SCREEN UPDATE
Int 10/AH=90h - Alloy MW386 - GET PHYSICAL WORKSTATION DISPLAY MODE
Int 10/AH=91h - Alloy MW386 - GET PHYSICAL WORKSTATION ADAPTER TYPE
Int 10/AH=92h - Alloy MW386 - INHIBIT WORKSTATION SCREEN UPDATES
Int 10/AH=93h - Alloy MW386 - REDRAW SCREEN
Int 10/AX=9508h - VHRBIOS.SYS - ???
Int 10/AH=96h - VHRBIOS.SYS - GET OTHER DISPLAY INFO
Int 10/AH=A0h - CU Writer v1.4 - SET PIXEL WRITE MODE
Int 10/AX=A000h - ATI BIOS Extensions - ???
Int 10/AX=A001h - ATI Mach64 BIOS - ???
Int 10/AX=A002h - ATI Mach64 BIOS - ???
Int 10/AX=A003h - ATI Mach64 BIOS - ???
Int 10/AX=A004h - PhoenixVIEW/LC - VIDEO DISPLAY TYPE
Int 10/AX=A004h - ATI Mach64 BIOS - ???
Int 10/AX=A005h - ATI Mach64 BIOS - ???
Int 10/AX=A006h - ATI Mach64 BIOS - ???
Int 10/AX=A007h - ATI Mach64 BIOS - GET ???
Int 10/AX=A008h - ATI Mach64 BIOS - GET ??? SIZE
Int 10/AX=A009h - ATI Mach64 BIOS - GET ???
Int 10/AX=A00Ah - ATI Mach64 BIOS - GET ???
Int 10/AX=A00Bh - ATI Mach64 BIOS - ???
Int 10/AX=A00Ch - ATI Mach64 BIOS - SET SLEEP MODE
Int 10/AX=A00Dh - ATI Mach64 BIOS - GET SLEEP MODE
Int 10/AX=A00Dh - ATI Rage128 BIOS - GET ???
Int 10/AX=A00Eh - ATI Mach64 BIOS - SET ???
Int 10/AX=A00Fh - ATI Mach64 BIOS - GET ???

Int 10/AX=A010h - ATI Mach64 BIOS - ???
Int 10/AX=A011h - ATI Mach64 BIOS - GET ???
Int 10/AX=A012h - ATI Mach64 BIOS - GET ???
Int 10/AX=A013h - ATI Mach64 BIOS - ???
Int 10/AX=A014h - ATI Rage128 BIOS - ???
Int 10/AX=A015h - ATI Rage128 BIOS - GET/SET ???
Int 10/AX=A016h - ATI Rage128 BIOS - NOP
Int 10/AX=A017h - ATI Rage128 BIOS - ???
Int 10/AX=A01Bh - PhoenixVIEW/LC - CRT MONITOR DETECTION
Int 10/AH=AAh - Player's Tool 3.0 - UNINSTALL
Int 10/AH=ABh - Player's Tool 3.0 - INSTALLATION CHECK
Int 10/AH=B0h - CU Writer v1.4 - PUT PIXEL
Int 10/AH=B1h - CU Writer v1.4 - MOVE TO
Int 10/AH=B2h - CU Writer v1.4 - DRAW LINE TO
Int 10/AH=B3h - CU Writer v1.4 - FLOOD FILL
Int 10/AH=B4h - CU Writer v1.4 - DRAW RECTANGLE
Int 10/AH=B5h - CU Writer v1.4 - DRAW FILLED RECTANGLE
Int 10/AH=BBh - Doorway - SET BIOS/DIRECT REDIRECTION
Int 10/AX=BD44h - Compaq QVision - ???
Int 10/AH=BFh/CX=0000h -
Int 10/AX=BF00h - VIDEO - Compaq Extensions - SELECT EXTERNAL MONITOR
Int 10/AX=BF01h - VIDEO - Compaq Extensions - SELECT INTERNAL MONITOR
Int 10/AX=BF02h - VIDEO - Compaq Extensions - SET MASTER MODE OF CURRENT CONTROLLER
Int 10/AX=BF03h/BX=0000h - VIDEO - Compaq Extensions - GET ENVIRONMENT
Int 10/AX=BF04h - VIDEO - Compaq Extensions - SET MODE SWITCH DELAY
Int 10/AX=BF05h - VIDEO - Compaq Extensions - ENABLE/DISABLE DISPLAY
Int 10/AX=BF06h - VIDEO - Compaq SLT/286 - READ GRAY SCALE TABLE
Int 10/AX=BF07h - VIDEO - Compaq SLT/286 - WRITE GRAY SCALE TABLE
Int 10/AX=BF08h - VIDEO - Compaq SLT/286 - WRITE COLOR MIX REGISTERS
Int 10/AX=BF09h - VIDEO - Compaq Extensions - TURN ON REVERSE VIDEO
Int 10/AX=BF0Ah - VIDEO - Compaq Extensions - TURN OFF REVERSE VIDEO
Int 10/AX=BF0Bh - VIDEO - Compaq Extensions - CHECK WHETHER VIDEO REVERSED
Int 10/AX=BF0Ch - VIDEO - Compaq Extensions - SET DAC 6-BIT MODE
Int 10/AX=BF0Dh - VIDEO - Compaq Extensions - SET DAC 8-BIT MODE
Int 10/AX=BF0Eh - VIDEO - Compaq Extensions - CHECK DAC 6-BIT/8-BIT mode
Int 10/AX=BF0Fh - VIDEO - Compaq Extensions - SET HIGH ADDRESS MAP REGISTER
Int 10/AX=BF10h - VIDEO - Compaq Extensions - GET HIGH ADDRESS MAP REGISTER
Int 10/AX=BF11h - VIDEO - Compaq Extensions - GET EXTENDED ENVIRONMENT
Int 10/AX=BF12h - VIDEO - Compaq Extensions - NEW ACTIVE MONITOR
Int 10/AX=BF13h - VIDEO - Compaq QVision - GAMMA CORRECTION
Int 10/AX=BFA0h/BX=ADADh - VIDEO - Compaq ADAPT.COM - INSTALLATION CHECK
Int 10/AX=BFA1h - VIDEO - Compaq ADAPT.COM - GET ???
Int 10/AX=BFA2h - VIDEO - Compaq ADAPT.COM - SET ???
Int 10/AH=C0h - CU Writer v1.4 - GO TO TEXT ROW AND COLUMN

Int 10/AX=C000h - S3 SpeedUp v3.00+ - INSTALLATION CHECK
Int 10/AX=C001h - S3 SpeedUp v3.00+ - GET ACTIVE OPTIONS
Int 10/AX=C002h - S3 SpeedUp v3.00+ - SET ACTIVE OPTIONS
Int 10/AX=C003h - S3 SpeedUp v3.10+ - GET FLAGS
Int 10/AX=C004h - S3 SpeedUp v3.10+ - RESERVED FUNCTIONS
Int 10/AH=C1h - CU Writer v1.4 - OUTPUT TEXT
Int 10/AH=C2h - CU Writer v1.4 - REVERSE TEXT
Int 10/AH=C3h - CU Writer v1.4 - TEXT BAR
Int 10/AH=C4h - CU Writer v1.4 - TEXT MENU
Int 10/AX=CB00h - UNCHAIN - SAVE CURRENT VGA REGISTERS
Int 10/AX=CB01h - UNCHAIN - UPDATE PAGE 1 OFFSET
Int 10/AX=CB02h - UNCHAIN - UPDATE PAGE 2 OFFSET
Int 10/AX=CB03h - UNCHAIN - UPDATE PAGE 3 OFFSET
Int 10/AX=CB04h - UNCHAIN - UPDATE PAGE 4 OFFSET
Int 10/AX=CB05h - UNCHAIN - SAVE PALETTE
Int 10/AX=CB06h - UNCHAIN - RESTORE VGA REGISTERS
Int 10/AX=CBFFh - UNCHAIN - INSTALLATION CHECK
Int 10/AX=CC00h - VIDEO - UltraVision - GET STATUS (INSTALLATION CHECK)
Int 10/AX=CC01h - VIDEO - UltraVision - DISABLE EXTENSIONS
Int 10/AX=CC02h - VIDEO - UltraVision - ENABLE EXTENSIONS
Int 10/AX=CCABh - HiFont - INSTALLATION CHECK
Int 10/AX=CD00h - VIDEO - UltraVision - LOAD ULTRAVISION PALETTE (color EGA,VGA)
Int 10/AX=CD01h - VIDEO - UltraVision - SET PALETTE LOCKING STATUS (color EGA,VGA)
Int 10/AX=CD02h - VIDEO - UltraVision - GET ULTRAVISION PALETTE (EGA,VGA)
Int 10/AX=CD03h - VIDEO - UltraVision - GET PALETTE LOCKING STATUS (color EGA,VGA)
Int 10/AX=CD04h - VIDEO - UltraVision - GET UltraVision TEXT MODE (EGA,VGA)
Int 10/AX=CD05h - VIDEO - UltraVision - SET CURSOR TYPE (EGA,VGA)
Int 10/AX=CD06h - VIDEO - UltraVision - GET CURSOR TYPE (EGA,VGA)
Int 10/AX=CD07h - VIDEO - UltraVision v1.2+ - SET UNDERLINE STATUS (EGA,VGA)
Int 10/AX=CD08h - VIDEO - UltraVision v1.2+ - GET UNDERLINE STATUS (EGA,VGA)
Int 10/AX=CD0Fh - VIDEO - UltraVision - GET POINTER TO ??? (EGA,VGA)
Int 10/AX=CD10h - VIDEO - UltraVision - LOAD USER FONT (EGA,VGA)
Int 10/AH=CDh - VIDEO - UltraVision - SET ULTRAVISION TEXT MODE (EGA,VGA)
Int 10/AH=D0h - CU Writer v1.4 - LOAD PICTURE
Int 10/AH=D0h - VIDEO - HP 100LX/200LX - SET ZOOM MODE
Int 10/AX=D000h - S3VBE/Core2.0 v3.00+ - INSTALLATION CHECK
Int 10/AX=D001h - S3VBE/Core2.0 v3.00+ - GET ACTIVE OPTIONS
Int 10/AX=D002h - S3VBE/Core2.0 v3.00+ - SET ACTIVE OPTIONS
Int 10/AX=D003h - S3VBE/Core2.0 v3.10+ - GET VBE/Core CAPABILITIES
Int 10/AX=D004h - S3VBE/Core2.0 v3.10+ - ACTIVATE SPEED-UP
Int 10/AX=D005h - S3VBE/Core2.0 v3.10+ - DEACTIVATE SPEED-UP
Int 10/AH=D1h - VIDEO - HP 100LX/200LX - INTERNAL - ???
Int 10/AH=D4h - VIDEO - HP 100LX/200LX - INTERNAL - ???
Int 10/AH=D5h - Netroom SCRNCCLK - ???

Int 10/AX=DAADh - TSRUNIT v1.10 - INSTALLATION CHECK
Int 10/AX=DFA5h - VIDEO - Compaq ADAPT.COM - GET ??? DATA AREA
Int 10/AH=EEh - VIDEO - IBM Private Function
Int 10/AH=EFh - VIDEO - MSHERC.COM - GET VIDEO ADAPTER TYPE AND MODE
Int 10/AH=F0h - EGA Register Interface Library - READ ONE REGISTER
Int 10/AH=F0h - VHRBIOS.SYS - INSTALLATION CHECK
Int 10/AH=F1h - EGA Register Interface Library - WRITE ONE REGISTER
Int 10/AH=F1h - VHRBIOS.SYS - SET REVERSE VIDEO
Int 10/AH=F2h - EGA Register Interface Library - READ REGISTER RANGE
Int 10/AH=F2h - VHRBIOS.SYS - ???
Int 10/AH=F3h - EGA Register Interface Library - WRITE REGISTER RANGE
Int 10/AH=F3h - VHRBIOS.SYS - SWITCH BETWEEN DUAL MONITORS???
Int 10/AH=F4h - EGA Register Interface Library - READ REGISTER SET
Int 10/AH=F4h - VHRBIOS.SYS - GET VERSION
Int 10/AH=F5h - EGA Register Interface Library - WRITE REGISTER SET
Int 10/AH=F5h - VHRBIOS.SYS - GET VENDOR ID
Int 10/AH=F6h - EGA Register Interface Library - REVERT TO DEFAULT REGISTERS
Int 10/AH=F6h - VHRBIOS.SYS - GET INFO
Int 10/AH=F7h - EGA Register Interface Library - DEFINE DEFAULT REGISTER TABLE
Int 10/AH=FAh/BX=0000h - EGA Register Interface Library - INTERROGATE DRIVER
Int 10/AH=FAh - FASTBUFF.COM - INSTALLATION CHECK
Int 10/AH=FEh - TopView - GET SHADOW BUFFER
Int 10/AH=FFh - TopView - UPDATE SCREEN FROM SHADOW BUFFER
Int 10/AH=FFh - DJ GO32.EXE 80386+ DOS extender - VIDEO EXTENSIONS
Int 10/AH=FFh - VIDEO - Oak VGA BIOS v1.02+ - SET EMULATION
Int 10/AX=FF00h - CARBON COPY PLUS v5.0 - CHECK IF CC CONNECTED TO CCHelp
Int 10/AX=FF01h - CARBON COPY PLUS v5.0 - DISCONNECT AND RESET LINE
Int 10/AX=FF02h - CARBON COPY PLUS v5.0 - GET LAST PHONE NUMBER DIALED

INT 16 – Keyboard Services

Int 16/AH=00h - KEYBOARD - GET KEYSTROKE

Int 16/AH=01h - KEYBOARD - CHECK FOR KEYSTROKE
Int 16/AH=02h - KEYBOARD - GET SHIFT FLAGS
Int 16/AH=03h - KEYBOARD - SET TYPEMATIC RATE AND DELAY
Int 16/AH=04h - KEYBOARD - SET KEYCLICK (PCjr only)
Int 16/AH=04h - Tandy 2000 - KEYBOARD - FLUSH KEYBOARD BUFFER
Int 16/AH=04h - K3PLUS v6.22+ - SET KEYCLICK
Int 16/AH=05h - KEYBOARD - STORE KEYSTROKE IN KEYBOARD BUFFER (AT/PS w enh keybd only)
Int 16/AH=05h - KEYBOARD - SELECT KEYBOARD LAYOUT (PCjr only)
Int 16/AH=05h - Tandy 2000 - KEYBOARD - RESET KEYBOARD
Int 16/AX=0600h - AAKEYS - GET NEXT KEYBOARD EVENT
Int 16/AX=0601h - AAKEYS - EMPTY KEY-EVENT BUFFER
Int 16/AX=0602h - AAKEYS - DISABLE AAKEYS

Int 16/AX=0603h - AAKEYS - GET KEY-EVENT BUFFER
Int 16/AX=0604h - AAKEYS - EMPTY BIOS KEYBOARD BUFFER
Int 16/AH=09h - KEYBOARD - GET KEYBOARD FUNCTIONALITY
Int 16/AH=0Ah - KEYBOARD - GET KEYBOARD ID
Int 16/AH=10h - KEYBOARD - GET ENHANCED KEYSTROKE (enhanced kbd support only)
Int 16/AH=11h - KEYBOARD - CHECK FOR ENHANCED KEYSTROKE (enh kbd support only)
Int 16/AH=12h - KEYBOARD - GET EXTENDED SHIFT STATES (enh kbd support only)
Int 16/AH=13h - DOS/V - DOUBLE-BYTE CHARACTER SET SHIFT CONTROL
Int 16/AH=14h - DOS/V - SHIFT STATUS DISPLAY CONTROL
Int 16/AH=20h - KEYBOARD - GET 122-KEY KEYSTROKE (122-key kbd support only)
Int 16/AH=20h - HUNTER 16 - SET TEMPORARY SHIFT
Int 16/AH=20h - K3 v1.5x, K3PLUS v5.xx - GET EXTENDED BUFFER STATE
Int 16/AH=21h - KEYBOARD - CHECK FOR 122-KEY KEYSTROKE (122-key kbd support only)
Int 16/AH=21h - HUNTER 16 - CONTROL SHIFT KEYS
Int 16/AH=22h - KEYBOARD - GET 122-KEY SHIFT STATUS (122-key kbd support only)
Int 16/AH=22h - HUNTER 16 - CONTROL CTRL-ALT-DEL
Int 16/AH=23h - HUNTER 16 - CONTROL EMERGENCY BREAKOUT
Int 16/AH=24h - HUNTER 16 - REDEFINE KEY CODES
Int 16/AH=25h - HUNTER 16 - RESET KEYBOARD
Int 16/AH=25h - K3 v1.5x, K3PLUS v5.xx - COPY INTO EXTENDED BUFFER
Int 16/AH=26h - HUNTER 16 - CONTROL KEYCLICK
Int 16/AH=27h - HUNTER 16 - CONTROL SCREEN DUMP AREA
Int 16/AH=29h - HUNTER 16 - GET KEY REPEAT
Int 16/AH=2Ah - HUNTER 16 - CONTROL KEY REPEAT
Int 16/AH=2Bh - HUNTER 16 - REDEFINE KEY SCAN CODES
Int 16/AH=2Ch - HUNTER 16 - REDEFINE RAW KEY CODES
Int 16/AH=2Dh - HUNTER 16 - CONTROL BREAK KEYS
Int 16/AX=3577h - TextWare TWTSR - API
Int 16/AX=4252h - TEXTCAP 2.0 - INSTALLATION CHECK
Int 16/AX=4253h - TEXTCAP 2.0 - UNINSTALL
Int 16/AX=4254h - TEXTCAP 2.0 - DUMP TEXT SCREEN TO FILE
Int 16/AX=4500h - Shamrock Software EMAIL - GET STATUS
Int 16/AX=4501h - Shamrock Software EMAIL - GET ELAPSED ONLINE TIME AND MAXIMUM TIME
Int 16/AX=4502h - Shamrock Software EMAIL - GET CURRENT COMMUNICATIONS PARAMETERS
Int 16/AX=4503h - Shamrock Software EMAIL - SPECIFY COMMAND-WORD FOR USER FUNCTION
Int 16/AX=4504h - Shamrock Software EMAIL - CHECK FOR USER FUNCTION COMMAND-WORD
Int 16/AX=4505h - Shamrock Software EMAIL - SEND RESULT OF USER FUNCTION
Int 16/AX=4506h - Shamrock Software EMAIL - MONITOR XMODEM DOWNLOAD
Int 16/AH=4Bh - Frank Klemm Keyboard Driver v2.0 - API
Int 16/AX=4D4Fh - M16_KBD.COM v5.6 - INSTALLATION CHECK
Int 16/AX=5000h - KEYBOARD - AX PC - SET KEYBOARD COUNTRY CODE
Int 16/AX=5001h - KEYBOARD - AX PC - GET KEYBOARD COUNTRY CODE
Int 16/AH=51h - KEYBOARD - AX PC - READ SHIFT KEY STATUS
Int 16/AX=5453h/BX=5242h - TSRBONES - INSTALLATION CHECK

Int 16/AX=5472h/BX=4C54h - TrLit - API
Int 16/AX=5500h - Microsoft Word internal - MICROSOFT WORD COOPERATION WITH TSR
Int 16/AX=55FEh - Microsoft QBASIC internal - MICROSOFT COOPERATION WITH TSR
Int 16/AX=55FFh - Microsoft Word - TSR COOPERATION???
Int 16/AX=5758h/BX=4858h - Netroom CACHECLK - INSTALLATION CHECK
Int 16/AX=5758h/BX=5754h - Netroom ??? - ???
Int 16/AX=5758h/BX=5755h - Netroom ??? - ???
Int 16/AX=5758h/BX=5756h - Netroom ??? - INSTALLATION CHECK
Int 16/AX=5758h/BX=5858h - Netroom PRENET - GET OLD INTERRUPT VECTORS
Int 16/AX=5758h/BX=5859h - Netroom POSTNET - GET OLD INTERRUPT VECTORS
Int 16/AH=67h - Doorway v2.x+ - INSTALLATION CHECK / REDIRECTION CONTROLa
Int 16/AX=6969h/BX=6968h - PC Tools v5.1+ BACKTALK - UNHOOK
Int 16/AX=6969h/BX=6969h - PC Tools v5.1+ BACKTALK - INSTALLATION CHECK
Int 16/AX=6A6Bh - FastJuice - DISABLE/UNLOAD???
Int 16/AX=6C63h - TMED v1.6a - INSTALLATION CHECK
Int 16/AX=6D74h - MTRTSR - INSTALLATION CHECK
Int 16/AX=6F00h - HP Vectra EX-BIOS - F16_INQUIRE - Extended BIOS INSTALLATION CHECK
Int 16/AX=6F01h - HP Vectra EX-BIOS - F16_DEF_ATTR - GET DEFAULT TYPEMATIC VALUES
Int 16/AX=6F02h - HP Vectra EX-BIOS - F16_GET_ATTR - GET CURRENT TYPEMATIC VALUES
Int 16/AX=6F03h - HP Vectra EX-BIOS - F16_SET_ATTR - SET TYPEMATIC VALUES
Int 16/AX=6F04h - HP Vectra EX-BIOS - F16_DEF_MAPPING - GET DEFAULT KEY MAPPINGS
Int 16/AX=6F05h - HP Vectra EX-BIOS - F16_GET_MAPPING - GET CURRENT KEY MAPPINGS
Int 16/AX=6F06h - HP Vectra EX-BIOS - F16_SET_MAPPING - SET KEY MAPPINGS
Int 16/AX=6F07h - HP Vectra EX-BIOS - F16_SET_XLATORS - SET CCP AND SOFTKEY PADS
Int 16/AX=6F08h - HP Vectra EX-BIOS - F16_KBD - GET KEYBOARD INFORMATION
Int 16/AX=6F09h - HP Vectra EX-BIOS - F16_KBD_RESET - RESET KEYBOARD TO DEFAULTS
Int 16/AX=6F0Ah - HP Vectra ES/QS/RS EX-BIOS - READ PROCESSOR SPEED
Int 16/AX=6F0Bh - HP Vectra ES/QS/RS EX-BIOS - SET PROCESSOR SPEED TO LOW
Int 16/AX=6F0Ch - HP Vectra ES/QS/RS EX-BIOS - SET PROCESSOR SPEED TO HIGH
Int 16/AX=6F0Dh - HP Vectra ES/QS/RS EX-BIOS - GET HIL Extended BIOS INTERRUPT NUMBER
Int 16/AX=6F0Eh - HP Vectra ES/QS/RS EX-BIOS - SET HIL Extended BIOS INTERRUPT NUMBER
Int 16/AX=6F0Fh - HP Vectras RS/20C and RS/25C - ENABLE MEMORY CACHING
Int 16/AX=6F10h - HP Vectras RS/20C and RS/25C - DISABLE MEMORY CACHING
Int 16/AX=6F11h - HP Vectras RS/20C and RS/25C - GET MEMORY CACHING STATE
Int 16/AX=6F12h - HP Vectras RS/20C and RS/25C - SET PROCESSOR SPEED TO MEDIUM
Int 16/AH=70h - FAKEY.COM - INSTALLATION CHECK
Int 16/AH=71h - FAKEY.COM - PUSH KEYSTROKES
Int 16/AH=72h - FAKEY.COM - CLEAR FAKED KEYSTROKES
Int 16/AH=73h - FAKEY.COM - PLAY TONES
Int 16/AX=7463h - FastJuice - INSTALLATION CHECK
Int 16/AH=75h - PcANYWHERE III - SET TICK COUNT FOR SCANNING
Int 16/AH=76h - PcANYWHERE III - SET ERROR CHECKING TYPE
Int 16/AH=77h - PcANYWHERE III - LOG OFF
Int 16/AX=7761h - WATCH.COM v2.x-v3.0 - INSTALLATION CHECK

Int 16/AX=7788h/BX=7789h - PC Magazine PUSHDIR.COM - INSTALLATION CHECK
Int 16/AH=79h - PcANYWHERE III - CHECK STATUS
Int 16/AH=7Ah - PcANYWHERE III - CANCEL SESSION
Int 16/AX=7B00h - PcANYWHERE III - SUSPEND
Int 16/AX=7B01h - PcANYWHERE III - RESUME
Int 16/AH=7Ch - PcANYWHERE III - GET PORT CONFIGURATION
Int 16/AH=7Dh - PcANYWHERE III - GET/SET TERMINAL PARAMETERS
Int 16/AH=7Eh - PcANYWHERE III - COMMUNICATIONS I/O THROUGH PORT
Int 16/AH=7Fh - PcANYWHERE III - SET KEYBOARD/SCREEN MODE
Int 16/AH=80h - MAKEY.COM - INSTALLATION CHECK
Int 16/AH=87h - DK.COM v1.03 - INSTALLATION CHECK
Int 16/AX=8765h/BX=4321h - AT.COM version 8/26/87 - API
Int 16/AH=92h - KEYB.COM KEYBOARD CAPABILITIES CHECK (not an actual function!)
Int 16/AH=99h - SCOUT v5.4 - GET ???
Int 16/AH=9Eh - SCOUT v5.4 - INSTALLATION CHECK
Int 16/AH=A2h - KEYB.COM KEYBOARD CAPABILITIES CHECK (not an actual function!)
Int 16/AH=AAh - PTxxx.COM - (xxx=CGA,EGA,VGA,HER...) CALL GATE FOR GRAPHICS
Int 16/AX=AABh/BX=EEFh - JORJ v4.3 - INSTALLATION CHECK
Int 16/AX=AF20h/BX=4B33h - K3PLUS v6.00+ (API v2.0+) - GET EXTENDED BUFFER STATE
Int 16/AX=AF25h/BX=4B33h - K3PLUS v6.00+ (API v2.0+) - COPY INTO EXTENDED BUFFER
Int 16/AX=AF4Dh/BX=4B33h - K3PLUS v6.00+ (API v2.0+) - GET VERSION INFORMATION
Int 16/AX=AF50h/BX=4B33h - K3PLUS v6.00+ (API v2.0+) - CHECK IF FUNCTION SUPPORTED
Int 16/AX=AF51h/BX=4B33h - K3PLUS v6.00+ (API v2.00+) - SET OPTIONS
Int 16/AX=AF80h/BX=4B33h - K3PLUS v6.00+ (API v2.00+) - GET ORIGINAL INT 09h VECTOR
Int 16/AX=AF81h/BX=4B33h - K3PLUS v6.00+ (API v2.00+) - GET ORIGINAL INT 16h HANDLER
Int 16/AX=AF82h/BX=4B33h - K3PLUS v6.00+ (API v2.00+) - GET ORIGINAL INT 10h HANDLER
Int 16/AX=B0B1h - VGARAM v1.00 - INSTALLATION CHECK
Int 16/AH=CAh/BX=736Bh - CtrlAlt Associates STACKEY.COM v3.00 - API
Int 16/AX=CA00h/BX=6570h - CtrlAlt Associates EGAPAL.COM v1.00 - INSTALLATION CHECK
Int 16/AX=CA00h/BX=7670h - CtrlAlt Associates VGAPAL.COM v1.00 - INSTALLATION CHECK
Int 16/AX=CB00h - PUPClip v1.12+ - INSTALLATION CHECK
Int 16/AX=CB01h - PUPClip v1.12+ - GET CLIPBOARD CURSOR POSITION
Int 16/AX=CB02h - PUPClip v1.12+ - SET CLIPBOARD CURSOR POSITION
Int 16/AX=CB03h - PUPClip v1.12+ - GET CHARACTER FROM CURRENT CLIPBOARD CURSOR POSITION
Int 16/AX=CB04h - PUPClip v1.12+ - WRITE CHARACTER TO CURRENT CLIPBOARD CURSOR POSITION
Int 16/AX=CB05h - PUPClip v1.12+ - CLEAR CLIPBOARD CONTENTS
Int 16/AX=CB06h - PUPClip v1.12+ - SCROLL UP CLIPBOARD CONTENTS
Int 16/AX=CB07h - PUPClip v1.12+ - SCROLL DOWN CLIPBOARD CONTENTS
Int 16/AX=CB08h - PUPClip v1.12+ - POP UP
Int 16/AX=D724h/CX=00CBh - APCAL v3.20 - GET ???
Int 16/AX=D724h/CX=00CCh - APCAL v3.20 - GET ???
Int 16/AX=D724h/CX=00CDh - APCAL v3.20 - GET ???
Int 16/AH=DDh - VIRUS - Frumble - INSTALLATION CHECK
Int 16/AX=DFDFh - Corel PowerSCSI - FDAUDIO.COM - INSTALLATION CHECK

Int 16/AX=E000h - AMI BIOS - BIOS-FLASH Interface - GET VERSION NUMBER
Int 16/AX=E001h - AMI BIOS - BIOS-FLASH Interface - GET CHIPSET SAVE/RESTORE SIZE
Int 16/AX=E002h - AMI BIOS - BIOS-FLASH Interface - SAVE CHIPSET STATUS & PREPARE CHIPSET
Int 16/AX=E003h - AMI BIOS - BIOS-FLASH Interface - RESTORE CHIPSET STATUS
Int 16/AX=E004h - AMI BIOS - BIOS-FLASH Interface - LOWER PROGRAMMING VOLTAGE Vpp
Int 16/AX=E005h - AMI BIOS - BIOS-FLASH Interface - RAISE PROGRAMMING VOLTAGE Vpp
Int 16/AX=E006h - AMI BIOS - BIOS-FLASH Interface - FLASH WRITE PROTECT
Int 16/AX=E007h - AMI BIOS - BIOS-FLASH Interface - FLASH WRITE ENABLE
Int 16/AX=E008h - AMI BIOS - BIOS-FLASH Interface - FLASH SELECT
Int 16/AX=E009h - AMI BIOS - BIOS-FLASH Interface - FLASH DE-SELECT
Int 16/AX=E00Ah - AMI BIOS - BIOS-FLASH Interface - VERIFY ALLOCATED MEMORY
Int 16/AX=E00Bh - AMI BIOS - BIOS-FLASH Interface - SAVE INTERNAL CACHE STATUS
Int 16/AX=E00Ch - AMI BIOS - BIOS-FLASH Interface - RESTORE INTERNAL CACHE STATUS
Int 16/AX=E0E0h - TurboPower TSRs - ALTERNATE INSTALLATION CHECK
Int 16/AX=E0FFh - AMI BIOS - BIOS-FLASH Interface - GENERATE CPU RESET
Int 16/AH=EDh/BH=EDh - BORLAND TURBO LIGHTNING - API
Int 16/AH=EFh - CALCULATOR - INSTALLATION CHECK
Int 16/AH=F0h - Compaq 386 and newer - SET CPU SPEED
Int 16/AX=F0F0h - TurboPower TSRs - INSTALLATION CHECK
Int 16/AH=F1h - Compaq 386 and newer - READ CURRENT CPU SPEED
Int 16/AH=F2h - Compaq 386 and newer - DETERMINE ATTACHED KEYBOARD TYPE
Int 16/AH=F3h - Compaq 80286s - SET CPU SPEED LIMIT (OVERRIDE JUMPER)
Int 16/AX=F398h - NORTON GUIDES - INSTALLATION CHECK
Int 16/AX=F400h - Compaq Systempro and higher - CACHE CONTROLLER STATUS
Int 16/AX=F401h - Compaq Systempro and higher - ENABLE CACHE CONTROLLER
Int 16/AX=F402h - Compaq Systempro and higher - DISABLE CACHE CONTROLLER
Int 16/AX=FA00h/DX=5945h - PC Tools v8+ VSAFE, VWATCH - INSTALLATION CHECK
Int 16/AX=FA01h/DX=5945h - PC Tools v8+ VSAFE, VWATCH - UNINSTALL
Int 16/AX=FA02h/DX=5945h - PC Tools v8+ VSAFE, VWATCH - GET/SET OPTIONS
Int 16/AX=FA03h/DX=5945h - PC Tools v8+ VSAFE, VWATCH - GET ???
Int 16/AX=FA04h/DX=5945h - PC Tools v8+ VSAFE - GET HOTKEY DISABLE FLAG
Int 16/AX=FA05h/DX=5945h - PC Tools v8+ VSAFE - SET HOTKEY DISABLE FLAG
Int 16/AX=FA06h/DX=5945h - PC Tools v8+ VSAFE, VWATCH - GET NETWORK DRIVES TEST FLAG
Int 16/AX=FA07h/DX=5945h - PC Tools v8+ VSAFE, VWATCH - SET NETWORK DRIVES TEST FLAG
Int 16/AX=FA08h/DX=5945h - PC Tools v9+ VWATCH v2.1 - ???
Int 16/AX=FE55h - PC Tools v8+ programs - GET ???
Int 16/AX=FEA4h - PC Tools v7+ CPSCHED/DESKTOP - RESET ???
Int 16/AX=FEC6h - PC Tools v7+ CPSCHED - ENABLE/DISABLE CPSCHED API
Int 16/AX=FED3h - PC Tools v7+ CPSCHED/DESKTOP - ???
Int 16/AX=FEDCh - PC Tools v7+ CPSCHED - UNHOOK INTERRUPTS
Int 16/AX=FEEFh/CX=0000h - PC Tools v7+ CPSCHED/DESKTOP - INSTALLATION CHECK
Int 16/AX=FEF1h - PC Tools v7 only CPSCHED/DESKTOP - ALTERNATE INSTALLATION CHECK
Int 16/AH=FFh - KEYBOARD - KBUF extensions - ADD KEY TO TAIL OF KEYBOARD BUFFER
Int 16/AH=FFh - OPTIMA 1024 VGA-Sync,ET-3000 chipset - QUERY ZOOM INTERRUPT

Int 16/AH=FFh/BH=00h - FREEZE.COM - INSTALLATION CHECK
Int 16/AX=FF70h/BX=0000h - PC Tools v8+ DRIVEMAP - INSTALLATION CHECK
Int 16/AX=FF70h/BX=0001h - PC Tools v8+ DRIVEMAP - ???
Int 16/AX=FF70h/BX=0002h - PC Tools v8+ DRIVEMAP - ???
Int 16/AX=FF80h/BX=0000h - PC Tools v8+ CPTASK - INSTALLATION CHECK
Int 16/AX=FF80h/BX=0001h - PC Tools v8+ CPTASK - GET ???
Int 16/AX=FF80h/BX=0002h - PC Tools v8+ CPTASK - GET ???
Int 16/AX=FF80h/BX=0003h - PC Tools v8+ CPTASK - GET ??? FLAGS
Int 16/AX=FF80h/BX=0004h - PC Tools v8+ CPTASK - SET ???
Int 16/AX=FF80h/BX=0005h - PC Tools v8+ CPTASK - GET NUMBER OF ACTIVE TASKS???
Int 16/AX=FF80h/BX=0006h - PC Tools v8+ CPTASK - GET AND CLEAR ??? FLAG
Int 16/AX=FF80h/BX=0007h - PC Tools v8+ CPTASK - ???
Int 16/AX=FF80h/BX=0008h - PC Tools v8+ CPTASK - ???
Int 16/AX=FF80h/BX=0009h - PC Tools v8+ CPTASK - GET ???
Int 16/AX=FF80h/BX=000Ah - PC Tools v9+ CPTASK - SET ???
Int 16/AX=FF80h/BX=000Bh - PC Tools v9+ CPTASK - SET ???
Int 16/AX=FF80h/BX=000Ch - PC Tools v9+ CPTASK - SET IDLE??? DELAY
Int 16/AX=FF80h/BX=4350h - PC Tools v8+ CPTASK - UNINSTALL
Int 16/AX=FF90h - PC Tools v8+ DESKTOP - ???
Int 16/AX=FF91h - PC Tools v7+ DESKTOP - ???
Int 16/AX=FF92h - PC Tools v7+ DESKTOP - ???
Int 16/AX=FF93h - PC Tools v7+ DESKTOP - SET ??? FLAG
Int 16/AX=FF94h - PC Tools v7+ DESKTOP - SET ???
Int 16/AX=FF95h - PC Tools v7+ DESKTOP - SET ???
Int 16/AX=FF96h - PC Tools v7+ DESKTOP - ???
Int 16/AX=FF97h - PC Tools v7+ DESKTOP - ???
Int 16/AX=FF98h - PC Tools v7+ DESKTOP - OPEN \DESK.OVL FILE AND SEEK TO OVERLAY
Int 16/AX=FF99h - PC Tools v7+ DESKTOP - ???
Int 16/AX=FF9Ah - PC Tools v7+ DESKTOP - GET NAME OF COLOR SCHEME
Int 16/AX=FF9Bh - PC Tools v7+ DESKTOP - UNUSED
Int 16/AX=FF9Ch - PC Tools v8+ CPTASK - SET/CLEAR ??? POINTER
Int 16/AX=FF9Dh - PC Tools v8+ CPTASK, VSAFE - ???
Int 16/AX=FF9Eh - PC Tools v7+ DESKTOP - ???
Int 16/AX=FFA1h - PC Tools v7+ DESKTOP - ???
Int 16/AX=FFA2h - PC Tools v7+ DESKTOP - ???
Int 16/AX=FFA3h/BX=0000h - PC Tools v7-8 DATAMON, v9+ DPROTECT - INSTALLATION CHECK
Int 16/AX=FFA3h/BX=0001h - PC Tools v7-8 DATAMON, v9+ DPROTECT - GET ???
Int 16/AX=FFA3h/BX=0002h - PC Tools v7-8 DATAMON, v9+ DPROTECT - GET ???
Int 16/AX=FFA3h/BX=0003h - PC Tools v7-8 DATAMON, v9+ DPROTECT - GET ???
Int 16/AX=FFA3h/BX=0004h - PC Tools v7+ DATAMON - SET ??? FLAG
Int 16/AX=FFA3h/BX=0005h - PC Tools v7+ DATAMON - CLEAR ??? FLAG
Int 16/AX=FFA3h/BX=0006h - PC Tools v7+ DATAMON - SET PSP SEGMENT ???
Int 16/AX=FFA3h/BX=FFA3h - PC Tools v9 DSKLIGHT - INSTALLATION CHECK
Int 16/AX=FFA4h - PC Tools v7-8 DESKTOP - ???

Int 16/AX=FFA5h/CX=1111h - PC-Cache v6+ - INSTALLATION CHECK
Int 16/AX=FFA5h/CX=AAAAh - PC-Cache v6+ - ENABLE DELAYED WRITES
Int 16/AX=FFA5h/CX=CCCCh - PC-Cache v6+ - FLUSH CACHE AND DISABLE DELAYED WRITES
Int 16/AX=FFA5h/CX=DDDDh - PC-Cache v6+ - FLUSH AND DISABLE CACHE
Int 16/AX=FFA5h/CX=EEEEh - PC-Cache v6+ - ENABLE CACHE
Int 16/AX=FFA5h/CX=FFFFh - PC-Cache v6+ - FLUSH CACHE
Int 16/AX=FFA6h - PC Tools v6.0-8.0 DESKTOP - GET ???
Int 16/AX=FFA7h - PC Tools v6.0-8.0 DESKTOP - GET ??? PATH
Int 16/AX=FFA8h - PC Tools v6.0-8.0 DESKTOP - ???
Int 16/AX=FFA9h - PC Tools v6.0-8.0 DESKTOP - GET VERSION STRING
Int 16/AX=FFAAh - PC Tools v6.0-8.0 DESKTOP - ???
Int 16/AX=FFABh - PC Tools v6.0-8.0 DESKTOP - GET EDITOR SETTINGS???
Int 16/AX=FFACh - PC Tools v6.0-8.0 DESKTOP - SET ???
Int 16/AX=FFADh - PC Tools v6.0-8.0 DESKTOP - SET ???
Int 16/AX=FFAEh - PC Tools v6.0-8.0 DESKTOP - GET ???
Int 16/AX=FFAFh - PC Tools v6.0-8.0 DESKTOP - SET ???
Int 16/AX=FFB0h - PC Tools v6.0-8.0 DESKTOP - SET ???
Int 16/AX=FFB1h - PC Tools v6.0-8.0 DESKTOP - ???
Int 16/AX=FFB2h - PC Tools v5.5-8.0 DESKTOP - GET ???
Int 16/AX=FFB3h - PC Tools v5.5-8.0 DESKTOP - ???
Int 16/AX=FFB4h - PC Tools v5.5-8.0 DESKTOP - SET ??? FLAG
Int 16/AX=FFB5h - PC Tools v5.5-8.0 DESKTOP - GET/SET WINDOW PARAMETERS
Int 16/AX=FFB6h - PC Tools v5.5-8.0 DESKTOP - GET ???
Int 16/AX=FFB7h - PC Tools v5.5-8.0 DESKTOP - GET/SET ???
Int 16/AX=FFB8h - PC Tools v5.1-8.0 DESKTOP - GET/SET???
Int 16/AX=FFB9h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFBAh - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFBBh - PC Tools v5.1-8.0 DESKTOP - CLEAR ??? FLAG
Int 16/AX=FFBCh - PC Tools v5.1-8.0 DESKTOP - RESTORE ORIGINAL SCREEN???
Int 16/AX=FFBDh - PC Tools v5.1-8.0 DESKTOP - ??? DATABASE INDEXING MESSAGES
Int 16/AX=FFBEh - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFBFh - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFC0h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFC1h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFC2h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFC3h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFC4h - PC Tools v5.1-8.0 DESKTOP - GET ???
Int 16/AX=FFC5h - PC Tools v5.1-8.0 DESKTOP - CHECK WHETHER DESKTOP LOADED RESIDENT
Int 16/AX=FFC6h - PC Tools v5.1-8.0 DESKTOP - SET ???
Int 16/AX=FFC7h - PC Tools v5.1-8.0 DESKTOP - REMOVE WINDOW
Int 16/AX=FFC8h - PC Tools v5.1-8.0 DESKTOP - GET ???
Int 16/AX=FFC9h - PC Tools v5.1-8.0 DESKTOP - COPY DATA TO CLIPBOARD
Int 16/AX=FFCAh - PC Tools v5.1-8.0 DESKTOP - SET ???
Int 16/AX=FFCBh - PC Tools v5.1-8.0 DESKTOP - SELECT WINDOW PARAMETERS???

Int 16/AX=FFCCh - PC Tools v5.1-8.0 DESKTOP - DISPLAY ASCII STRING CENTERED IN WINDOW
Int 16/AX=FFCDh - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFCEh - PC Tools v5.1-8.0 DESKTOP - SET ??? DELAYS
Int 16/AX=FFCFh - PC Tools v5.1-8.0 DESKTOP - CLOSE PRINTER/PRINT FILE
Int 16/AX=FFD0h - PC Tools v5.1-8.0 DESKTOP - PREPARE TO PRINT???
Int 16/AX=FFD1h - PC Tools v5.1-8.0 DESKTOP - DISPLAY PRINT OPTIONS MENU
Int 16/AX=FFD2h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFD3h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFD4h/BH=3Ch - PC Tools v5.1-8.0 DESKTOP - CREATE/OPEN/DELETE FILE
Int 16/AX=FFD5h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFD6h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFD7h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFD8h - PC Tools v5.1-8.0 DESKTOP - SAFE CREATE FILE
Int 16/AX=FFD9h - PC Tools v5.1-8.0 DESKTOP - GET ???
Int 16/AX=FFDAh - PC Tools v5.1-8.0 DESKTOP - GET NAME OF LAST FILE OPENED
Int 16/AX=FFDBh - PC Tools v5.1-8.0 DESKTOP - SET ???
Int 16/AX=FFDCh - PC Tools v5.1-8.0 DESKTOP - UNHOOK
Int 16/AX=FFDDh/BX=0000h - PC Tools v5.1+ PCShell API - INSTALLATION CHECK
Int 16/AX=FFDDh/BX=0001h - PC Tools v5.1+ PCShell API - REQUEST POP-UP
Int 16/AX=FFDDh/BX=0002h - PC Tools v5.1-5.5 PCShell API - GET ???
Int 16/AX=FFDDh/BX=0003h - PC Tools v5.1+ PCShell API - REQUEST POP-UP
Int 16/AX=FFDDh/BX=0004h - PC Tools v5.1+ PCShell API - GET ???
Int 16/AX=FFDDh/BX=0005h - PC Tools v5.1+ PCShell API - ???
Int 16/AX=FFDDh/BX=0006h - PC Tools v5.1+ PCShell API - ???
Int 16/AX=FFDDh/BX=0007h - PC Tools v5.1+ PCShell API - SET ??? FLAG
Int 16/AX=FFDDh/BX=0008h - PC Tools v5.1+ PCShell API - CLEAR ??? FLAG
Int 16/AX=FFDDh/BX=0009h - PC Tools v6.0+ PCShell API - GET PCRUN PARAMETERS
Int 16/AX=FFDDh/BX=000Ah - PC Tools v6.0+ PCRUN API - INSTALLATION CHECK
Int 16/AX=FFDDh/BX=000Bh - PC Tools v6.0+ PCRUN API - ???
Int 16/AX=FFDEh - PC Tools v5.1-8.0 DESKTOP - DISPLAY POPUP MENU
Int 16/AX=FFDFh - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFE0h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFE1h - PC Tools v5.1-8.0 DESKTOP - BEEP
Int 16/AX=FFE2h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFE3h - PC Tools v5.1-8.0 DESKTOP - PRINT CHARACTER
Int 16/AX=FFE4h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFE5h - PC Tools v5.1-8.0 DESKTOP - POP UP FILE SELECTION MENU
Int 16/AX=FFE6h - PC Tools v5.1-8.0 DESKTOP - CHECK FOR AND GET KEYSTROKE
Int 16/AX=FFE7h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFE8h - PC Tools v5.1-8.0 DESKTOP - DISPLAY NUMBER
Int 16/AX=FFE9h - PC Tools v5.1-8.0 DESKTOP - GET FILE LIST???
Int 16/AX=FFEAh - PC Tools v5.1-8.0 DESKTOP - DISPLAY COUNTED STRING
Int 16/AX=FFEBh - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFEC - PC Tools v5.1-8.0 DESKTOP - GET KEY

Int 16/AX=FFEDh - PC Tools v5.1-8.0 DESKTOP - GET ???
Int 16/AX=FFEEh - PC Tools v5.1-8.0 DESKTOP - DEFINE PULLDOWN MENUS
Int 16/AX=FFEFh/CX=0000h - PC Tools v5.1-8.0 DESKTOP - INSTALLATION CHECK
Int 16/AX=FFF0h - PC Tools v5.1-8.0 DESKTOP - SET ???
Int 16/AX=FFF1h/BX=0000h - PC Tools v5.1-8.0 DESKTOP - ALTERNATE INSTALLATION CHECK
Int 16/AX=FFF2h - PC Tools v5.1-8.0 DESKTOP - DISPLAY HELP LINE
Int 16/AX=FFF3h - PC Tools v5.1-8.0 DESKTOP - PREPARE TO UNLOAD RESIDENT DESKTOP
Int 16/AX=FFF4h - PC Tools v5.1-8.0 DESKTOP - ???
Int 16/AX=FFF5h - PC Tools v5.1-8.0 DESKTOP - GET SCREEN ATTRIBUTE ARRAY
Int 16/AX=FFF6h - PC Tools v5.1-8.0 DESKTOP - INVOKE NOTEPAD EDITOR
Int 16/AX=FFF7h - PC Tools v5.1-8.0 DESKTOP - PROCESS MENU BAR ENTRY???
Int 16/AX=FFF8h - PC Tools v5.1-8.0 DESKTOP - DRAW EMPTY WINDOW
Int 16/AX=FFF9h - PC Tools v5.1-8.0 DESKTOP - DEFINE SCREEN REFRESH ROUTINE
Int 16/AX=FFFAh - PC Tools v5.1-8.0 DESKTOP - DEFINE STANDARD PULLDOWN MENUS
Int 16/AX=FFFBh - PC Tools v5.1-8.0 DESKTOP - PROCESS STANDARD MENU BAR
Int 16/AX=FFFC h - PC Tools v5.1-8.0 DESKTOP - GET HOTKEYS AND KEYBOARD VECTOR
Int 16/AX=FFFDh - PC Tools v5.1-8.0 DESKTOP - COPY ???
Int 16/AX=FFFEh - PC Tools v5.1-8.0 DESKTOP - SHOW MOUSE CURSOR
Int 16/AX=FFFFh - PC Tools v5.1-8.0 DESKTOP - HIDE MOUSE CURSOR

INT21 – DOS Services

Int 21 - CONTROL HOSTESS i/ISA DEBUGGER - GET SEGMENT FOR CONTROL PROGRAM USE
Int 21/AH=00h - DOS 1+ - TERMINATE PROGRAM
Int 21/AH=01h - DOS 1+ - READ CHARACTER FROM STANDARD INPUT, WITH ECHO
Int 21/AX=010Fh - VIRUS - Susan - INSTALLATION CHECK
Int 21/AH=02h - DOS 1+ - WRITE CHARACTER TO STANDARD OUTPUT
Int 21/AH=03h - DOS 1+ - READ CHARACTER FROM STDAUX
Int 21/AH=04h - DOS 1+ - WRITE CHARACTER TO STDAUX
Int 21/AH=05h - DOS 1+ - WRITE CHARACTER TO PRINTER
Int 21/AH=06h - DOS 1+ - DIRECT CONSOLE OUTPUT
Int 21/AH=06h/DL=FFh - DOS 1+ - DIRECT CONSOLE INPUT
Int 21/AH=07h - DOS 1+ - DIRECT CHARACTER INPUT, WITHOUT ECHO
Int 21/AH=08h - DOS 1+ - CHARACTER INPUT WITHOUT ECHO
Int 21/AH=09h - DOS 1+ - WRITE STRING TO STANDARD OUTPUT
Int 21/AH=0Ah - DOS 1+ - BUFFERED INPUT
Int 21/AX=0A00h - WCED v1.6+ - INSTALLATION CHECK
Int 21/AH=0Bh - DOS 1+ - GET STDIN STATUS
Int 21/AX=0B56h - VIRUS - Perfume - INSTALLATION CHECK
Int 21/AH=0Ch - DOS 1+ - FLUSH BUFFER AND READ STANDARD INPUT
Int 21/AH=0Dh - DOS 1+ - DISK RESET
Int 21/AX=0D20h - VIRUS - Crazy Imp - INSTALLATION CHECK
Int 21/AH=0Eh - DOS 1+ - SELECT DEFAULT DRIVE
Int 21/AH=0Eh/DL=ADh - Novell DOS 7 - SDRes v27.03 - INSTALLATION CHECK
Int 21/AH=0Eh/DL=AEh - Novell DOS 7 - SDRes v27.03 - CLEAR ??? FLAG

Int 21/AH=0Eh/DL=AFh - Novell DOS 7 - SDRes v27.03 - SET ??? FLAG
Int 21/AH=0Fh - DOS 1+ - OPEN FILE USING FCB
Int 21/AH=10h - DOS 1+ - CLOSE FILE USING FCB
Int 21/AH=11h - DOS 1+ - FIND FIRST MATCHING FILE USING FCB
Int 21/AH=12h - DOS 1+ - FIND NEXT MATCHING FILE USING FCB
Int 21/AH=13h - DOS 1+ - DELETE FILE USING FCB
Int 21/AH=14h - DOS 1+ - SEQUENTIAL READ FROM FCB FILE
Int 21/AH=15h - DOS 1+ - SEQUENTIAL WRITE TO FCB FILE
Int 21/AH=16h - DOS 1+ - CREATE OR TRUNCATE FILE USING FCB
Int 21/AH=17h - DOS 1+ - RENAME FILE USING FCB
Int 21/AH=18h - DOS 1+ - NULL FUNCTION FOR CP/M COMPATIBILITY
Int 21/AH=18h - U - PTS-DOS 6.51 & S/DOS 1.0 - EXTENDED RENAME FILE USING FCB
Int 21/AX=1812h - VIRUS - Tasha Yar - INSTALLATION CHECK
Int 21/AX=187Fh/BX=4453h - VIRUS - DS-3783 -INSTALLATION CHECK
Int 21/AX=18FFh - VIRUS - Pathogen:SMEG - INSTALLATION CHECK
Int 21/AH=19h - DOS 1+ - GET CURRENT DEFAULT DRIVE
Int 21/AH=1Ah - DOS 1+ - SET DISK TRANSFER AREA ADDRESS
Int 21/AH=1Bh - DOS 1+ - GET ALLOCATION INFORMATION FOR DEFAULT DRIVE
Int 21/AH=1Ch - DOS 1+ - GET ALLOCATION INFORMATION FOR SPECIFIC DRIVE
Int 21/AH=1Dh - DOS 1+ - NULL FUNCTION FOR CP/M COMPATIBILITY
Int 21/AH=1Eh - DOS 1+ - NULL FUNCTION FOR CP/M COMPATIBILITY
Int 21/AH=1Fh - DOS 1+ - GET DRIVE PARAMETER BLOCK FOR DEFAULT DRIVE
Int 21/AH=20h - DOS 1+ - NULL FUNCTION FOR CP/M COMPATIBILITY
Int 21/AH=20h - S/DOS 1.0+ & PTS-DOS 6.51+ - GET OEM REVISION
Int 21/AX=2080h - VIRUS - New-Year - INSTALLATION CHECK
Int 21/AH=21h - DOS 1+ - READ RANDOM RECORD FROM FCB FILE
Int 21/AH=22h - DOS 1+ - WRITE RANDOM RECORD TO FCB FILE
Int 21/AH=23h - DOS 1+ - GET FILE SIZE FOR FCB
Int 21/AH=24h - DOS 1+ - SET RANDOM RECORD NUMBER FOR FCB
Int 21/AH=25h - DOS 1+ - SET INTERRUPT VECTOR
Int 21/AX=2501h - Phar Lap 386/DOS-Extender - RESET DOS EXTENDER DATA STRUCTURES
Int 21/AX=2502h - Phar Lap 386/DOS-Extender - GET PROTECTED-MODE INTERRUPT VECTOR
Int 21/AX=2503h - Phar Lap 386/DOS-Extender - GET REAL-MODE INTERRUPT VECTOR
Int 21/AX=2504h - Phar Lap 386/DOS-Extender - SET PROTECTED-MODE INTERRUPT VECTOR
Int 21/AX=2505h - Phar Lap 386/DOS-Extender - SET REAL-MODE INTERRUPT VECTOR
Int 21/AX=2506h - Phar Lap 386/DOS-Extender - SET INT TO ALWAYS GAIN CNTRL IN PR. MODE
Int 21/AX=2507h - Phar Lap 386/DOS-Extender - SET REAL- & PROTECTED-MODE INT VECTORS
Int 21/AX=2508h - Phar Lap 386/DOS-Extender - GET SEGMENT LINEAR BASE ADDRESS
Int 21/AX=2509h - Phar Lap 386/DOS-Extender - CONVERT LINEAR TO PHYSICAL ADDRESS
Int 21/AX=2509h - FlashTek X-32VM - GET SYSTEM SEGMENTS AND SELECTORS
Int 21/AX=250Ah - Phar Lap 386/DOS-Extender - MAP PHYSICAL MEMORY AT END OF SEGMENT
Int 21/AX=250Ch - Phar Lap 386/DOS-Extender - GET HARDWARE INTERRUPT VECTORS
Int 21/AX=250Dh - Phar Lap 386/DOS-Extender - GET REAL-MODE LINK INFORMATION
Int 21/AX=250Eh - Phar Lap 386/DOS-Extender - CALL REAL-MODE PROCEDURE

Int 21/AX=250Fh - Phar Lap 386/DOS-Extender - CONVERT PROTECTED-MODE ADDRESS TO MS-DOS
Int 21/AX=2510h - Phar Lap 386/DOS-Extender - CALL REAL-MODE PROCEDURE, REGISTERS
Int 21/AX=2511h - Phar Lap 386/DOS-Extender - ISSUE REAL-MODE INTERRUPT
Int 21/AX=2512h - Phar Lap 386/DOS-Extender - LOAD PROGRAM FOR DEBUGGING
Int 21/AX=2513h - Phar Lap 386/DOS-Extender - ALIAS SEGMENT DESCRIPTOR
Int 21/AX=2514h - Phar Lap 386/DOS-Extender - CHANGE SEGMENT ATTRIBUTES
Int 21/AX=2515h - Phar Lap 386/DOS-Extender - GET SEGMENT ATTRIBUTES
Int 21/AX=2516h - Phar Lap 386/DOS-Extender v2.2+ - FREE ALL MEMORY OWNED BY LDT
Int 21/AX=2517h - Phar Lap 386/DOS-Extender v2.1c+ - GET INFO ON DOS DATA BUFFER
Int 21/AX=2518h - Phar Lap 386/DOS-Extender 2.1c+ - SPECIFY HANDLER FOR MOVED SEGMENTS
Int 21/AX=2519h - Phar Lap 386/DOS-Extender VMM - GET ADDITIONAL MEMORY ERROR INFO
Int 21/AX=251Ah - Phar Lap 386/DOS-Extender VMM - LOCK PAGES IN MEMORY
Int 21/AX=251Bh - Phar Lap 386/DOS-Extender VMM - UNLOCK PAGES
Int 21/AX=251Ch - Phar Lap 386/DOS-Extender VMM v2.1c+ - FREE PHYSICAL MEMORY PAGES
Int 21/AX=251Dh - Phar Lap 386/DOS-Extender VMM v2.1c - READ PAGE-TABLE ENTRY
Int 21/AX=251Eh - Phar Lap 386/DOS-Extender VMM v2.1c - WRITE PAGE-TABLE ENTRY
Int 21/AX=251Fh - Phar Lap 386/DOS-Extender VMM - EXCHANGE TWO PAGE-TABLE ENTRIES
Int 21/AX=2520h - Phar Lap 386/DOS-Extender VMM - GET MEMORY STATISTICS
Int 21/AX=2521h - Phar Lap 386/DOS-Extender VMM - LIMIT PROGRAM'S EXTENDED MEM USAGE
Int 21/AX=2522h - Phar Lap 386/DOS-Ext VMM v2.2+ - SPECIFY ALTERNATE PAGE-FAULT HANDLR
Int 21/AX=2523h - Phar Lap 386/DOS-Ext VMM v2.2+ - SPECIFY OUT-OF-SWAP-SPACE HANDLER
Int 21/AX=2524h - Phar Lap 386/DOS-Ext VMM v2.2+ - INSTALL PAGE-REPLACEMENT HANDLERS
Int 21/AX=2525h - Phar Lap 386/DOS-Extender VMM - LIMIT PROGRAM'S CONVENT'L MEM USAGE
Int 21/AX=2526h - Phar Lap 386/DOS-Extender - GET CONFIGURATION INFORMATION
Int 21/AX=2527h - Phar Lap 386/DOS-Extender VMM - EN/DISABLE STATE SAVE ON INTERRUPTS
Int 21/AX=2528h - Phar Lap 386/DOS-Extender VMM - READ REGISTERS AFTER CTRL-C INT
Int 21/AX=2529h - Phar Lap 386/DOS-Extender - LOAD FLAT MODEL .EXP or .REX FILE
Int 21/AX=252Ah - Phar Lap 386/DOS-Extender VMM - NEW LOAD PROGRAM FOR DEBUG
Int 21/AX=252Bh/BH=00h - Phar Lap 386/DOS-Extender - CREATE UNMAPPED PAGES
Int 21/AX=252Bh/BH=01h - Phar Lap 386/DOS-Extender - CREATE ALLOCATED PAGES
Int 21/AX=252Bh/BH=02h - Phar Lap 386/DOS-Extender - CREATE PHYSICAL DEVICE PAGES
Int 21/AX=252Bh/BH=03h - Phar Lap 386/DOS-Extender - MAP DATA FILE
Int 21/AX=252Bh/BH=04h - Phar Lap 386/DOS-Extender - GET PAGE TYPES
Int 21/AX=252Bh - Phar Lap 386/DOS-Extender - VIRTUAL MEMORY MANAGEMENT - PAGE LOCKING
Int 21/AX=252Bh - Phar Lap 386/DOS-Extender - FREE PHYSICAL PAGES
Int 21/AX=252Bh/BH=09h - Phar Lap 386/DOS-Extender v4.1 - GET PAGETABLE ENTRY/PAGE TABLE INFO
Int 21/AX=252Bh/BH=0Ah - Phar Lap 386/DOS-Extender v4.1 - SET PAGETABLE ENTRY/PAGE TABLE INFO
Int 21/AX=252Bh/BH=0Bh - Phar Lap 386/DOS-Extender v4.1+ - MAP DATA FILE AT FILE OFFSET
Int 21/AX=252Ch - Phar Lap 386/DOS-Ext VMM v3.0 - ADD UNMAPPED PAGES AT END OF SEGMENT
Int 21/AX=252Dh - Phar Lap 386/DOS-Extender VMM v2.3+ - CLOSE VMM FILE HANDLE
Int 21/AX=252Eh - Phar Lap 386/DOS-Extender VMM v2.3+ - GET/SET VMM PARAMETERS
Int 21/AX=252Fh - Phar Lap 386/DOS-Ext VMM v3.0 - WRITE RECORD TO VMM PAGE LOG FILE
Int 21/AX=2530h - Phar Lap 386/DOS-Ext VMM v2.3+ - SET SIZE OF BUFFER FOR DOS CALLS
Int 21/AX=2531h - Phar Lap 386/DOS-Extender VMM v3.0 - READ/WRITE LDT DESCRIPTOR

Int 21/AX=2532h - Phar Lap 386/DOS-Extender - GET EXCEPTION HANDLER VECTOR
Int 21/AX=2533h - Phar Lap 386/DOS-Extender - SET EXCEPTION HANDLER VECTOR
Int 21/AX=2534h - Phar Lap 386/DOS-Extender v3.0+ - GET INTERRUPT FLAG
Int 21/AX=2535h - Phar Lap 386/DOS-Extender v3.0+ - READ/WRITE SYSTEM REGISTERS
Int 21/AX=2536h - Phar Lap 386/DOS-Ext VMM v3.0+ - MIN/MAX EXTENDED/CONV MEMORY USAGE
Int 21/AX=2537h - Phar Lap 386/DOS-Ext VMM v3.0 - ALLOCATE DOS MEMORY ABOVE DOS BUFFER
Int 21/AX=2538h - Phar Lap 386/DOS-Ext VMM v3.0 - READ PROTMODE REGS AFTER SFTWARE INT
Int 21/AX=2539h - Phar Lap 386/DOS-Ext VMM v3.0 - GET OFFSET OF .EXP FILE HEADER
Int 21/AX=253Ah - Phar Lap 386/DOS-Extender v3.0+ - INSTALL MOD. SEG FAILURE HANDLER
Int 21/AX=253Bh - Phar Lap 386/DOS-Extender v3.0+ - JUMP TO REAL MODE CODE, NO CONTEXT
Int 21/AX=253Ch - Phar Lap 386/DOS-Extender VMM v3.0+ - SHRINK 386|VMM SWAP FILE
Int 21/AX=253Dh - Phar Lap 386/DOS-Extender v4.0+ - READ/WRITE IDT DESCRIPTOR
Int 21/AX=253Fh - Phar Lap 386/DOS-Extender v6.0+ - ALLOCATE LDT DESCRIPTOR
Int 21/AX=2540h - Phar Lap 386/DOS-Extender v6.0+ - FORCE ALIAS OF SEGMENT
Int 21/AX=2544h - Phar Lap 386/DOS-Extender v6.0+ - FREE DLL
Int 21/AX=2545h - Phar Lap 386/DOS-Extender v6.0+ - GET/SET PROCEDURE ADDRESS
Int 21/AX=2546h - Phar Lap 386/DOS-Extender v6.0+ - GET MODULE HANDLE
Int 21/AX=25C0h - Phar Lap 386/DOS-Extender - ALLOCATE MS-DOS MEMORY BLOCK
Int 21/AX=25C1h - Phar Lap 386/DOS-Extender - RELEASE MS-DOS MEMORY BLOCK
Int 21/AX=25C2h - Phar Lap 386/DOS-Extender - MODIFY MS-DOS MEMORY BLOCK
Int 21/AX=25C3h - Phar Lap 386/DOS-Extender - EXECUTE PROGRAM
Int 21/AH=26h - DOS 1+ - CREATE NEW PROGRAM SEGMENT PREFIX
Int 21/AH=27h - DOS 1+ - RANDOM BLOCK READ FROM FCB FILE
Int 21/AH=28h - DOS 1+ - RANDOM BLOCK WRITE TO FCB FILE
Int 21/AH=29h - DOS 1+ - PARSE FILENAME INTO FCB
Int 21/AH=2Ah - DOS 1+ - GET SYSTEM DATE
Int 21/AH=2Bh - DOS 1+ - SET SYSTEM DATE
Int 21/AH=2Bh/CX=4149h - AI Architects - ??? - INSTALLATION CHECK
Int 21/AH=2Bh/CX=4358h - Super PC-Kwik v3.20+ - INSTALLATION CHECK
Int 21/AH=2Bh/CX=4445h - DESQview - INSTALLATION CHECK
Int 21/AH=2Bh/CX=454Ch - ELRES v1.1 - INSTALLATION CHECK
Int 21/AX=2B00h/CX=5643h - The Volkov Commander - GET POINTER TO LEFT PANEL DATA STRUCTURE
Int 21/AX=2B01h/CX=5643h - The Volkov Commander - GET POINTER TO RIGHT PANEL DATA STRUCTURE
Int 21/AX=2B02h/CX=5643h - The Volkov Commander - GET POINTER TO GLOBAL VARIABLES
Int 21/AX=2B01h/CX=444Dh - Quarterdeck DOS-UP.SYS v2.00 - INSTALLATION CHECK
Int 21/AX=2B01h/CX=5441h - TAME v2.10+ - INSTALLATION CHECK
Int 21/AX=2B16h/CX=0643h - VIRUS - Maltese Amoeba - INSTALLATION CHECK
Int 21/AX=2B44h/BX=4D41h - PcANYWHERE IV/LAN - INSTALLATION CHECK
Int 21/AH=2Bh/CX=5643h - Volkov Commander - INSTALLATION CHECK
Int 21/AH=2Bh/CX=6269h - WDTSR.COM - INSTALLATION CHECK
Int 21/AH=2Bh/CX=6269h - BitFOSS - INSTALLATION CHECK
Int 21/AH=2Bh/CX=6269h - BitFOSSI - INSTALLATION CHECK
Int 21/AH=2Ch - DOS 1+ - GET SYSTEM TIME
Int 21/AH=2Ch - VIRUS - Anti Poda 2.0 - INSTALLATION CHECK

Int 21/AX=2C00h/CX=534Bh - SKUDO - INSTALLATION CHECK
Int 21/AX=2C2Ch - VIRUS - LockJaw/Proto-T - INSTALLATION CHECK
Int 21/AH=2Dh - DOS 1+ - SET SYSTEM TIME
Int 21/AX=2D01h/CX=7820h - PC-Mix - INSTALLATION CHECK
Int 21/AH=2Eh/DL=00h - DOS 1+ - SET VERIFY FLAG
Int 21/AH=2Fh - DOS 2+ - GET DISK TRANSFER AREA ADDRESS
Int 21/AH=30h - DOS 2+ - GET DOS VERSION
Int 21/AH=30h - Phar Lap 386/DOS-Extender, Intel Code Builder - INSTALLATION CHECK
Int 21/AH=30h/DX=ABCDh - VIRUS - Possessed - INSTALLATION CHECK
Int 21/AH=30h/SI=1234h - VIRUS - ANDROMEDA-758 -INSTALLATION CHECK
Int 21/AX=3000h/BX=1234h - CTask 2.0+ - INSTALLATION CHECK
Int 21/AX=3000h/BX=3000h - PC-MOS/386 v3.0 - INSTALLATION CHECK/GET VERSION
Int 21/AX=3000h/BX=614Ah - VIRUS - Jackal - INSTALLATION CHECK
Int 21/AX=3022h - StopPrg v2.0 - INSTALLATION CHECK
Int 21/AX=3030h/BX=694Dh - VIRUS - IMTC -INSTALLATION CHECK
Int 21/AX=3032h/DX=1234h - VIRUS - Uruguay - INSTALLATION CHECK
Int 21/AX=30F1h - VIRUS - Dutch-555/Quit 1992 - INSTALLATION CHECK
Int 21/AX=30FFh/CX=4445h - DESQ??? - INSTALLATION CHECK
Int 21/AH=31h - DOS 2+ - TERMINATE AND STAY RESIDENT
Int 21/AH=32h - DOS 2+ - GET DOS DRIVE PARAMETER BLOCK FOR SPECIFIC DRIVE
Int 21/AH=33h - DOS 2+ - EXTENDED BREAK CHECKING
Int 21/AX=3302h - DOS 3.x+ internal - GET AND SET EXTENDED CONTROL-BREAK CHECKING STATE
Int 21/AX=3303h - DOS 3.4/4.0 - GET CURRENT CPSW STATE
Int 21/AX=3304h - DOS 3.4/4.0 - SET CPSW STATE
Int 21/AX=3305h - DOS 4.0+ - GET BOOT DRIVE
Int 21/AX=3306h - DOS 5+ - GET TRUE VERSION NUMBER
Int 21/AX=3306h - CBIS network - NETWORK REDIRECTOR - ???
Int 21/AX=3307h - Windows95 - SET/CLEAR DOS_FLAG
Int 21/AX=330Fh - VIRUS - Burghofer - INSTALLATION CHECK
Int 21/AX=3341h - Diet Disk v1.0 - INSTALLATION CHECK
Int 21/AX=33DAh - VIRUS - CoffeeShop - INSTALLATION CHECK
Int 21/AX=33DBh - VIRUS - CoffeeShop - GENERATE RANDOM NUMBER
Int 21/AX=33DCh - VIRUS - CoffeeShop - DISPLAY LEGALIZE CANNABIS GRAPHIC
Int 21/AX=33E0h - VIRUS - Oropax - INSTALLATION CHECK
Int 21/AH=34h - DOS 2+ - GET ADDRESS OF INDOS FLAG
Int 21/AH=35h - DOS 2+ - GET INTERRUPT VECTOR
Int 21/AX=3501h - FlashTek X-32VM - ALLOCATE PROTECTED-MODE SELECTOR
Int 21/AX=3502h - FlashTek X-32VM - DEALLOCATE PROTECTED-MODE SELECTOR
Int 21/AX=3503h - FlashTek X-32VM - SET SELECTOR BASE ADDRESS
Int 21/AX=3504h - FlashTek X-32VM - GET SELECTOR BASE ADDRESS
Int 21/AX=3505h - FlashTek X-32VM - SET SELECTOR LIMIT
Int 21/AX=350Ah - FlashTek X-32VM - PHYSICAL ADDRESS MAPPING
Int 21/AX=350Bh - FlashTek X-32VM - UPDATE AND RETURN AVAILABLE FREE MEMORY
Int 21/AX=350Ch - FlashTek X-32VM - ALLOCATE A BLOCK OF MEMORY

Int 21/AX=350Dh - FlashTek X-32VM - RESERVE BLOCK OF MEMORY FOR 32-BIT STACK
Int 21/AX=357Fh - VIRUS - Agiplan/Month 4-6 - INSTALLATION CHECK
Int 21/AH=36h - DOS 2+ - GET FREE DISK SPACE
Int 21/AX=3700h - DOS 2+ - SWITCHAR - GET SWITCH CHARACTER
Int 21/AX=3701h - DOS 2+ - SWITCHAR - SET SWITCH CHARACTER
Int 21/AH=37h - DOS 2.x and 3.3+ only - AVAILDEV - SPECIFY \DEV\ PREFIX USE
Int 21/AX=37A0h/BX=6A6Dh - XPACK v1.52+ - TSR INSTALLATION CHECK
Int 21/AX=37A1h/BX=6A6Dh - XPACK v1.52+ - UNINSTALL
Int 21/AX=37A2h/BX=6A6Dh - XPACK v1.52+ - GET TSR STATUS
Int 21/AX=37A3h/BX=6A6Dh - XPACK v1.52+ - SET TSR STATUS
Int 21/AX=37A6h/BX=6A6Dh - XPACK v1.65 - GET TEMPORARY DIRECTORY NAME
Int 21/AX=37A7h/BX=6A6Dh - XPACK v1.65 - SET TEMPORARY DIRECTORY NAME
Int 21/AX=37D0h/BX=899Dh - DIET v1.43e - TSR INSTALLATION CHECK
Int 21/AX=37D1h/BX=899Dh - DIET v1.43e - GET DIET.EXE RESIDENT SEGMENT
Int 21/AX=37D2h/BX=899Dh - DIET v1.43e - GET TSR CONTROL FLAGS
Int 21/AX=37D3h/BX=899Dh - DIET v1.43e - SET TSR CONTROL FLAGS
Int 21/AX=37D4h/BX=899Dh - DIET v1.43e - GET TSR OPTIONS
Int 21/AX=37D5h/BX=899Dh - DIET v1.43e - SET TSR OPTIONS
Int 21/AX=37D6h/BX=899Dh - DIET v1.43e - GET TEMPORARY DIRECTORY NAMES
Int 21/AX=37D7h/BX=899Dh - DIET v1.43e - SET TEMPORARY DIRECTORY NAMES
Int 21/AX=37DCh/BX=899Dh - DIET v1.43e - SET ADDRESS OF EXTERNAL PROCEDURE
Int 21/AX=37DDh/BX=899Dh - DIET v1.43e - RELEASE EXTERNAL PROCEDURE
Int 21/AX=37DEh/BX=899Dh - DIET v1.43e - READ EMS STATUS
Int 21/AX=37DFh/BX=899Dh - DIET v1.43e - UNINSTALL TSR
Int 21/AH=38h - DOS 2+ - GET COUNTRY-SPECIFIC INFORMATION
Int 21/AH=38h/DX=FFFFh - DOS 3.0+ - SET COUNTRY CODE
Int 21/AH=39h - DOS 2+ - MKDIR - CREATE SUBDIRECTORY
Int 21/AH=3Ah - DOS 2+ - RMDIR - REMOVE SUBDIRECTORY
Int 21/AH=3Bh - DOS 2+ - CHDIR - SET CURRENT DIRECTORY
Int 21/AH=3Ch - DOS 2+ - CREAT - CREATE OR TRUNCATE FILE
Int 21/AH=3Dh - DOS 2+ - OPEN - OPEN EXISTING FILE
Int 21/AX=3D76h - VIRUS - GT-SPOOF -INSTALLATION CHECK
Int 21/AX=3DFFh - VIRUS - JD-448 - INSTALLATION CHECK
Int 21/AH=3Eh - DOS 2+ - CLOSE - CLOSE FILE
Int 21/AH=3Fh - DOS 2+ - READ - READ FROM FILE OR DEVICE
Int 21/AH=3Fh - Turbo Debug HARDWARE BREAKPOINTS - READ STATUS BLOCK
Int 21/AH=3Fh - PC/TCP IPCUST.SYS - READ CONFIGURATION DATA
Int 21/AH=3Fh - WORKGRP.SYS - GET ENTRY POINT
Int 21/AH=3Fh - BW-TCP - GET DRIVER INFO
Int 21/AH=3Fh - Trusted Access - NB.SYS - GET STATE
Int 21/AH=3Fh - IFSHLP.SYS - GET ENTRY POINT
Int 21/AH=3Fh/BX=FEB0h - VIRUS - KYZ/LieWait - INSTALLATION CHECK
Int 21/AH=40h - DOS 2+ - WRITE - WRITE TO FILE OR DEVICE
Int 21/AH=40h - Turbo Debug HARDWARE BREAKPOINTS - SEND CMD TO HARDWARE BRKPNT DRIVER

Int 21/AH=40h - PC/TCP IPCUST.SYS - WRITE CONFIGURATION DATA
Int 21/AH=40h - Trusted Access - NB.SYS - SET STATE
Int 21/AX=4000h/BX=0002h - FARTBELL.EXE - INSTALLATION CHECK
Int 21/AX=4001h/BX=0002h - FARTBELL.EXE - FORCE NOISE
Int 21/AH=41h - DOS 2+ - UNLINK - DELETE FILE
Int 21/AX=4101h/DX=FFFEh - SoftLogic Data Guardian - ???
Int 21/AH=42h - DOS 2+ - LSEEK - SET CURRENT FILE POSITION
Int 21/AX=4203h - VIRUS - Shake - INSTALLATION CHECK
Int 21/AX=4243h - VIRUS - Invader - INSTALLATION CHECK
Int 21/AX=4300h - DOS 2+ - GET FILE ATTRIBUTES
Int 21/AX=4301h - DOS 2+ - CHMOD - SET FILE ATTRIBUTES
Int 21/AX=4302h - MS-DOS 7 - GET COMPRESSED FILE SIZE
Int 21/AX=4302h - DR DOS 3.41+ internal - GET ACCESS RIGHTS
Int 21/AX=4303h - DR DOS 3.41+ internal - SET ACCESS RIGHTS AND PASSWORD
Int 21/AX=4304h - DR DOS 5.0-6.0 internal - GET ENCRYPTED PASSWORD
Int 21/AX=4305h - DR DOS 5.0-6.0 internal - SET EXTENDED FILE ATTRIBUTES
Int 21/AX=4306h - DR DOS 6.0 - GET FILE OWNER
Int 21/AX=4307h - DR DOS 6.0 - SET FILE OWNER
Int 21/AX=4310h - Banyan VINES 2.1+ - GET EXTENDED FILE ATTRIBUTES
Int 21/AX=4311h - Banyan VINES 2.1+ - SET EXTENDED FILE ATTRIBUTES
Int 21/AX=4321h/BX=0000h - Q87, Q387 - INSTALLATION CHECK
Int 21/AX=4321h/BX=0001h - Q87, Q387 - ENABLE EMULATOR
Int 21/AX=4321h/BX=0002h - Q87, Q387 - DISABLE EMULATOR
Int 21/AX=4380h - Novell DOS 7 - UNDELETE PENDING DELETE FILE
Int 21/AX=4381h - Novell DOS 7 - PURGE PENDING DELETE FILE
Int 21/AX=4382h - DR-DOS >7.03 - RESERVED
Int 21/AX=43FFh/BP=5053h - MS-DOS 7.20 (Win98) - EXTENDED-LENGTH FILENAME OPERATIONS
Int 21/AX=4400h -
Int 21/AX=4401h - DOS 2+ - IOCTL - SET DEVICE INFORMATION
Int 21/AX=4402h - DOS 2+ - IOCTL - READ FROM CHARACTER DEVICE CONTROL CHANNEL
Int 21/AX=4402h - Network Driver Interface Specification (NDIS) 2.0.1 - PROTOCOL MANAGER
Int 21/AX=4402h - MS-DOS 7.0+ - CONFIG\$ device - GET CONFIGURATION INFORMATION
Int 21/AX=4402h - IBM SYSTEM 36/38 WORKSTATION EMULATION - VDI.SYS - GET ???
Int 21/AX=4402h - LASTBYTE.SYS v1.19 - IOCTL - GET ??? TABLE
Int 21/AX=4402h - HIGHUMM.SYS v1.17+ - IOCTL - GET API ADDRESS
Int 21/AX=4402h - SMARTDRV.SYS v3.x only - IOCTL - GET CACHE STATUS
Int 21/AX=4402h - CD-ROM device driver - IOCTL INPUT
Int 21/AX=4402h - Quarterdeck - QEMM-386 v5+ - GET API ENTRY POINT
Int 21/AX=4402h - Quarterdeck - HOOKROM.SYS - GET HOOKED VECTOR TABLE
Int 21/AX=4402h - Advanced SCSI Programming Interface (ASPI) - INTERFACE
Int 21/AX=4402h - Qualitas 386MAX v6.00+ - IOCTL INPUT - GET STATE
Int 21/AX=4402h - PGS1600.DEV - IOCTL - GET CONFIGURATION INFO
Int 21/AX=4402h - PC/TCP IPCUST.SYS - RESET CONFIGURATION DATA READ POINTER
Int 21/AX=4402h - WORKGRP.SYS - GET API ENTRY POINT

Int 21/AX=4402h - 10NET v5.0 - 10BEUI.DOS - API
Int 21/AX=4402h - 10NET v5.0 - 10MEMMGR.SYS - API
Int 21/AX=4402h - Compaq AG1024.SYS - RGDI - GET DRIVER LOCATION
Int 21/AX=4402h - FTPSOFT.DOS v3.1 - GET ???
Int 21/AX=4402h - PenDOS PENDEV.SYS - GET ENTRY POINTS
Int 21/AX=4402h - LAN Manager - TCPDRV.DOS - API
Int 21/AX=4402h - PC Tools 9 CPRLOW.EXE - GET CODE AND DATA ADDRESSES
Int 21/AX=4402h - Creative Technology CTMMSYS.SYS v1.00.01 - API
Int 21/AX=4402h - Creative Technology CTSB2.SYS v1.01.01 - API
Int 21/AX=4402h - Novell DOS 7+ EMM386.EXE - GET STATE RECORD
Int 21/AX=4402h/SF=00h - Memory Managers - GET API ENTRY POINT
Int 21/AX=4402h/SF=01h - Memory Managers - GET EMM IMPORT STRUCTURE ADDRESS
Int 21/AX=4402h/SF=02h - Memory Managers - GET MEMORY MANAGER VERSION
Int 21/AX=4402h - Microsoft EMM386.EXE v4.45 - GET MEMORY MANAGER INFORMATION
Int 21/AX=4402h - IFSHLP.SYS - GET ENTRY POINT
Int 21/AX=4402h - ATA Software Programming Interface (ATASPI) - INTERFACE
Int 21/AX=4402h - DRFAT32.SYS device driver - IOCTL INPUT
Int 21/AX=4403h - DOS 2+ - IOCTL - WRITE TO CHARACTER DEVICE CONTROL CHANNEL
Int 21/AX=4403h - SMARTDRV.SYS v3.x only - IOCTL - CACHE CONTROL
Int 21/AX=4403h - CD-ROM device driver - IOCTL OUTPUT
Int 21/AX=4403h - MS-DOS 7.0+ - CONFIG\$ device - SET??? CONFIGURATION INFORMATION
Int 21/AX=4403h - Brian Antoine Seagate ST-01 SCSI.SYS - IOCTL - EXECUTE COMMANDS
Int 21/AX=4403h - AI Architects - OS/x86??? - API
Int 21/AX=4403h - PGS1600.DEV - IOCTL - SET CONFIGURATION???
Int 21/AX=4403h - PC/TCP IPCUST.SYS - RESET CONFIGURATION DATA READ POINTER
Int 21/AX=4403h - Compaq AG1024.SYS - CPQ_MGES - IOCTL OUTPUT
Int 21/AX=4403h - Compaq AG1024.SYS - RGDI - IOCTL OUTPUT
Int 21/AX=4403h/SF=01h - Qualitas 386MAX v6.01+ - TURN 386MAX OFF
Int 21/AX=4403h/SF=02h - Qualitas 386MAX v6.01+ - TURN 386MAX ON
Int 21/AX=4403h/SF=03h - Qualitas 386MAX v6.01+ - SET STATE
Int 21/AX=4403h/SF=05h - Qualitas 386MAX v7.00+ - LIMIT AUTOMATIC ACTIVATION TO STD EMS CALLS
Int 21/AX=4403h/SF=06h - Qualitas 386MAX v7.00+ - ALLOW AUTOMATIC ACTIVATION ON ANY INT 67
Int 21/AX=4403h - PenDOS PENDEV.SYS - ???
Int 21/AX=4403h - DR DOS \$IDLE\$ - IOCTL - DYNAMIC IDLE DETECTION CONTROL
Int 21/AX=4404h - DOS 2+ - IOCTL - READ FROM BLOCK DEVICE CONTROL CHANNEL
Int 21/AX=4404h - Stacker - GET DEVICE DRIVER ADDRESS AND SET VOLUME NUMBER
Int 21/AX=4404h - Stacker - GET STACVOL FILE SECTORS
Int 21/AX=4404h - DUBLDISK.SYS v2.6 - GET INFO
Int 21/AX=4404h - DBLSPACE.BIN - IOCTL - FLUSH OR INVALIDATE INTERNAL CACHES
Int 21/AX=4404h - DBLSPACE.BIN v6.2 - IOCTL - GET ??? FOR SPECIFIED DRIVE
Int 21/AX=4404h - DoubleTools v1.0 - GET ???
Int 21/AX=4404h - XDISK v3.31 - CONFIGURE
Int 21/AX=4404h - COMBI-disk v1.13 - GET DATA RECORD
Int 21/AX=4404h - SFS v1.00 - GET CONFIGURATION INFORMATION

Int 21/AX=4405h - DOS 2+ - IOCTL - WRITE TO BLOCK DEVICE CONTROL CHANNEL
Int 21/AX=4405h - Brian Antoine Seagate ST-01 SCSI.SYS - IOCTL - EXECUTE COMMANDS
Int 21/AX=4405h - DBLSPACE.BIN - IOCTL - FLUSH OR INVALIDATE INTERNAL CACHES
Int 21/AX=4405h - XDISK v3.31 - ???
Int 21/AX=4405h - COMBI-disk v1.13 - CONTROL COMBI-disk
Int 21/AX=4405h - SFS v1.00 - DRIVER CONTROL
Int 21/AX=4405h - SUPERSTOR - IOCTL - INSTALL CHECK
Int 21/AX=4406h - DOS 2+ - IOCTL - GET INPUT STATUS
Int 21/AX=4407h - DOS 2+ - IOCTL - GET OUTPUT STATUS
Int 21/AX=4408h - DOS 3.0+ - IOCTL - CHECK IF BLOCK DEVICE REMOVABLE
Int 21/AX=4409h - DOS 3.1+ - IOCTL - CHECK IF BLOCK DEVICE REMOTE
Int 21/AX=440Ah - DOS 3.1+ - IOCTL - CHECK IF HANDLE IS REMOTE
Int 21/AX=440Bh - DOS 3.1+ - IOCTL - SET SHARING RETRY COUNT
Int 21/AX=440Ch - DOS 3.2+ - IOCTL - GENERIC CHARACTER DEVICE REQUEST
Int 21/AX=440Ch - Greg Shenaut ASPITAPE.SYS - INTERFACE
Int 21/AX=440Dh - DOS 3.2+ - IOCTL - GENERIC BLOCK DEVICE REQUEST
Int 21/AX=440Dh/CX=084Ah - MS-DOS 7.0+ - GENERIC IOCTL - LOCK LOGICAL VOLUME
Int 21/AX=440Dh/CX=084Bh - MS-DOS 7.0+ - GENERIC IOCTL - LOCK PHYSICAL VOLUME
Int 21/AX=440Dh/CX=086Ah - MS-DOS 7.0+ - GENERIC IOCTL - UNLOCK LOGICAL VOLUME
Int 21/AX=440Dh/CX=086Bh - MS-DOS 7.0+ - GENERIC IOCTL - UNLOCK PHYSICAL VOLUME
Int 21/AX=440Dh/CX=086Ch - MS-DOS 7.0+ - GENERIC IOCTL - GET LOCK FLAG STATE
Int 21/AX=440Dh/CX=086Dh - MS-DOS 7.0+ - GENERIC IOCTL - ENUMERATE OPEN FILES
Int 21/AX=440Dh/CX=086Eh - MS-DOS 7.0+ - GENERIC IOCTL - FIND SWAP FILE
Int 21/AX=440Dh/CX=0870h - MS-DOS 7.0+ - GENERIC IOCTL - GET CURRENT LOCK STATE
Int 21/AX=440Dh/CX=0871h - MS-DOS 7.0+ - GENERIC IOCTL - GET FIRST CLUSTER
Int 21/AX=440Dh/CX=EDC1h - DR PalmDOS - GENERIC IOCTL - LOGIN SECURITY
Int 21/AX=440Eh - DOS 3.2+ - IOCTL - GET LOGICAL DRIVE MAP
Int 21/AX=440Fh - DOS 3.2+ - IOCTL - SET LOGICAL DRIVE MAP
Int 21/AX=4410h - DOS 5+ - IOCTL - QUERY GENERIC IOCTL CAPABILITY (HANDLE)
Int 21/AX=4410h/BX=FFFFh - NewSpace - ENABLE DRIVER
Int 21/AX=4411h - DOS 5+ - IOCTL - QUERY GENERIC IOCTL CAPABILITY (DRIVE)
Int 21/AX=4411h/BX=FFFFh - NewSpace - DISABLE DRIVER
Int 21/AX=4412h - DR DOS 5.0-6.0 - DETERMINE DOS TYPE
Int 21/AX=4412h/BX=FFFFh - NewSpace - INSTALLATION CHECK???
Int 21/AX=4413h/BX=FFFFh - NewSpace - GET ???
Int 21/AX=4414h - DR DOS 5.0-6.0 - SET GLOBAL PASSWORD
Int 21/AX=4414h/BX=FFFFh - NewSpace - DEBUGGING DUMP
Int 21/AX=4416h - DR DOS 5.0-6.0 - HISTORY BUFFER, SHARE, AND HILOAD CONTROL
Int 21/AX=4451h - Concurrent DOS v3.2+ - INSTALLATION CHECK
Int 21/AX=4452h - DR DOS 3.41+ - DETERMINE DOS TYPE/GET DR DOS VERSION
Int 21/AX=4454h - DR DOS 3.41+ - SET GLOBAL PASSWORD
Int 21/AX=4456h - DR DOS 5.0+ - HISTORY BUFFER CONTROL
Int 21/AX=4457h - DR DOS 5.0-6.0 - SHARE/HILOAD CONTROL
Int 21/AX=4457h/DX=FFFFh - DR DOS 6.0 - GET SHARE STATUS

Int 21/AX=4458h - DR DOS 5.0+ internal - GET POINTER TO INTERNAL VARIABLE TABLE
Int 21/AX=4459h - DR Multiuser DOS 5.0 - API
Int 21/AX=445Ah - Concurrent DOS etc. - USER GROUP SUPPORT
Int 21/AX=44A0h - VIRUS - Horns - INSTALLATION CHECK
Int 21/AX=44E0h - Sun PC-NFS - API???
Int 21/AX=44FFh/BX=FFFFh - NewSpace - ???
Int 21/AH=45h - DOS 2+ - DUP - DUPLICATE FILE HANDLE
Int 21/AH=46h - DOS 2+ - DUP2, FORCEDUP - FORCE DUPLICATE FILE HANDLE
Int 21/AH=47h - DOS 2+ - CWD - GET CURRENT DIRECTORY
Int 21/AH=48h - DOS 2+ - ALLOCATE MEMORY
Int 21/AH=49h - DOS 2+ - FREE MEMORY
Int 21/AH=4Ah - DOS 2+ - RESIZE MEMORY BLOCK
Int 21/AH=4Ah/BX=00B6h - VIRUS???
Int 21/AH=4Ah/BX=FFFFh - VIRUS???
Int 21/AH=4Bh - DOS 2+ - EXEC - LOAD AND/OR EXECUTE PROGRAM
Int 21/AH=4Bh - ELRES v1.0 only - INSTALLATION CHECK
Int 21/AX=4B04h - VIRUS - MG, 699/Thirteen Minutes - INSTALLATION CHECK
Int 21/AX=4B05h - DOS 5+ - SET EXECUTION STATE
Int 21/AX=4B18h/DX=0010h - FBOOT v2.13 - PERFORM FAST BOOTSTRAP
Int 21/AX=4B20h - VIRUS - Holocaust/Telefonica - ???
Int 21/AX=4B21h - VIRUS - Holocaust/Telefonica - ???
Int 21/AX=4B25h - VIRUS - 1063/Mono - INSTALLATION CHECK
Int 21/AX=4B40h - VIRUS - Plastique/AntiCad - INSTALLATION CHECK
Int 21/AX=4B41h - VIRUS - Plastique/AntiCad - ???
Int 21/AX=4B4Ah - VIRUS - Jabberwocky - INSTALLATION CHECK
Int 21/AX=4B4Bh - VIRUS - Horse-2 - INSTALLATION CHECK
Int 21/AX=4B4Dh - VIRUS - Murphy-2, Patricia/Smack - INSTALLATION CHECK
Int 21/AX=4B50h - VIRUS - Plastique-2576/AntiCad-2576 - INSTALLATION CHECK
Int 21/AX=4B53h - VIRUS - Horse - INSTALLATION CHECK
Int 21/AX=4B53h/BX=2121h - VIRUS - One Half - INSTALLATION CHECK
Int 21/AX=4B55h - VIRUS - Sparse - INSTALLATION CHECK
Int 21/AX=4B59h - VIRUS - Murphy-1, Murphy-4 - INSTALLATION CHECK
Int 21/AX=4B5Eh - VIRUS - Brothers - INSTALLATION CHECK
Int 21/AX=4B60h - VIRUS - Plastique-2576/AntiCad-2576 - ???
Int 21/AX=4B80h - DR DOS v3.31+ - RUN ALREADY-LOADED KERNEL FILE
Int 21/AX=4B87h - VIRUS - Shirley - INSTALLATION CHECK
Int 21/AX=4B95h - VIRUS - Zherkov-1882 - INSTALLATION CHECK
Int 21/AX=4BA7h - VIRUS - 1876/Dash-em - INSTALLATION CHECK
Int 21/AX=4BAAh - VIRUS - Nomenklatura - INSTALLATION CHECK
Int 21/AX=4BAFh - VIRUS - 948/Screenplus1, Magnitogorsk - INSTALLATION CHECK
Int 21/AX=4BB1h - VIRUS - UZZY -INSTALLATION CHECK
Int 21/AX=4BDDh - VIRUS - Lozinsky/Zherkov - INSTALLATION CHECK
Int 21/AX=4BEEh - F-DRIVER.SYS v1.14+ - GRAB INT 21
Int 21/AX=4BF0h - DIET v1.10+ (Overlay Mode) - INSTALLATION CHECK

Int 21/AX=4BF1h - DIET v1.10+ (Overlay Mode) - EXPAND PROGRAM???

Int 21/AX=4BF1h - VIRUS - Jerusalem 2 - INSTALLATION CHECK

Int 21/AX=4BFEh - VIRUS - Hitchcock, Dark Avenger-1028, 1193 - INSTALLATION CHECK

Int 21/AX=4BFFh - VIRUS - USSR-707, Justice, Europe 92 - INSTALLATION CHECK

Int 21/AX=4BFFh/SI=0000h - VIRUS - Cascade - INSTALLATION CHECK

Int 21/AH=4Ch - DOS 2+ - EXIT - TERMINATE WITH RETURN CODE

Int 21/AX=4C57h - Headroom - ???

Int 21/AH=4Dh - DOS 2+ - GET RETURN CODE (ERRORLEVEL)

Int 21/AH=4Eh - DOS 2+ - FINDFIRST - FIND FIRST MATCHING FILE

Int 21/AH=4Eh - WILDUNIX.COM internal - INSTALLATION CHECK

Int 21/AH=4Fh - DOS 2+ - FINDNEXT - FIND NEXT MATCHING FILE

Int 21/AH=50h - DOS 2+ internal - SET CURRENT PROCESS ID (SET PSP ADDRESS)

Int 21/AX=50FDh - VIRUS - Predator 2 - INSTALLATION CHECK

Int 21/AH=51h - DOS 2+ internal - GET CURRENT PROCESS ID (GET PSP ADDRESS)

Int 21/AH=52h - DOS 2+ internal - SYSVARS - GET LIST OF LISTS

Int 21/AX=5252h - VIRUS - 516/Leapfrog - INSTALLATION CHECK

Int 21/AH=53h - DOS 2+ internal - TRANSLATE BIOS PARAMETER BLOCK TO DRIVE PARAM BLOCK

Int 21/AH=54h - DOS 2+ - GET VERIFY FLAG

Int 21/AH=54h/BX=4475h - VIRUS - Dual_GtM/Ganeu - INSTALLATION CHECK

Int 21/AX=5454h - VIRUS - Dudley - INSTALLATION CHECK

Int 21/AH=55h - DOS 2+ internal - CREATE CHILD PSP

Int 21/AH=56h - DOS 2+ - RENAME - RENAME FILE

Int 21/AX=5643h - VIRUS - PS-MPC.Gold - INSTALLATION CHECK

Int 21/AX=5700h - DOS 2+ - GET FILE'S LAST-WRITTEN DATE AND TIME

Int 21/AX=5701h - DOS 2+ - SET FILE'S LAST-WRITTEN DATE AND TIME

Int 21/AX=5702h - DOS 4.x only - GET EXTENDED ATTRIBUTES FOR FILE

Int 21/AX=5702h - OS/2 v1.1+ Family API - DosQFileInfo

Int 21/AX=5702h/BX=FFFFh - OS/2 v1.1+ Compatibility Box Family API - DosQPathInfo

Int 21/AX=5703h - DOS 4.x only - GET EXTENDED ATTRIBUTE PROPERTIES

Int 21/AX=5703h - OS/2 v1.1+ Family API - DosSetFileInfo

Int 21/AX=5703h/BX=FFFFh - OS/2 v1.1+ Family API - DosSetPathInfo

Int 21/AX=5704h - DOS 4.x only - SET EXTENDED ATTRIBUTES

Int 21/AX=5704h - MS-DOS 7/Windows95 - GET LAST ACCESS DATE AND TIME

Int 21/AX=5705h - MS-DOS 7/Windows95 - SET LAST ACCESS DATE AND TIME

Int 21/AX=5706h - MS-DOS 7/Windows95 - GET CREATION DATE AND TIME

Int 21/AX=5707h - MS-DOS 7/Windows95 - SET CREATION DATE AND TIME

Int 21/AX=5741h - VIRUS - WARP -INSTALLATION CHECK

Int 21/AX=5757h/BX=5757h - IBM Genie - Resident Manager - INSTALLATION CHECK

Int 21/AX=5758h - Headroom - API

Int 21/AH=58h - DOS 2.11+ - GET OR SET MEMORY ALLOCATION STRATEGY

Int 21/AH=58h - DOS 5+ - GET OR SET UMB LINK STATE

Int 21/AX=58CCh - VIRUS - 1067/Headcrash - INSTALLATION CHECK

Int 21/AX=58DDh - VIRUS - 1067/Headcrash - GET ORIGINAL INT 21h VECTOR

Int 21/AH=59h/BX=0000h - DOS 3.0+ - GET EXTENDED ERROR INFORMATION

Int 21/AH=59h/BX=0001h - European MS-DOS 4.0 - GET HARD ERROR INFORMATION
Int 21/AH=5Ah - DOS 3.0+ - CREATE TEMPORARY FILE
Int 21/AH=5Bh - DOS 3.0+ - CREATE NEW FILE
Int 21/AH=5Ch - DOS 3.0+ - FLOCK - RECORD LOCKING
Int 21/AX=5D00h - DOS 3.1+ internal - SERVER FUNCTION CALL
Int 21/AX=5D01h - DOS 3.1+ internal - COMMIT ALL FILES FOR SPECIFIED COMPUTER/PROCESS
Int 21/AX=5D02h - DOS 3.1+ internal - SHARE.EXE - CLOSE FILE BY NAME
Int 21/AX=5D03h - DOS 3.1+ internal - SHARE.EXE - CLOSE ALL FILES FOR GIVEN COMPUTER
Int 21/AX=5D04h - DOS 3.1+ internal - SHARE.EXE - CLOSE ALL FILES FOR GIVEN PROCESS
Int 21/AX=5D05h - DOS 3.1+ internal - SHARE.EXE - GET OPEN FILE LIST ENTRY
Int 21/AX=5D06h - DOS 3.0+ internal - GET ADDRESS OF DOS SWAPPABLE DATA AREA
Int 21/AX=5D07h - DOS 3.1+ network - GET REDIRECTED PRINTER MODE
Int 21/AX=5D08h - DOS 3.1+ network - SET REDIRECTED PRINTER MODE
Int 21/AX=5D09h - DOS 3.1+ network - FLUSH REDIRECTED PRINTER OUTPUT
Int 21/AX=5D0Ah - DOS 3.1+ - SET EXTENDED ERROR INFORMATION
Int 21/AX=5D0Bh - DOS 4.x only - internal - GET DOS SWAPPABLE DATA AREAS
Int 21/AX=5E00h -
Int 21/AX=5E00h - 10NET v5.0 - GET MACHINE NAME
Int 21/AX=5E01h/CH=00h - DOS 3.1+ network - SET MACHINE NAME
Int 21/AX=5E01h - 10NET v5.0 - GET LOCAL 10NET CONFIGURATION TABLE
Int 21/AX=5E02h - DOS 3.1+ network - SET NETWORK PRINTER SETUP STRING
Int 21/AX=5E03h - DOS 3.1+ network - GET NETWORK PRINTER SETUP STRING
Int 21/AX=5E04h - DOS 3.1+ network - SET PRINTER MODE
Int 21/AX=5E04h - 10NET v5.0 - INITIATE PRINT JOB
Int 21/AX=5E05h - DOS 3.1+ network - GET PRINTER MODE
Int 21/AX=5E05h - 10NET v5.0 - TERMINATE PRINT JOB
Int 21/AX=5E06h - 10NET v5.0 - GET/SET 10NET WORKSTATION PRINTER SETUP STRUCTURE
Int 21/AX=5F00h - DOS 3.1+ network - GET REDIRECTION MODE
Int 21/AX=5F01h - DOS 3.1+ network - SET REDIRECTION MODE
Int 21/AX=5F02h - DOS 3.1+ network - GET REDIRECTION LIST ENTRY
Int 21/AX=5F03h - DOS 3.1+ network - REDIRECT DEVICE
Int 21/AX=5F04h - DOS 3.1+ network - CANCEL REDIRECTION
Int 21/AX=5F05h - DOS 4.0+ network - GET EXTENDED REDIRECTION LIST ENTRY
Int 21/AX=5F05h - STARLITE architecture - MAP LOCAL DRIVE LETTER TO REMOTE FILE SYSTEM
Int 21/AX=5F06h - Network - GET FULL REDIRECTION LIST
Int 21/AX=5F06h - STARLITE architecture - UNMAP DRIVE LETTER
Int 21/AX=5F07h - DOS 5+ - ENABLE DRIVE
Int 21/AX=5F07h - STARLITE architecture - MAKE NAMED OBJECT AVAILABLE ON NETWORK
Int 21/AX=5F08h - DOS 5+ - DISABLE DRIVE
Int 21/AX=5F08h - STARLITE architecture - REMOVE GLOBAL NETWORK NAME OF OBJECT
Int 21/AX=5F09h - STARLITE architecture - BIND TO NETWORK DEVICE
Int 21/AX=5F0Ah - STARLITE architecture - DETACH FROM NETWORK DEVICE
Int 21/AX=5F30h - LAN Manager Enhanced DOS - GET REDIRECTOR VERSION
Int 21/AX=5F32h - Named Pipes - LOCAL DosQNmPipeInfo

Int 21/AX=5F33h - Named Pipes - LOCAL DosQNmPHandState
Int 21/AX=5F34h - Named Pipes - LOCAL DosSetNmPHandState
Int 21/AX=5F35h - Named Pipes - LOCAL DosPeekNmPipe
Int 21/AX=5F36h - Named Pipes - LOCAL DosTransactNmPipe
Int 21/AX=5F37h - Named Pipes - DosCallNmPipe
Int 21/AX=5F38h - Named Pipes - LOCAL DosWaitNmPipe - AWAIT AVAIL. OF PIPE INSTANCE
Int 21/AX=5F39h - Named Pipes - LOCAL DosRawReadNmPipe
Int 21/AX=5F3Ah - Named Pipes - LOCAL DosRawWriteNmPipe
Int 21/AX=5F3Bh - LAN Manager Enhanced DOS - NetHandleSetInfo
Int 21/AX=5F3Ch - LAN Manager Enhanced DOS - NetHandleGetInfo
Int 21/AX=5F3Dh - LAN Manager Enhanced DOS - WRITE MAILSLLOT???
Int 21/AX=5F3Eh - LAN Manager Enhanced DOS - LOCAL NetSpecialSMB
Int 21/AX=5F3Fh - LAN Manager Enhanced DOS - REMOTE API CALL
Int 21/AX=5F40h - LAN Manager Enhanced DOS - LOCAL NetMessageBufferSend
Int 21/AX=5F41h - LAN Manager Enhanced DOS - LOCAL NetServiceEnum
Int 21/AX=5F42h - LAN Manager Enhanced DOS - LOCAL NetServiceControl
Int 21/AX=5F43h - LAN Manager Enhanced DOS - LOCAL DosPrintJobGetId
Int 21/AX=5F44h - LAN Manager Enhanced DOS - LOCAL NetWkstaGetInfo
Int 21/AX=5F45h - LAN Manager Enhanced DOS - LOCAL NetWkstaSetInfo
Int 21/AX=5F46h - LAN Manager Enhanced DOS - LOCAL NetUseEnum
Int 21/AX=5F47h - LAN Manager Enhanced DOS - LOCAL NetUseAdd
Int 21/AX=5F48h - LAN Manager Enhanced DOS - LOCAL NetUseDel
Int 21/AX=5F49h - LAN Manager Enhanced DOS - NetUseGetInfo
Int 21/AX=5F4Ah - LAN Manager Enhanced DOS - LOCAL NetRemoteCopy
Int 21/AX=5F4Bh - LAN Manager Enhanced DOS - LOCAL NetRemoteMove
Int 21/AX=5F4Ch - LAN Manager Enhanced DOS - LOCAL NetServerEnum
Int 21/AX=5F4Dh - LAN Manager Enhanced DOS - DosMakeMailslot
Int 21/AX=5F4Eh - LAN Manager Enhanced DOS - DosDeleteMailslot
Int 21/AX=5F4Fh - LAN Manager Enhanced DOS - DosMailslotInfo
Int 21/AX=5F50h - LAN Manager Enhanced DOS - DosReadMailslot
Int 21/AX=5F51h - LAN Manager Enhanced DOS - DosPeekMailslot
Int 21/AX=5F52h - LAN Manager Enhanced DOS - DosWriteMailslot
Int 21/AX=5F53h - LAN Manager Enhanced DOS - NetServerEnum2
Int 21/AX=5F55h - LAN Manager Enhanced DOS - KILL ALL CONNECTIONS???
Int 21/AX=5F80h - LANTastic - GET LOGIN ENTRY
Int 21/AX=5F81h - LANTastic - LOGIN TO SERVER
Int 21/AX=5F82h - LANTastic - LOGOUT FROM SERVER
Int 21/AX=5F83h - LANTastic - GET USERNAME ENTRY
Int 21/AX=5F84h - LANTastic - GET INACTIVE SERVER ENTRY
Int 21/AX=5F85h - LANTastic - CHANGE PASSWORD
Int 21/AX=5F86h - LANTastic - DISABLE ACCOUNT
Int 21/AX=5F87h - LANTastic v3+ - GET ACCOUNT
Int 21/AX=5F88h - LANTastic v4.0+ - LOGOUT FROM ALL SERVERS
Int 21/AX=5F97h - LANTastic - COPY FILE

Int 21/AX=5F98h - LANtastic - SEND UNSOLICITED MESSAGE
Int 21/AX=5F99h - LANtastic - GET LAST RECEIVED UNSOLICITED MESSAGE
Int 21/AX=5F9Ah - LANtastic - GET MESSAGE PROCESSING FLAGS
Int 21/AX=5F9Bh - LANtastic - SET MESSAGE PROCESSING FLAGS
Int 21/AX=5F9Ch - LANtastic v3+ - POP UP LAST RECEIVED MESSAGE
Int 21/AX=5F9Dh - LANtastic v4.1+ - GET REDIRECTOR CONTROL BITS
Int 21/AX=5F9Eh - LANtastic v4.1+ - SET REDIRECTOR CONTROL BITS
Int 21/AX=5FA0h - LANtastic - GET QUEUE ENTRY
Int 21/AX=5FA1h - LANtastic - SET QUEUE ENTRY
Int 21/AX=5FA2h - LANtastic - CONTROL QUEUE
Int 21/AX=5FA3h - LANtastic v3+ - GET PRINTER STATUS
Int 21/AX=5FA4h - LANtastic v3+ - GET STREAM INFO
Int 21/AX=5FA5h - LANtastic v3+ - SET STREAM INFO
Int 21/AX=5FA7h - LANtastic - CREATE USER AUDIT ENTRY
Int 21/AX=5FA9h - LANtastic v4.1+ - SET EXTENDED QUEUE ENTRY
Int 21/AX=5FB0h - LANtastic - GET ACTIVE USER INFORMATION
Int 21/AX=5FB1h - LANtastic - GET SHARED DIRECTORY INFORMATION
Int 21/AX=5FB2h - LANtastic v3+ - GET USERNAME FROM ACCOUNT FILE
Int 21/AX=5FB3h - LANtastic v3+ - TRANSLATE PATH
Int 21/AX=5FB4h - LANtastic v3+ - CREATE INDIRECT FILE
Int 21/AX=5FB5h - LANtastic v3+ - GET INDIRECT FILE CONTENTS
Int 21/AX=5FB6h - LANtastic v4.1+ - SET AUTO-LOGIN DEFAULTS
Int 21/AX=5FB7h - LANtastic v4.1+ - GET AUTO-LOGIN DEFAULTS
Int 21/AX=5FC0h - LANtastic - GET TIME FROM SERVER
Int 21/AX=5FC8h - LANtastic v4.0+ - SCHEDULE SERVER SHUTDOWN
Int 21/AX=5FC9h - LANtastic v4.0+ - CANCEL SERVER SHUTDOWN
Int 21/AX=5FCAh - LANtastic v4.0+ - STUFF SERVER KEYBOARD BUFFER
Int 21/AX=5FCBh - LANtastic v4.1+ - TERMINATE USER
Int 21/AX=5FCCh - LANtastic v4.1+ - GET/SET SERVER CONTROL BITS
Int 21/AX=5FCDh - LANtastic v4.1+ - FLUSH SERVER CACHES
Int 21/AX=5FD0h - LANtastic - GET REDIRECTED PRINTER TIMEOUT
Int 21/AX=5FD1h - LANtastic - SET REDIRECTED PRINTER TIMEOUT
Int 21/AX=5FE0h - LANtastic - GET DOS SERVICE VECTOR
Int 21/AX=5FE1h - LANtastic - SET DOS SERVICE VECTOR
Int 21/AX=5FE2h - LANtastic - GET MESSAGE SERVICE VECTOR
Int 21/AX=5FE3h - LANtastic - SET MESSAGE SERVICE VECTOR
Int 21/AH=60h - DOS 3.0+ - TRUENAME - CANONICALIZE FILENAME OR PATH
Int 21/AH=61h - DOS 3.0+ - UNUSED (RESERVED FOR NETWORK USE)
Int 21/AH=61h/BP=6467h - OS/2 v1.x FAPI - OS/2 FILE SYSTEM JOIN/SUBST
Int 21/AH=62h - DOS 3.0+ - GET CURRENT PSP ADDRESS
Int 21/AX=6262h/SI=1994h - ENVLOCK - INSTALLATION CHECK
Int 21/AX=6300h - DOS 2.25 only - GET LEAD BYTE TABLE ADDRESS
Int 21/AX=6300h - DOS 3.2+ - GET DOUBLE BYTE CHARACTER SET LEAD-BYTE TABLE
Int 21/AX=6301h - DOS 2.25, DOS 3.2+ - SET KOREAN (HANGEUL) INPUT MODE

Int 21/AX=6302h - DOS 2.25, DOS 3.2+ - GET KOREAN (HANGEUL) INPUT MODE
Int 21/AX=6303h - VIRUS - DOS IDLE - INSTALLATION CHECK
Int 21/AX=6304h - VIRUS - Replicator - INSTALLATION CHECK
Int 21/AH=64h - DOS 3.2+ internal - SET DEVICE DRIVER LOOKAHEAD FLAG
Int 21/AH=64h/DX=0000h - OS/2 v2.0+ Virtual DOS Machine - ENABLE AUTOMATIC TITLE SWITCH
Int 21/AH=64h/DX=0001h - OS/2 v2.0+ Virtual DOS Machine - SET SESSION TITLE
Int 21/AH=64h/DX=0002h - OS/2 v2.0+ Virtual DOS Machine - GET SESSION TITLE
Int 21/AH=64h/DX=0003h - OS/2 v2.1 Virtual DOS Machine - GET LASTDRIVE
Int 21/AH=64h/DX=0004h - OS/2 v2.1+ Virtual DOS Machine - GET SIZE OF PTDA JFT
Int 21/AH=64h/DX=0005h - OS/2 v2.1+ Virtual DOS Machine - GET SECOND SFT FLAGS WORD
Int 21/AH=64h/DX=0006h - OS/2 v2.1+ Virtual DOS Machine - UNLOAD DOSKRNL SYMBOLS & LOAD
PROGR
Int 21/AH=64h/DX=0007h - OS/2 v2.1+ Virtual DOS Machine - GET WinOS2 CALL GATE ADDRESS
Int 21/AH=64h/DX=0008h - OS/2 v2.1+ Virtual DOS Machine - GET LOADING MESSAGE
Int 21/AH=64h/CX=636Ch - OS/2 v2.1+ Virtual DOS Machine - OS/2 API support
Int 21/AH=64h/BX=0025h - OS/2 v2.1+ Virtual DOS Machine - OS/2 API DOS32StartSession
Int 21/AH=64h/BX=00B6h - OS/2 v2.1+ Virtual DOS Machine - OS/2 API DosQFSAttach
Int 21/AH=64h/BX=00CBh - OS/2 v2.1+ Virtual DOS Machine - OS/2 API DosForceDelete
Int 21/AX=6500h - Windows95 (OSR2) - SET GENERAL INTERNATIONALIZATION INFO
Int 21/AH=65h - DOS 3.3+ - GET EXTENDED COUNTRY INFORMATION
Int 21/AH=65h - DOS 4.0+ - COUNTRY-DEPENDENT CHARACTER CAPITALIZATION
Int 21/AX=6523h - DOS 4.0+ - DETERMINE IF CHARACTER REPRESENTS YES/NO RESPONSE
Int 21/AH=65h - DOS 4.0+ internal - COUNTRY-DEPENDENT FILENAME CAPITALIZATION
Int 21/AX=6601h - DOS 3.3+ - GET GLOBAL CODE PAGE TABLE
Int 21/AX=6602h - DOS 3.3+ - SET GLOBAL CODE PAGE TABLE
Int 21/AH=67h - DOS 3.3+ - SET HANDLE COUNT
Int 21/AH=68h - DOS 3.3+ - FFLUSH - COMMIT FILE
Int 21/AH=69h - DOS 4.0+ internal - GET/SET DISK SERIAL NUMBER
Int 21/AH=69h - DR DOS 5.0 - NULL FUNCTION
Int 21/AX=6969h - VIRUS - Rape-747 - INSTALLATION CHECK
Int 21/AX=69FFh/DX=0000h - CUBIT v4.00 - GET CUBIT INT 21 HANDLER
Int 21/AX=69FFh/DX=CFBFh - CUBIT v4.00 - UNINSTALL
Int 21/AH=6Ah - DOS 4.0+ - COMMIT FILE
Int 21/AH=6Bh - DOS 4.0 internal - IFS IOCTL
Int 21/AH=6Bh - DOS 5+ - NULL FUNCTION
Int 21/AX=6C00h - DOS 4.0+ - EXTENDED OPEN/CREATE
Int 21/AX=6C01h - OS/2 v2.0 - DosOpen2
Int 21/AH=6Dh - DOS 5+ ROM - FIND FIRST ROM PROGRAM
Int 21/AH=6Dh - OS/2 v1.x FAPI - DosMkDir2
Int 21/AH=6Dh - Novell DOS 7 - NOP
Int 21/AH=6Eh - DOS 5+ ROM - FIND NEXT ROM PROGRAM
Int 21/AH=6Eh - OS/2 v1.x FAPI - DosEnumAttrib
Int 21/AX=6F00h - DOS 5+ ROM - GET ROM SCAN START ADDRESS
Int 21/AX=6F00h - OS/2 v1.x FAPI - DosQMaxEASize - GET MAXIMUM SIZE OF EXTENDED ATTR

Int 21/AX=6F01h - DOS 5+ ROM - SET ROM SCAN START ADDRESS
Int 21/AX=6F02h - DOS 5+ ROM - GET EXCLUSION REGION LIST
Int 21/AX=6F03h - DOS 5+ ROM - SET EXCLUSION REGION LIST
Int 21/AH=70h - MS-DOS 7 (Windows95) - GET/SET INTERNATIONALIZATION INFORMATION
Int 21/AX=7070h/BX=6060h - PCW Weather Card interface - GET DATA SEGMENT
Int 21/AX=7070h/BX=7070h - PCW Weather Card interface - INSTALLATION CHECK
Int 21/AH=71h - Windows95 - LONG FILENAME FUNCTIONS
Int 21/AH=71h - VIRUS - 1205 - INSTALLATION CHECK
Int 21/AX=710Dh - Windows95 - RESET DRIVE
Int 21/AX=7139h - Windows95 - LONG FILENAME - MAKE DIRECTORY
Int 21/AX=713Ah - Windows95 - LONG FILENAME - REMOVE DIRECTORY
Int 21/AX=713Bh - Windows95 - LONG FILENAME - CHANGE DIRECTORY
Int 21/AX=7141h - Windows95 - LONG FILENAME - DELETE FILE
Int 21/AX=7143h - Windows95 - LONG FILENAME - EXTENDED GET/SET FILE ATTRIBUTES
Int 21/AX=7147h - Windows95 - LONG FILENAME - GET CURRENT DIRECTORY
Int 21/AX=714Eh - Windows95 - LONG FILENAME - FIND FIRST MATCHING FILE
Int 21/AX=714Fh - Windows95 - LONG FILENAME - FIND NEXT MATCHING FILE
Int 21/AX=7156h - Windows95 - LONG FILENAME - RENAME FILE
Int 21/AX=7160h/CL=00h - Windows95 - LONG FILENAME - TRUENAME - CANONICALIZE PATH
Int 21/AX=7160h/CL=01h - Windows95 - LONG FILENAME - GET SHORT (8.3) FILENAME FOR FILE
Int 21/AX=7160h/CL=02h - Windows95 - LONG FILENAME - GET CANONICAL LONG FILENAME OR PATH
Int 21/AX=716Ch - Windows95 - LONG FILENAME - CREATE OR OPEN FILE
Int 21/AX=71A0h - Windows95 - LONG FILENAME - GET VOLUME INFORMATION
Int 21/AX=71A1h - Windows95 - LONG FILENAME - FindClose - TERMINATE DIRECTORY SEARCH
Int 21/AX=71A2h - Windows95 - internal - LONG FILENAME - FIND NEXT MATCHING FILE
Int 21/AX=71A3h - Windows95 - internal
Int 21/AX=71A4h - Windows95 - internal
Int 21/AX=71A5h - Windows95 - internal
Int 21/AX=71A6h - Windows95 - LONG FILENAME - GET FILE INFO BY HANDLE
Int 21/AX=71A7h/BL=00h - Windows95 - LONG FILENAME - FILE TIME TO DOS TIME
Int 21/AX=71A7h/BL=01h - Windows95 - LONG FILENAME - DOS TIME TO FILE TIME
Int 21/AX=71A8h - Windows95 - LONG FILENAME - GENERATE SHORT FILENAME
Int 21/AX=71A9h - Windows95 - LONG FILENAME - SERVER CREATE OR OPEN FILE
Int 21/AX=71AAh/BH=00h - Windows95 - LONG FILENAME - CREATE SUBST
Int 21/AX=71AAh/BH=01h - Windows95 - LONG FILENAME - TERMINATE SUBST
Int 21/AX=71AAh/BH=02h - Windows95 - LONG FILENAME - QUERY SUBST
Int 21/AH=72h - Windows95 beta - LFN-FindClose
Int 21/AH=73h - MS-DOS 7 - DRIVE LOCKING AND FLUSHING
Int 21/AX=7302h - Windows95 - FAT32 - Get_ExtDPB - GET EXTENDED DPB
Int 21/AX=7303h - Windows95 - FAT32 - GET EXTENDED FREE SPACE ON DRIVE
Int 21/AX=7304h - Windows95 - FAT32 - Set DPB TO USE FOR FORMATTING
Int 21/AX=7305h/CX=FFFFh - Windows95 - FAT32 - EXTENDED ABSOLUTE DISK READ/WRITE
Int 21/AX=7575h - VIRUS - LEGO -INSTALLATION CHECK
Int 21/AH=76h - VIRUS - Klaeren/Hate - INSTALLATION CHECK

Int 21/AX=7700h - VIRUS - Growing Block - INSTALLATION CHECK
Int 21/AX=7734h - SCROLLit v1.7 - INSTALLATION CHECK
Int 21/AX=7761h - WATCH.COM v3.2+ - INSTALLATION CHECK
Int 21/AX=7BCEh - VIRUS - Whisper/Taipan - INSTALLATION CHECK
Int 21/AX=7BCFh - VIRUS - Tai-Pan.666/Doom II Death - INSTALLATION CHECK
Int 21/AH=7Dh - VIRUS - OffSpring - INSTALLATION CHECK
Int 21/AH=7Fh - VIRUS - Squeaker,ASeXual - INSTALLATION CHECK
Int 21/AH=80h - European MS-DOS 4.0 - AEXEC - EXECUTE PROGRAM IN BACKGROUND
Int 21/AX=8080h - PCW Weather Card interface - UNINSTALL PCW.COM AND FREE MEMORY
Int 21/AH=81h - European MS-DOS 4.0 - FREEZE - STOP A PROCESS
Int 21/AH=82h - European MS-DOS 4.0 - RESUME - RESTART A PROCESS
Int 21/AH=83h - European MS-DOS 4.0 - PARTITION - GET/SET FOREGROUND PARTITION SIZE
Int 21/AH=83h - VIRUS - SVC - INSTALLATION CHECK
Int 21/AH=84h - VIRUS - SVC 5.0 or SVC 6.0 - INSTALLATION CHECK
Int 21/AX=8400h - European MS-DOS 4.0 - CREATMEM - CREATE A SHARED MEMORY AREA
Int 21/AX=8401h - European MS-DOS 4.0 - GETMEM - OBTAIN ACCESS TO SHARED MEMORY AREA
Int 21/AX=8402h - European MS-DOS 4.0 - RELEASMEM - FREE SHARED MEMORY AREA
Int 21/AH=85h - European MS-DOS 4.0 - ???
Int 21/AH=86h - European MS-DOS 4.0 - SETFILETABLE - INSTALL NEW FILE HANDLE TABLE
Int 21/AH=87h - European MS-DOS 4.0 - GETPID - GET PROCESS IDENTIFIER
Int 21/AH=88h - European MS-DOS 4.0 - ???
Int 21/AH=89h - European MS-DOS 4.0 - SLEEP
Int 21/AH=89h - VIRUS - Vriest - INSTALLATION CHECK
Int 21/AH=8Ah - European MS-DOS 4.0 - CWAIT - WAIT FOR CHILD TO TERMINATE
Int 21/AH=8Bh - European MS-DOS 4.0 - ???
Int 21/AH=8Ch - European MS-DOS 4.0 - SET SIGNAL HANDLER
Int 21/AH=8Dh - European MS-DOS 4.0 - SEND SIGNAL
Int 21/AX=8E00h/BH=00h - European MS-DOS 4.0 - SETPRI - GET/SET PROCESS PRIORITY
Int 21/AH=8Fh - European MS-DOS 4.0 - ???
Int 21/AH=90h - European MS-DOS 4.0 - ???
Int 21/AH=90h/CX=FFFFh - PTS-DOS 6.51 & S/DOS 1.0 - DIRECT DISK READ
Int 21/AH=90h - VIRUS - Carioca - INSTALLATION CHECK
Int 21/AH=91h - European MS-DOS 4.0 - ???
Int 21/AH=91h/CX=FFFFh - PTS-DOS 6.51 & S/DOS 1.0 - DIRECT DISK WRITE
Int 21/AH=92h - European MS-DOS 4.0 - ???
Int 21/AH=92h - PTS-DOS 6.51 & S/DOS 1.0 - ABORT CURRENT PROCESS VIA INT 23
Int 21/AH=93h - European MS-DOS 4.0 - PIPE - CREATE A NEW PIPE
Int 21/AH=94h - European MS-DOS 4.0 - ???
Int 21/AH=95h - European MS-DOS 4.0 - HARD ERROR PROCESSING
Int 21/AH=96h - European MS-DOS 4.0 - ???
Int 21/AH=97h - European MS-DOS 4.0 - ???
Int 21/AX=9753h - VIRUS - Nina - INSTALLATION CHECK
Int 21/AH=98h - European MS-DOS 4.0 - ???
Int 21/AH=99h - European MS-DOS 4.0 - PBLOCK - BLOCK A PROCESS

Int 21/AH=9Ah - European MS-DOS 4.0 - PRUN - UNBLOCK A PROCESS
Int 21/AX=9AD5h - VIRUS - Massacre/Beavis - INSTALLATION CHECK
Int 21/AH=A0h - Attachmate Extra! - GET 3270 DISPLAY STATE
Int 21/AH=A1h - Attachmate Extra! - SET 3270 DISPLAY STATE
Int 21/AX=A1D5h - VIRUS - 789/Filehider - INSTALLATION CHECK
Int 21/AH=A2h - Attachmate Extra! - SET HOST WINDOW STATE
Int 21/AH=A3h - Attachmate Extra! - SEND KEYSTROKES TO HOST WINDOW
Int 21/AH=A4h - Attachmate Extra! - GET HOST WINDOW BUFFER ADDRESS
Int 21/AH=A5h - Attachmate Extra! - GET HOST WINDOW CURSOR POSITION
Int 21/AX=A55Ah - VIRUS - Eddie-2 - INSTALLATION CHECK
Int 21/AX=AA00h - VIRUS - Blinker - INSTALLATION CHECK
Int 21/AX=AA03h - VIRUS - Backtime - INSTALLATION CHECK
Int 21/AH=ABh - VIRUS - 600 or Voronezh-family - INSTALLATION CHECK
Int 21/AX=ABCDh - VIRUS - Major BBS - INSTALLATION CHECK
Int 21/AX=ABCDh - VIRUS - SuperVirus 2 - INSTALLATION CHECK
Int 21/AH=AFh - Attachmate Extra! - GET TRANSLATE TABLE ADDRESS
Int 21/AH=B3h - VIRUS - Requires - INSTALLATION CHECK
Int 21/AX=B300h - Novell NetWare - CHECK LIP/PACKET SIGNING/IPX CHECKSUM SUPPORT???
Int 21/AX=B301h - Novell NetWare - CHECK SIGNATURE LEVEL???
Int 21/AX=B302h - Novell NetWare - START PACKET SIGNING
Int 21/AX=B304h - Novell NetWare - SET SIGNATURE LEVEL
Int 21/AX=B306h - Novell NetWare - RENEGOTIATE SECURITY LEVEL
Int 21/AH=B4h - Novell NetWare - AttachHandle
Int 21/AX=B500h - Novell NetWare - VNETWARE.386 API - GET INSTANCE DATA
Int 21/AX=B501h - Novell NetWare - VNETWARE.386 API - END VIRTUAL MACHINE
Int 21/AX=B502h - Novell NetWare - VNETWARE.386 API - START VIRTUAL MACHINE
Int 21/AH=B5h - Novell NetWare shell 3.01 - TASK MODE CONTROL
Int 21/AX=B505h - Novell NetWare - VNETWARE.386 API - SET VIRTUAL MACHINE ID
Int 21/AX=B506h - Novell NetWare - VNETWARE.386 API - GET VIRTUAL MACH SUPPORT LEVEL
Int 21/AX=B507h - Novell NetWare - NetWare Shell - GET NUMBER OF PACKET BURST BUFFERS
Int 21/AH=B6h - Novell NetWare - FILE SERVICES - EXTENDED FILE ATTRIBUTES
Int 21/AH=B7h - Novell NetWare - HoldFileModeSet (obsolete)
Int 21/AH=B8h - Attachmate Extra! - DISABLE HOST BUFFER UPDATES
Int 21/AX=B800h - Novell NetWare - PRINT SERVICES - GET DEFAULT CAPTURE FLAGS
Int 21/AX=B801h - Novell NetWare - PRINT SERVICES - SET DEFAULT CAPTURE FLAGS
Int 21/AX=B802h - Novell NetWare - PRINT SERVICES - GET SPECIFIC CAPTURE FLAGS
Int 21/AX=B803h - Novell NetWare - PRINT SERVICES - SET SPECIFIC CAPTURE FLAGS
Int 21/AX=B804h - Novell NetWare - PRINT SERVICES - GET DEFAULT LOCAL PRINTER
Int 21/AX=B805h - Novell NetWare - PRINT SERVICES - SET DEFAULT LOCAL PRINTER
Int 21/AX=B806h - Novell NetWare - PRINT SERVICES - SET CAPTURE PRINT QUEUE
Int 21/AX=B807h - Novell NetWare - PRINT SERVICES - SET CAPTURE PRINT JOB
Int 21/AX=B808h - Novell NetWare - PRINT SERVICES - GET BANNER USER NAME
Int 21/AX=B809h - Novell NetWare - PRINT SERVICES - SET BANNER USER NAME
Int 21/AH=B9h - Novell NetWare - SpecialAttachableFunction

Int 21/AX=B974h - VIRUS - Tracker - INSTALLATION CHECK
Int 21/AH=BAh - Novell NetWare - ReturnCommandComPointers
Int 21/AH=BBh - Novell NetWare - WORKSTATION - SET END OF JOB STATUS
Int 21/AX=BBBBh - VIRUS - Hey You - INSTALLATION CHECK
Int 21/AH=BCh - Novell NetWare - SYNCHRONIZATION SERVICES - LOG PHYSICAL RECORD
Int 21/AH=BDh - Novell NetWare - SYNCHRONIZATION SERVICES - RELEASE PHYSICAL RECORD
Int 21/AH=BEh - Novell NetWare - SYNCHRONIZATION SERVICES - CLEAR PHYSICAL RECORD
Int 21/AH=BEh - VIRUS - Datalock - INSTALLATION CHECK
Int 21/AX=BE00h - VIRUS - USSR-1049 - INSTALLATION CHECK
Int 21/AH=BFh - Novell NetWare, Alloy NTNX - LOG/LOCK RECORD (FCB)
Int 21/AH=C0h - Novell NetWare, Alloy NTNX - RELEASE RECORD (FCB)
Int 21/AH=C0h - VIRUS - Slow/Zerotime, Solano - INSTALLATION CHECK
Int 21/AX=C000h - VIRUS - QUICKY - INSTALLATION CHECK
Int 21/AX=C001h - VIRUS - QUICKY - TURN INFECTION OFF
Int 21/AX=C002h - VIRUS - QUICKY - TURN INFECTION ON
Int 21/AH=C1h - Novell NetWare, Alloy NTNX - CLEAR RECORD (FCB)
Int 21/AH=C1h - VIRUS - Solano - ???
Int 21/AH=C2h - Novell NetWare - SYNCHRONIZATION SERVICES - LOCK PHYSICAL RECORD SET
Int 21/AH=C2h - VIRUS - Scott's Valley - ???
Int 21/AH=C3h - Novell NetWare - SYNCHRONIZATION SERVICES - RELEASE PHYS RECORD SET
Int 21/AX=C301h/DX=F1F1h - VIRUS - 905/Backfont - INSTALLATION CHECK
Int 21/AH=C4h - Novell NetWare - SYNCHRONIZATION SERVICES - CLEAR PHYSICAL RECORD SET
Int 21/AX=C500h - Novell NetWare - SYNCHRONIZATION SERVICES - OPEN SEMAPHORE
Int 21/AX=C500h - VIRUS - Sverdlov - INSTALLATION CHECK
Int 21/AX=C501h - Novell NetWare - SYNCHRONIZATION SERVICES - EXAMINE SEMAPHORE
Int 21/AX=C502h - Novell NetWare - SYNCHRONIZATION SERVICES - WAIT ON SEMAPHORE
Int 21/AX=C503h - Novell NetWare - SYNCHRONIZATION SERVICES - SIGNAL SEMAPHORE
Int 21/AX=C504h - Novell NetWare - SYNCHRONIZATION SERVICES - CLOSE SEMAPHORE
Int 21/AH=C6h - Novell NetWare - SYNCHRONIZATION SERVICES - GET OR SET LOCK MODE
Int 21/AH=C6h - VIRUS - Socha - INSTALLATION CHECK
Int 21/AX=C603h - VIRUS - Yankee Doodle or MLTI - INSTALLATION CHECK
Int 21/AX=C700h - Novell NetWare - TRANSACTION TRACKING SYSTEM - BEGIN TRANSACTION
Int 21/AX=C700h - VIRUS - MH-757 - INSTALLATION CHECK
Int 21/AX=C701h - Novell NetWare - TRANSACTION TRACKING SYSTEM - END TRANSACTION
Int 21/AX=C702h - Novell NetWare - TRANSACTION TRACKING SYSTEM - INSTALLATION CHECK
Int 21/AX=C703h - Novell NetWare - TRANSACTION TRACKING SYSTEM - ABORT TRANSACTION
Int 21/AX=C704h - Novell NetWare - TRANSACTION TRACKING SYSTEM - TRANSACTION STATUS
Int 21/AX=C705h - Novell NetWare - TRANSACTION TRACKING SYSTEM - GET APPLICTN THRESHOLDS
Int 21/AX=C706h - Novell NetWare - TRANSACTION TRACKING SYSTEM - SET APPLICTN THRESHOLDS
Int 21/AX=C707h - Novell NetWare - TRANSACTION TRACKING SYSTEM - GET WORKSTN THRESHOLDS
Int 21/AX=C708h - Novell NetWare - TRANSACTION TRACKING SYSTEM - SET WORKSTN THRESHOLDS
Int 21/AH=C8h - Novell NetWare - BEGIN LOGICAL FILE LOCKING
Int 21/AH=C9h - Novell NetWare - END LOGICAL FILE LOCKING
Int 21/AH=CAh - Novell NetWare, Alloy NTNX - LOG/LOCK PERSONAL FILE (FCB)

Int 21/AX=CA15h - VIRUS - Piter - ???
Int 21/AH=CBh - Novell NetWare - SYNCHRONIZATION SERVICES - LOCK FILE SET
Int 21/AH=CBh - VIRUS - Milous - INSTALLATION CHECK
Int 21/AX=CB02h - VIRUS - Witcode - INSTALLATION CHECK
Int 21/AH=CCh - Novell NetWare, Alloy NTNX - RELEASE FILE (FCB)
Int 21/AH=CCh - VIRUS - Westwood - INSTALLATION CHECK
Int 21/AH=CDh - Novell NetWare - SYNCHRONIZATION SERVICES - RELEASE FILE SET
Int 21/AH=CDh - VIRUS - Westwood - ???
Int 21/AH=CEh - Novell NetWare, Alloy NTNX - CLEAR FILE (FCB)
Int 21/AH=CFh - LANstep - ???
Int 21/AH=CFh - Novell NetWare - SYNCHRONIZATION SERVICES - CLEAR FILE SET
Int 21/AH=D0h - Novell NetWare - SYNCHRONIZATION SERVICES - LOG LOGICAL RECORD
Int 21/AH=D0h - VIRUS - MALAGA - INSTALLATION CHECK
Int 21/AH=D0h - VIRUS - ANTIARJ -INSTALLATION CHECK
Int 21/AX=D000h - VIRUS - Fellowship - INSTALLATION CHECK
Int 21/AX=D000h - VIRUS - Warlock - INSTALLATION CHECK
Int 21/AH=D1h - Novell NetWare - SYNCHRONIZATION SERVICES - LOCK LOGICAL RECORD SET
Int 21/AH=D2h - Novell NetWare - SYNCHRONIZATION SERVICES - RELEASE LOGICAL RECORD
Int 21/AH=D2h - VIRUS???
Int 21/AH=D3h - Novell NetWare - SYNCHRONIZATION SERVICES - RELEASE LOGICAL RECORD SET
Int 21/AH=D4h - Novell NetWare - SYNCHRONIZATION SERVICES - CLEAR LOGICAL RECORD
Int 21/AH=D5h - Novell NetWare - SYNCHRONIZATION SERVICES - CLEAR LOGICAL RECORD SET
Int 21/AH=D5h - VIRUS - Carfield - ???
Int 21/AX=D5AAh - VIRUS - Diamond-A, Diamond-B - INSTALLATION CHECK
Int 21/AX=D5AAh/BP=DEAAh - VIRUS - Dir - INSTALLATION CHECK
Int 21/AH=D6h - Novell NetWare - WORKSTATION - END OF JOB
Int 21/AH=D7h - Novell NetWare - CONNECTION SERVICES - SYSTEM LOGOUT
Int 21/AH=D8h - Novell NetWare, Banyan VINES - ALLOCATE RESOURCE
Int 21/AH=D9h - Novell NetWare, Banyan VINES - DEALLOCATE RESOURCE
Int 21/AH=DAh - Novell NetWare - DIRECTORY SERVICES - GET VOLUME INFO WITH NUMBER
Int 21/AX=DADAh - VIRUS - Gotcha - INSTALLATION CHECK
Int 21/AX=DAFEh - VIRUS - Plovdiv 1.3 - INSTALLATION CHECK
Int 21/AH=DBh - Novell NetWare - WORKSTATION - GET NUMBER OF LOCAL DRIVES
Int 21/AH=DCh - Novell NetWare - CONNECTION SERVICES - GET CONNECTION NUMBER
Int 21/AH=DCh - PCMag PCMANAGE/DCOMPRES - TURN ON/OFF
Int 21/AX=DC28h - VIRUS - Monika - INSTALLATION CHECK
Int 21/AX=DCBAh - VIRUS - Red Spider - INSTALLATION CHECK
Int 21/AH=DDh - Novell NetWare - WORKSTATION - SET NetWare ERROR MODE
Int 21/AH=DDh - VIRUS - Jerusalem-family - RELOCATE VIRUS???
Int 21/AX=DDEFh - VIRUS- GOLGI - INSTALLATION CHECK
Int 21/AH=DEh - VIRUS - Durban - INSTALLATION CHECK
Int 21/AH=DEh - VIRUS - April 1st EXE - ???
Int 21/AH=DEh - Novell NetWare - MESSAGE SERVICES - SET BROADCAST MODE
Int 21/AH=DEh/DL=04h - Novell NetWare - MESSAGE SERVICES - GET BROADCAST MODE

Int 21/AH=DEh - Novell NetWare - SHELL TIMER INTERRUPT CHECKS
Int 21/AX=DEADh - VIRUS - 90210 - INSTALLATION CHECK
Int 21/AX=DEADh - VIRUS - Shifting Objective - RELOCATE CODE ???
Int 21/AX=DEDEh - VIRUS - Brothers - INSTALLATION CHECK
Int 21/AX=DEFEH - VIRUS - Maze - INSTALLATION CHECK
Int 21/AH=DFh/DL=00h - Novell NetWare - PRINT SERVICES - START LPT CAPTURE
Int 21/AH=DFh/DL=01h - Novell NetWare - PRINT SERVICES - END LPT CAPTURE
Int 21/AH=DFh/DL=02h - Novell NetWare - PRINT SERVICES - CANCEL LPT CAPTURE
Int 21/AH=DFh/DL=03h - Novell NetWare - PRINT SERVICES - FLUSH LPT CAPTURE
Int 21/AH=DFh/DL=04h - Novell NetWare - PRINT SERVICES - START SPECIFIC LPT CAPTURE
Int 21/AH=DFh/DL=05h - Novell NetWare - PRINT SERVICES - END SPECIFIC LPT CAPTURE
Int 21/AH=DFh/DL=06h - Novell NetWare - PRINT SERVICES - CANCEL SPECIFIC LPT CAPTURE
Int 21/AH=DFh/DL=07h - Novell NetWare - PRINT SERVICES - FLUSH SPECIFIC LPT CAPTURE
Int 21/AX=DF00h/DX=534Ch - Software Carousel - INSTALLATION CHECK
Int 21/AX=DF01h - Software Carousel - SWITCH TO ANOTHER TASK
Int 21/AX=DF02h - Software Carousel - KILL PROGRAM IN MEMORY PARTITION
Int 21/AX=DF03h - Software Carousel - GET PARTITION SIZE AND PROGRAM STATUS
Int 21/AX=DF04h - Software Carousel - GET PARTITION NAME
Int 21/AX=DF05h - Software Carousel - CHANGE PARTITION SIZE
Int 21/AX=DF06h - Software Carousel - CHANGE PARTITION NAME
Int 21/AX=DF07h - Software Carousel - SEND COMMAND TO MEMORY SECTION
Int 21/AX=DF08h - Software Carousel - SELECTIVELY ENABLE/DISABLE MENU AND SWITCHING
Int 21/AX=DF09h - Software Carousel - BOOT THE SYSTEM
Int 21/AX=DF0Ah - Software Carousel - GET MEMORY SIZE/PARTITION NUMBER OF CURRENT TASK
Int 21/AX=DF0Bh - Software Carousel - SET TASK SWITCH CALLBACK
Int 21/AX=DF0Ch - Software Carousel - ENABLE DOS-CALL SAFETY NOTIFICATION
Int 21/AH=E0h - Digital Research DOS Plus - CALL BDOS
Int 21/AH=E0h - OS/286, OS/386 - INITIALIZE REAL PROCEDURE
Int 21/AH=E0h - DoubleDOS - MENU CONTROL
Int 21/AH=E0h - VIRUS - Jerusalem, Armagedon - INSTALLATION CHECK
Int 21/AH=E0h - Novell NetWare, Alloy NTNX - PRINT SPOOLING
Int 21/AH=E0h/SF=06h - Novell NetWare - PRINT SERVICES - GET PRINTER STATUS
Int 21/AH=E0h/SF=09h - Novell NetWare - PRINT SERVICES - SPECIFY CAPTURE FILE
Int 21/AX=E00Fh - VIRUS - 8-tunes - INSTALLATION CHECK
Int 21/AH=E1h - OS/286, OS/386 - ISSUE REAL PROCEDURE CALL
Int 21/AH=E1h - DoubleDOS - CLEAR KEYBOARD BUFFER FOR CURRENT JOB
Int 21/AH=E1h - VIRUS - Mendoza, Fu Manchu - INSTALLATION CHECK
Int 21/AH=E1h/SF=00h - Novell NetWare - MESSAGE SERVICES - SEND BROADCAST MESSAGE
Int 21/AH=E1h/SF=01h - Novell NetWare - MESSAGE SERVICES - GET BROADCAST MESSAGE (OLD)
Int 21/AH=E1h/SF=02h - Novell NetWare - MESSAGE SERVICES - DISABLE BROADCAST MESSAGES
Int 21/AH=E1h/SF=03h - Novell NetWare - MESSAGE SERVICES - ENABLE BROADCAST MESSAGES
Int 21/AH=E1h/SF=04h - Novell NetWare - MESSAGE SERVICES - SEND PERSONAL MESSAGE
Int 21/AH=E1h/SF=05h - Novell NetWare - MESSAGE SERVICES - GET PERSONAL MESSAGE
Int 21/AH=E1h/SF=06h - Novell NetWare - MESSAGE SERVICES - OPEN MESSAGE PIPE

Int 21/AH=E1h/SF=07h - Novell NetWare - MESSAGE SERVICES - CLOSE MESSAGE PIPE
Int 21/AH=E1h/SF=08h - Novell NetWare - MESSAGE SERVICES - CHECK PIPE STATUS
Int 21/AH=E1h/SF=09h - Novell NetWare - MESSAGE SERVICES - BROADCAST TO CONSOLE
Int 21/AH=E2h - OS/286, OS/386 - SET REAL PROCEDURE SIGNAL HANDLER
Int 21/AH=E2h - DoubleDOS - SEND CHARACTER TO KEYBOARD BUFFER OF OTHER JOB
Int 21/AH=E2h/SF=00h - Novell NetWare - DIRECTORY SERVICES - SET DIRECTORY HANDLE
Int 21/AH=E2h/SF=01h - Novell NetWare - DIRECTORY SERVICES - GET DIRECTORY PATH
Int 21/AH=E2h/SF=02h - Novell NetWare - DIRECTORY SERVICES - SCAN DIRECTORY INFORMATION
Int 21/AH=E2h/SF=03h - Novell NetWare - DIRECTORY SERVICES - GET EFFECTIVE DIRECTORY RIGHTS
Int 21/AH=E2h/SF=04h - Novell NetWare - DIRECTORY SERVICES - MODIFY MAXIMUM RIGHTS MASK
Int 21/AH=E2h/SF=05h - Novell NetWare - DIRECTORY SERVICES - GET VOLUME NUMBER
Int 21/AH=E2h/SF=06h - Novell NetWare - DIRECTORY SERVICES - GET VOLUME NAME
Int 21/AH=E2h/SF=0Ah - Novell NetWare - DIRECTORY SERVICES - CREATE DIRECTORY
Int 21/AH=E2h/SF=0Bh - Novell NetWare - DIRECTORY SERVICES - DELETE DIRECTORY
Int 21/AH=E2h/SF=0Ch - Novell NetWare - DIRECTORY SERVICES - SCAN DIRECTORY FOR TRUSTEES
Int 21/AH=E2h/SF=0Dh - Novell NetWare - DIRECTORY SERVICES - ADD TRUSTEE TO DIRECTORY
Int 21/AH=E2h/SF=0Eh - Novell NetWare - DIRECTORY SERVICES - DELETE TRUSTEE FROM DIRECTORY
Int 21/AH=E2h/SF=0Fh - Novell NetWare - DIRECTORY SERVICES - RENAME DIRECTORY
Int 21/AH=E2h/SF=10h - Novell NetWare - FILE SERVICES - PURGE ERASED FILES (OLD)
Int 21/AH=E2h/SF=11h - Novell NetWare - FILE SERVICES - RESTORE ERASED FILE (OLD)
Int 21/AH=E2h/SF=12h - Novell NetWare - DIRECTORY SERVICES - ALLOC PERMANENT DIRECTORY HANDLE
Int 21/AH=E2h/SF=13h - Novell NetWare - DIRECTORY SERVICES - ALLOC TEMPORARY DIRECTORY HANDLE
Int 21/AH=E2h/SF=14h - Novell NetWare - DIRECTORY SERVICES - DEALLOCATE DIRECTORY HANDLE
Int 21/AH=E2h/SF=15h - Novell NetWare - DIRECTORY SERVICES - GET VOLUME INFO WITH HANDLE
Int 21/AH=E2h/SF=16h - Novell NetWare - DIRECTORY SERVICES - ALLOC SPECIAL TEMP DIR HANDLE
Int 21/AH=E2h/SF=17h - Novell NetWare - DIRECTORY SERVICES - SAVE DIRECTORY HANDLE
Int 21/AH=E2h/SF=18h - Novell NetWare - DIRECTORY SERVICES - RESTORE DIRECTORY HANDLE
Int 21/AH=E2h/SF=19h - Novell NetWare - DIRECTORY SERVICES - SET DIRECTORY INFORMATION
Int 21/AH=E2h/SF=1Ah - Novell NetWare - FILE SERVER - GET PATH FROM DIRECTORY ENTRY
Int 21/AH=E3h -
Int 21/AH=E3h - DoubleDOS - ADD CHARACTER TO KEYBOARD BUFFER OF CURRENT JOB
Int 21/AH=E3h - Novell NetWare - CONNECTION CONTROL
Int 21/AH=E3h/SF=01h - Novell NetWare - CONNECTION SERVICES - CHANGE USER PASSWORD (OLD)
Int 21/AH=E3h/SF=02h - Novell NetWare - CONNECTION SERVICES - CHANGE USER PASSWORD (OLD)
Int 21/AH=E3h/SF=03h - Novell NetWare - CONNECTION SERVICES - MAP OBJECT TO NUMBER (OLD)
Int 21/AH=E3h/SF=0Ah - Novell NetWare - CONNECTION SERVICES - ENTER LOGIN AREA
Int 21/AH=E3h/SF=0Ch - Novell NetWare - VERIFY NETWORK SERIAL NUMBER
Int 21/AH=E3h/SF=0Dh - Novell NetWare - MESSAGE SERVICES - LOG NETWORK MESSAGE
Int 21/AH=E3h/SF=0Eh - Novell NetWare - FILE SERVER - GET DISK UTILIZATION
Int 21/AH=E3h/SF=0Fh - Novell NetWare - FILE SERVICES - SCAN FILE INFORMATION
Int 21/AH=E3h/SF=10h - Novell NetWare - FILE SERVICES - SET FILE INFORMATION
Int 21/AH=E3h/SF=11h - Novell NetWare - FILE SERVER - GET FILE SERVER INFORMATION

Int 21/AH=E3h/SF=12h - Novell NetWare - GET NETWORK SERIAL NUMBER
Int 21/AH=E3h/SF=13h - Novell NetWare - CONNECTION SERVICES - GET INTERNET ADDRESS (OLD)
Int 21/AH=E3h/SF=14h - Novell NetWare - CONNECTION SERVICES - LOGIN TO FILE SERVER
Int 21/AH=E3h/SF=15h - Novell NetWare - CONNECTION SERVICES - GET OBJECT CONNECTION LIST(OLD)
Int 21/AH=E3h/SF=16h - Novell NetWare - CONNECTION SERVICES - GET CONNECTION INFORMATION
Int 21/AH=E3h/SF=32h - Novell NetWare - BINDERY SERVICES - CREATE BINDERY OBJECT
Int 21/AH=E3h/SF=33h - Novell NetWare - BINDERY SERVICES - DELETE BINDERY OBJECT
Int 21/AH=E3h/SF=34h - Novell NetWare - BINDERY SERVICES - RENAME BINDERY OBJECT
Int 21/AH=E3h/SF=35h - Novell NetWare - BINDERY SERVICES - GET BINDERY OBJECT ID
Int 21/AH=E3h/SF=36h - Novell NetWare - BINDERY SERVICES - GET BINDERY OBJECT NAME
Int 21/AH=E3h/SF=37h - Novell NetWare - BINDERY SERVICES - SCAN BINDERY OBJECT
Int 21/AH=E3h/SF=38h - Novell NetWare - BINDERY SERVICES - CHANGE BINDERY OBJECT SECURITY
Int 21/AH=E3h/SF=39h - Novell NetWare - BINDERY SERVICES - CREATE PROPERTY
Int 21/AH=E3h/SF=3Ah - Novell NetWare - BINDERY SERVICES - DELETE PROPERTY
Int 21/AH=E3h/SF=3Bh - Novell NetWare - BINDERY SERVICES - CHANGE PROPERTY SECURITY
Int 21/AH=E3h/SF=3Ch - Novell NetWare - BINDERY SERVICES - SCAN PROPERTY
Int 21/AH=E3h/SF=3Dh - Novell NetWare - BINDERY SERVICES - READ PROPERTY VALUE
Int 21/AH=E3h/SF=3Eh - Novell NetWare - BINDERY SERVICES - WRITE PROPERTY VALUE
Int 21/AH=E3h/SF=3Fh - Novell NetWare - BINDERY SERVICES - VERIFY BINDERY OBJECT PASSWORD
Int 21/AH=E3h/SF=40h - Novell NetWare - BINDERY SERVICES - CHANGE BINDERY OBJECT PASSWORD
Int 21/AH=E3h/SF=41h - Novell NetWare - BINDERY SERVICES - ADD BINDERY OBJECT TO SET
Int 21/AH=E3h/SF=42h - Novell NetWare - BINDERY SERVICES - DELETE BINDERY OBJECT FROM SET
Int 21/AH=E3h/SF=43h - Novell NetWare - BINDERY SERVICES - IS BINDERY OBJECT IN SET
Int 21/AH=E3h/SF=44h - Novell NetWare - BINDERY SERVICES - CLOSE BINDERY
Int 21/AH=E3h/SF=45h - Novell NetWare - BINDERY SERVICES - OPEN BINDERY
Int 21/AH=E3h/SF=46h - Novell NetWare - BINDERY SERVICES - GET BINDERY ACCESS LEVEL
Int 21/AH=E3h/SF=47h - Novell NetWare - DIRECTORY SERVICES - SCAN BINDERY OBJ TRUSTEE PATHS
Int 21/AH=E3h/SF=64h - Novell NetWare - QUEUE SERVICES - CREATE QUEUE
Int 21/AH=E3h/SF=65h - Novell NetWare - QUEUE SERVICES - DESTROY QUEUE
Int 21/AH=E3h/SF=66h - Novell NetWare - QUEUE SERVICES - READ QUEUE CURRENT STATUS (OLD)
Int 21/AH=E3h/SF=67h - Novell NetWare - QUEUE SERVICES - SET QUEUE CURRENT STATUS (OLD)
Int 21/AH=E3h/SF=68h - Novell NetWare - QUEUE SERVICES - CREATE QUEUE JOB AND FILE
Int 21/AH=E3h/SF=69h - Novell NetWare - QUEUE SERVICES - CLOSE FILE AND START QUEUE JOB (OLD)
Int 21/AH=E3h/SF=6Ah - Novell NetWare - QUEUE SERVICES - REMOVE JOB FROM QUEUE (OLD)
Int 21/AH=E3h/SF=6Bh - Novell NetWare - QUEUE SERVICES - GET QUEUE JOB LIST (OLD)
Int 21/AH=E3h/SF=6Ch - Novell NetWare - QUEUE SERVICES - READ QUEUE JOB ENTRY (OLD)
Int 21/AH=E3h/SF=6Dh - Novell NetWare - QUEUE SERVICES - CHANGE QUEUE JOB ENTRY (OLD)
Int 21/AH=E3h/SF=6Eh - Novell NetWare - QUEUE SERVICES - CHANGE QUEUE JOB POSITION
Int 21/AH=E3h/SF=6Fh - Novell NetWare - QUEUE SERVICES - ATTACH QUEUE SERVER TO QUEUE
Int 21/AH=E3h/SF=70h - Novell NetWare - QUEUE SERVICES - DETACH QUEUE SERVER FROM QUEUE
Int 21/AH=E3h/SF=71h - Novell NetWare - QUEUE SERVICES - SERVICE QUEUE JOB AND OPEN FILE
Int 21/AH=E3h/SF=72h - Novell NetWare - QUEUE SERVICES - FINISH SERVICING QUEUE JOB AND FILE
Int 21/AH=E3h/SF=73h - Novell NetWare - QUEUE SERVICES - ABORT SERVICING QUEUE JOB AND FILE
Int 21/AH=E3h/SF=74h - Novell NetWare - QUEUE SERVICES - CHANGE TO CLIENT RIGHTS (OLD)

Int 21/AH=E3h/SF=75h - Novell NetWare - QUEUE SERVICES - RESTORE QUEUE SERVER RIGHTS
Int 21/AH=E3h/SF=76h - Novell NetWare - QUEUE SERVICES - READ QUEUE SERVER CURRENT STATUS
OLD
Int 21/AH=E3h/SF=77h - Novell NetWare - QUEUE SERVICES - SET QUEUE SERVER CURRENT STATUS
Int 21/AH=E3h/SF=78h - Novell NetWare - QUEUE SERVICES - GET QUEUE JOB'S FILE SIZE (OLD)
Int 21/AH=E3h/SF=83h - Novell NetWare - QUEUE SERVICES - FINISH SERVICING QUEUE JOB
Int 21/AH=E3h/SF=84h - Novell NetWare - QUEUE SERVICES - ABORT SERVICING QUEUE JOB
Int 21/AH=E3h/SF=96h - Novell NetWare - ACCOUNTING SERVICES - GET ACCOUNT STATUS
Int 21/AH=E3h/SF=97h - Novell NetWare - ACCOUNTING SERVICES - SUBMIT ACCOUNT CHARGE
Int 21/AH=E3h/SF=98h - Novell NetWare - ACCOUNTING SERVICES - SUBMIT ACCOUNT HOLD
Int 21/AH=E3h/SF=99h - Novell NetWare - ACCOUNTING SERVICES - SUBMIT ACCOUNT NOTE
Int 21/AH=E3h/SF=C8h - Novell NetWare - FILE SERVER - CHECK CONSOLE PRIVILEGES
Int 21/AH=E3h/SF=C9h - Novell NetWare - FILE SERVER - GET FILE SERVER DESCRIPTION STRINGS
Int 21/AH=E3h/SF=CAh - Novell NetWare - FILE SERVER - SET FILE SERVER DATE AND TIME
Int 21/AH=E3h/SF=CBh - Novell NetWare - FILE SERVER - DISABLE FILE SERVER LOGIN
Int 21/AH=E3h/SF=CCh - Novell NetWare - FILE SERVER - ENABLE FILE SERVER LOGIN
Int 21/AH=E3h/SF=CDh - Novell NetWare - FILE SERVER - GET FILE SERVER LOGIN STATUS
Int 21/AH=E3h/SF=CEh - Novell NetWare - FILE SERVICES - PURGE ALL ERASED FILES
Int 21/AH=E3h/SF=CFh - Novell NetWare - FILE SERVER - DISABLE TRANSACTION TRACKING
Int 21/AH=E3h/SF=D0h - Novell NetWare - FILE SERVER - ENABLE TRANSACTION TRACKING
Int 21/AH=E3h/SF=D1h - Novell NetWare - FILE SERVER - SEND CONSOLE BROADCAST
Int 21/AH=E3h/SF=D2h - Novell NetWare - FILE SERVER - CLEAR CONNECTION NUMBER
Int 21/AH=E3h/SF=D3h - Novell NetWare - FILE SERVER - DOWN FILE SERVER
Int 21/AH=E3h/SF=D4h - Novell NetWare - FILE SERVER - GET FILE SYSTEM STATISTICS
Int 21/AH=E3h/SF=D5h - Novell NetWare - FILE SERVER - GET TRANSACTION TRACKING STATISTICS
Int 21/AH=E3h/SF=D6h - Novell NetWare - FILE SERVER - GET DISK CACHE STATISTICS
Int 21/AH=E3h/SF=D7h - Novell NetWare - FILE SERVER - GET DRIVE MAPPING TABLE
Int 21/AH=E3h/SF=D8h - Novell NetWare - FILE SERVER - GET PHYSICAL DISK STATISTICS
Int 21/AH=E3h/SF=D9h - Novell NetWare - FILE SERVER - GET DISK CHANNEL STATISTICS
Int 21/AH=E3h/SF=DAh - Novell NetWare - FILE SERVER - GET CONNECTION'S TASK INFORMATION
Int 21/AH=E3h/SF=DBh - Novell NetWare - FILE SERVER - GET CONNECTION'S OPEN FILES (OLD)
Int 21/AH=E3h/SF=DCh - Novell NetWare - FILE SERVER - GET CONNECTIONS USING A FILE
Int 21/AH=E3h/SF=DDh - Novell NetWare - FILE SERVER - GET PHYSICAL RECORD LOCKS BY CONN&FILE;
Int 21/AH=E3h/SF=DEh - Novell NetWare - FILE SERVER - GET PHYSICAL RECORD LOCKS BY FILE
Int 21/AH=E3h/SF=DFh - Novell NetWare - FILE SERVER - GET LOGICAL RECORDS BY CONNECTION
Int 21/AH=E3h/SF=E0h - Novell NetWare - FILE SERVER - GET LOGICAL RECORD INFORMATION
Int 21/AH=E3h/SF=E1h - Novell NetWare - FILE SERVER - GET CONNECTION'S SEMAPHORES
Int 21/AH=E3h/SF=E2h - Novell NetWare - FILE SERVER - GET SEMAPHORE INFORMATION
Int 21/AH=E3h/SF=E3h - Novell NetWare - FILE SERVER - GET LAN DRIVER'S CONFIGURATION INFO
Int 21/AH=E3h/SF=E5h - Novell NetWare - FILE SERVER - GET CONNECTION'S USAGE STATISTICS
Int 21/AH=E3h/SF=E6h - Novell NetWare - FILE SERVER - GET BINDERY OBJECT DISK SPACE LEFT
Int 21/AH=E3h/SF=E7h - Novell NetWare - FILE SERVER - GET FILE SERVER LAN I/O STATISTICS
Int 21/AH=E3h/SF=E8h - Novell NetWare - FILE SERVER - GET FILE SERVER MISC INFORMATION
Int 21/AH=E3h/SF=E9h - Novell NetWare - DIRECTORY SERVICES - GET VOLUME INFORMATION

Int 21/AH=E4h - Novell NetWare - SET FILE ATTRIBUTES (FCB)
Int 21/AH=E4h - VIRUS - Anarkia - INSTALLATION CHECK
Int 21/AX=E400h - DoubleDOS - INSTALLATION CHECK/PROGRAM STATUS
Int 21/AX=E400h - OS/286, OS/386 - CHAIN TO REAL-MODE HANDLER
Int 21/AX=E402h - OS/286, OS/386 - SET PROTECTED-MODE TASK GATE
Int 21/AX=E403h - OS/286, OS/386 - REMOVE PROTECTED-MODE TASK GATE
Int 21/AH=E5h - Novell NetWare - UPDATE FILE SIZE (FCB)
Int 21/AH=E5h - DoubleDOS - OTHER PROGRAM STATUS
Int 21/AX=E500h - OS/286, OS/386 - HEAP MANAGEMENT STRATEGY
Int 21/AX=E501h - OS/286, OS/386 - FORCE HEAP COMPACTION
Int 21/AH=E6h - Novell NetWare - COPY FILE TO FILE (FCB)
Int 21/AH=E6h - OS/286, OS/386 - ISSUE REAL PROCEDURE SIGNAL FROM PROTECTED MODE
Int 21/AH=E7h - Novell NetWare - FILE SERVER - GET FILE SERVER DATE AND TIME
Int 21/AH=E7h - OS/286, OS/386 - CREATE CODE SEGMENT
Int 21/AH=E7h - VIRUS - Spyer/Kiev - INSTALLATION CHECK
Int 21/AH=E8h - Novell NetWare, Alloy NTNX - SET FCB RE-OPEN MODE
Int 21/AH=E8h - OS/286, OS/386 - SEGMENT CREATION
Int 21/AH=E8h - DoubleDOS - SET/RESET KEYBOARD CONTROL FLAGS
Int 21/AH=E9h - OS/286, OS/386 - CHANGE SEGMENTS
Int 21/AH=E9h - DoubleDOS - SET TIMESHARING PRIORITY
Int 21/AX=E900h - Novell NetWare - DIRECTORY SERVICES - GET DIRECTORY HANDLE
Int 21/AX=E900h - VIRUS - Dark End - INSTALLATION CHECK
Int 21/AX=E905h - Novell NetWare shell 3.01 - MAP A FAKE ROOT DIRECTORY
Int 21/AX=E906h - Novell NetWare shell 3.01 - DELETE FAKE ROOT DIRECTORY
Int 21/AX=E907h - Novell NetWare shell 3.01 - GET RELATIVE DRIVE DEPTH
Int 21/AX=E908h/BL=00h - Novell NetWare shell 3.01 - SET SHOW DOTS
Int 21/AX=E909h - Novell NetWare - NetWare shell - CONVERT DOS FILE HANDLE TO NETWARE
Int 21/AH=EAh - Novell NetWare, Alloy NTNX - RETURN SHELL VERSION
Int 21/AH=EAh - DoubleDOS - TURN OFF TASK SWITCHING
Int 21/AH=EAh - OS/286, OS/386 - ALLOCATE HUGE SEGMENT
Int 21/AH=EBh - Novell NetWare - SYNCHRONIZATION SERVICES - LOG FILE
Int 21/AH=EBh - DoubleDOS - TURN ON TASK SWITCHING
Int 21/AX=EB00h - OS/386 VMM - GET A PAGE TABLE ENTRY BY LINEAR ADDRESS
Int 21/AX=EB02h - OS/386 VMM - GET A PAGE TABLE ENTRY BY 16-BIT SEGMENT:OFFSET
Int 21/AX=EB03h - OS/386 VMM - FREE MAPPED PAGES
Int 21/AX=EB04h - OS/386 VMM - GET A PAGE TABLE ENTRY BY 32-BIT SEGMENT:OFFSET
Int 21/AX=EB05h - OS/386 VMM - MAP PAGES
Int 21/AX=EB06h - OS/386 VMM - LOCK PAGES IN MEMORY
Int 21/AX=EB07h - OS/386 VMM - UNLOCK MEMORY PAGES
Int 21/AH=ECh - Novell NetWare - SYNCHRONIZATION SERVICES - RELEASE FILE
Int 21/AH=ECh - DoubleDOS - GET VIRTUAL SCREEN ADDRESS
Int 21/AH=ECh - OS/286, OS/386 - BLOCK TRANSFER
Int 21/AX=EC27h - VIRUS - Halloween.1839 - INSTALLATION CHECK
Int 21/AX=EC59h - VIRUS - Terror - INSTALLATION CHECK

Int 21/AH=EDh - Novell NetWare - SYNCHRONIZATION SERVICES - CLEAR FILE
Int 21/AH=EDh - OS/286, OS/386 - GET SEGMENT OR WINDOW DESCRIPTOR
Int 21/AH=EEh - Novell NetWare - CONNECTION SERVICES - GET PHYSICAL STATION ADDRESS
Int 21/AH=EEh - DoubleDOS - GIVE AWAY TIME TO OTHER TASKS
Int 21/AH=EEh - VIRUS - Jerusalem-G, Pregnant, Barrotes - INSTALLATION CHECK
Int 21/AX=EEE7h - VIRUS - GingerBread - INSTALLATION CHECK
Int 21/AH=EFh - VIRUS - Mabuhay/June 12th - INSTALLATION CHECK
Int 21/AX=EF00h - Novell NetWare - WORKSTATION - GET DRIVE HANDLE TABLE
Int 21/AX=EF01h - Novell NetWare - WORKSTATION - GET DRIVE FLAG TABLE
Int 21/AX=EF02h - Novell NetWare - WORKSTATION - GET DRIVE CONNECTION ID TABLE
Int 21/AX=EF03h - Novell NetWare - WORKSTATION - GET CONNECTION ID TABLE
Int 21/AX=EF04h - Novell NetWare - WORKSTATION - GET FILE SERVER NAME TABLE
Int 21/AH=F0h - DoubleDOS - MENU CONTROL
Int 21/AH=F0h - VIRUS - Frere Jacques - INSTALLATION CHECK
Int 21/AX=F000h - Novell NetWare - WORKSTATION - SET PREFERRED CONNECTION ID
Int 21/AX=F001h - Novell NetWare - WORKSTATION - GET PREFERRED CONNECTION ID
Int 21/AX=F002h - Novell NetWare - WORKSTATION - GET DEFAULT CONNECTION ID
Int 21/AX=F003h - Novell NetWare - PRINT SERVICES - GET LPT CAPTURE STATUS
Int 21/AX=F004h - Novell NetWare - WORKSTATION - SET PRIMARY CONNECTION ID
Int 21/AX=F005h - Novell NetWare - WORKSTATION - GET PRIMARY CONNECTION ID
Int 21/AX=F078h - VIRUS - Burgler/H - INSTALLATION CHECK
Int 21/AH=F1h - Novell NetWare - CONNECTION SERVICES - FILE SERVER CONNECTION
Int 21/AH=F1h - DoubleDOS - CLEAR KEYBOARD BUFFER FOR CURRENT JOB
Int 21/AH=F1h - VIRUS - F1-337 - ???
Int 21/AX=F1E9h - VIRUS - Tremor - INSTALLATION CHECK
Int 21/AH=F2h -
Int 21/AH=F2h - DoubleDOS - SEND CHARACTER TO KEYBOARD BUFFER OF OTHER JOB
Int 21/AX=F203h - Novell NetWare - LOG FILE (OLD)
Int 21/AX=F204h - Novell NetWare - LOCK FILE SET (OLD)
Int 21/AX=F207h - Novell NetWare - CLEAR FILE
Int 21/AX=F208h - Novell NetWare - CLEAR FILE SET
Int 21/AX=F20Ah - Novell NetWare - LOCK LOGICAL RECORD SET (OLD)
Int 21/AX=F20Bh - Novell NetWare - CLEAR LOGICAL RECORD
Int 21/AX=F20Eh - Novell NetWare - CLEAR LOGICAL RECORD SET
Int 21/AX=F211h/SF=06h - Novell NetWare - GET PRINTER STATUS
Int 21/AX=F211h/SF=0Ah - Novell NetWare - GET PRINTER QUEUE
Int 21/AX=F212h - Novell NetWare - GET VOLUME INFO WITH NUMBER
Int 21/AX=F214h/CX=0000h - Novell NetWare - GET FILE SERVER DATE AND TIME
Int 21/AX=F215h/SF=01h - Novell NetWare - GET BROADCAST MESSAGE (OLD)
Int 21/AX=F215h/SF=02h - Novell NetWare - DISABLE BROADCASTS
Int 21/AX=F215h/SF=03h - Novell NetWare - ENABLE BROADCASTS
Int 21/AX=F215h/SF=08h - Novell NetWare - CHECK PIPE STATUS
Int 21/AX=F215h/SF=09h - Novell NetWare - BROADCAST TO CONSOLE
Int 21/AX=F215h/SF=0Bh - Novell NetWare - GET BROADCAST MESSAGE

Int 21/AX=F216h/SF=00h - Novell NetWare - SET DIRECTORY HANDLE
Int 21/AX=F216h/SF=01h - Novell NetWare - GET DIRECTORY PATH
Int 21/AX=F216h/SF=02h - Novell NetWare - SCAN DIRECTORY INFORMATION
Int 21/AX=F216h/SF=03h - Novell NetWare - GET EFFECTIVE DIRECTORY RIGHTS (OLD)
Int 21/AX=F216h/SF=04h - Novell NetWare - MODIFY MAXIMUM RIGHTS MASK
Int 21/AX=F216h/SF=05h - Novell NetWare - GET VOLUME NUMBER
Int 21/AX=F216h/SF=06h - Novell NetWare - GET VOLUME NAME
Int 21/AX=F216h/SF=0Ah - Novell NetWare - CREATE DIRECTORY
Int 21/AX=F216h/SF=0Bh - Novell NetWare - DELETE DIRECTORY
Int 21/AX=F216h/SF=0Ch - Novell NetWare - SCAN DIRECTORY FOR TRUSTEES
Int 21/AX=F216h/SF=0Dh - Novell NetWare - ADD TRUSTEE TO DIRECTORY
Int 21/AX=F216h/SF=0Eh - Novell NetWare - DELETE TRUSTEE FROM DIRECTORY
Int 21/AX=F216h/SF=0Fh - Novell NetWare - RENAME DIRECTORY
Int 21/AX=F216h/SF=10h - Novell NetWare - PURGE ERASED FILES (OLD)
Int 21/AX=F216h/SF=11h - Novell NetWare - RECOVER ERASED FILE (OLD)
Int 21/AX=F216h/SF=12h - Novell NetWare - ALLOCATE PERMANENT DIRECTORY HANDLE
Int 21/AX=F216h/SF=13h - Novell NetWare - ALLOCATE TEMPORARY DIRECTORY HANDLE
Int 21/AX=F216h/SF=14h - Novell NetWare - DEALLOCATE DIRECTORY HANDLE
Int 21/AX=F216h/SF=15h - Novell NetWare - GET VOLUME INFO WITH HANDLE
Int 21/AX=F216h/SF=16h - Novell NetWare v2+ - ALLOCATE SPECIAL TEMPORARY DIRECTORY HANDLE
Int 21/AX=F216h/SF=17h - Novell NetWare - SAVE DIRECTORY HANDLE
Int 21/AX=F216h/SF=18h - Novell NetWare - RESTORE DIRECTORY HANDLE
Int 21/AX=F216h/SF=19h - Novell NetWare - SET DIRECTORY INFORMATION
Int 21/AX=F216h/SF=1Ah - Novell NetWare - GET PATH NAME OF VOLUME-DIRECTORY NUMBER PAIR
Int 21/AX=F216h/SF=1Bh - Novell NetWare - SCAN SALVAGEABLE FILES (OLD)
Int 21/AX=F216h/SF=1Ch - Novell NetWare - RECOVER SALVAGEABLE FILE (OLD)
Int 21/AX=F216h/SF=1Dh - Novell NetWare - PURGE SALVAGEABLE FILE (OLD)
Int 21/AX=F216h/SF=1Eh - Novell NetWare - SCAN A DIRECTORY
Int 21/AX=F216h/SF=1Fh - Novell NetWare - GET DIRECTORY ENTRY
Int 21/AX=F216h/SF=20h - Novell NetWare - SCAN VOLUME'S USER DISK RESTRICTIONS
Int 21/AX=F216h/SF=21h - Novell NetWare v3+ - ADD USER DISK SPACE RESTRICTION
Int 21/AX=F216h/SF=22h - Novell NetWare - REMOVE USER DISK SPACE RESTRICTIONS
Int 21/AX=F216h/SF=23h - Novell NetWare - SCAN DIRECTORY SPACE RESTRICTIONS
Int 21/AX=F216h/SF=24h - Novell NetWare v3+ - SET DIRECTORY DISK SPACE RESTRICTION
Int 21/AX=F216h/SF=25h - Novell NetWare - SET DIRECTORY/FILE INFORMATION
Int 21/AX=F216h/SF=26h - Novell NetWare v3+ - SCAN FILE OR DIRECTORY FOR EXTENDED TRUSTEES
Int 21/AX=F216h/SF=27h - Novell NetWare v3+ - ADD EXTENDED TRUSTEE TO DIRECTORY OR FILE
Int 21/AX=F216h/SF=28h - Novell NetWare - SCAN DIRECTORY DISK SPACE
Int 21/AX=F216h/SF=29h - Novell NetWare v3+ - GET OBJECT DISK USAGE AND RESTRICTIONS
Int 21/AX=F216h/SF=2Ah - Novell NetWare - GET EFFECTIVE RIGHTS
Int 21/AX=F216h/SF=2Bh - Novell NetWare - REMOVE EXTENDED TRUSTEE FROM DIR OR FILE
Int 21/AX=F216h/SF=2Ch - Novell NetWare - GET VOLUME USAGE
Int 21/AX=F216h/SF=2Dh - Novell NetWare - GET DIRECTORY INFORMATION
Int 21/AX=F216h/SF=2Eh - Novell NetWare - RENAME OR MOVE

Int 21/AX=F216h/SF=2Fh - Novell NetWare - GET NAME SPACE INFORMATION
Int 21/AX=F216h/SF=30h - Novell NetWare - GET NAME SPACE DIRECTORY ENTRY
Int 21/AX=F216h/SF=31h - Novell NetWare - OPEN DATA STREAM
Int 21/AX=F216h/SF=32h - Novell NetWare v2.2+ - GET OBJECT EFFECTIVE RIGHTS
Int 21/AX=F216h/SF=33h - Novell NetWare v2.2+ - GET EXTENDED VOLUME INFORMATION
Int 21/AX=F217h/SF=01h - Novell NetWare - CHANGE USER PASSWORD (OLD)
Int 21/AX=F217h/SF=02h - Novell NetWare - GET USER CONNECTION LIST (OLD)
Int 21/AX=F217h/SF=0Ch - Novell NetWare - VERIFY SERIALIZATION
Int 21/AX=F217h/SF=0Eh - Novell NetWare - GET DISK UTILIZATION
Int 21/AX=F217h/SF=0Fh - Novell NetWare - SCAN FILE INFORMATION
Int 21/AX=F217h/SF=10h - Novell NetWare - SET FILE INFORMATION
Int 21/AX=F217h/SF=11h - Novell NetWare - GET FILE SERVER INFORMATION
Int 21/AX=F217h/SF=12h - Novell NetWare - GET NETWORK SERIAL NUMBER
Int 21/AX=F217h/SF=13h - Novell NetWare - GET INTERNET ADDRESS (OLD)
Int 21/AX=F217h/SF=14h - Novell NetWare - LOGIN OBJECT
Int 21/AX=F217h/SF=15h - Novell NetWare - GET OBJECT CONNECTION LIST (OLD)
Int 21/AX=F217h/SF=16h - Novell NetWare - GET CONNECTION INFORMATION (OLD)
Int 21/AX=F217h/SF=17h - Novell NetWare - GET ENCRYPTION KEY
Int 21/AX=F217h/SF=18h - Novell NetWare - LOGIN OBJECT ENCRYPTED
Int 21/AX=F217h/SF=1Ah - Novell NetWare - GET INTERNET ADDRESS
Int 21/AX=F217h/SF=1Bh - Novell NetWare - GET OBJECT CONNECTION LIST
Int 21/AX=F217h/SF=1Ch - Novell NetWare v3+ - GET CONNECTION INFORMATION
Int 21/AX=F217h/SF=1Dh - Novell NetWare v4 - CHANGE CONNECTION STATE
Int 21/AX=F217h/SF=1Eh - Novell NetWare v4 - SET WATCHDOG DELAY INTERVAL
Int 21/AX=F217h/SF=1Fh - Novell NetWare v4 - GET CONNECTION LIST
Int 21/AX=F217h/SF=32h - Novell NetWare - CREATE BINDERY OBJECT
Int 21/AX=F217h/SF=33h - Novell NetWare - DELETE BINDERY OBJECT
Int 21/AX=F217h/SF=34h - Novell NetWare - RENAME BINDERY OBJECT
Int 21/AX=F217h/SF=35h - Novell NetWare - GET BINDERY OBJECT ID
Int 21/AX=F217h/SF=36h - Novell NetWare - GET BINDERY OBJECT NAME
Int 21/AX=F217h/SF=37h - Novell NetWare - SCAN BINDERY OBJECT
Int 21/AX=F217h/SF=38h - Novell NetWare - CHANGE BINDERY OBJECT SECURITY
Int 21/AX=F217h/SF=39h - Novell NetWare - CREATE PROPERTY
Int 21/AX=F217h/SF=3Ah - Novell NetWare - DELETE PROPERTY
Int 21/AX=F217h/SF=3Bh - Novell NetWare - CHANGE PROPERTY SECURITY
Int 21/AX=F217h/SF=3Ch - Novell NetWare - SCAN PROPERTY
Int 21/AX=F217h/SF=3Dh - Novell NetWare - READ PROPERTY VALUE
Int 21/AX=F217h/SF=3Eh - Novell NetWare - WRITE PROPERTY VALUE
Int 21/AX=F217h/SF=3Fh - Novell NetWare - VERIFY BINDERY OBJECT PASSWORD
Int 21/AX=F217h/SF=40h - Novell NetWare - CHANGE BINDERY OBJECT PASSWORD
Int 21/AX=F217h/SF=41h - Novell NetWare v2.2+ - ADD OBJECT TO SET
Int 21/AX=F217h/SF=42h - Novell NetWare - DELETE BINDERY OBJECT FROM SET
Int 21/AX=F217h/SF=43h - Novell NetWare - IS BINDERY OBJECT IN SET?
Int 21/AX=F217h/SF=44h - Novell NetWare - CLOSE BINDERY

Int 21/AX=F217h/SF=45h - Novell NetWare - OPEN BINDERY
Int 21/AX=F217h/SF=46h - Novell NetWare - GET BINDERY ACCESS LEVEL
Int 21/AX=F217h/SF=47h - Novell NetWare - SCAN BINDERY OBJECT TRUSTEE PATHS
Int 21/AX=F217h/SF=48h - Novell NetWare - GET BINDERY OBJECT ACCESS LEVEL
Int 21/AX=F217h/SF=49h - Novell NetWare - IS STATION A MANAGER?
Int 21/AX=F217h/SF=4Ah - Novell NetWare - KEYED VERIFY BINDERY OBJECT PASSWORD
Int 21/AX=F217h/SF=4Bh - Novell NetWare - KEYED CHANGE BINDERY OBJECT PASSWORD
Int 21/AX=F217h/SF=4Ch - Novell NetWare - LIST RELATIONS OF AN OBJECT
Int 21/AX=F217h/SF=64h - Novell NetWare v2.1+ - CREATE QUEUE
Int 21/AX=F217h/SF=65h - Novell NetWare v2.1+ - DESTROY QUEUE
Int 21/AX=F217h/SF=66h - Novell NetWare v2.1+ - READ QUEUE CURRENT STATUS (OLD)
Int 21/AX=F217h/SF=67h - Novell NetWare v2.1+ - SET QUEUE CURRENT STATUS (OLD)
Int 21/AX=F217h/SF=68h - Novell NetWare v2.1+ - CREATE QUEUE JOB AND FILE (OLD)
Int 21/AX=F217h/SF=69h - Novell NetWare v2.1+ - CLOSE FILE AND START QUEUE JOB (OLD)
Int 21/AX=F217h/SF=6Ah - Novell NetWare v2.1+ - REMOVE JOB FROM QUEUE (OLD)
Int 21/AX=F217h/SF=6Bh - Novell NetWare v2.1+ - GET QUEUE JOB LIST (OLD)
Int 21/AX=F217h/SF=6Ch - Novell NetWare v2.1+ - READ QUEUE JOB ENTRY (OLD)
Int 21/AX=F217h/SF=6Dh - Novell NetWare v2.1+ - CHANGE QUEUE JOB ENTRY (OLD)
Int 21/AX=F217h/SF=6Eh - Novell NetWare v2.1+ - CHANGE QUEUE JOB POSITION
Int 21/AX=F217h/SF=6Fh - Novell NetWare v2.1+ - ATTACH QUEUE SERVER TO QUEUE
Int 21/AX=F217h/SF=70h - Novell NetWare v2.1+ - DETACH QUEUE SERVER FROM QUEUE
Int 21/AX=F217h/SF=71h - Novell NetWare v2.1+ - SERVICE QUEUE JOB AND OPEN FILE
Int 21/AX=F217h/SF=72h - Novell NetWare v2.1+ - FINISH SERVICING QUEUE JOB (OLD)
Int 21/AX=F217h/SF=73h - Novell NetWare v2.1+ - ABORT SERVICING QUEUE JOB (OLD)
Int 21/AX=F217h/SF=74h - Novell NetWare v2.1+ - CHANGE TO CLIENT RIGHTS (OLD)
Int 21/AX=F217h/SF=75h - Novell NetWare v2.1+ - RESTORE QUEUE SERVER RIGHTS
Int 21/AX=F217h/SF=76h - Novell NetWare - READ QUEUE SERVER CURRENT STATUS (OLD)
Int 21/AX=F217h/SF=77h - Novell NetWare - SET QUEUE SERVER CURRENT STATUS
Int 21/AX=F217h/SF=78h - Novell NetWare - GET QUEUE JOB FILE SIZE (OLD)
Int 21/AX=F217h/SF=79h - Novell NetWare - CREATE QUEUE JOB AND FILE
Int 21/AX=F217h/SF=7Ah - Novell NetWare - READ QUEUE JOB ENTRY
Int 21/AX=F217h/SF=7Bh - Novell NetWare v2.1+ - CHANGE QUEUE JOB ENTRY
Int 21/AX=F217h/SF=7Dh - Novell NetWare - READ QUEUE CURRENT STATUS
Int 21/AX=F217h/SF=7Eh - Novell NetWare - SET QUEUE CURRENT STATUS
Int 21/AX=F217h/SF=7Fh - Novell NetWare - CLOSE FILE AND START QUEUE JOB
Int 21/AX=F217h/SF=80h - Novell NetWare - REMOVE JOB FROM QUEUE
Int 21/AX=F217h/SF=81h - Novell NetWare - GET QUEUE JOB LIST
Int 21/AX=F217h/SF=82h - Novell NetWare v2.1+ - CHANGE JOB PRIORITY
Int 21/AX=F217h/SF=83h - Novell NetWare v3.1+ - FINISH SERVICING QUEUE JOB
Int 21/AX=F217h/SF=84h - Novell NetWare v3.1+ - ABORT SERVICING QUEUE JOB
Int 21/AX=F217h/SF=85h - Novell NetWare v3.1+ - CHANGE TO CLIENT RIGHTS
Int 21/AX=F217h/SF=86h - Novell NetWare v3.1+ - READ QUEUE SERVER CURRENT STATUS
Int 21/AX=F217h/SF=87h - Novell NetWare v3.1+ - GET QUEUE JOB FILE SIZE
Int 21/AX=F217h/SF=96h - Novell NetWare - GET ACCOUNT STATUS

Int 21/AX=F217h/SF=97h - Novell NetWare - SUBMIT ACCOUNT CHARGE
Int 21/AX=F217h/SF=98h - Novell NetWare - SUBMIT ACCOUNT HOLD
Int 21/AX=F217h/SF=99h - Novell NetWare - SUBMIT ACCOUNT NOTE
Int 21/AX=F217h/SF=C8h - Novell NetWare - CHECK CONSOLE PRIVILEGES
Int 21/AX=F217h/SF=C9h - Novell NetWare - GET FILE SERVER DESCRIPTION STRINGS
Int 21/AX=F217h/SF=CAh - Novell NetWare - SET FILE SERVER DATE AND TIME
Int 21/AX=F217h/SF=CBh - Novell NetWare - DISABLE FILE SERVER LOGIN
Int 21/AX=F217h/SF=CCh - Novell NetWare - ENABLE FILE SERVER LOGIN
Int 21/AX=F217h/SF=CDh - Novell NetWare - GET FILE SERVER LOGIN STATUS
Int 21/AX=F217h/SF=CEh - Novell NetWare - PURGE ALL ERASED FILES
Int 21/AX=F217h/SF=CFh - Novell NetWare - DISABLE TRANSACTION TRACKING
Int 21/AX=F217h/SF=D0h - Novell NetWare - ENABLE TRANSACTION TRACKING
Int 21/AX=F217h/SF=D1h - Novell NetWare - SEND CONSOLE BROADCAST
Int 21/AX=F217h/SF=D2h - Novell NetWare v3+ - CLEAR CONNECTION NUMBER (LOGOUT STATION)
Int 21/AX=F217h/SF=D3h - Novell NetWare - DOWN FILE SERVER
Int 21/AX=F217h/SF=D4h - Novell NetWare - GET FILE SYSTEM STATISTICS
Int 21/AX=F217h/SF=D5h - Novell NetWare - GET TRANSACTION TRACKING STATISTICS
Int 21/AX=F217h/SF=D6h - Novell NetWare - GET DISK CACHE STATISTICS
Int 21/AX=F217h/SF=D7h - Novell NetWare - GET DRIVE MAPPING TABLE
Int 21/AX=F217h/SF=D8h - Novell NetWare - GET PHYSICAL DISK STATISTICS
Int 21/AX=F217h/SF=D9h - Novell NetWare - GET DISK CHANNEL STATISTICS
Int 21/AX=F217h/SF=DAh - Novell NetWare v2.2+ - GET CONNECTION'S TASK INFORMATION
Int 21/AX=F217h/SF=DBh - Novell NetWare v2.2+ - GET CONNECTION'S OPEN FILES (OLD)
Int 21/AX=F217h/SF=DCh - Novell NetWare v2.2+ - GET CONNECTIONS USING A FILE (OLD)
Int 21/AX=F217h/SF=DDh - Novell NetWare - GET PHYSICAL RECORD LOCKS BY CONNECTN AND FILE (OLD)
Int 21/AX=F217h/SF=DEh - Novell NetWare - GET PHYSICAL RECORD LOCKS BY FILE (OLD)
Int 21/AX=F217h/SF=DFh - Novell NetWare - GET LOGICAL RECORDS BY CONNECTION (OLD)
Int 21/AX=F217h/SF=E0h - Novell NetWare - GET LOGICAL RECORD INFORMATION (OLD)
Int 21/AX=F217h/SF=E1h - Novell NetWare - GET CONNECTION'S SEMAPHORES (OLD)
Int 21/AX=F217h/SF=E2h - Novell NetWare - GET SEMAPHORE INFORMATION (OLD)
Int 21/AX=F217h/SF=E3h - Novell NetWare - GET LAN DRIVER'S CONFIGURATION INFORMATION
Int 21/AX=F217h/SF=E5h - Novell NetWare - GET CONNECTION'S USAGE STATISTICS
Int 21/AX=F217h/SF=E6h - Novell NetWare - GET OBJECT'S REMAINING DISK SPACE
Int 21/AX=F217h/SF=E7h - Novell NetWare - GET FILE SERVER LAN I/O STATISTICS
Int 21/AX=F217h/SF=E8h - Novell NetWare - GET FILE SERVER MISC INFORMATION
Int 21/AX=F217h/SF=E9h - Novell NetWare - GET VOLUME INFORMATION
Int 21/AX=F217h/SF=EAh - Novell NetWare v3.11+ - GET CONNECTION'S TASK INFORMATION
Int 21/AX=F217h/SF=EBh - Novell NetWare v3+ - GET CONNECTION'S OPEN FILES
Int 21/AX=F217h/SF=ECh - Novell NetWare v3+ - GET CONNECTIONS USING A FILE
Int 21/AX=F217h/SF=EDh - Novell NetWare v3+ - GET PHYSICAL RECORD LOCKS BY CONNECTION AND FILE
Int 21/AX=F217h/SF=EEh - Novell NetWare v3+ - GET PHYSICAL RECORD LOCKS BY FILE
Int 21/AX=F217h/SF=EFh - Novell NetWare v3+ - GET LOGICAL RECORDS BY CONNECTION

Int 21/AX=F217h/SF=F0h - Novell NetWare v3+ - GET LOGICAL RECORD INFORMATION
Int 21/AX=F217h/SF=F1h - Novell NetWare v3+ - GET CONNECTION'S SEMAPHORES
Int 21/AX=F217h/SF=F2h - Novell NetWare v3+ - GET SEMAPHORE INFORMATION
Int 21/AX=F217h/SF=F3h - Novell NetWare v3+ - MAP DIRECTORY NUMBER TO PATH
Int 21/AX=F217h/SF=F4h - Novell NetWare v3+ - CONVERT PATH TO DIRECTORY ENTRY
Int 21/AX=F217h/SF=F5h - Novell NetWare - GET FILE SERVER EXTENDED MISC INFORMATION
Int 21/AX=F217h/SF=F6h - Novell NetWare - GET VOLUME EXTENDED INFORMATION
Int 21/AX=F217h/SF=FEh - Novell NetWare v4 - CLEAR CONNECTION NUMBER GREATER THAN 250
Int 21/AX=F21Bh - Novell NetWare - LOCK PHYSICAL RECORD SET (OLD)
Int 21/AX=F21Eh - Novell NetWare - CLEAR PHYSICAL RECORD
Int 21/AX=F21Fh - Novell NetWare - CLEAR PHYSICAL RECORD SET
Int 21/AX=F220h/SF=00h - Novell NetWare - OPEN SEMAPHORE (OLD)
Int 21/AX=F220h/SF=01h - Novell NetWare - EXAMINE SEMAPHORE (OLD)
Int 21/AX=F220h/SF=02h - Novell NetWare - WAIT ON SEMAPHORE (OLD)
Int 21/AX=F220h/SF=03h - Novell NetWare - SIGNAL SEMAPHORE (OLD)
Int 21/AX=F220h/SF=04h - Novell NetWare - CLOSE SEMAPHORE (OLD)
Int 21/AX=F222h/SF=00h - Novell NetWare - TTS IS AVAILABLE
Int 21/AX=F222h/SF=01h - Novell NetWare - TTS BEGIN TRANSACTION
Int 21/AX=F222h/SF=02h - Novell NetWare - TTS END TRANSACTION
Int 21/AX=F222h/SF=03h - Novell NetWare - TTS ABORT TRANSACTION
Int 21/AX=F222h/SF=04h - Novell NetWare - TTS TRANSACTION STATUS
Int 21/AX=F222h/SF=05h - Novell NetWare - TTS GET APPLICATION THRESHOLDS
Int 21/AX=F222h/SF=06h - Novell NetWare - TTS SET APPLICATION THRESHOLDS
Int 21/AX=F222h/SF=07h - Novell NetWare - TTS GET WORKSTATION THRESHOLDS
Int 21/AX=F222h/SF=08h - Novell NetWare - TTS SET WORKSTATION THRESHOLDS
Int 21/AX=F222h/SF=09h - Novell NetWare - TTS GET CONTROL FLAGS
Int 21/AX=F222h/SF=0Ah - Novell NetWare - TTS SET CONTROL FLAGS
Int 21/AX=F223h/SF=01h - Novell NetWare v2+ - AFP CREATE DIRECTORY
Int 21/AX=F223h/SF=02h - Novell NetWare v2+ - AFP CREATE FILE
Int 21/AX=F223h/SF=03h - Novell NetWare v2+ - AFP DELETE FILE
Int 21/AX=F223h/SF=04h - Novell NetWare v2+ - AFP GET ENTRY ID FROM FILENAME
Int 21/AX=F223h/SF=05h - Novell NetWare v2+ - AFP GET FILE INFORMATION
Int 21/AX=F223h/SF=06h - Novell NetWare v2+ - AFP GET ENTRY ID FROM NETWARE HANDLE
Int 21/AX=F223h/SF=07h - Novell NetWare v2+ - AFP RENAME
Int 21/AX=F223h/SF=08h - Novell NetWare v2+ - AFP OPEN FILE FORK
Int 21/AX=F223h/SF=09h - Novell NetWare v2+ - AFP SET FILE INFORMATION
Int 21/AX=F223h/SF=0Ah - Novell NetWare v2+ - AFP SCAN FILE INFORMATION
Int 21/AX=F223h/SF=0Bh - Novell NetWare v2+ - AFP ALLOCATE TEMPORARY DIRECTORY HANDLE
Int 21/AX=F223h/SF=0Ch - Novell NetWare v2+ - AFP GET ENTRY ID FROM PATHNAME
Int 21/AX=F223h/SF=0Dh - Novell NetWare v2+ - AFP 2.0 CREATE DIRECTORY
Int 21/AX=F223h/SF=0Eh - Novell NetWare v2+ - AFP 2.0 CREATE FILE
Int 21/AX=F223h/SF=10h - Novell NetWare v2+ - AFP 2.0 SET FILE INFORMATION
Int 21/AX=F223h/SF=11h - Novell NetWare v2+ - AFP 2.0 SCAN FILE INFORMATION
Int 21/AX=F223h/SF=12h - Novell NetWare v2+ - AFP GET DOS FILENAME FROM ENTRY ID

Int 21/AX=F223h/SF=13h - Novell NetWare v2+ - AFP GET MACINTOSH INFORMATION ON DELETED FILE
Int 21/AX=F23Dh - Novell NetWare - COMMIT FILE
Int 21/AX=F23Eh - Novell NetWare - FILE SEARCH INITIALIZE (FindFirst)
Int 21/AX=F23Fh - Novell NetWare - FILE SEARCH CONTINUE (FindNext)
Int 21/AX=F242h - Novell NetWare - CLOSE FILE
Int 21/AX=F243h - Novell NetWare - CREATE FILE
Int 21/AX=F244h - Novell NetWare - FILE SERVICES - ERASE FILE
Int 21/AX=F247h - Novell NetWare - GET CURRENT FILE SIZE
Int 21/AX=F24Ah - Novell NetWare - COPY FROM ONE FILE TO ANOTHER
Int 21/AX=F24Dh - Novell NetWare - CREATE NEW FILE
Int 21/AX=F24Eh - Novell NetWare v2+ - ALLOW TASK ACCESS TO FILE
Int 21/AX=F256h/SF=01h - Novell NetWare - CLOSE EXTENDED ATTRIBUTE HANDLE
Int 21/AX=F256h/SF=02h - Novell NetWare - WRITE EXTENDED ATTRIBUTE
Int 21/AX=F256h/SF=03h - Novell NetWare - READ EXTENDED ATTRIBUTE
Int 21/AX=F256h/SF=04h - Novell NetWare - ENUMERATE EXTENDED ATTRIBUTES
Int 21/AX=F256h/SF=05h - Novell NetWare - DUPLICATE EXTENDED ATTRIBUTES
Int 21/AX=F257h/SF=01h - Novell NetWare - OPEN/CREATE FILE OR SUBDIRECTORY
Int 21/AX=F257h/SF=02h - Novell NetWare - INITIALIZE SEARCH
Int 21/AX=F257h/SF=03h - Novell NetWare - SCAN NAMESPACE ENTRY INFO
Int 21/AX=F257h/SF=04h - Novell NetWare - RENAME OR MOVE FILE OR SUBDIRECTORY
Int 21/AX=F257h/SF=05h - Novell NetWare - SCAN FILE OR SUBDIRECTORY FOR TRUSTEES
Int 21/AX=F257h/SF=06h - Novell NetWare v3+ - GET INFORMATION ABOUT FILE OR DIRECTORY
Int 21/AX=F257h/SF=07h - Novell NetWare - MODIFY FILE OR SUBDIRECTORY DOS INFORMATION
Int 21/AX=F257h/SF=08h - Novell NetWare - DELETE FILE/DIRECTORY
Int 21/AX=F257h/SF=09h - Novell NetWare - SET SHORT DIRECTORY HANDLE
Int 21/AX=F257h/SF=0Ah - Novell NetWare v3+ - ADD TRUSTEE SET TO FILE OR SUBDIRECTORY
Int 21/AX=F257h/SF=0Bh - Novell NetWare - DELETE TRUSTEE
Int 21/AX=F257h/SF=0Ch - Novell NetWare v2+ - ALLOCATE SHORT DIRECTORY HANDLE
Int 21/AX=F257h/SF=10h - Novell NetWare - SCAN SALVAGEABLE FILES
Int 21/AX=F257h/SF=11h - Novell NetWare - RECOVER SALVAGEABLE FILE
Int 21/AX=F257h/SF=12h - Novell NetWare - PURGE SALVAGEABLE FILE
Int 21/AX=F257h/SF=13h - Novell NetWare - GET NAMESPACE INFORMATION
Int 21/AX=F257h/SF=15h - Novell NetWare - GET PATH STRING FROM SHORT DIRECTORY HANDLE
Int 21/AX=F257h/SF=16h - Novell NetWare - GENERATE DIRECTORY BASE AND VOLUME NUMBER
Int 21/AX=F257h/SF=17h - Novell NetWare - GET NAME SPACE INFORMATION FORMAT
Int 21/AX=F257h/SF=18h - Novell NetWare - GET NAME SPACES LOADED
Int 21/AX=F257h/SF=19h - Novell NetWare - WRITE NAME SPACE INFO
Int 21/AX=F257h/SF=1Ah - Novell NetWare - READ EXTENDED NAME SPACE INFO
Int 21/AX=F257h/SF=1Bh - Novell NetWare - WRITE EXTENDED NAME SPACE INFO
Int 21/AX=F257h/SF=1Ch - Novell NetWare - GET NS FULL PATH STRING
Int 21/AX=F257h/SF=1Dh - Novell NetWare - GET EFFECTIVE DIRECTORY RIGHTS
Int 21/AX=F258h/SF=01h - Novell NetWare v4+ - GET VOLUME AUDITING STATISTICS
Int 21/AX=F258h/SF=02h - Novell NetWare - ADD AUDIT PROPERTY
Int 21/AX=F258h/SF=03h - Novell NetWare - LOGIN AS VOLUME AUDITOR

Int 21/AX=F258h/SF=04h - Novell NetWare - CHANGE AUDITOR PASSWORD
Int 21/AX=F258h/SF=05h - Novell NetWare - CHECK AUDIT ACCESS
Int 21/AX=F258h/SF=06h - Novell NetWare - REMOVE AUDIT PROPERTY
Int 21/AX=F258h/SF=07h - Novell NetWare - DISABLE AUDITING ON VOLUME
Int 21/AX=F258h/SF=08h - Novell NetWare - ENABLE AUDITING ON VOLUME
Int 21/AX=F258h/SF=09h - Novell NetWare - IS USER AUDITED?
Int 21/AX=F258h/SF=0Ah - Novell NetWare - READ AUDITING BITMAP
Int 21/AX=F258h/SF=0Bh - Novell NetWare - READ AUDIT CONFIG HEADER
Int 21/AX=F258h/SF=0Dh - Novell NetWare - LOGOUT AS VOLUME AUDITOR
Int 21/AX=F258h/SF=0Eh - Novell NetWare - RESET AUDITING FILE
Int 21/AX=F258h/SF=0Fh - Novell NetWare - RESET AUDIT HISTORY FILE
Int 21/AX=F258h/SF=10h - Novell NetWare - WRITE AUDITING BITMAP
Int 21/AX=F258h/SF=11h - Novell NetWare - WRITE AUDIT CONFIG HEADER
Int 21/AX=F258h/SF=13h - Novell NetWare - GET AUDITING FLAGS
Int 21/AX=F258h/SF=14h - Novell NetWare - CLOSE OLD AUDITING FILE
Int 21/AX=F258h/SF=15h - Novell NetWare - DELETE OLD AUDITING FILE
Int 21/AX=F258h/SF=16h - Novell NetWare - CHECK AUDIT LEVEL TWO ACCESS
Int 21/AX=F25Ah/SF=01h - Novell NetWare - GET DATA MIGRATION INFO
Int 21/AX=F25Ah/SF=80h - Novell NetWare - MOVE FILE DATA TO DATA MIGRATION
Int 21/AX=F25Ah/SF=81h - Novell NetWare - DATA MIGRATION FILE INFORMATION
Int 21/AX=F25Ah/SF=82h - Novell NetWare - VOLUME DATA MIGRATION STATUS
Int 21/AX=F25Ah/SF=83h - Novell NetWare - GET MIGRATION OR STATUS INFORMATION
Int 21/AX=F25Ah/SF=84h - Novell NetWare - DATA MIGRATION SUPPORT MODULE INFORMATION
Int 21/AX=F25Ah/SF=85h - Novell NetWare - MOVE FILE DATA FROM DATA MIGRATION
Int 21/AX=F25Ah/SF=86h - Novell NetWare - GET OR SET DEFAULT SUPPORT MODULE
Int 21/AX=F268h/SF=01h - Novell NetWare v4+ - GET TREE NAME
Int 21/AX=F268h/SF=04h - Novell NetWare v4+ - GET BINDERY CONTEXT
Int 21/AX=F268h/SF=05h - Novell NetWare v4+ - MONITOR NDS CONNECTION
Int 21/AX=F268h/SF=16h - Novell NetWare v4+ - NDS LIST PARTITIONS
Int 21/AX=F268h/SF=35h - Novell NetWare v4+ - NDS GET SERVER NAME AND ADDRESS
Int 21/AX=F268h/SF=3Dh - Novell NetWare v4+ - NDS LOGOUT
Int 21/AX=F268h/SF=C8h - Novell NetWare v4+ - GET DS AUDITING STATISTICS
Int 21/AX=F269h - Novell NetWare - LOG FILE
Int 21/AX=F26Ah - Novell NetWare - LOCK FILE SET
Int 21/AX=F26Ch - Novell NetWare - LOCK LOGICAL RECORD SET
Int 21/AX=F26Eh - Novell NetWare - LOCK PHYSICAL RECORD SET
Int 21/AX=F26Fh/SF=00h - Novell NetWare - OPEN SEMAPHORE
Int 21/AX=F26Fh/SF=01h - Novell NetWare - CLOSE SEMAPHORE
Int 21/AX=F26Fh/SF=02h - Novell NetWare - WAIT ON SEMAPHORE
Int 21/AX=F26Fh/SF=03h - Novell NetWare - SIGNAL SEMAPHORE
Int 21/AX=F26Fh/SF=04h - Novell NetWare - EXAMINE SEMAPHORE
Int 21/AX=F272h - Novell NetWare v4+ - GET FILE SERVER UTC TIME
Int 21/AX=F27Bh/SF=01h - Novell NetWare v4+ - GET CACHE INFORMATION
Int 21/AX=F27Bh/SF=02h - Novell NetWare v4+ - GET SERVER INFORMATION

Int 21/AX=F27Bh/SF=04h - Novell NetWare v4+ - GET USER INFORMATION
Int 21/AX=F27Bh/SF=06h - Novell NetWare v4+ - GET IPX/SPX Information
Int 21/AX=F27Bh/SF=08h - Novell NetWare v4+ - GET CPU INFORMATION
Int 21/AX=F27Bh/SF=09h - Novell NetWare v4+ - GET VOLUME SWITCH INFORMATION
Int 21/AX=F27Bh/SF=0Ah - Novell NetWare v4+ - GET LOADED NLMS
Int 21/AX=F27Bh/SF=0Bh - Novell NetWare v4+ - GET NLM INFORMATION
Int 21/AX=F27Bh/SF=0Dh - Novell NetWare v4+ - GET OS VERSION INFORMATION
Int 21/AX=F27Bh/SF=14h - Novell NetWare v4+ - GET ACTIVE LAN BOARD LIST
Int 21/AX=F27Bh/SF=15h - Novell NetWare v4+ - GET LAN CONFIGURATION
Int 21/AX=F27Bh/SF=16h - Novell NetWare v4+ - GET LAN COMMON COUNTERS
Int 21/AX=F27Bh/SF=29h - Novell NetWare v4+ - GET PROTOCOL STACK BY BOARD
Int 21/AX=F27Bh/SF=33h - Novell NetWare v4+ - GET ROUTER INFO
Int 21/AX=F27Bh/SF=35h - Novell NetWare v4+ - GET KNOWN NETWORKS INFO
Int 21/AX=F27Bh/SF=38h - Novell NetWare v4+ - GET KNOWN SERVERS INFO
Int 21/AX=F27Bh/SF=3Ch - Novell NetWare v4+ - GET SERVER SET COMMANDS INFO
Int 21/AX=F27Bh/SF=3Dh - Novell NetWare v4+ - GET SERVER SET CATEGORIES
Int 21/AX=F2AAh - VIRUS - PcVrDs - INSTALLATION CHECK
Int 21/AH=F3h - Novell NetWare - FILE SERVICES - FILE SERVER FILE COPY
Int 21/AH=F3h - DoubleDOS - ADD CHARACTER TO KEYBOARD BUFFER OF CURRENT JOB
Int 21/AH=F3h - VIRUS - Carfield - INSTALLATION CHECK
Int 21/AX=F400h - DoubleDOS - INSTALLATION CHECK/PROGRAM STATUS
Int 21/AH=F5h - DoubleDOS - OTHER PROGRAM STATUS
Int 21/AH=F7h - VIRUS - GP1 - INSTALLATION CHECK
Int 21/AH=F8h - DOS v2.11-2.13 - SET OEM INT 21 HANDLER
Int 21/AH=F8h - DoubleDOS - SET/RESET KEYBOARD CONTROL FLAGS
Int 21/AH=F9h - DOS v2.11-2.13 - OEM FUNCTION
Int 21/AH=F9h - DoubleDOS - SET TIMESHARING PRIORITY
Int 21/AH=F9h - VIRUS - Satans-Bug - INSTALLATION CHECK
Int 21/AH=FAh - DOS v2.11-2.13 - OEM FUNCTION
Int 21/AH=FAh - DoubleDOS - TURN OFF TASK SWITCHING
Int 21/AH=FAh - VIRUS - Cinderella 2 - INSTALLATION CHECK
Int 21/AH=FAh/DX=5945h - PC Tools v7+ VDEFEND, VSAFE, VWATCH - API
Int 21/AX=FAFFh - IBM PC-DOS - KEYBGK - SELECT KEYBOARD LAYOUT
Int 21/AH=FBh - DOS v2.11-2.13 - OEM FUNCTION
Int 21/AH=FBh - DoubleDOS - TURN ON TASK SWITCHING
Int 21/AH=FBh - VIRUS - Cinderella - INSTALLATION CHECK
Int 21/AX=FB0Ah - VIRUS - dBASE - INSTALLATION CHECK
Int 21/AX=FBA0h - VIRUS - Groove - INSTALLATION CHECK
Int 21/AX=FBFBh - VIRUS - Dir.1367 - INSTALLATION CHECK
Int 21/AH=FCh - DOS v2.11-2.13 - OEM FUNCTION
Int 21/AH=FCh - DoubleDOS - GET VIRTUAL SCREEN ADDRESS
Int 21/AH=FCh - VIRUS - Troi - INSTALLATION CHECK
Int 21/AX=FC03h - VIRUS - Invisible - INSTALLATION CHECK
Int 21/AH=FDh - DOS v2.11-2.13 - OEM FUNCTION

Int 21/AH=FDh - VIRUS - Border - INSTALLATION CHECK
Int 21/AX=FD12h/BX=3457h - Gravis UltraSound - MegaEm/MEGA_EM - INSTALLATION CHECK
Int 21/AX=FDCh - VIRUS - Delwin - INSTALLATION CHECK
Int 21/AH=FEh - DOS v2.11-2.13 - OEM FUNCTION
Int 21/AH=FEh - DoubleDOS - GIVE AWAY TIME TO OTHER TASKS
Int 21/AH=FEh - VIRUS - 483 - INSTALLATION CHECK
Int 21/AX=FE01h - VIRUS - Flip - INSTALLATION CHECK
Int 21/AX=FE02h - VIRUS - 2468/Tequila - INSTALLATION CHECK
Int 21/AX=FE03h - VIRUS - 2468/Tequila - DISPLAY VIRUS MESSAGE
Int 21/AX=FEADh - VIRUS - Shifting Objective - INSTALLATION CHECK
Int 21/AX=FEDCh - PCMag PCMANAGE/DCOMPRES - INSTALLATION CHECK
Int 21/AX=FEDCh - VIRUS - Black Monday - INSTALLATION CHECK
Int 21/AX=FEFEh - VIRUS - CIDER - INSTALLATION CHECK
Int 21/AH=FFh - DOS v2.11-2.13 - OEM FUNCTION
Int 21/AH=FFh - CED (Command Editor) - INSTALLABLE COMMANDS
Int 21/AH=FFh - DJ GO32.EXE 80386+ DOS extender - DOS EXTENSIONS
Int 21/AH=FFh - DOSED.COM - INSTALLATION CHECK
Int 21/AH=FFh - VIRUS - Sunday, Tumen 0.5, Hero - INSTALLATION CHECK
Int 21/AH=FFh - Rational Systems DOS/4GW - API
Int 21/AH=FFh/DH=00h - Rational Systems DOS/4GW - GET VERSION???
Int 21/AH=FFh/DH=02h - Rational Systems DOS/4GW - SET ???
Int 21/AH=FFh/DH=05h - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=06h - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=07h - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=08h - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=09h - Rational Systems DOS/4GW - GET ???
Int 21/AH=FFh/DH=0Ah - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=0Bh - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=0Ch - Rational Systems DOS/4GW - GET/SET ???
Int 21/AH=FFh/DH=0Dh - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=0Eh - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=0Fh - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=10h - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=11h - Rational Systems DOS/4GW - NOP
Int 21/AH=FFh/DH=12h - Rational Systems DOS/4GW - EXCHANGE ??? POINTERS
Int 21/AH=FFh/DH=13h - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=14h - Rational Systems DOS/4GW - ???
Int 21/AH=FFh/DH=15h - Rational Systems DOS/4GW - GET ??? FUNCTIONS
Int 21/AH=FFh/DH=16h - Rational Systems DOS/4GW - GET ???
Int 21/AH=FFh/DH=17h - Rational Systems DOS/4GW - ???
Int 21/AX=FF00h - TopWare Network OS v5.10+ - GET SYSTEM INFORMATION
Int 21/AX=FF00h/DX=0078h - Rational Systems DOS/4G - INSTALLATION CHECK
Int 21/AX=FF01h - VIRUS - Drop - INSTALLATION CHECK
Int 21/AX=FF04h - TopWare Network OS v5.10+ - GET/SET DEFAULT FILE PROTECTION ATTRIBS

Int 21/AX=FF0Fh - FLU_SHOT+ v1.83 - INSTALLATION CHECK
Int 21/AX=FF10h - VIRUS - Twins - INSTALLATION CHECK
Int 21/AX=FF80h/DH=FFh - TopWare Network OS v5.10+ - SEND MESSAGE
Int 21/AX=FF82h - TopWare Network OS v5.10+ - GET STATION ADDRESS
Int 21/AX=FF8Ch - TopWare Network OS v5.10+ - GET STATUS OF TopShow/Emulated FUNCTION
Int 21/AX=FF8Dh - TopWare Network OS v5.10+ - CALL TopShow FUNCTION
Int 21/AX=FF8Eh - TopWare Network OS v5.10+ - CANCEL TopShow FUNCTION
Int 21/AX=FF91h - TopWare Network OS v5.10+ - GET FILE SERVER STATION NUMBER
Int 21/AX=FF97h - TopWare Network OS v5.10+ - GET MAXIMUM STATION NUMBER (server only)
Int 21/AX=FF98h - TopWare Network OS v5.10+ - GET MAXIMUM FILE NUMBER (server only)
Int 21/AX=FF9Ah - TopWare Network OS v5.10+ - RECEIVE OF USER-DEFINED PACKETS
Int 21/AX=FF9Fh - TopWare Network OS v5.10+ - ENABLE/DISABLE TopTerm SERVICE
Int 21/AX=FFB0h - TopWare Network OS v5.10+ - GET SPOOLER PRINTING PRIORITY
Int 21/AX=FFB1h - TopWare Network OS v5.10+ - SET SPOOLER PRINTING PRIORITY
Int 21/AX=FFB3h - TopWare Network OS v5.10+ - GET DEFAULT START-OF-JOB FORMFEED STATUS
Int 21/AX=FFB4h - TopWare Network OS v5.10+ - SET DEFAULT START-OF-JOB FORMFEED STATUS
Int 21/AX=FFBBh - TopWare Network OS v5.10+ - GET PRINTER SERVER STATION ADDRESS
Int 21/AX=FFBCh - TopWare Network OS v5.10+ - CANCEL TopShow FUNCTION
Int 21/AX=FFBDh - TopWare Network OS v5.10+ - GET CURRENT AUTOPRINT TIME
Int 21/AX=FFBEh - TopWare Network OS v5.10+ - SET AUTOPRINT TIME
Int 21/AX=FFBFh - TopWare Network OS v5.10+ - GET LOGON USER INFORMATION
Int 21/AX=FFC0h - TopWare Network OS v5.10+ - GET DEFAULT END-OF-JOB FORMFEED STATUS
Int 21/AX=FFC1h - TopWare Network OS v5.10+ - SET DEFAULT END-OF-JOB FORMFEED STATUS
Int 21/AX=FFC2h - TopWare Network OS v5.10+ - GET DEFAULT COPIES OF SPOOLING FILE
Int 21/AX=FFC3h - TopWare Network OS v5.10+ - GET SHARING STATUS OF PRINTER SERVER
Int 21/AX=FFC4h - TopWare Network OS v5.10+ - GET/SET LPT PORT ON PRINT SERVER
Int 21/AX=FFC6h - TopWare Network OS v5.10+ - SET DEFAULT PRINT FILE HEADER
Int 21/AX=FFC7h - TopWare Network OS v5.10+ - SET DEFAULT PRINT COPIES
Int 21/AX=FFC8h - TopWare Network OS v5.10+ - GET DEFAULT PRINT FILE HEADER STATUS
Int 21/AX=FFC9h - TopWare Network OS v5.10+ - SET PRINTER SHARING
Int 21/AX=FFCAh - TopWare Network OS v5.10+ - MOVE FILE FROM ONE PRINT SERVER TO ANOTHER
Int 21/AX=FFCBh - TopWare Network OS v5.10+ - DELETE FILE FROM SPOOLING QUEUE
Int 21/AX=FFCCh - TopWare Network OS v5.10+ - GET PRINT SERVER'S SPOOLING QUEUE STATUS
Int 21/AX=FFCDh - TopWare Network OS v5.10+ - GET STATUS OF ALL PRINT SERVERS
Int 21/AX=FFCFh - TopWare Network OS v5.10+ - CALL TopLook FUNCTION
Int 21/AX=FFD6h - TopWare Network OS v5.10+ - GET KEYCARD SERIAL NUMBER AND MAX USERS
Int 21/AX=FFD7h - TopWare Network OS v5.10+ - GET NETWORK PROTECTION ATTRIBUTES STATUS
Int 21/AX=FFE3h/DL=00h - TopWare Network OS v5.10+ - INITIATE ACCESS TO SPECIFIC PACKET TYPE
Int 21/AX=FFE3h/DL=01h - TopWare Network OS v5.10+ - END ACCESS TO SPECIFIC PACKET TYPE
Int 21/AX=FFE3h/DL=02h - TopWare Network OS v5.10+ - SEND PACKET
Int 21/AX=FFE3h/DL=03h - TopWare Network OS v5.10+ - GET LOCAL NETWORK INTERFACE ADDRESS
Int 21/AX=FFFEh - VIRUS - 08/15/Many Fingers - INSTALLATION CHECK
Int 21/AX=FFFEh/BX=0000h - VIRUS - Anti-Thunderbyte/LEMMING - INSTALLATION CHECK
Int 21/AX=FFFFh - VIRUS - Ontario, Year 1992/B1M92 - INSTALLATION CHECK

Int 21/AX=FFFFh/CX=0000h - VIRUS - Revenge - INSTALLATION CHECK