

Name:Roll Number:

WRITE BRIEF AND PRECISE ANSWERS. DO YOUR OWN WORK. DO NOT LOOK AROUND

1. Compare Virtual Machines vs Containers**Virtual machines**

- Cloud-based server that supports either Windows or Linux environments.
- Useful for lift-and-shift migrations to the cloud.
- Complete operating system package, including the host operating system.

Containers

- Lightweight, miniature environment well suited for running microservices.
- Designed for scalability and resiliency through orchestration.
- Applications and services are packaged in a container that sits on top of the host operating system. Multiple containers can sit on one host OS.

2. What is the purpose of Multi-session windows in AVD.

It is the only Windows client-based operating system that enables multiple concurrent users on a single VM

Ref: <https://learn.microsoft.com/en-us/training/modules/describe-azure-compute-networking-services/4-virtual-desktop>

3. What is the relationship between Azure App Service and App Service Plan?

App Service Plan provides the compute for Azure App Service

4. Divide 10.10.0.0/24 into 2 equal subnets, and provide the IP address range of each subnet

10.10.0.0/24: 10.10.0.0 → 10.10.0.255

10.10.0.0/25: 10.10.0.0 → 10.10.0.127

10.10.0.128/25: 10.10.0.128 → 10.10.0.255

Name:Roll Number:

*****	WRITE BRIEF AND PRECISE ANSWERS. DO YOUR OWN WORK. DO NOT LOOK AROUND	*****
-------	---	-------

1. Briefly mention the steps to create VPN connection between Azure Virtual Network and On-Premises Network.
 - a. VPN appliance with public IP on both sides of the network (On-Premises and Azure)
 - b. Secret key (also called pre-shared key or PSK)
 - c. Setting of encryption parameters
2. Divide 192.168.10.0/26 into 2 equal subnets, and provide the IP address range of each subnet

Total range of IP Addresses for 192.168.10.0/26: 192.168.10.0 → 192.168.10.63

- 192.168.10.0/27: 192.168.10.0 → 192.168.10.31
- 192.168.10.32/27: 192.168.10.32 → 192.168.10.63

3. How does AVD ensure that no data is left behind?

With Azure Virtual Desktop, the data and apps are separated from the local hardware. The actual desktop and apps are running in the cloud, meaning the risk of confidential data being left on a personal device is reduced.

Ref: <https://learn.microsoft.com/en-us/training/modules/describe-azure-compute-networking-services/4-virtual-desktop>

4. What is the difference between deploying code vs container in Azure app service?

You don't have to specify your runtime environment when deploying container as all the dependencies and libraries are already part of your container.

Name:Roll Number:

*****	WRITE BRIEF AND PRECISE ANSWERS. DO YOUR OWN WORK. DO NOT LOOK AROUND	*****
-------	---	-------

1. Briefly describe how Azure Functions are used. What is the purpose of serverless compute in Functions.

From Slide Notes: Azure Function is your piece of code which may be triggered by anything from a traditional HTTP web request to a timer or the result of uploading a file. The infrastructure behind serverless allows for instant scale to meet elastic demands and offers microbilling to truly "pay for what you use." Serverless computing is a pattern that doesn't imply "no server" but rather, "less server." Serverless code is event-driven.

<https://learn.microsoft.com/training/modules/describe-azure-compute-networking-services/6-functions>

2. What is the purpose of VNET peering in Azure?

To allow multiple Azure VNETs to talk to each other without creating VPN connection between them.

3. Divide 10.10.10.0/25 into 2 equal subnets, and provide the IP address range of each subnet

Total IP Addresses in 10.10.10.0/25: 10.10.10.0 → 10.10.10.127

- 10.10.10.0/26: 10.10.10.0 → 10.10.10.63
- 10.10.10.64/26: 10.10.10.63 → 10.10.10.127

4. How does AVD provide enhanced security?

You can enable multifactor authentication to secure user sign-ins. You can also secure access to data by assigning granular role-based access controls (RBACs) to users.

Ref: <https://learn.microsoft.com/en-us/training/modules/describe-azure-compute-networking-services/4-virtual-desktop>