



Patient Profile

Name: Saubhik Bhaumik

Age: 27

Gender: Male

Summary of Results

The comprehensive biochemical panel indicates all evaluated parameters are within reference limits. The predictive model has classified the overall profile as **Normal**.

Detailed Test Explanations

SERUM BILIRUBIN (TOTAL) – 0.9 mg/dl (reference 0–12)

A total bilirubin level within this range suggests no hemolysis or hepatic impairment.

SERUM BILIRUBIN (DIRECT) – 0.2 mg/dl (reference 0–0.3)

Direct bilirubin near the upper end of normal; still within limits, indicating no cholestatic liver injury.

SERUM BILIRUBIN (INDIRECT) – 0.70 mg/dl (reference 0.2–1)

Indirect bilirubin within normal limits, supporting intact hemolysis control and hepatic conjugation.

SGPT (ALT) – 36 U/L (reference 13–40)

Alanine transaminase remains within normal range, reflecting no significant hepatocellular damage.

SGOT (AST) – 32 U/L (reference 0–37)

Aspartate transaminase is normal, corroborating overall hepatic health.

SERUM ALKALINE PHOSPHATASE – Not performed

No data available for alkaline phosphatase; no conclusion can be drawn for this marker.

SERUM PROTEIN – 7.2 g/dl (reference 6.4–8.3)

Total protein falls comfortably within normal limits, indicating adequate nutritional and hepatic synthesis status.

SERUM ALBUMIN – 4.7 g/dl (reference 3.5–5.2)

Albumin concentration is normal, supporting normal liver function and nutritional status.

GLOBULIN – 2.5 g/dl (reference 1.8–3.6)

Globulin level is within expected range, suggesting normal immune and protein reserve status.

AIG RATIO – 1.88 (reference 1.1–2.4)

The albumin to globulin ratio is normal, indicating balanced protein synthesis and immune function.

Overall Interpretation

All available biochemical indicators remain within standard reference ranges, and the predictive analytics model has confirmed a **Normal** profile. The absence of alkaline phosphatase data does not alter this conclusion given the other normal hepatic and protein metrics.

Recommendations

- Maintain a balanced diet rich in fruits, vegetables, whole grains, and lean proteins to support ongoing hepatic health.
- Continue regular physical activity and avoid excessive alcohol consumption.
- Schedule routine health check-ups every 12–24 months, including repeat liver function tests if new symptoms arise.
- If laboratory testing for alkaline phosphatase is desired, consider a follow-up panel to complete the liver enzyme assessment.

Disclaimer

This report provides general medical information and is not a substitute for a personalized clinical evaluation. For specific medical concerns or symptoms, please consult a qualified healthcare professional.