

Medical Information Handbook

Medical Entry #1

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #3

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #4

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #5

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #6

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #7

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #8

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #9

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #10

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #11

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #12

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #13

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #14

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #15

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #16

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #17

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #18

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #19

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #20

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #21

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #22

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #23

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #24

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #25

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #26

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #27

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #28

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #29

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #30

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #31

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #32

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #33

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #34

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #35

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #36

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #37

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #38

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #39

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #40

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #41

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #42

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #43

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #44

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #45

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #46

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #47

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #48

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #49

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #50

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #51

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #52

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #53

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #54

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #55

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours
 - Side Effects: Stomach upset, ulcers
 - Pregnancy Category: C

Medical Entry #56

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #57

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #58

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #59

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #60

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #61

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #62

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #63

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours
 - Side Effects: Stomach upset, ulcers
 - Pregnancy Category: C

Medical Entry #64

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #65

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #66

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #67

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #68

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #69

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #70

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #71

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #72

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #73

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #74

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #75

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #76

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #77

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #78

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #79

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #80

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #81

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #82

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #83

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #84

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #85

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #86

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #87

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #88

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #89

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #90

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #91

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #92

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #93

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #94

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #95

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #96

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #97

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #98

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #99

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #100

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #101

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #102

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #103

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #104

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #105

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #106

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #107

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #108

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #109

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #110

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #111

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #112

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #113

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #114

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #115

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #116

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #117

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #118

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #119

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #120

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #121

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #122

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #123

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #124

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #125

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #126

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #127

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #128

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #129

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #130

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #131

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #132

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #133

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #134

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #135

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #136

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #137

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #138

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #139

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #140

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #141

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #142

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #143

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #144

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #145

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #146

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #147

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #148

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #149

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #150

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #151

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #152

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #153

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #154

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours
 - Side Effects: Stomach upset, ulcers
 - Pregnancy Category: C

Medical Entry #155

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #156

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #157

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #158

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #159

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #160

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #161

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #162

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #163

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #164

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #165

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #166

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #167

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #168

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #169

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #170

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #171

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #172

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #173

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #174

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #175

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #176

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #177

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #178

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #179

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #180

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #181

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #182

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #183

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #184

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #185

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #186

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #187

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #188

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #189

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #190

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #191

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #192

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #193

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #194

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #195

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #196

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #197

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #198

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #199

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #200

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #201

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #202

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #203

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #204

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #205

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #206

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #207

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #208

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #209

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #210

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #211

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #212

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #213

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #214

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #215

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #216

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #217

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #218

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #219

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #220

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #221

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #222

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #223

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #224

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #225

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #226

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #227

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #228

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #229

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #230

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #231

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #232

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #233

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #234

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #235

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #236

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #237

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #238

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #239

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #240

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #241

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #242

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #243

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #244

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #245

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #246

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #247

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #248

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #249

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #250

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #251

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #252

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #253

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #254

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #255

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #256

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #257

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #258

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #259

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #260

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #261

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #262

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #263

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #264

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #265

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #266

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #267

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #268

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #269

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #270

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #271

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #272

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #273

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #274

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #275

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #276

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #277

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #278

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #279

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #280

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #281

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #282

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #283

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #284

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #285

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #286

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #287

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #288

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #289

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #290

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #291

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #292

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #293

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #294

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #295

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #296

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #297

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #298

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #299

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #300

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #301

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #302

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #303

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #304

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #305

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #306

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #307

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #308

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #309

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #310

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #311

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #312

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #313

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #314

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #315

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #316

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #317

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #318

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #319

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #320

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #321

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #322

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #323

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #324

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #325

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #326

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #327

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #328

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #329

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #330

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #331

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #332

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #333

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #334

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #335

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #336

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #337

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #338

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #339

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #340

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #341

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #342

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #343

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #344

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #345

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #346

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #347

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #348

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #349

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #350

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #351

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #352

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #353

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #354

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #355

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #356

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #357

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #358

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #359

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #360

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #361

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #362

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #363

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #364

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #365

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #366

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #367

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #368

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #369

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #370

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #371

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #372

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #373

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #374

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #375

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #376

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #377

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #378

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #379

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #380

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #381

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #382

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #383

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #384

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #385

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #386

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #387

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #388

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #389

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #390

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #391

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #392

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #393

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #394

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #395

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #396

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #397

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #398

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #399

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #400

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #401

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours
 - Side Effects: Stomach upset, ulcers
 - Pregnancy Category: C

Medical Entry #402

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #403

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #404

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #405

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #406

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #407

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #408

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #409

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #410

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #411

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #412

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #413

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #414

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #415

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #416

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #417

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #418

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #419

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #420

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #421

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #422

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #423

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #424

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #425

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #426

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #427

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #428

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #429

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #430

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #431

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #432

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #433

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #434

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #435

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #436

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #437

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #438

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #439

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #440

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #441

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #442

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #443

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #444

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #445

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #446

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #447

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #448

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #449

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #450

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #451

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #452

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #453

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #454

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #455

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #456

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #457

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #458

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #459

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #460

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #461

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #462

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #463

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #464

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #465

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #466

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #467

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #468

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #469

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #470

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #471

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #472

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #473

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #474

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #475

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #476

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #477

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #478

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #479

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #480

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #481

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #482

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #483

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #484

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #485

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #486

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #487

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #488

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #489

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #490

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #491

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #492

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #493

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #494

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #495

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #496

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #497

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #498

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #499

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #500

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #501

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #502

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #503

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #504

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #505

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #506

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #507

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #508

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #509

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #510

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #511

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #512

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #513

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #514

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #515

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #516

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #517

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #518

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #519

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #520

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #521

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #522

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #523

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #524

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #525

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #526

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #527

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #528

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #529

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #530

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #531

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #532

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #533

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #534

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #535

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #536

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #537

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #538

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #539

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #540

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #541

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #542

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #543

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #544

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #545

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #546

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #547

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #548

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #549

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #550

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #551

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #552

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #553

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #554

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #555

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #556

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #557

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #558

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #559

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #560

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #561

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #562

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #563

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #564

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #565

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #566

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #567

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #568

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #569

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #570

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #571

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #572

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #573

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #574

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #575

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #576

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #577

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #578

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #579

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #580

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #581

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #582

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #583

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #584

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #585

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #586

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #587

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #588

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #589

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #590

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #591

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #592

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #593

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #594

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #595

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #596

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #597

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #598

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #599

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #600

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #601

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #602

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #603

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #604

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #605

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #606

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #607

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #608

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #609

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #610

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #611

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #612

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #613

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #614

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #615

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #616

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #617

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #618

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #619

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #620

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #621

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #622

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #623

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #624

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #625

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #626

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #627

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #628

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #629

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #630

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #631

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #632

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #633

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #634

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #635

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #636

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #637

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #638

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #639

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #640

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #641

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #642

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #643

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #644

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #645

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #646

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #647

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #648

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #649

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #650

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #651

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #652

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #653

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #654

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #655

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #656

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #657

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #658

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #659

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #660

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #661

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #662

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #663

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #664

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #665

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #666

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #667

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #668

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #669

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #670

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #671

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #672

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #673

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #674

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #675

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #676

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #677

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #678

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #679

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #680

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #681

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #682

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #683

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #684

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #685

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #686

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #687

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #688

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #689

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #690

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #691

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #692

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #693

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #694

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #695

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #696

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #697

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #698

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #699

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #700

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #701

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #702

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #703

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #704

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #705

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #706

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #707

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #708

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #709

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #710

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #711

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #712

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #713

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #714

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #715

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #716

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #717

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #718

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #719

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #720

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #721

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #722

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #723

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #724

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #725

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #726

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #727

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #728

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #729

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #730

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #731

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #732

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #733

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #734

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #735

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #736

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #737

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #738

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #739

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #740

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #741

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #742

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #743

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #744

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #745

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #746

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #747

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #748

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #749

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #750

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #751

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #752

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #753

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #754

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #755

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #756

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #757

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #758

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #759

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #760

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #761

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #762

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #763

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #764

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #765

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #766

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #767

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #768

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #769

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #770

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #771

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #772

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #773

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #774

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #775

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #776

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #777

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #778

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #779

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #780

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #781

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #782

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #783

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #784

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #785

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #786

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #787

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #788

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #789

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #790

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #791

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #792

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #793

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #794

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #795

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #796

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #797

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #798

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #799

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #800

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #801

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #802

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #803

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #804

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #805

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #806

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #807

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #808

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #809

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #810

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #811

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #812

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #813

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #814

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #815

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #816

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #817

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #818

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #819

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #820

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #821

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #822

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #823

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #824

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #825

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #826

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #827

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #828

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #829

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #830

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #831

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #832

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #833

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #834

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #835

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #836

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #837

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #838

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #839

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #840

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #841

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #842

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #843

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #844

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #845

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #846

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #847

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #848

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #849

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #850

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #851

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #852

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #853

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #854

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #855

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #856

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #857

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #858

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #859

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #860

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #861

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #862

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #863

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #864

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #865

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #866

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #867

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #868

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #869

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #870

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #871

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #872

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #873

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #874

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #875

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #876

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #877

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #878

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #879

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #880

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #881

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #882

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #883

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #884

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #885

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #886

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #887

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #888

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #889

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #890

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #891

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #892

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #893

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #894

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #895

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #896

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #897

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #898

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #899

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #900

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #901

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #902

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #903

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #904

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #905

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #906

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #907

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #908

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #909

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #910

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #911

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #912

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #913

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #914

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #915

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #916

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #917

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #918

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #919

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #920

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #921

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #922

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #923

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #924

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #925

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #926

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #927

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #928

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #929

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #930

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #931

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #932

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #933

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #934

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #935

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #936

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #937

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #938

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #939

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #940

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #941

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #942

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #943

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #944

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #945

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #946

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #947

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #948

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #949

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #950

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #951

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #952

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #953

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #954

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #955

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #956

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #957

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #958

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #959

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #960

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours
 - Side Effects: Stomach upset, ulcers
 - Pregnancy Category: C

Medical Entry #961

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #962

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #963

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #964

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #965

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #966

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #967

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #968

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #969

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #970

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #971

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #972

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #973

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #974

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #975

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #976

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #977

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #978

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #979

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #980

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #981

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #982

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #983

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #984

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #985

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #986

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #987

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #988

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #989

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #990

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #991

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #992

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #993

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #994

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #995

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #996

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #997

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #998

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #999

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1000

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1001

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1002

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1003

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1004

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1005

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1006

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1007

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1008

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1009

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1010

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1011

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1012

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1013

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1014

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1015

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1016

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1017

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1018

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1019

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1020

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1021

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1022

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1023

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1024

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1025

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1026

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1027

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1028

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1029

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1030

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1031

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1032

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1033

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1034

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1035

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1036

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1037

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1038

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1039

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1040

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1041

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1042

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1043

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1044

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1045

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1046

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1047

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1048

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1049

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1050

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1051

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1052

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1053

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1054

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1055

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1056

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1057

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1058

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1059

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1060

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1061

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1062

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1063

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1064

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1065

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1066

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1067

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1068

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1069

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1070

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1071

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1072

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1073

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1074

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1075

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1076

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1077

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1078

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1079

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1080

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1081

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1082

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1083

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1084

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1085

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1086

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1087

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1088

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1089

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1090

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1091

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1092

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1093

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1094

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1095

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1096

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1097

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1098

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1099

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1100

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1101

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1102

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1103

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1104

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1105

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1106

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1107

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1108

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1109

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1110

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1111

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1112

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1113

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1114

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1115

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1116

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1117

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1118

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1119

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1120

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1121

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1122

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1123

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1124

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1125

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1126

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1127

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1128

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1129

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1130

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1131

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1132

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1133

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1134

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1135

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1136

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1137

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1138

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1139

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1140

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1141

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1142

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1143

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1144

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1145

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1146

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1147

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1148

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1149

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1150

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1151

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1152

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1153

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1154

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1155

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1156

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1157

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1158

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1159

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1160

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1161

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1162

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1163

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1164

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1165

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1166

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1167

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1168

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1169

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1170

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1171

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1172

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1173

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1174

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1175

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1176

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1177

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1178

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1179

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1180

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1181

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1182

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1183

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1184

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1185

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1186

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1187

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1188

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1189

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1190

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1191

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1192

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1193

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1194

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1195

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1196

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1197

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1198

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1199

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1200

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1201

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1202

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1203

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1204

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1205

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1206

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1207

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1208

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1209

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1210

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1211

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1212

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1213

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1214

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1215

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1216

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1217

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1218

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1219

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1220

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1221

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1222

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1223

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1224

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1225

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1226

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1227

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1228

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1229

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1230

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1231

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1232

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1233

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1234

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1235

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1236

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1237

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1238

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1239

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1240

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1241

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1242

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1243

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1244

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1245

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1246

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1247

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1248

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1249

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1250

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1251

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1252

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1253

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1254

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1255

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1256

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1257

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1258

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1259

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1260

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1261

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1262

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1263

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1264

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1265

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1266

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1267

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1268

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1269

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1270

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1271

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1272

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1273

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1274

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1275

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1276

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1277

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1278

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1279

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1280

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1281

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1282

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1283

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1284

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1285

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1286

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1287

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1288

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1289

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1290

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1291

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1292

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1293

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1294

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1295

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1296

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1297

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1298

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1299

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1300

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1301

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1302

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1303

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1304

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1305

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1306

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1307

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1308

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1309

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1310

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1311

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1312

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1313

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1314

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1315

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1316

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1317

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1318

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1319

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1320

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1321

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1322

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1323

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1324

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1325

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1326

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1327

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1328

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1329

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1330

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1331

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1332

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1333

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1334

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1335

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1336

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1337

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1338

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1339

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1340

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1341

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1342

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1343

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1344

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1345

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1346

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1347

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1348

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1349

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1350

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1351

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1352

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1353

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1354

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1355

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1356

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1357

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1358

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1359

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1360

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1361

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1362

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1363

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1364

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1365

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1366

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1367

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1368

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1369

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1370

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1371

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1372

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1373

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1374

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1375

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1376

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1377

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1378

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1379

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1380

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1381

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1382

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1383

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1384

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1385

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1386

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1387

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1388

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1389

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1390

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1391

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1392

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1393

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1394

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1395

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1396

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1397

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1398

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1399

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1400

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1401

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1402

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1403

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1404

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1405

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1406

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1407

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1408

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1409

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1410

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1411

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1412

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1413

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1414

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1415

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1416

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1417

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1418

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1419

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1420

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1421

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1422

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1423

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1424

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1425

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1426

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1427

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1428

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1429

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1430

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1431

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1432

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1433

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1434

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1435

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1436

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1437

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1438

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1439

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1440

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1441

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1442

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1443

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1444

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1445

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1446

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1447

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1448

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1449

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1450

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1451

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1452

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1453

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1454

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1455

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1456

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1457

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1458

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1459

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1460

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1461

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1462

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1463

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1464

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1465

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1466

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1467

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1468

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1469

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1470

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1471

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1472

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1473

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1474

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1475

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1476

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1477

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1478

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1479

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1480

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1481

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1482

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1483

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1484

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1485

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1486

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1487

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1488

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1489

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1490

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1491

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1492

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1493

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1494

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1495

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1496

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1497

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1498

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1499

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1500

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1501

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1502

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1503

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1504

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1505

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1506

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1507

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1508

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1509

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1510

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1511

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1512

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1513

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1514

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1515

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1516

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1517

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1518

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1519

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1520

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1521

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1522

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1523

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1524

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1525

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1526

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1527

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1528

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1529

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1530

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1531

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1532

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1533

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1534

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1535

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1536

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1537

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1538

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1539

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1540

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1541

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1542

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1543

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1544

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1545

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1546

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1547

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1548

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1549

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1550

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1551

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1552

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1553

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1554

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1555

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1556

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1557

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1558

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1559

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1560

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1561

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1562

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1563

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1564

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1565

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1566

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1567

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1568

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1569

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1570

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1571

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1572

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1573

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1574

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1575

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1576

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1577

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1578

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1579

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1580

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1581

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1582

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1583

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1584

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1585

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1586

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1587

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1588

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1589

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1590

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1591

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1592

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1593

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1594

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1595

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1596

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1597

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1598

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1599

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1600

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1601

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1602

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1603

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1604

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1605

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1606

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1607

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1608

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1609

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1610

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1611

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1612

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1613

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1614

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1615

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1616

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1617

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1618

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1619

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1620

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1621

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1622

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1623

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1624

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1625

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1626

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1627

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1628

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1629

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1630

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1631

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1632

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1633

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1634

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1635

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1636

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1637

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1638

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1639

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1640

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1641

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1642

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1643

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1644

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1645

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1646

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1647

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1648

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1649

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1650

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1651

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1652

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1653

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1654

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1655

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1656

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1657

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1658

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1659

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1660

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1661

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1662

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1663

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1664

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1665

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1666

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1667

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1668

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1669

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1670

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1671

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1672

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1673

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1674

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1675

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1676

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1677

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1678

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1679

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1680

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1681

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1682

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1683

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1684

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1685

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1686

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1687

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1688

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1689

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1690

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1691

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1692

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1693

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1694

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1695

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1696

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1697

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1698

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1699

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1700

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1701

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1702

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1703

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1704

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1705

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1706

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1707

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1708

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1709

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1710

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1711

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1712

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1713

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1714

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1715

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1716

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1717

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1718

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1719

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1720

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1721

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1722

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1723

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1724

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1725

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1726

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1727

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1728

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1729

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1730

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1731

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1732

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1733

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1734

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1735

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1736

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1737

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1738

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1739

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1740

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1741

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1742

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1743

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1744

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1745

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1746

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1747

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1748

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1749

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1750

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1751

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1752

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1753

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1754

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1755

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1756

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1757

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1758

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1759

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1760

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1761

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1762

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1763

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1764

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1765

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1766

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1767

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1768

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1769

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1770

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1771

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1772

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1773

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1774

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1775

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1776

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1777

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1778

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1779

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1780

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1781

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1782

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1783

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1784

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1785

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1786

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1787

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1788

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1789

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1790

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1791

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1792

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1793

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1794

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1795

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1796

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1797

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1798

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1799

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1800

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1801

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1802

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1803

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1804

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1805

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1806

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1807

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1808

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1809

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1810

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1811

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1812

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1813

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1814

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1815

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1816

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1817

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1818

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1819

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1820

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1821

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1822

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1823

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1824

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1825

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1826

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1827

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1828

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1829

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1830

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1831

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1832

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1833

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1834

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1835

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1836

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1837

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1838

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1839

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1840

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1841

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1842

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1843

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1844

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1845

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1846

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1847

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1848

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1849

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1850

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1851

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1852

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1853

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1854

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1855

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1856

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1857

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1858

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1859

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1860

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1861

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1862

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1863

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1864

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1865

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1866

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1867

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1868

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1869

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1870

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1871

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1872

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1873

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1874

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1875

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1876

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1877

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1878

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1879

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1880

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1881

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1882

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1883

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1884

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1885

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1886

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1887

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1888

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1889

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1890

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1891

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1892

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1893

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1894

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1895

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1896

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1897

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1898

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1899

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1900

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1901

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1902

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1903

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1904

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1905

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1906

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1907

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1908

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1909

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1910

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1911

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1912

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1913

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1914

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1915

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1916

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1917

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1918

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1919

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1920

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1921

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1922

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1923

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1924

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1925

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1926

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1927

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1928

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1929

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1930

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1931

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1932

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1933

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1934

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1935

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1936

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1937

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1938

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1939

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1940

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1941

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1942

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1943

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1944

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1945

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1946

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1947

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1948

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1949

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1950

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1951

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1952

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1953

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1954

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1955

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1956

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1957

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1958

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1959

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1960

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1961

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1962

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1963

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1964

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1965

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1966

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1967

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1968

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1969

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1970

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1971

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1972

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1973

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1974

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1975

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1976

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1977

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1978

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1979

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1980

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1981

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1982

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1983

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1984

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1985

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1986

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1987

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1988

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1989

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #1990

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1991

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1992

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1993

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1994

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1995

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1996

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1997

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1998

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #1999

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2000

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2001

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2002

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2003

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2004

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2005

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2006

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2007

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2008

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2009

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2010

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2011

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2012

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2013

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2014

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2015

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2016

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2017

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2018

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2019

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2020

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2021

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2022

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2023

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2024

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2025

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2026

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2027

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2028

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2029

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2030

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2031

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2032

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2033

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2034

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2035

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2036

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2037

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2038

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2039

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2040

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2041

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2042

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2043

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2044

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2045

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2046

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2047

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2048

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2049

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2050

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2051

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2052

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2053

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2054

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2055

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2056

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2057

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2058

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2059

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2060

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2061

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2062

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2063

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2064

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2065

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2066

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2067

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2068

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2069

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2070

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2071

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2072

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2073

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2074

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2075

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2076

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2077

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2078

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2079

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2080

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2081

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2082

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2083

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2084

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2085

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2086

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2087

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2088

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2089

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2090

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2091

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2092

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2093

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2094

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2095

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2096

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2097

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2098

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2099

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2100

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2101

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2102

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2103

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2104

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2105

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2106

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2107

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2108

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2109

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2110

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2111

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2112

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2113

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2114

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2115

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2116

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2117

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2118

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2119

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2120

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2121

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2122

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2123

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2124

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2125

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2126

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2127

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2128

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2129

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2130

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2131

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2132

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2133

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2134

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2135

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2136

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2137

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2138

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2139

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2140

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2141

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2142

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2143

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2144

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2145

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2146

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2147

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2148

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2149

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2150

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2151

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2152

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2153

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2154

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2155

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2156

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2157

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2158

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2159

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2160

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2161

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2162

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2163

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2164

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2165

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2166

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2167

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2168

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2169

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2170

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2171

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2172

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2173

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2174

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2175

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2176

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2177

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2178

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2179

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2180

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2181

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2182

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2183

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2184

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2185

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2186

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2187

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2188

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2189

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2190

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2191

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2192

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2193

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2194

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2195

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2196

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2197

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2198

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2199

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2200

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2201

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2202

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2203

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2204

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2205

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2206

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2207

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2208

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2209

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2210

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2211

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2212

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2213

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2214

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2215

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2216

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2217

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2218

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2219

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2220

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2221

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2222

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2223

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2224

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2225

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2226

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2227

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2228

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2229

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2230

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2231

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2232

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2233

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2234

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2235

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2236

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2237

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2238

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2239

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2240

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2241

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2242

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2243

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2244

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2245

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2246

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2247

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2248

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2249

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2250

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2251

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2252

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2253

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2254

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2255

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2256

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2257

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2258

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2259

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2260

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2261

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2262

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2263

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2264

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2265

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2266

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2267

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2268

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2269

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2270

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2271

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2272

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2273

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2274

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2275

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2276

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2277

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2278

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2279

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2280

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2281

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2282

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2283

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2284

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2285

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2286

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2287

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2288

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2289

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2290

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2291

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2292

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2293

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2294

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2295

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2296

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2297

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2298

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2299

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2300

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2301

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2302

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2303

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2304

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2305

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2306

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2307

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2308

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2309

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2310

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2311

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2312

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2313

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2314

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2315

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2316

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2317

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2318

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2319

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2320

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2321

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2322

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2323

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2324

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2325

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2326

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2327

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2328

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2329

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2330

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2331

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2332

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2333

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2334

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2335

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2336

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2337

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2338

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2339

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2340

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2341

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2342

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2343

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2344

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2345

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2346

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2347

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2348

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2349

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2350

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2351

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2352

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2353

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2354

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2355

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2356

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2357

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2358

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2359

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2360

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2361

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2362

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2363

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2364

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2365

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2366

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2367

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2368

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2369

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2370

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2371

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2372

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2373

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2374

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2375

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2376

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2377

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2378

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2379

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2380

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2381

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2382

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2383

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2384

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2385

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2386

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2387

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2388

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2389

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2390

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2391

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2392

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2393

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2394

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2395

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2396

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2397

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2398

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2399

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2400

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2401

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2402

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2403

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2404

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2405

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2406

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2407

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2408

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2409

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2410

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2411

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2412

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2413

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2414

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2415

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2416

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2417

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2418

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2419

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2420

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2421

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2422

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2423

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2424

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2425

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2426

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2427

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
 - Brand Names: Tylenol, Panadol
 - Uses: Pain relief, fever reducer
 - Dosage: 500mg to 1000mg every 4-6 hours
 - Side Effects: Liver damage (in high doses)
 - Pregnancy Category: B
-
- Drug Name: Ibuprofen
 - Brand Names: Advil, Motrin
 - Uses: Pain relief, anti-inflammatory
 - Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2428

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2429

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2430

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2431

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2432

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2433

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2434

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2435

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2436

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2437

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2438

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2439

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2440

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2441

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2442

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2443

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2444

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2445

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2446

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2447

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2448

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2449

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2450

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2451

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2452

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2453

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2454

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2455

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2456

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

Medical Information Handbook

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2457

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2458

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2459

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2460

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2461

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2462

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2463

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2464

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2465

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2466

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2467

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2468

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2469

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2470

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2471

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2472

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2473

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2474

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2475

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2476

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2477

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2478

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2479

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2480

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2481

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2482

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2483

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2484

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2485

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2486

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2487

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2488

Medical Information Handbook

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin

Medical Information Handbook

- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2489

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer

Medical Information Handbook

- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2490

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Medical Information Handbook

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2491

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension

Medical Information Handbook

- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2492

Section: General Medical Information

Medical Information Handbook

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours

Medical Information Handbook

- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2493

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)

Medical Information Handbook

- Pregnancy Category: B
- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2494

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

Medical Information Handbook

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2495

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2496

Section: General Medical Information

1. Human Anatomy and Physiology:

Medical Information Handbook

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Information Handbook

Medical Entry #2497

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

Medical Information Handbook

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2498

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol

Medical Information Handbook

- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2499

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

Medical Information Handbook

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C

Medical Entry #2500

Section: General Medical Information

1. Human Anatomy and Physiology:

- Overview of bodily systems and their functions.

Medical Information Handbook

2. Disease Focus:

- Disease: Hypertension
- Description: A condition in which the force of the blood against the artery walls is too high.
- Treatment: Lifestyle changes, medications such as ACE inhibitors.

3. Diagnostic Tests:

- Blood Pressure Measurement
- Blood Sugar Test

Section: Pill Information

- Drug Name: Paracetamol
- Brand Names: Tylenol, Panadol
- Uses: Pain relief, fever reducer
- Dosage: 500mg to 1000mg every 4-6 hours
- Side Effects: Liver damage (in high doses)
- Pregnancy Category: B

- Drug Name: Ibuprofen
- Brand Names: Advil, Motrin
- Uses: Pain relief, anti-inflammatory
- Dosage: 200mg to 400mg every 4-6 hours
- Side Effects: Stomach upset, ulcers
- Pregnancy Category: C