```
# import libraries
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt


# import online data
from sklearn.datasets import load_digits
digits = load_digits()


X = digits.data
X.shape
```

```
(1797, 64)
```

```
y = digits.target
y.shape
```

```
(1797,)
```

```
plt.figure(figsize=(20,4))
for index, (image, label) in enumerate(zip(digits.data[0:5], digits.target[0:5])):
    plt.subplot(1,5, index + 1)
    plt.imshow(np.reshape(image, (8,8)), cmap= plt.cm.gray)
    plt.title(label, fontsize=20)
```




```
# split the data
from sklearn.model_selection import train_test_split
X_train , X_test, y_train, y_test = train_test_split(X,y,test_size=0.2,random_state=0)


 print("Train input Data", X_train.shape)
print("Test input Data", X_test.shape)
print("Train output Data", y_train.shape)
print("Test output Data", y_test.shape)
```

```
Train input Data (1437, 64)
Test input Data (360, 64)
Train output Data (1437,)
Test output Data (360,)
```

```
# model train
from sklearn.linear_model import LogisticRegression
model = LogisticRegression().fit(X_train,y_train)
model
```

```
/usr/local/lib/python3.10/dist-packages/sklearn/linear_model/_logistic.py:
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

```
LogisticRegression()
```

▾ LogisticRegression
LogisticRegression()

```
# prediction
predictions = model.predict(X_test)
predictions
```

```
array([2, 8, 2, 6, 6, 7, 1, 9, 8, 5, 2, 8, 6, 6, 6, 6, 1, 0, 5, 8, 8, 7,
       8, 4, 7, 5, 4, 9, 2, 9, 4, 7, 6, 8, 9, 4, 3, 1, 0, 1, 8, 6, 7, 7,
       1, 0, 7, 6, 2, 1, 9, 6, 7, 9, 0, 0, 9, 1, 6, 3, 0, 2, 3, 4, 1, 9,
       2, 6, 9, 1, 8, 3, 5, 1, 2, 8, 2, 2, 9, 7, 2, 3, 6, 0, 9, 3, 7, 5,
       1, 2, 9, 9, 3, 1, 4, 7, 4, 8, 5, 8, 5, 5, 2, 5, 9, 0, 7, 1, 4, 7,
       3, 4, 8, 9, 7, 9, 8, 2, 1, 5, 2, 5, 8, 4, 1, 7, 0, 6, 1, 5, 5, 9,
       9, 5, 9, 9, 5, 7, 5, 6, 2, 8, 6, 9, 6, 1, 5, 1, 5, 9, 9, 1, 5, 3,
       6, 1, 8, 9, 8, 7, 6, 7, 6, 5, 6, 0, 8, 8, 9, 8, 6, 1, 0, 4, 1, 6,
       3, 8, 6, 7, 4, 9, 6, 3, 0, 3, 3, 3, 0, 7, 7, 5, 7, 8, 0, 7, 1, 9,
       6, 4, 5, 0, 1, 4, 6, 4, 3, 3, 0, 9, 5, 9, 2, 1, 4, 2, 1, 6, 8, 9,
       2, 4, 9, 3, 7, 6, 2, 3, 3, 1, 6, 9, 3, 6, 3, 3, 2, 0, 7, 6, 1, 1,
       9, 7, 2, 7, 8, 5, 5, 7, 5, 2, 3, 7, 2, 7, 5, 5, 7, 0, 9, 1, 6, 5,
       9, 7, 4, 3, 8, 0, 3, 6, 4, 6, 3, 2, 6, 8, 8, 8, 4, 6, 7, 5, 2, 4,
       5, 3, 2, 4, 6, 9, 4, 5, 4, 3, 4, 6, 2, 9, 0, 1, 7, 2, 0, 9, 6, 0,
       4, 2, 0, 7, 9, 8, 5, 7, 8, 2, 8, 4, 3, 7, 2, 6, 9, 1, 5, 1, 0, 8,
       2, 8, 9, 5, 6, 2, 2, 7, 2, 1, 5, 1, 6, 4, 5, 0, 9, 4, 1, 1, 7, 0,
       8, 9, 0, 5, 4, 3, 8, 8])
```

```
# confusion matrix
from sklearn import metrics
cm = metrics.confusion_matrix(y_test, predictions)
cm
```

```
array([[27,  0,  0,  0,  0,  0,  0,  0,  0,  0],
       [ 0, 34,  0,  0,  0,  0,  0,  0,  1,  0],
       [ 0,  0, 35,  1,  0,  0,  0,  0,  0,  0],
       [ 0,  0,  0, 29,  0,  0,  0,  0,  0,  0],
       [ 0,  0,  0,  0, 29,  0,  0,  1,  0,  0],
       [ 0,  0,  0,  0,  0, 37,  0,  0,  0,  3],
       [ 0,  1,  0,  0,  0,  0, 43,  0,  0,  0],
       [ 0,  0,  0,  0,  1,  0,  0, 38,  0,  0],
       [ 0,  2,  1,  0,  0,  0,  0,  0, 36,  0],
       [ 0,  0,  0,  0,  0,  1,  0,  0,  0, 40]])
```

```
import seaborn as sns
sns.heatmap(cm, annot=True)
```

<Axes: >



✓ 2s completed at 12:10 PM