```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Building Management</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <!-- Language Toggle -->
  <div class="language-toggle">
    <button id="english-btn">English</
button>
```

```html
    <button id="arabic-btn">العربية</button>
  </div>

  <div class="container">
    <!-- Sidebar for Floor Selection -->
    <div class="sidebar">
      <h2 id="floor-title-sidebar">Floors</h2>
      <ul>
        <li><a href="#" data-floor="0">Ground Floor</a></li>
        <li><a href="#" data-floor="1">Floor 1</a></li>
        <li><a href="#" data-floor="2">Floor 2</a></li>
        <li><a href="#" data-floor="3">Floor 3</a></li>
        <li><a href="#" data-floor="4">Floor 4</a></li>
        <li><a href="#" data-floor="5">Floor 5</a></li>
        <li><a href="#" data-floor="6">Floor 6</
```

```html
a></li>
    </ul>
  </div>

  <!-- Main Content -->
  <div class="main-content">
    <h1 id="floor-title">Ground Floor</h1>
    <div id="shops">
      <h2 id="shops-title">Shops</h2>
      <div class="grid-container" id="shop-grid"></div>
    </div>
    <div id="apartments">
      <h2 id="apartments-title">Apartments</h2>
      <div class="grid-container" id="apartment-grid"></div>
    </div>
  </div>
</div>
```

```html
<!-- Modal for Details -->
<div id="modal" class="modal">
  <div class="modal-content">
    <span class="close">&times;</span>
    <h2 id="modal-title"></h2>
    <p id="modal-details"></p>
  </div>
</div>

<script src="script.js"></script>
</body>
</html>
```