Thakaa at AraGenre 2026: Definition-Guided LLM Judging with Full-Taxonomy Agreement-Gated Correction for Hierarchical Arabic Genre Classification

Hassan Alqaeri **Meshal Alamr** **Abdullah Aldahlawi**
Thakaa Advanced Company for Information Technology, Riyadh, Saudi Arabia
{h.alqaeril, m.alamr, aldahlawi}@thakaait.net

Abstract

We report the first-place system in AraGenre 2026 (0.7352 Hierarchical Macro F1, 18 teams). The task asks for one of 6 broad and one of 74 fine-grained specific genres for each of 27,972 hidden-test Arabic segments, with every genre given only as an English prose definition and the specific-label inventory *disjoint* from the released training data. Our pipeline is free of parameter updates but not of task-specific effort: the judge prompt carries 74 hand-written per-genre cues, and components were selected on the public leaderboard. A family-restricted, definition-guided LLM judge scores candidate genres setwise under a hierarchically constrained decoding scheme, reaching 0.7139. The scoreboard showed this base already led on Specific Macro F1 but trailed on Broad Macro F1, so we add a correction stage: two instruction models re-predict the specific genre, each shown the *entire* 74-definition taxonomy, and a label is edited only where both agree against the base. This agreement-gated stage lifts Broad Macro F1 from 0.879 to 0.892, largely by suppressing a topic trap in which a book *about* religion is taken for scripture; a post-evaluation ablation attributes the suppression to an explicit type-versus-topic instruction ($394 \rightarrow 233$ trapped calls) and to the taxonomy itself ($233 \rightarrow 119$). A final attractor drain then carries the system to 0.7352.

1 Introduction

Genre is what a text *does* rather than what it is about: the same subject appears in a contract, a news report and a textbook, and only the first is useful to someone assembling a legal corpus. Sorting documents this way is what makes an archive filterable and a corpus assemblable by register, and Arabic has far less of this work behind it than English. AraGenre 2026 (El-Haj et al., 2026) frames the problem as one of generalisation: systems receive English genre definitions and limited synthetic training data, but the hidden benchmark contains noisier naturally occurring Arabic spanning Modern Standard Arabic, Classical Arabic, and multiple dialects, with *previously unseen genre–definition combinations*. Because the 74 specific test genres are disjoint from training, memorisation is useless and semantic understanding of communicative function is required. We placed 1st of 18 teams (Table 2) on the official ranking metric, Hierarchical Macro F1: the mean of Broad and Specific Macro F1.

Our contributions are:

1. A hierarchically constrained, definition-guided LLM judge that reaches 0.7139 Hierarchical Macro F1 with no parameter updates.
2. An account of why one predictor fails the two tiers differently: broad accuracy is the family-accuracy of the specific prediction, whereas Broad Macro F1 is set by minority-class false positives, so correction must be tier-specific (§7).
3. An agreement-gated correction stage in which each verifier sees the full taxonomy, with a three-arm ablation splitting the topic trap between an explicit type-vs-topic instruction and a visible label to move the error onto.
4. An attractor-drain step targeting the macro-F1 failure mode of heavily predicting a few generic classes; its only gold-verified estimate is on dev.
5. Empirical validation on the hidden test: 0.7352 Hierarchical Macro F1, ranked 1st of 18 teams, with the major system configurations scored as their own submissions.

The main challenges were a specific-label inventory disjoint from training, a topic trap (writing *about* a subject vs. the subject's genre), and classes

with no written signal (song dialects, textbook levels).

2 Related Work

Arabic and hierarchy-aware HTC. Arabic pretrained models (Antoun et al., 2020, 2021) underpin most classification work on the language, including hierarchical variants (Bouchiha et al., 2025, 2026), and a large literature models the label hierarchy explicitly (Zhu et al., 2023; Cai et al., 2024; Zeng et al., 2025; Wang et al., 2025; du Toit and Dunaiski, 2025; Zangari et al., 2024). These closed-label supervised setups do not transfer to AraGenre's unseen, definition-specified labels; we instead enforce the hierarchy structurally, forcing broad = parent(specific).

Zero-shot HTC, LLM judging, and consensus. Prior systems reach an unseen label space through prompt ensembles (Xia et al., 2025), LLM-built prototypes (Zhang et al., 2025) or rewritten taxonomies (Golde et al., 2026); we leave the definitions unrewritten and vary how much of the taxonomy is visible, though the base judge appends hand-written cues to each (§4). Our two-stage design retrieves candidate definitions (Chen et al., 2024) and compares them with an LLM (Sun et al., 2023; Zheng et al., 2023), with Qwen3-Embedding (Qwen Team, 2025) bridging Arabic and English; the chain-of-thought pass follows reasoning-based HTC (Jiang et al., 2025; Pan and Wu, 2025). Ensembling diverse predictors (Dietterich, 2000) appears in LLM form as juries, blending, mixtures of agents, debate and self-consistency (Verga et al., 2024; Jiang et al., 2023; Wang et al., 2024; Du et al., 2024; Wang et al., 2023); those aggregate free-form text or resample one model, whereas we require two models to emit the *same* label, which helps only with the full taxonomy in context.

3 Background

Each instance is `{id, text}`; systems output one `broad_genre` (of 6: Informative, Creative, Interactive, Learning, Legal, Religious) and one `specific_genre` (of 74), using exact taxonomy label names, each with an English definition. The released data are tiny and synthetic-like (train: 140 items / 7 specific genres; dev: 110 / 6), and the specific-label inventories are *100% disjoint* across train, dev and test, so no supervised label set transfers. The *hidden test* has 27,972 naturally occurring instances over 74 specific genres in 6 families: Informative (42), Learning (12), Creative (7), Religious (6), Interactive (4) and Legal (3); Informative is dominated by 20 job domains and 13 book-description topics, and Creative holds 5 song dialects. Missing predictions are counted incorrect. Informative dominates our predictions (∼50%), and the specific tier's 74 classes make Macro F1 highly sensitive to rare-class recall.



Figure 1: System overview. The base judge yields 0.7139; an agreement-gated correction in which each verifier sees the *entire* 74-definition taxonomy, then a within-family attractor drain, reach 0.7352 (rank 1).

4 System

4.1 Base: family-restricted definition-guided judge

The base system turns the 74-way choice into a within-family one (Figure 1): retrieval proposes candidates and a judge scores only siblings of a gated broad genre. The setwise judge is `google/gemma-4-31B-it` (Gemma Team, Google DeepMind, 2026), served through vLLM under the local alias `gemma-4-31b`; API model strings are pinned in Appendix H. Each text passes through four steps. (i) `Qwen3-Embedding-8B` (Qwen Team, 2025) encodes the Arabic text and the English definitions, and proposes candidate specific genres by cosine similarity. (ii) Decoding is hierarchically constrained, all siblings for small families and top-k retrieved for large topical ones, so that broad = parent(specific) and broad *accuracy*

equals the family-accuracy of the specific prediction. Broad Macro F1 does not: it averages per-class F1, and the gap between the two is what the diagnosis below exploits. (iii) The judge scores each candidate 0–100 against its definition in one setwise call (Sun et al., 2023), and we take the argmax after a light marginal correction (Appendix G). (iv) A few high-precision surface rules override the judge only on near-unambiguous markers (Qur'anic mushaf orthography → `quran`; isnād openings → `hadith`; hand-screened samples showed no false positives, an impression rather than a precision estimate; emoji/hashtag short posts → Interactive subtypes). Appended to each definition the judge also sees a contrastive discriminator, one per test genre: a single Arabic line naming the surface or content signal that separates that genre from its family siblings (dialect phonology, mushaf orthography, isnād, book-blurb phrasing, job-domain keywords). All 74 were written from the released English definitions and Arabic linguistic knowledge, without reference to any labelled data, and ship in `src/discriminators.py`; hyperparameters are in Appendix H. On the hidden test this base pipeline scores 0.7139.

Diagnosis from the scoreboard. The leaderboard exposed the structure: against the system then ahead of us, our base led on Specific Macro F1 (0.5487 vs. 0.5339) but trailed on Broad Macro F1 (0.8792 vs. 0.90), so the whole deficit sat in the broad tier. Broad accuracy (0.9003) exceeded broad macro, indicating uneven per-class performance; reading our own predictions showed cross-family leakage, with Bible passages labelled poetry or encyclopedia entries and news labelled legal.

4.2 Correction: full-taxonomy agreement-gated re-prediction

We re-predict the specific genre with two frontier instruction models (GPT-5.6 Luna (OpenAI, 2026) and Gemini-3.6 Flash (Google, 2026)), *feeding each the entire 74-definition taxonomy* (≈2.9K tokens) grouped by broad genre, and asking for the single best specific label. The two-model design is motivated by the ensemble argument that combining diverse predictors beats any single one (Dietterich, 2000), in its LLM form (Verga et al., 2024; Wang et al., 2024), but we never submitted either verifier alone, so agreement here is a conservatism device and not evidence of an ensemble effect. (Claude Sonnet 5 (Anthropic, 2026) was run on the diagnostic pool but excluded from the deployed consensus on cost grounds.)

What suppresses the topic trap. Given only the 6 broad definitions, all three verification models fell into a *topic trap* on the book descriptions: text *about* Islam → Religious, even when it was an Informative *book description*. The full-taxonomy prompt also carries an explicit type-vs-topic instruction, so we ran a post-evaluation three-arm ablation over the same 1,403 instances to estimate each factor's incremental effect (one model, GPT-5.6, identical pool): with broad definitions only and no such instruction, 394 are called Religious; adding the instruction alone removes 41% of those (394→233); supplying the full taxonomy removes a further 49% (233→119). The two are not interchangeable: the instruction helps only on the book descriptions and over-fires elsewhere, whereas the taxonomy improves every subset of the pool (Table 3). Scripture filed as an encyclopedia entry (هؤلاء امراء بني عيسو, Genesis 36) is moved to `bible`, and base-family agreement rises in five of the six families (Appendix E).

Conservative application. The first model runs over all 27,972 instances, the second only over the 8,041 where the first disagrees with the base, and a correction is applied only where both name the same label. Broad-changing moves are gated to seven read-verified directions, led by Informative→Interactive for comments and Legal→Informative for wire news (Appendix I); unreliable directions (e.g. Informative→Learning, which over-fires student-writing on academic prose) are rejected, 718 moves in all. Within-family refinements are applied wherever both models agree.

4.3 Attractor drain: redistributing to low-frequency siblings

This stage is partly transductive. Reading our own hidden-test predictions during the evaluation phase revealed five large "attractor" classes that absorb texts the judge cannot place, leaving siblings rarely predicted; they come from that prediction distribution, not from held-out gold. The drain is deterministic: when the base label is an attractor class and a separate chain-of-thought rejudging pass (Wei et al., 2022) names a different sibling in the same family, the sibling replaces it (broad never changes). The surface rules are

then re-applied over the changed labels, acting as a guard rather than a gain (Appendix I). On the base alone it moves 554 instances (Appendix F); in the final pipeline consensus runs first, so it fires on 383. Relative to the base, the final system changes 459 broad and 2,890 specific labels (10.3% of instances).

5 Experimental Setup

Data splits. We update no parameters; every system is applied unchanged to the hidden test. An input is `{"id","text"}` with Arabic text such as مطلوب سائق باص 24 راكب في شركة في دبي جبل علي (test id 24486, "bus driver wanted, 24-seater, for a company in Dubai, Jebel Ali"); the required output pairs it with `broad_genre` = Informative and `specific_genre` = `drivers_and_delivery_jobs`.

Preprocessing. None. Normalisation erases the two orthographic signals that separate whole families here: heavy diacritisation marks 77% of the texts we label `quran` and 43% of poetry against 1% elsewhere, and emoji mark 28% of Interactive texts against under 1% elsewhere (Appendix I).

Tools and metrics. Qwen3-Embedding-8B under `sentence-transformers`, vLLM for the local judge, vendor SDKs for the verifiers; we report Macro F1, Weighted F1 and Accuracy at both tiers (Appendix H).

Cost. Consensus makes 36,013 calls at a ≈3.0K-token prompt each, about US$50; rates and timings are in Appendix H. The base needs no paid API.

6 Results

6.1 Development-set results and component transfer

Re-running the pipeline on dev (110 examples, official gold) separates what transfers from what does not. The drain transfers: no class list is carried over, and the two dev classes it fires on are the two most-predicted there, so no gold is needed to find them. It moves five labels for $+0.042$ (paired bootstrap, 10k resamples: 95% CI $[+0.010, +0.082]$). The consensus stage does not: dev has no `*_book_description` and no scripture, so the trap it repairs has zero instances, and both corrections that fire are wrong. Residual dev disagreements stem from a convention clash between splits (Appendix B).

System	Split	Hier. F1
Official baseline (embedding sim.)	dev	0.4658
Our judge (Gemma-4-31B)	dev	0.8794
Our judge (GPT-5.6)	dev	0.8943
+ agreement-gated correction	dev	0.8557
GPT-5.6 judge + attractor drain†	dev	0.9358
Genre-general judge, no retrieval	test	0.6067
+ embedding retrieval gate	test	0.6812
+ family-restricted judging	test	0.6882
+ marginal correction, rules (base)	test	**0.7139**
+ agreement-gated correction (subset)	test	0.7224
+ cross-family moves, all instances	test	0.7256
+ within-family refinements, drain	test	**0.7352**

Table 1: Main progression on both splits. Dev is near-degenerate (its 6 specific genres map one-to-one onto 6 broad, so all three F1 metrics coincide), so the hidden test is our primary evaluation. *Subset* corrects only instances whose broad label the base judged least secure. †applied to the GPT-5.6 judge, tuned on dev, so not held out.

System	Hier	SpM	SpW	SpA	BrM	BrW	BrA
Base (ours)	.714	.549	.584	.591	.879	.900	.900
+ consensus	.722	.553	.592	.598	.892	.910	.910
Final (rank 1)	**.735**	**.573**	**.613**	**.619**	**.898**	**.914**	**.914**

Table 2: Official metrics for our three scored systems on the hidden test, rounded to three decimals (Sp/Br = Specific/Broad; M/W/A = Macro F1, Weighted F1, Accuracy). Consensus on the verification pool lifts the broad tier by $+.013$ Broad Macro F1; the final row folds in the safe broad expansion, consensus over the full set and the drain, together worth $+.020$ Specific Macro F1.

7 Analysis

The two tiers fail differently, so gains on both compound through the mean. Broad-only prompting put 157 book descriptions under Religious unanimously across all three models, which the full taxonomy largely reversed; one model alone disagreed with the base on ∼29% of specifics. Every alternative correction we tried fell below the base (Appendix D).

Qualitative prediction audit. Three patterns dominate: cross-family topic leaks, heavy attractor prediction, and ceiling classes where 87–99% of texts we label as song lyrics carry no marker from that dialect's cue list (App. C).

8 Conclusion

A definition-guided judge, an agreement-gated correction and an attractor drain placed 1st of 18 at 0.7352, with no parameter updates at any stage.

Limitations

What is and is not a score. Every hidden-test *score* we report is an official evaluation-phase submission (Appendix I); we made no submission after the deadline. The instruction-only arm of the three-arm ablation (§4) was run after the phase closed, so that comparison is post hoc, and the descriptive tables in Appendices C, E, F and I are local analyses of submitted outputs rather than scored runs. **Validation.** The hidden test has no released gold and the development set is near-degenerate, so components were selected on the public leaderboard and by manual reading; our reported progression therefore doubles as the selection signal, which risks fitting the test distribution. Because blind labels are unreleased, no hidden-test gain carries a confidence interval, and those gains should be read as leaderboard-measured rather than statistically certified. The one component testable against gold is the drain, where a paired bootstrap on dev puts its gain above zero (§6.1). **Unmeasured components.** We never ran the judge with and without the 74 discriminators and per-family cue lists, so their contribution is unmeasured; they were written from the released definitions and Arabic linguistic knowledge, but we cannot separate their effect from the rest of the prompt. **Partly transductive.** Two design choices were derived by reading our own predictions over the blind inputs rather than from held-out gold: the five attractor classes (§4) and the seven gated broad-move directions (Appendix I). No hidden label was inspected, and no prediction was edited by hand—both choices enter the pipeline only through deterministic rules—but the method is not fully inductive, and neither choice is validated on gold. **An untested comparison.** We ran GPT-5.6 over the full test set but never submitted its predictions as a system, so the claim that a cheap base judge with conservative correction beats direct full-taxonomy prediction is untested; the disagreement rate reported in §7 is our only evidence that one model is too noisy to act on. **Cost and ceilings.** Consensus cost scales with test size, and song-dialect distinctions remain near the noise floor because the distinguishing features are phonetic and largely absent from written lyrics.

Ethics Statement

This work uses only the publicly released AraGenre data and collects nothing new; any user-generated text originates from the official benchmark. In line with the shared-task rules, all predictions are produced automatically: no submitted label was hand-edited and we did not reverse-engineer the hidden evaluation labels. We did read system outputs and the corresponding texts to design the automatic rules, and the rule-precision estimates in §4 come from that inspection; this is author inspection of system outputs, not annotation of the evaluation set, and no such judgement enters a submission except through a deterministic rule.

The taxonomy spans religiously and culturally sensitive categories (Islamic and Christian scripture, dialectal varieties, regional song lyrics), which we treat descriptively as text-type labels: a misclassification carries no endorsement and no judgement on the authenticity, orthodoxy or quality of a text, and models trained on skewed corpora may under-serve lower-resourced dialects. Two misuses would concern us. Dialect is not provenance – pointed at ordinary prose, the classifier reads as a guess at where a writer is from, and our own measurements show that the written signal is mostly absent. And because the labels separate religious from informative text, genre output could be used to route or suppress material by register rather than by content. The system assigns text types, it does not assess them, and a 0.57 Specific Macro F1 is not a basis for an automated decision about a document or its author without a person in the loop.

Our correction stage sends Arabic text to third-party hosted LLM APIs; the inputs are already-public benchmark data, but the same pipeline should not be applied to private or sensitive text without review. Reliance on hosted models whose availability, cost and behaviour may change limits equitable reproducibility; the base retriever-plus-open-judge pipeline is provided as the self-hostable alternative.

Acknowledgments

We thank the AraGenre 2026 organisers for designing and running the shared task, for the released taxonomy and definitions, and for their prompt support throughout the evaluation phase. We thank the anonymous reviewers for their comments. We also thank the maintainers of the open models and libraries our pipeline builds on.

References

Ilias Aarab. 2026. BTZSC: A benchmark for zero-shot text classification across cross-encoders, embedding models, rerankers and LLMs. *arXiv preprint arXiv:2603.11991*.

Muhammad Abdul-Mageed, Chiyu Zhang, Abdel-Rahim Elmadany, Houda Bouamor, and Nizar Habash. 2021. NADI 2021: The second nuanced Arabic dialect identification shared task. In *Proceedings of the Sixth Arabic Natural Language Processing Workshop*.

Anthropic. 2026. Claude Sonnet 5. Model documentation, https://www.anthropic.com/news/claude-sonnet-5.

Wissam Antoun, Fady Baly, and Hazem Hajj. 2020. AraBERT: Transformer-based model for Arabic language understanding. In *Proceedings of the 4th Workshop on Open-Source Arabic Corpora and Processing Tools*.

Wissam Antoun, Fady Baly, and Hazem Hajj. 2021. AraGPT2: Pre-trained transformer for Arabic language generation. In *Proceedings of the Sixth Arabic Natural Language Processing Workshop*.

Djelloul Bouchiha, Abdelghani Bouziane, Noureddine Doumi, and Benamar Hamzaoui. 2025. Fine-tuning AraGPT2 for hierarchical Arabic text classification. *Science, Engineering and Technology*, 5(1):55–65.

Djelloul Bouchiha, Benamar Hamzaoui, Abdelghani Bouziane, Noureddine Doumi, Farouk Omar Berbouchi, Aymen Abdelghani Kebir, Nihad Mebarki, and Badiâ Achouak Benameur. 2026. Hierarchical Arabic text classification: Deep learning-based approach. *Annals of West University of Timişoara, Mathematics and Computer Science*, 62:1–15.

Fuhan Cai, Duo Liu, Zhongqiang Zhang, Ge Liu, Xiaozhe Yang, and Xiangzhong Fang. 2024. NER-guided comprehensive hierarchy-aware prompt tuning for hierarchical text classification. In *Proceedings of LREC-COLING 2024*, pages 12117–12126.

Huiyao Chen, Yu Zhao, Zulong Chen, Mengjia Wang, Liangyue Li, Meishan Zhang, and Min Zhang. 2024. Retrieval-style in-context learning for few-shot hierarchical text classification. *Transactions of the Association for Computational Linguistics*, 12:1214–1231.

Thomas G. Dietterich. 2000. Ensemble methods in machine learning. In *Multiple Classifier Systems (MCS)*, LNCS 1857, pages 1–15.

Yilun Du, Shuang Li, Antonio Torralba, Joshua B. Tenenbaum, and Igor Mordatch. 2024. Improving factuality and reasoning in language models through multiagent debate. In *Proceedings of ICML*.

Jaco du Toit and Marcel Dunaiski. 2025. Combining language and topic models for hierarchical text classification. *arXiv preprint arXiv:2507.16490*.

Mo El-Haj, Saad Ezzini, Shadi Abudalfa, Salima Lamsiyah, and Mustafa Jarrar. 2026. AraGenre 2026: A hierarchical definition-guided Arabic genre classification shared task. In *Proceedings of the 4th Arabic Natural Language Processing Conference (ArabicNLP 2026)*, Budapest, Hungary. Association for Computational Linguistics.

Gemma Team, Google DeepMind. 2026. Gemma 4 technical report. Technical report, Google DeepMind. ArXiv:2607.02770.

Jonas Golde, Nicolaas Paul Jedema, RaviKiran Krishnan, and Phong Le. 2026. Hierarchical text classification with LLM-refined taxonomies. In *Proceedings of the 19th Conference of the European Chapter of the Association for Computational Linguistics (EACL), Long Papers*, pages 214–228.

Google. 2026. Gemini 3.6 flash. Model documentation, https://ai.google.dev/gemini-api/docs/models/gemini-3.6-flash.

Dongfu Jiang, Xiang Ren, and Bill Yuchen Lin. 2023. LLM-blender: Ensembling large language models with pairwise ranking and generative fusion. In *Proceedings of ACL*.

Lekang Jiang, Wenjun Sun, and Stephan Goetz. 2025. Reasoning for hierarchical text classification: The case of patents. *arXiv preprint arXiv:2510.07167*.

OpenAI. 2026. GPT-5.6 luna. Model documentation, https://developers.openai.com/api/docs/models/gpt-5.6-luna.

Shuaidong Pan and Di Wu. 2025. Hierarchical text classification with LLMs via BERT-based semantic modeling and consistency regularization. *Preprints.org*.

Qwen Team. 2025. Qwen3 embedding: Advancing text embedding and reranking through foundation models. *arXiv preprint arXiv:2506.05176*.

Weiwei Sun, Lingyong Yan, Xinyu Ma, Shuaiqiang Wang, Pengjie Ren, Zhumin Chen, Dawei Yin, and Zhaochun Ren. 2023. Is ChatGPT good at search? investigating large language models as re-ranking agents. In *Proceedings of EMNLP*.

Pat Verga, Sebastian Hofstatter, Sophia Althammer, Yixuan Su, Aleksandra Piktus, Arkady Arkhangorodsky, Minjie Xu, Naomi White, and Patrick Lewis. 2024. Replacing judges with juries: Evaluating LLM generations with a panel of diverse models. *arXiv preprint arXiv:2404.18796*.

Junlin Wang, Jue Wang, Ben Athiwaratkun, Ce Zhang, and James Zou. 2024. Mixture-of-agents enhances large language model capabilities. *arXiv preprint arXiv:2406.04692*.

Xuezhi Wang, Jason Wei, Dale Schuurmans, Quoc Le, Ed Chi, Sharan Narang, Aakanksha Chowdhery, and Denny Zhou. 2023. Self-consistency improves chain of thought reasoning in language models. In *Proceedings of ICLR*.

Yihong Wang, Zhonglin Jiang, Ningyuan Xi, Yue Zhao, Qingqing Gu, Xiyuan Chen, Hao Wu, Sheng Xu, Hange Zhou, Yong Chen, and Luo Ji. 2025. Making language model a hierarchical classifier. *arXiv preprint arXiv:2507.12930*.

Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Brian Ichter, Fei Xia, Ed Chi, Quoc Le, and Denny Zhou. 2022. Chain-of-thought prompting elicits reasoning in large language models. In *Advances in Neural Information Processing Systems (NeurIPS)*.

Mingxuan Xia, Zhijie Jiang, Haobo Wang, Junbo Zhao, Tianlei Hu, and Gang Chen. 2025. Ensembling prompting strategies for zero-shot hierarchical text classification with large language models. In *Proceedings of the 2025 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 18189–18208.

Alessandro Zangari, Matteo Marcuzzo, Michele Schiavinato, Lorenzo Giudice, Andrea Albarelli, Andrea Gasparetto, and Matteo Rizzo. 2024. Hierarchical text classification and its foundations: A review of current research. *Electronics*, 13(7):1199.

Biqing Zeng et al. 2025. CPM-based hierarchical text classification. *Journal of Artificial Intelligence Research*, 82:367–388.

Qian Zhang, Qinliang Su, Wei Zhu, and Yachun Pang. 2025. HierPrompt: Zero-shot hierarchical text classification with LLM-enhanced prototypes. In *Findings of the Association for Computational Linguistics: EMNLP 2025*, pages 3846–3859.

Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Siyuan Zhuang, Zhanghao Wu, Yonghao Zhuang, Zi Lin, Zhuohan Li, Dacheng Li, Eric P. Xing, Hao Zhang, Joseph E. Gonzalez, and Ion Stoica. 2023. Judging LLM-as-a-judge with MT-bench and chatbot arena. In *NeurIPS*.

He Zhu, Chong Zhang, Junjie Huang, Junran Wu, and Ke Xu. 2023. HiTIN: Hierarchy-aware tree isomorphism network for hierarchical text classification. In *Proceedings of ACL*.

A Reproducibility

Official submission. The results we report are those of our final submission, evaluated 1 August 2026, which scored 0.7352 Hierarchical Macro F1 (Specific Macro 0.5725, Weighted 0.6125, Accuracy 0.6189; Broad Macro 0.8979, Weighted 0.9142, Accuracy 0.9138) over 27,972 of 27,972 gold instances with no missing prediction, ranking 1st of the 18 teams in the organisers' final standings. Every hidden-test number in Table 1 and Appendix D is likewise an official scored submission rather than a local estimate; the full record is in Appendix I. No parameters are updated at any stage; task-specific information enters only through the hand-written discriminators, dev-tuned prompts and leaderboard-guided component selection.

Data: we use only the official AraGenre inputs and definition files, and no external labelled

data. The consensus verifiers receive the 74 definitions verbatim. The judge does not: by default it appends a one-line Arabic discriminator to each definition and prepends per-family cue lists, both author-written from the released definitions and Arabic linguistic knowledge, and both naming genres explicitly (`src/discriminators.py`, `src/judge.py`). The surface rules name a further seven labels. No test label or annotation informs any of it, but the pipeline is not label-agnostic and we do not claim it is.

Models: the base retriever is Qwen3-Embedding-8B (4-bit NF4 weights with fp16 compute, 4096-dim, cosine over L2-normalised vectors, sequence length capped at 512 tokens); the judge is a Gemma-family model (`gemma-4-31b`) served via vLLM with setwise 0–100 scoring; the consensus verifiers are GPT-5.6 Luna and Gemini-3.6 Flash, each queried with the full-taxonomy prompt.

Settings: the judge decodes at temperature 0 with seed 42; the Gemini verifier runs at temperature 0 and the GPT verifier at `reasoning_effort=low` with no temperature set. The retriever caches the top 20 specific genres per text; the judge scores every sibling in the four small families and the top 6 retrieved elsewhere, in a single setwise pass, with marginal correction α=0.5.

Pipeline and code: paths below are relative to the repository root. Every stage is released, one file each: retrieval (`src/retrieve.py`), the family-restricted judge (`src/judge.py`), the surface rules (`src/rules.py`), the full-context verifiers (`src/verify.py`), the consensus and drain assembly (`src/assemble.py`), and the submission builder (`src/submission.py`), which enforces broad=parent(specific) and validates that all 27,972 IDs are present with exact labels.

Scope of reproducibility. The final submission can be reconstructed exactly from the cached artifacts, but the base pipeline cannot be regenerated end to end. Two inputs to the trap experiment illustrate the gap: the 2,635-instance verification pool, selected during the evaluation phase as the instances whose broad label we judged least secure, and the broad-only prompt behind arm A. Both the pool file and arm A's cached outputs ship, so `src/trap_table.py` rebuilds the table offline, but neither selection can be re-derived from the code.

Two cached inputs. The broad gate the judge restricts to is the scored 0.6812 system, an earlier retrieval-gated system we submitted and scored, reused verbatim rather than regenerated by the released code; and the base predictions additionally carry an Interactive-recall reassignment applied during the evaluation phase by a separate automatic judge pass (`src/interactive_judge.py`), which we release but which is not wired into `reproduce.sh`; re-running the released judge over the same candidate sets reproduces 93.5% of the base specific labels and 97.1% of the broad labels. Both files ship in `artifacts/`, so the submitted predictions rebuild exactly (27,972/27,972) from cached outputs, but the base stage is a cached input rather than something the repository regenerates end to end.

Caveats: the hosted API models are versioned by release date and are not guaranteed bit-reproducible across dates; the consensus stage incurs API cost proportional to the number of verified instances (on the order of tens of US dollars for this test set). The base pipeline runs on a single CUDA GPU (embeddings) plus a remote vLLM endpoint (judge).

B Annotation-Convention Divergence Between Splits

Five of the seven residual dev errors are texts that analyse religion from the outside, e.g. تشير بعض الدراسات إلى أن أساليب الوعظ تختلف بين المجتمعات ("some studies indicate that preaching styles differ between societies"). Our system labels these `Analytical Reports` (Informative); the dev gold label is `Religious Commentary` (Religious).

This is the *inverse* of the convention in the hidden test, where `islamic_book_description` ("texts summarising Islamic or religious books") is Informative and our consensus stage is rewarded for moving such texts out of Religious. Both conventions are stated in their own definition files, and the two files disagree about where writing *about* religion belongs. A system that follows the test convention is therefore necessarily penalised on dev, which bounds how far dev accuracy can be pushed without split-specific rules. It also supports our central claim: the convention is carried by the definitions, which is why supplying the full taxonomy, rather than the broad labels

alone, changes model behaviour so sharply.

C Prediction Audit Examples

Three error types dominate. (i) *Cross-family topic leaks*: a description *of* a religious book (يهدف هذا الكتاب إلى قراءة سيرة الرسول, id 10041) is `islamic_book_description` (Informative), which our base and final systems both get right but which all three verifiers call Religious under the broad-only prompt; scripture leaks the other way (هؤلاء امراء بني عيسو, Genesis 36, id 10798), where the base says `history_encyclopedia` and consensus changes it to `bible`. (ii) *Heavy attractor prediction*: long prose absorbed into `egyptian_song_lyrics`. (iii) *Ceiling classes*: for each of the five song-lyric classes, 87–99% of the texts we assign to it contain no marker from that dialect's cue list (`src/dialect_markers.py` ships the lists and reproduces the table; the rate is a property of the text, so it is measurable without gold).

D Negative Results

A *direct* six-way broad classifier regressed to 0.6206, confirming that deriving broad from the specific prediction beats classifying it directly; scoring all 74 candidates without retrieval pruning fell to 0.6517. For correction, plain self-consistency (0.7134), entropic optimal transport (0.7115), uniform-prior calibration (0.7124) and an unrestricted chain-of-thought pass (0.7131) all regressed below the 0.7139 base, whereas full-context consensus improved it. Cross-lingual rerankers failed (Aarab, 2026), regex rules added nothing the judge lacked, and the off-the-shelf dialect classifiers we tried did not expose the Iraqi/Sudanese distinction that NADI-style country-level tasks define (Abdul-Mageed et al., 2021).

E Full-Context vs. Broad-Only Prompting

Both consensus models were run over the same verification pool (n = 2,635) once with only the 6 broad definitions and once with all 74 specific definitions. Because the full-taxonomy prompt also carries an explicit type-vs-topic instruction, we added a third arm, broad definitions only *plus* that instruction, to separate the two factors. On the 1,403 book-description instances GPT-5.6 calls 394 of them Religious with neither, 233 with the instruction alone and 119 with the full taxonomy; `src/trap_table.py` rebuilds these counts from cached verifier outputs with no API access.

Table 3 splits the same three arms over the whole pool. Two things follow. First, the reduction is not a prior shift: from A to C the verifier calls Religious *more* often on the instances the base already reads as Religious and less often on every other subset, so the separation between the two widens monotonically. Second, the instruction and the taxonomy are not interchangeable. The instruction pays off only on the book descriptions, where the competing label (`*_book_description`) is the trap's target; on the rest of the pool it overfires, raising Religious calls by a quarter. Only the full taxonomy improves every subset at once. We read this as the instruction supplying a convention the model cannot act on until the taxonomy shows it a label that satisfies the convention. The caveat of Table 4 applies here too: the row labels come from the base system, so these are agreement counts, not accuracy.

Religious calls	A	B	C
book descriptions (n=1,403)	394	233	**119**
rest of pool (n=1,169)	121	152	**61**
base-Religious (n=63)	26	28	**30**
separation (pp)	21	29	**41**

Table 3: The three arms over the full verification pool (GPT-5.6). A: broad definitions only. B: + type-vs-topic instruction. C: + full 74-definition taxonomy. The first two rows should fall and the third should rise; only C does both. Separation is the Religious-call rate on base-Religious instances minus the rate on the other 2,572. Rebuilt by `src/trap_table.py`.

Table 4 reports how often GPT-5.6's broad verdict still agrees with the base system's family, one model across the two original prompts. Broad-only prompting collapses on families whose members are *about* another family's subject matter (Learning, Informative), which is exactly the topic trap; the full taxonomy repairs it. Requiring both verifiers to agree, joint Religious assignments on the same 1,403 instances fall from 235 under broad-only prompting to 32 under the full taxonomy, an 86% reduction.

Base family	n	broad-only	full-taxonomy
Informative	1682	49%	**78%**
Learning	305	18%	**74%**
Interactive	153	46%	**72%**
Legal	281	53%	**56%**
Creative	151	50%	48%
Religious	63	41%	**48%**

Table 4: Share of instances where GPT-5.6's broad verdict matches the base family, by prompt context. This measures *agreement with the base system*, not accuracy: the hidden test has no released gold, so we can show that full context changes verifier behaviour and that the change is consistent with the taxonomy's own conventions, but we cannot certify it as an accuracy gain. The dev contrast in §6.1 is the gold-anchored counterpart.

F Attractor Drain

The drain is deterministic: it fires when the base label is an attractor class and the chain-of-thought pass names a different sibling inside the same broad family (Table 5). No score threshold or entropy criterion is used, and broad is held fixed by construction.

Class	base	moved
`literature_fiction_bk_desc.`	598	208 (35%)
`egyptian_song_lyrics`	979	212 (22%)
`msa_poetry`	608	52 (9%)
`culture_encyclopedia`	455	41 (9%)
`history_encyclopedia`	632	41 (6%)

Table 5: Attractor classes and how many predictions the drain reassigns to within-family siblings when applied to the base predictions alone. In the submitted pipeline consensus is applied first and the drain fires on 383 of these instances.

G Calibration

The correction subtracts a scaled per-genre mean from each candidate's score, $s'(y) = s(y) - \alpha\,\bar{s}(y)$, where $\bar{s}(y)$ is the mean score genre y received over the whole test set and α=0.5. It damps genres the judge rates generously everywhere, which is what leaves rare siblings seldom predicted. We started from α=0.75, chosen on the released training labels; it over-flattened once the label space grew from 7 to 74 classes. The correction is applied before the argmax and never changes the broad family. Two alternatives we tried instead of it, uniform-prior calibration and entropic optimal transport, both scored below the base (Appendix D).

H Hyperparameters and Prompts

Retriever: Qwen3-Embedding-8B loaded in 4-bit NF4 with fp16 compute (the configuration the submitted run used; only the cosine ranking is consumed and NF4 preserves embedding direction), 4096-dim, L2-normalised, `max_seq_length` 512, the top 20 specific genres cached per text; the judge scores every sibling in the four small families (Creative 7, Religious 6, Interactive 4, Legal 3) and the top 6 retrieved in-family candidates in the two large ones.

Judge. `gemma-4-31b` via vLLM, setwise 0–100 scoring in a single pass, temperature 0, seed 42, 3 retries with JSON-regex fallback, marginal correction α=0.5. We did not record the serving precision of the judge endpoint; vLLM's default for this checkpoint is bfloat16. The retriever precision is given above.

Consensus verifiers. GPT-5.6 Luna (`reasoning_effort=low`, $\leq$500 completion tokens) and Gemini-3.6 Flash (temperature 0, $\leq$400 output tokens), each given the full 74-definition taxonomy (2,884 tokens under `o200k_base`, giving a mean prompt of 3,034 tokens and a maximum of 5,185) in the system prompt, and the text truncated to 1500 characters. The judge prompt asks for a JSON array of integer scores over the candidate definitions; the consensus prompt asks for a single exact `specific_genre` identifier and states that a factual description *of* a book is a `*_book_description`, not the book's subject genre.

Software. `torch`, `transformers`, `sentence-transformers` and `bitsandbytes` for the retriever, vLLM for the local judge, and the `openai` and `google-genai` SDKs for the verifiers; pinned versions accompany the code.

Cost. At list prices the consensus stage runs about US$1.05–1.48 per 1,000 calls, giving the $50 total quoted in §5 over its 36,013 calls.

Throughput. A consensus call takes 2.0–2.8 s. At the released default of 20 concurrent workers the 8,041-instance Gemini pass took 19 min of wall clock; the full GPT pass over 27,972 instances was run at higher concurrency.

I Official Submission Record

Every hidden-test number we report is an official evaluation of a submitted file (Table 6), so the progression is traceable to scored submissions rather than to local approximations.

System	Hier. F1
genre-general judge, no retrieval	0.6067
+ embedding retrieval gate	0.6812
+ family-restricted judging	0.6882
direct six-way broad judge	0.6206
unpruned 74-way scoring	0.6517
+ surface rules only	0.6881
rule variant	0.6891
prompt-ensemble blend	0.6883
Interactive-subtype judging	0.6942
hybrid judge variant	0.7128
base system	0.7139
uniform-prior calibration	0.7124
self-consistency (K=3)	0.7134
entropic optimal transport	0.7115
chain-of-thought applied wholesale	0.7131
+ agreement-gated corr. (subset)	0.7224
+ cross-family moves, all inst.	0.7256
+ within-family refs, drain	**0.7352**

Table 6: Official submissions behind Table 1 and Appendix D. The final system produced 27,972 predictions over 27,972 gold instances, none missing. We used 19 of our 26 permitted submissions; the 18 scored on the test phase are all listed here. Submissions were made sequentially over four days, so the progression is a record of scored configurations rather than a single controlled sweep.

Two readings this record supports. The 0.6881 row isolates the surface rules on top of the 0.6882 row: they rewrite 32 labels (23 `quran`, 9 `hadith`) and leave the score at 0.6881 against 0.6882. The rules are precise but score-neutral at that point, so the 0.6882→0.7139 gain belongs to the judge and calibration changes, not to them. They were kept for a different job: in the final pipeline they fire on 1,087 instances and agree with the base label on every one, so their whole net effect is to restore 75 labels that consensus or the drain had moved away (56 `youtube_comments`, 19 `quran`). They guard the correction stages rather than adding score. The chain-of-thought row applies that pass to every instance and scores 0.7131, below the 0.7139 base; the same pass restricted to attractor classes is what the drain uses. Chain-of-thought helps here only where it is aimed.

Gated broad moves. Of the 3,300 instances where both verifiers agree against the base, 2,122 stay inside the base family and are applied as refinements. Of the 1,178 that would cross families, 460 fall in a read-verified direction and are applied: Informative→Interactive 195, Legal→Informative 80, Creative→Religious 58, Informative→Religious 58, Creative→Informative 44, Interactive→Religious 20, Legal→Interactive 5. The remaining 718 are rejected, the largest groups being Informative→Learning (219), Creative→Interactive (122) and Learning→Informative (99).

Preserved rule defects. Three regexes in `src/rules.py` do not match their intent: the Qur'anic class also admits U+0671, the opinion class lets a bare variation selector match, and one character class contains a literal `|`. They ran as written when the submission was produced, so we keep them verbatim and document them in the code; correcting all three changes 22 of the 27,972 final predictions.

Orthographic signals. Share of each group carrying heavy diacritisation (a mark on over 10% of its Arabic characters) or at least one emoji, over the final predictions: `quran` 77%/0% (n=691), poetry 43%/0% (n=1,606), `hadith` 1%/1% (n=647), book descriptions 1%/0% (n=3,916), the whole Interactive family 0%/28% (n=1,978; `twitter_posts` 57%, `youtube_comments` 30%, `app_reviews` 11%, `book_reviews` 0%). Both are properties of the text, so no gold is needed; `src/orthographic_signals.py` reproduces the table.