M. Haryon Antillah P. 1101191095 TT-43-11

a. orde 2

b.
$$\gamma(z) + \frac{0.72^{-2}}{7(z)} \gamma(z) = \chi(z) - 2^{-2} \chi(z)$$

$$\frac{\gamma(z)}{\chi(x)} = \frac{1 - 2^{-2}}{1 + 0.72^{-2}}$$

$$H(2) = \frac{3^2 - 1}{2^2 + 0.7}$$

Zero:
$$2^2-1=0$$

 $(2+1)(2-1)=0$
 $2_1=-1$
 $2_2=1$

Sistem stabil Karena Zero 121=1

$$E. \quad H(e^{j\omega}) = \frac{1 - e^{-2j\omega}}{1 + 0.7e^{-2j\omega}} \times \frac{1 - 0.7e^{-2j\omega}}{1 - 0.7e^{-2j\omega}}$$

$$= \frac{1 - 1.7e^{-3\omega} + 0.7e^{-2j\omega}}{1 - 0.49}$$

$$= \frac{1}{1 - 0.49} \left(1 - 1.7e^{-52\omega} + 0.7e^{-54\omega}\right)$$

$$= \frac{1}{0.51} - \frac{10}{3} \cos 2\omega + \frac{70}{51} \cos 4\omega + 5\left(\frac{10}{3} \sin 2\omega - \frac{20}{51} \sin 4\omega\right)$$


$$\frac{d}{|H(e^{j\omega})|} = \sqrt{\left(\frac{1}{0.51} - \frac{\omega}{3}\cos 2\omega + \frac{70}{51}\cos 4\omega\right)^2 + \left(\frac{\omega}{3}\sin 2\omega - \frac{20}{51}\sin 4\omega\right)^2}$$

Date:

M. Hasyim Abdillah P. 40119695 TT-43-11

[U(e)4)


e.



$$\frac{4. \operatorname{arg}\left\{H(e^{j\omega})\right\} = \tan^{-1}\left(\frac{\Gamma_{m}}{Re}\right)}{2}$$

$$= \tan^{-1}\left(\frac{e^{2}}{3} \sin 2\omega - \frac{70}{51} \sin 4\omega\right)$$

$$= \tan^{-1}\left(\frac{e^{2}}{3} \sin 2\omega - \frac{70}{51} \cos 4\omega\right)$$



h.

M. Hasym Abdillah P. 1101191095

TT-43-11

$$\frac{\pi}{2} \times [n] = 2 \cos \left(\frac{\pi}{2}n\right) \rightarrow \omega = \frac{\pi}{2}$$

h.
$$\times [n] = 2 \cos \left(\frac{R}{2}n\right) \rightarrow \omega = \frac{R}{2}$$

$$\left| \mathcal{H}(e^{j0,5\pi}) \right| = \sqrt{\left(0,5-\frac{\omega}{3}\cos 2.\frac{\pi}{2} + \frac{20}{5!}\cos 4.\frac{\pi}{2}\right)^2 + \left(\frac{\omega}{3}\sin 2.\frac{\pi}{2} - \frac{20}{5!}\sin 4.\frac{\pi}{2}\right)^2}$$

$$= 13,34 \cos\left(\frac{R}{2}\eta\right)$$

No.
Date:

M. Hasym Abdillah P. 1101191095 TT-43-11

î. Sebaspi band-pass filter sesuri pada gambar grafih nomor a

